



**Your Plan
YOUR WAY**
PHP Care Complete FIDA-IDD
(Medicare - Medicaid Plan)

2024 FORMULARY

(LIST OF COVERED DRUGS)

Updated on 03/25/2024

Important Information About What You Pay for Vaccines: Some vaccines are considered medical benefits. Other vaccines are considered Part drugs. Our plan covers most Part D vaccines at no cost to you. For more recent information or other questions, contact us at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week, or visit www.phpcares.org.

PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) | 2024 List of Covered Drugs (Formulary)

Introduction

This document is called the *List of Covered Drugs* (also known as the Drug List). It tells you which prescription drugs over-the-counter drugs and items are covered by PHP Care Complete FIDA-IDD Plan. The Drug List also tells you if there are any special rules or restrictions on any drugs covered by PHP Care Complete FIDA-IDD Plan. Key terms and their definitions appear in the last chapter of the *Participant Handbook*.

Table of Contents

A. Disclaimers.....	3
B. Frequently Asked Questions (FAQ)	3
B1. What prescription drugs are on the <i>List of Covered Drugs</i> ? (We call the <i>List of Covered Drugs</i> the “Drug List” for short.)	4
B2. Does the Drug List ever change?	4
B3. What happens when there is a change to the Drug List?	5
B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?	6
B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?.....	7
B6. What happens if PHP Care Complete FIDA-IDD Plan changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?	7
B7. How can I find a drug on the Drug List?.....	7
B8. What if the drug I want to take is not on the Drug List?	7
B9. What if I am a new PHP Care Complete FIDA-IDD Plan Participant and can't find my drug on the Drug List or have a problem getting my drug?.....	8
B10. Can I ask for an exception to cover my drug?	8
B11. How can I ask for an exception?.....	9
B12. How long does it take to get an exception?	9

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



B13. What are generic drugs?.....9

B14. What are OTC drugs?.....9

B15. Does PHP Care Complete FIDA-IDD Plan cover non-drug OTC products?.....9

B16. What is my copay?.....10

B17. What are drug tiers?10

C. Overview of the *List of Covered Drugs*.....10

C1. Drugs Grouped by Medical Condition.....11



A. Disclaimers

This is a list of drugs that Participants can get in PHP Care Complete FIDA-IDD Plan.

- ❖ Partners Health Plan is a managed care plan that contracts with Medicare and the New York State Department of Health (Medicaid) to provide benefits to Participants through the Fully Integrated Duals Advantage for individuals with Intellectual and Developmental Disabilities (FIDA-IDD) Demonstration.
- ❖ ATTENTION: If you speak a language other than English, language assistance services, free of charge, are available to you. Call 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free.
- ❖ Si usted habla español, se encuentran disponibles para usted servicios sin cargo de asistencia con el idioma. Llame al 1-855-747-5483 y al 711 para los usuarios de TTY de 8:00 a. m. a 8:00 p. m., los siete días de la semana. La llamada es gratuita.
- ❖ Если Вы говорите на русском языке, Вам доступна бесплатная языковая поддержка. Звоните по телефону 1-855-747-5483 и 711 для пользователей линии TTY/TDD с 08:00 до 20:00, без выходных. Звонок бесплатный.
- ❖ 如果您說中文，您可以獲得免費的語言協助服務。請致電 1-855-747-5483，TTY 使用者請致電711，服務時間為每週七天，上午 8 時至晚上 8 時。本電話為免付費電話。
- ❖ You can get this document for free in other formats, such as large print, braille, or audio. Call 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free.
- ❖ If you would like to make or change a standing request for a preferred language or format, call PHP Care Complete FIDA-IDD Plan Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week and we will keep this on file for future mailings and communications. If we do not receive a request for a preferred language or format, we will provide you with your materials in English.
- ❖ The State of New York has created a Participant ombudsman program called the Independent Consumer Advocacy Network (ICAN) to provide Participants free, confidential assistance on any services offered by PHP Care Complete FIDA-IDD Plan. ICAN may be reached toll-free at 1-844-614-8800 (TTY users call 711, then follow the prompts to dial 844-614-8800) or online at icannys.org.

B. Frequently Asked Questions (FAQ)

Find answers here to questions you have about this *List of Covered Drugs*. You can read all of the FAQ to learn more or look for a question and answer.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

B1. What prescription drugs are on the *List of Covered Drugs*? (We call the *List of Covered Drugs* the “Drug List” for short.)

The drugs on the *List of Covered Drugs* that starts on page 1 are the drugs covered by PHP Care Complete FIDA-IDD Plan. These drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- PHP Care Complete FIDA-IDD Plan will cover all drugs on the Drug List if:
 - your doctor or other prescriber says you need them to get better or stay healthy,
 - the drug is medically necessary for your condition, **and**
 - you fill the prescription at a PHP Care Complete FIDA-IDD Plan network pharmacy.
- PHP Care Complete FIDA-IDD Plan may have additional steps to access certain drugs (refer to question B4 below). In some cases, you may have to do something before you can get a drug, like try other drugs first.

You can also find an up-to-date list of drugs that we cover on our website at www.phpcares.org or call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.

B2. Does the Drug List ever change?

Yes, and PHP Care Complete FIDA-IDD Plan must follow Medicare and Medicaid rules when making changes. We may add or remove drugs on the Drug List during the year.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior approval (PA) for a drug. (PA is permission from PHP Care Complete FIDA-IDD Plan or your Interdisciplinary Team (IDT) before you can get a drug.)
- Add or change the amount of a drug you can get (called quantity limits).
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we will cover another drug.)

For more information on these drug rules, refer to question B4.

If you are taking a drug that was covered at the **beginning** of the year, we will generally not remove or change coverage of that drug **during the rest of the year** unless:

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



- a new, cheaper drug comes on the market that works as well as a drug on the Drug List now, **or**
- we learn that a drug is not safe, **or**
- a drug is removed from the market.

Questions B3 and B6 below have more information on what happens when the Drug List changes.

- You can always check PHP Care Complete FIDA-IDD Plan's up to date Drug List online at www.phpcares.org.
- You can also call Participant Services to check the current Drug List at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.

B3. What happens when there is a change to the Drug List?

Some changes to the Drug List will happen **immediately**. For example:

- **A new generic drug becomes available.** Sometimes, a new generic drug comes on the market that works as well as a brand name drug on the Drug List now. When that happens, we may remove the brand name drug and the new generic drug, but your cost for the new drug will stay the same. When we add the new generic drug, we may also decide to keep the brand name drug on the list but change its coverage rules or limits.
 - We may not tell you before we make this change, but we will send you information about the specific change we made once it happens.
 - You or your provider can ask for an exception from these changes. We will send you a notice with the steps you can take to ask for an exception. Please refer to question B10 for more information on exceptions.
- **A drug is taken off the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not safe or the drug's manufacturer takes a drug off the market, we will take it off the Drug List. If you are taking the drug, we will also send you a letter and call you to tell you that the unsafe drug was taken off the Drug List. If you receive a letter, please review with your prescriber and/or your Care Manager for next steps.

We may make other changes that affect the drugs you take. We will tell you in advance about these other changes to the Drug List. These changes might happen if:

- The FDA provides new guidance or there are new clinical guidelines about a drug.
- We add a generic drug that is not new to the market **and**



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

- Replace a brand name drug currently on the Drug List **or**
- Change the coverage rules or limits for the brand name drug.

When these changes happen, we will:

- Tell you at least 30 days before we make the change to the Drug List **or**
- Let you know and give you a 30-day supply of the drug after you ask for a refill.

This will give you time to talk to your doctor or other prescriber. They can help you decide:

- If there is a similar drug on the Drug List you can take instead **or**
- Whether to ask for an exception from these changes. To learn more about exceptions, refer to question B10.

B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior authorization (PA) or approval:** For some drugs, you or your doctor or other prescriber must get PA from PHP Care Complete FIDA-IDD Plan or your IDT before you fill your prescription. PHP Care Complete FIDA-IDD Plan may not cover the drug if you do not get approval.
- **Quantity limits:** Sometimes PHP Care Complete FIDA-IDD Plan limits the amount of a drug you can get.
- **Step therapy:** Sometimes PHP Care Complete FIDA-IDD Plan requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug before we will cover another drug. If your doctor thinks the first drug doesn't work for you, then we will cover the second.

You can find out if your drug has any additional requirements or limits by looking in the tables beginning on page 1. You can also get more information by visiting our website at www.phpcares.org. We have posted online documents that explain our PA and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an exception from these limits. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception. Please refer to questions B10-B12 for more information about exceptions.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?

The table of drugs on page 1 has a column labeled “Necessary actions, restrictions, or limits on use.”

B6. What happens if PHP Care Complete FIDA-IDD Plan changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?

In some cases, we will tell you in advance if we add or change PA, quantity limits, and/or step therapy restrictions on a drug. Refer to question B3 for more information about this advance notice and situations where we may not be able to tell you in advance when our rules about drugs on the Drug List change.

B7. How can I find a drug on the Drug List?

There are two ways to find a drug:

- You can search alphabetically by the drug’s name, **or**
- You can search by medical condition.

To search **alphabetically**, refer to the Index of Covered Drugs section on page I-1. Then look for the name of your drug in the list.

To search **by medical condition**, find the section labeled “Drugs Grouped by Medical Condition” on page 1. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Angiotensin-Converting Enzyme (ACE) Inhibitors. That is where you will find drugs that treat heart conditions.

B8. What if the drug I want to take is not on the Drug List?

If you don’t find your drug on the Drug List, call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week and ask about it. If you learn that PHP Care Complete FIDA-IDD Plan will not cover the drug, you can do one of these things:

- Ask Participant Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. They can prescribe a drug on the Drug List that is like the one you want to take. **Or**
- You can ask the plan or your IDT to make an exception to cover your drug. Please refer to questions B10-B12 for more information about exceptions.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

B9. What if I am a new PHP Care Complete FIDA-IDD Plan Participant and can't find my drug on the Drug List or have a problem getting my drug?

We can help. We must cover a temporary 30-day supply of your drug, as needed, during the first 90 days you are a Participant of PHP Care Complete FIDA-IDD Plan. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception.

If your prescription is written for fewer days, we will allow multiple refills to provide up to a maximum of 30 days of medication.

We will cover a 30-day supply of your drug if:

- you are taking a drug that is not on our Drug List, **or**
- health plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires PA by PHP Care Complete FIDA-IDD Plan or your IDT, **or**
- you are taking a drug that is part of a step therapy restriction.

If you are in an intermediate care facility (ICF) or other long-term care (LTC) facility and need a drug that is not on the Drug List or if you cannot easily get the drug you need, we can help. If you have been in the plan for more than 90 days, live in a LTC facility, and need a supply right away:

- We will cover one 31-day supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new PHP Care Complete FIDA-IDD Plan Participant.
- This is in addition to the temporary supply during the first 90 days you are a Participant of PHP Care Complete FIDA-IDD Plan.
- If you have been in PHP Care Complete FIDA-IDD Plan for more than 90 days and have a change to your level of care, we will cover up to a 31-day supply of your prescribed drugs.

B10. Can I ask for an exception to cover my drug?

Yes. You can ask PHP Care Complete FIDA-IDD Plan or your IDT to make an exception to cover a drug that is not on the Drug List.

You can also ask PHP Care Complete FIDA-IDD Plan or your IDT to change the rules on your drug.

- For example, PHP Care Complete FIDA-IDD Plan may limit the amount of a drug we will cover. If your drug has a limit, you can ask us or your IDT to change the limit and cover more.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

- Other examples: You can ask us or your IDT to drop step therapy restrictions or PA requirements.

B11. How can I ask for an exception?

To ask for an exception, call your Care Manager. Your Care Manager will work with you and your provider to help you ask for an exception. You can also read Chapter 9, Section F, of the *Participant Handbook* to learn more about exceptions.

B12. How long does it take to get an exception?

After we get a statement from your prescriber supporting your request for an exception, we will give you a decision within 72 hours. To file an exception, please contact us by mail at: 10181 SCRIPPS GATEWAY COURT, SAN DIEGO, CA 92131; by phone at 1-888-648-6759; or by fax at 1-858-790-7100.

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, you will get a decision within 24 hours of getting your prescriber's supporting statement.

B13. What are generic drugs?

Generic drugs are made up of the same active ingredients as brand name drugs. They usually cost less than the brand name drug and usually don't have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA).

PHP Care Complete FIDA-IDD Plan covers both brand name drugs and generic drugs.

B14. What are OTC drugs?

OTC stands for "over-the-counter". PHP Care Complete FIDA-IDD Plan covers some OTC drugs when they are written as prescriptions by your provider.

You can read the PHP Care Complete FIDA-IDD Plan Drug List to find what OTC drugs are covered.

B15. Does PHP Care Complete FIDA-IDD Plan cover non-drug OTC products?

PHP Care Complete FIDA-IDD Plan covers some non-drug OTC products when they are written as prescriptions by your provider.

You can read the PHP Care Complete FIDA-IDD Plan Drug List to find what non-drug OTC products are covered.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

B16. What is my copay?

As a PHP Care Complete FIDA-IDD Plan Participant, you have no copays for prescription and OTC drugs as long as you follow PHP Care Complete FIDA-IDD Plan's rules.

B17. What are drug tiers?

Tiers are groups of drugs on our Drug List.

- Tier 1 drugs are generic drugs that are covered by Medicare Part D.
 - Tier 2 drugs are brand name drugs that are covered by Medicare Part D.
 - Tier 3 drugs are Medicaid-covered drugs and Medicaid-covered over-the-counter drugs (both generic and brand).
-

C. Overview of the *List of Covered Drugs*

The following list of covered drugs gives you information about the drugs covered by PHP Care Complete FIDA-IDD Plan. If you have trouble finding your drug in the list, turn to the Index of Covered Drugs that begins on page I-1. The index alphabetically lists all drugs covered by PHP Care Complete FIDA-IDD Plan.

The first column of the chart lists the name of the drug. Brand name drugs are capitalized (e.g., PAXIL or LAMISIL) and generic drugs are listed in lower-case italics (e.g., *ibuprofen*).

The information in the necessary actions, restrictions, or limits on use column tells you if PHP Care Complete FIDA-IDD Plan has any rules for covering your drug.

Note: The * next to a drug means the drug is not a "Part D drug." These drugs have different rules for appeals.

- An appeal is a formal way of asking for a review of and change to a coverage decision if you think there was a mistake. For example, PHP Care Complete FIDA-IDD Plan or your IDT might decide that a drug that you want is not covered or is no longer covered by Medicare or Medicaid.
- If you or your doctor or other prescriber disagrees with the decision, you can appeal. To ask for instructions on how to appeal:
 - Call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.
 - Contact ICAN toll-free at 1-844-614-8800 (TTY users call 711, then follow the prompts to dial 844-614-8800) or online at icannys.org.

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



- Read Chapter 9, Section F, of the *Participant Handbook* to learn how to appeal a decision.

C1. Drugs Grouped by Medical Condition

The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Angiotensin-Converting Enzyme (ACE) Inhibitors. That is where you will find drugs that treat heart conditions.

Here are the meanings of the codes used in the “Necessary actions, restrictions, or limits on use” column:

lowercase italics = Generic drugs. Generic drugs are on Tier 1 of our Formulary.

CAPITALIZED = Brand name drugs. Brand name drugs are on Tier 2 of our Formulary.

PA = Prior authorization (approval): you must have approval from the plan before you can get this drug.

PA NSO = Prior authorization (approval): you must have approval from the plan before you can get this drug – New Starts Only.

PA BvD = Prior authorization (approval): you must have approval from the plan before you can get this drug – Part D vs. Part B coverage determination applies.

ST = Step therapy: you must try another drug before you can get this one.

QL = Quantity limit: limit to the amount of a drug you can get.

NM = Not available through Mail Order.

* = Not a Part D Drug.

PA-HRM = This drug has been deemed by CMS to be potentially harmful and therefore, a High-Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from the plan before you fill your prescription for this drug. Without prior approval, the plan may not cover this drug.

NDS = Those drugs that are limited to a 30-day supply.

LA = This prescription may be available only at certain pharmacies.

Age: AGE (Max 64 years), age is older than X



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

Table of Contents

Analgesics.....	3
Anesthetics.....	13
Anti-Addiction/Substance Abuse Treatment Agents.....	14
Antianxiety Agents.....	15
Antibacterials.....	17
Anticancer Agents.....	26
Anticonvulsants.....	44
Antidementia Agents.....	49
Antidepressants.....	50
Antidiabetic Agents.....	54
Antifungals.....	60
Antigout Agents.....	64
Antihistamines.....	65
Anti-Infectives (Skin And Mucous Membrane).....	69
Antimigraine Agents.....	70
Antimycobacterials.....	71
Antinausea Agents.....	72
Antiparasite Agents.....	74
Antiparkinsonian Agents.....	75
Antipsychotic Agents.....	78
Antivirals (Systemic).....	84
Blood Products/Modifiers/Volume Expanders.....	92
Caloric Agents.....	97
Cardiovascular Agents.....	99
Central Nervous System Agents.....	113
Contraceptives.....	119
Cough And Cold Products.....	129
Dental And Oral Agents.....	131
Dermatological Agents.....	132
Devices.....	144
Enzyme Replacement/Modifiers.....	192

Eye, Ear, Nose, Throat Agents.....	194
Gastrointestinal Agents.....	203
Genitourinary Agents.....	216
Heavy Metal Antagonists.....	217
Hormonal Agents, Stimulant/Replacement/Modifying.....	217
Immunological Agents.....	225
Inflammatory Bowel Disease Agents.....	238
Metabolic Bone Disease Agents.....	239
Miscellaneous Therapeutic Agents.....	241
Mouthwashes And Gargles.....	245
Ophthalmic Agents.....	245
Replacement Preparations.....	246
Respiratory Tract Agents.....	251
Skeletal Muscle Relaxants.....	257
Sleep Disorder Agents.....	257
Vasodilating Agents.....	258
Vitamins And Minerals.....	259

Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Analgesics				
Analgesics, Miscellaneous				
<i>acetaminophen 120 mg suppositories *</i>	(Feverall)	3	\$0	
<i>acetaminophen 325 mg tablet *</i>	(Athenol)	3	\$0	
<i>acetaminophen 500 mg softgel *</i>	(Mapap (acetaminophen))	3	\$0	
<i>acetaminophen 500 mg tablet *</i>	(Masophen)	3	\$0	
<i>acetaminophen 650 mg suppositories *</i>	(Feverall)	3	\$0	
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>		1	\$0	QL (4500 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>		1	\$0	QL (360 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-60 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>arthritis pain reliever 650 mg capsule *</i>	(acetaminophen)	3	\$0	
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	(codeine-butalbital-asacaff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>betatemp 160 mg/5 ml suspension *</i>	(acetaminophen)	3	\$0	
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>		1	\$0	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>		1	\$0	
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	(Butrans)	1	\$0	QL (4 per 28 days); NDS
<i>butalbital-acetaminophen-caf-cod oral capsule 50-300-40-30 mg</i>	(Fioricet with Codeine)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>butalbital-acetaminophen-caf-cod oral capsule 50-325-40-30 mg</i>		1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	(Tencon)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	(Esgic)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	(Esgic)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>		1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>		1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>		1	\$0	QL (5 per 28 days); NDS
<i>child acetaminophen 80 mg chew fruit *</i>	(acetaminophen)	3	\$0	
<i>child tylenol 160 mg tab chew *</i>	(acetaminophen)	3	\$0	
<i>children's mapap 80 mg tab chw *</i>	(acetaminophen)	3	\$0	
<i>child's mapap 160 mg tab chew *</i>	(acetaminophen)	3	\$0	
<i>chld acetaminophen 160 mg/5 ml glutenlf, cherry *</i>	(acetaminophen)	3	\$0	
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i>	(Ascomp with Codeine)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>cvs child pain rlf 160 mg/5 ml children's *</i>	(acetaminophen)	3	\$0	
<i>cvs tension headache gelcap 500-65 mg *</i>		3	\$0	
<i>endocet oral tablet 10-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (360 per 30 days); NDS
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (240 per 30 days); NDS
<i>eq pain relief 500 mg/15 ml lq *</i>	(acetaminophen)	3	\$0	
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>		1	\$0	PA; QL (120 per 30 days); NDS
<i>fentanyl transdermal patch 72 hour 100 mcg/12hr, 12 mcg/12hr, 25 mcg/12hr, 50 mcg/12hr, 75 mcg/12hr</i>		1	\$0	QL (10 per 30 days); NDS
<i>feverall 120 mg suppository children's, outer *</i>	(acetaminophen)	3	\$0	
<i>feverall 325 mg suppository junior str, outer *</i>	(acetaminophen)	3	\$0	
<i>feverall 650 mg suppository adult, inner *</i>	(acetaminophen)	3	\$0	
FEVERALL 80 MG SUPPOSITORY INFANT'S, OUTER *		3	\$0	
<i>gnp child pain relief 160 mg *</i>	(acetaminophen)	3	\$0	
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>		1	\$0	QL (2700 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>		1	\$0	QL (240 per 30 days); NDS
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>		1	\$0	QL (150 per 30 days); NDS
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>		1	\$0	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)		1	\$0	QL (1200 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	\$0	QL (180 per 30 days); NDS
<i>mapap 500 mg capsule *</i> (acetaminophen)	3	\$0	
<i>mapap 500 mg/15 ml liquid *</i> (acetaminophen)	3	\$0	
<i>mapap arthritis er 650 mg cplt *</i> (acetaminophen)	3	\$0	
<i>masophen 325 mg tablet *</i> (acetaminophen)	3	\$0	
<i>masophen 500 mg tablet *</i> (acetaminophen)	3	\$0	
<i>methadone injection solution 10 mg/ml</i>	1	\$0	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	\$0	QL (600 per 30 days); NDS
<i>methadone oral solution 5 mg/5 ml</i>	1	\$0	QL (1200 per 30 days); NDS
<i>methadone oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>methadone oral tablet 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>methadose oral tablet, soluble 40 mg</i> (methadone)	1	\$0	QL (30 per 30 days); NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	\$0	PA; QL (180 per 30 days); NDS
<i>morphine oral solution 10 mg/5 ml</i>	1	\$0	QL (700 per 30 days); NDS
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	\$0	QL (300 per 30 days); NDS
MORPHINE ORAL TABLET 15 MG	2	\$0	QL (180 per 30 days); NDS
MORPHINE ORAL TABLET 30 MG	2	\$0	QL (120 per 30 days); NDS
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	1	\$0	QL (60 per 30 days); NDS
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	\$0	QL (90 per 30 days); NDS
<i>m-pap 160 mg/5 ml liquid *</i> (acetaminophen)	3	\$0	
<i>non-aspirin 80 mg tab chew children's *</i> (acetaminophen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oxycodone oral capsule 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone oral concentrate 20 mg/ml</i>	1	\$0	PA; QL (120 per 30 days); NDS
<i>oxycodone oral solution 5 mg/5 ml</i>	1	\$0	QL (1300 per 30 days); NDS
<i>oxycodone oral tablet 10 mg, 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	1	\$0	QL (120 per 30 days); NDS
<i>oxycodone oral tablet 20 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>oxycodone oral tablet, oral only, ext. rel. 12 hr 10 mg, 20 mg, 40 mg, 80 mg</i> (OxyContin)	2	\$0	QL (60 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	1	\$0	QL (360 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	1	\$0	QL (240 per 30 days); NDS
OXYCONTIN ORAL TABLET, ORAL ONLY, EXT. REL. 12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	2	\$0	QL (60 per 30 days); NDS
<i>oxymorphone oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>oxymorphone oral tablet 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	1	\$0	QL (60 per 30 days); NDS
<i>pain relief adult 500 mg/15 ml *</i> (acetaminophen)	3	\$0	
<i>pharbetol 325 mg tablet regular strength *</i> (acetaminophen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pharbetol 500 mg tablet extra strength *</i>	(acetaminophen)	3	\$0	
<i>qc non-aspirin 500 mg gelcap gelcap, ex-str *</i>	(acetaminophen)	3	\$0	
<i>ra athenol 325 mg tablet *</i>	(acetaminophen)	3	\$0	
<i>ra fever reducer-pain 160 mg/5 infant wlsyr, dlf 160 mg/5 ml *</i>	(acetaminophen)	3	\$0	
<i>ra tension headache pain cplt 500-65 mg *</i>		3	\$0	
<i>redutemp 500 mg/15 ml liquid *</i>	(acetaminophen)	3	\$0	
<i>tencon oral tablet 50-325 mg</i>	(butalbital-acetaminophen)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>tension headache caplet 500-65 mg *</i>		3	\$0	
<i>tramadol oral tablet 50 mg</i>		1	\$0	QL (240 per 30 days); NDS
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>		1	\$0	QL (300 per 30 days); NDS
<i>tylophen 500 mg capsule *</i>	(acetaminophen)	3	\$0	
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 13.5 MG, 18 MG, 9 MG		2	\$0	QL (60 per 30 days); NDS
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 27 MG		2	\$0	QL (120 per 30 days); NDS
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 36 MG		2	\$0	QL (240 per 30 days); NDS
<i>zebutal oral capsule 50-325-40 mg</i>	(butalbital-acetaminophen-caff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
Nonsteroidal Anti-Inflammatory Agents				
<i>addaprin 200 mg tablet *</i>	(ibuprofen)	3	\$0	
<i>aspirin 300 mg suppository *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>aspirin 325 mg tablet *</i>	(Bayer Aspirin)	3	\$0	
<i>aspirin 81 mg chewable tablet *</i>	(St Joseph Aspirin)	3	\$0	
<i>aspirin ec 325 mg tablet *</i>	(Aspir-Trin)	3	\$0	
<i>aspirin ec 81 mg tablet *</i>	(Bayer Low Dose Aspirin)	3	\$0	
<i>aspir-trin ec 325 mg tablet *</i>	(aspirin)	3	\$0	
<i>bayer low dose ec 81 mg tab *</i>	(aspirin)	3	\$0	
<i>bayer migraine formula caplet caplet 250-250-65 mg *</i>	(aspirin-acetaminophen-caffeine)	3	\$0	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	(Celebrex)	1	\$0	QL (60 per 30 days)
<i>children ibuprofen 100 mg/5 ml berry flavor *</i>	(ibuprofen)	3	\$0	
<i>cvs aspirin ec 81 mg tablet *</i>	(Bayer Low Dose Aspirin)	3	\$0	
<i>cvs chld ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>diclofenac potassium oral tablet 50 mg</i>		1	\$0	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>		1	\$0	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>		1	\$0	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>		1	\$0	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>		1	\$0	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>		1	\$0	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i>	(Aleve (diclofenac))	1	\$0	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>		1	\$0	PA; QL (100 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	1	\$0	PA; QL (224 per 28 days); NDS
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	\$0	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	\$0	
<i>diflunisal oral tablet 500 mg</i>	1	\$0	
<i>ec-naproxen dr 500 mg tablet</i> (naproxen)	1	\$0	
<i>ecotrin ec 325 mg tablet saftey coated *</i> (aspirin)	3	\$0	
<i>eql child ibuprofen 100 mg/5 ml dlf,berry,child *</i> (ibuprofen)	3	\$0	
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	\$0	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	\$0	
<i>etodolac oral tablet 500 mg</i>	1	\$0	
<i>fenopropfen oral tablet 600 mg</i> (Nalfon)	1	\$0	
<i>flurbiprofen oral tablet 100 mg</i>	1	\$0	
<i>gs child ibuprofen 100 mg/5 ml *</i> (ibuprofen)	3	\$0	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	\$0	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	\$0	
<i>ibuprofen 100 mg/5 ml susp (otc) *</i> (Children's Ibuprofen)	3	\$0	
<i>ibuprofen 200 mg softgel *</i> (Wal-Profen)	3	\$0	
<i>ibuprofen 200 mg tablet *</i> (Addaprin)	3	\$0	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Ibuprofen)	1	\$0	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	\$0	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	\$0	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i> (Duexis)	1	\$0	PA; QL (90 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>indomethacin oral capsule 25 mg</i>	1	\$0	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>	1	\$0	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>infant ibuprofen 50 mg/1.25 ml berry *</i> (ibuprofen)	3	\$0	
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	1	\$0	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	1	\$0	
<i>ketorolac injection solution 15 mg/ml</i>	1	\$0	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection solution 30 mg/ml, 30 mg/ml (1 ml)</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 15 mg/ml</i>	1	\$0	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 30 mg/ml</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>		1	\$0	
<i>nabumetone oral tablet 500 mg, 750 mg</i>		1	\$0	
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	\$0	
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	1	\$0	
<i>naproxen oral tablet, delayed release (drlec) 375 mg</i>	(EC-Naprosyn)	1	\$0	
<i>naproxen oral tablet, delayed release (drlec) 500 mg</i>	(EC-Naproxen)	1	\$0	
<i>naproxen sodium 220 mg tablet *</i>	(Aleve)	3	\$0	
<i>pain reliever pls 250-250-65 mg *</i>	(aspirin-acetaminophen-caffeine)	3	\$0	
<i>piroxicam oral capsule 10 mg, 20 mg</i>	(Feldene)	1	\$0	
<i>provil oral tablet 200 mg *</i>	(ibuprofen)	3	\$0	
<i>pub children's profen ib susp berry flavor 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>pub children's profenib susp bubble gum flavor 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>ra aspirin 325 mg tablet *</i>	(Bayer Aspirin)	3	\$0	
<i>ra aspirin ec 325 mg tablet regular strength *</i>	(Aspir-Trin)	3	\$0	
<i>ra aspirin ec 81 mg tablet *</i>	(Bayer Low Dose Aspirin)	3	\$0	
<i>ra naproxen sodium 220 mg cap liquidgel *</i>	(Aleve)	3	\$0	
<i>st. joseph aspirin 81 mg chew *</i>	(aspirin)	3	\$0	
<i>st. joseph aspirin ec 81 mg tb *</i>	(aspirin)	3	\$0	
<i>sulindac oral tablet 150 mg, 200 mg</i>		1	\$0	
<i>tolmetin oral capsule 400 mg</i>		1	\$0	
<i>tolmetin oral tablet 600 mg</i>		1	\$0	
<i>wal-profen 200 mg caplet flc, caplet *</i>	(ibuprofen)	3	\$0	
<i>wal-profen 200 mg softgel softgel *</i>	(ibuprofen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Anesthetics				
Local Anesthetics				
<i>anecream 4% cream *</i>	(lidocaine)	3	\$0	
ASPERCREME LIDOCAINE 4% CREAM *	(lidocaine hcl)	3	\$0	
<i>aspercreme lidocaine 4% patch *</i>	(lidocaine)	3	\$0	
<i>cvs sunburn relief cool gel 0.5 % *</i>	(lidocaine-aloe vera)	3	\$0	
<i>glydo mucous membrane jelly in applicator 2 %</i>	(lidocaine hcl)	1	\$0	QL (30 per 30 days)
<i>lido king 4% patch *</i>	(lidocaine)	3	\$0	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	(Xylocaine-MPF)	1	\$0	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>		1	\$0	
<i>lidocaine 4% cream *</i>	(Anecream)	3	\$0	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	(Xylocaine)	1	\$0	
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i>	(Glydo)	1	\$0	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>		1	\$0	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i>	(DermacinRx Lidocan)	1	\$0	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>		1	\$0	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	(lidocaine hcl)	1	\$0	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>		1	\$0	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %		2	\$0	PA; QL (90 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Anti-Addiction/Substance Abuse Treatment Agents			
Anti-Addiction/Substance Abuse Treatment Agents			
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	1	\$0	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	\$0	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	1	\$0	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	1	\$0	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	\$0	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	\$0	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>gs nicotine 2 mg chewing gum *</i> (Nicorette)	3	\$0	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	2	\$0	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	\$0	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	\$0	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	1	\$0	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	1	\$0	
<i>nicotine 14 mg/24hr patch step 2 (otc) *</i> (Nicoderm CQ)	3	\$0	
<i>nicotine 2 mg lozenge mint, 3 quittube *</i> (Stop Smoking Aid)	3	\$0	
<i>nicotine 21 mg/24hr patch outer (otc) *</i> (Nicoderm CQ)	3	\$0	
<i>nicotine 4 mg chewing gum *</i> (Nicorette)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>nicotine 4 mg lozenge mint, 3 quittube *</i>	(Stop Smoking Aid)	3	\$0	
<i>nicotine 7 mg/24hr patch step 3 (otc) *</i>	(Nicoderm CQ)	3	\$0	
NICOTROL INHALATION CARTRIDGE 10 MG		2	\$0	QL (2688 per 365 days)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML		2	\$0	QL (240 per 180 days)
<i>pub stop smoking aid 2 mg lozg *</i>	(nicotine (polacrilex))	3	\$0	
<i>pub stop smoking aid 4 mg lozg *</i>	(nicotine (polacrilex))	3	\$0	
<i>ra nicotine 2 mg lozenge mint, 4 quittube *</i>	(Stop Smoking Aid)	3	\$0	
<i>ra nicotine 21 mg/24hr patch step 1 (otc) *</i>	(Nicoderm CQ)	3	\$0	
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML		2	\$0	QL (0.5 per 30 days); NDS
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML		2	\$0	QL (1.5 per 30 days); NDS
<i>varenicline oral tablet 0.5 mg</i>		1	\$0	QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i>	(Chantix)	1	\$0	QL (336 per 365 days)
<i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i>	(Chantix Starting Month Box)	1	\$0	
Antianxiety Agents				
Benzodiazepines				
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	(Xanax)	1	\$0	QL (120 per 30 days); NDS
<i>alprazolam oral tablet 2 mg</i>	(Xanax)	1	\$0	QL (150 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i>	(Xanax XR)	1	\$0	QL (120 per 30 days); NDS
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	(Xanax XR)	1	\$0	QL (90 per 30 days); NDS
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>		1	\$0	QL (120 per 30 days); NDS
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	(Klonopin)	1	\$0	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	(Klonopin)	1	\$0	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>		1	\$0	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>		1	\$0	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>		1	\$0	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>		1	\$0	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>		1	\$0	
<i>diazepam intensol oral concentrate 5 mg/ml</i>	(diazepam)	1	\$0	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>		1	\$0	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	(Valium)	1	\$0	QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>		1	\$0	QL (60 per 30 days); NDS
<i>estazolam oral tablet 2 mg</i>		1	\$0	QL (30 per 30 days); NDS
<i>flurazepam oral capsule 15 mg</i>		1	\$0	QL (60 per 30 days); NDS
<i>flurazepam oral capsule 30 mg</i>		1	\$0	QL (30 per 30 days); NDS
<i>lorazepam 2 mg/ml oral concent</i>	(Lorazepam Intensol)	1	\$0	QL (150 per 30 days); NDS
<i>lorazepam 4 mg/ml vial inner</i>	(Ativan)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lorazepam injection solution 2 mg/ml</i>	(Ativan)	1	\$0	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i>	(Ativan)	2	\$0	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>		1	\$0	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	(lorazepam)	1	\$0	QL (150 per 30 days); NDS
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	(Ativan)	1	\$0	QL (90 per 30 days); NDS
<i>lorazepam oral tablet 2 mg</i>	(Ativan)	1	\$0	QL (150 per 30 days); NDS
<i>midazolam oral syrup 2 mg/ml</i>		1	\$0	QL (10 per 30 days); NDS
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>		1	\$0	QL (120 per 30 days); NDS
<i>temazepam oral capsule 15 mg, 30 mg</i>	(Restoril)	1	\$0	QL (30 per 30 days); NDS
<i>triazolam oral tablet 0.125 mg</i>		1	\$0	QL (120 per 30 days); NDS
<i>triazolam oral tablet 0.25 mg</i>	(Halcion)	1	\$0	QL (60 per 30 days); NDS
Antibacterials				
Aminoglycosides				
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>		1	\$0	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>		1	\$0	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>		1	\$0	
<i>neomycin oral tablet 500 mg</i>		1	\$0	
<i>streptomycin intramuscular recon soln 1 gram</i>		1	\$0	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG		2	\$0	QL (224 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	1	\$0	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	1	\$0	PA BvD; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	1	\$0	
Antibacterials, Miscellaneous			
<i>bacitracin intramuscular recon soln 50,000 unit</i>	1	\$0	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	\$0	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	\$0	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	1	\$0	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	1	\$0	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	\$0	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	1	\$0	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	1	\$0	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	1	\$0	NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF)	1	\$0	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	1	\$0	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	1	\$0	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	\$0	
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	\$0	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	1	\$0	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	1	\$0	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	\$0	
<i>trimethoprim oral tablet 100 mg</i>	1	\$0	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	1	\$0	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	1	\$0	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	1	\$0	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	2	\$0	
XIFAXAN ORAL TABLET 200 MG	2	\$0	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	2	\$0	PA; QL (90 per 30 days); NDS
Cephalosporins			
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	\$0	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	1	\$0	
<i>cefadroxil oral capsule 500 mg</i>	1	\$0	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	\$0	
<i>cefadroxil oral tablet 1 gram</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	1	\$0	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	\$0	
<i>cefazolin intravenous recon soln 3 gram</i>	2	\$0	
<i>cefdinir oral capsule 300 mg</i>	1	\$0	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	\$0	
<i>cefixime oral capsule 400 mg</i>	1	\$0	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	1	\$0	
<i>cefotaxime injection recon soln 1 gram</i>	1	\$0	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	\$0	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	\$0	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	\$0	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	1	\$0	(Tazicef)
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	\$0	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	\$0	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>	1	\$0	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	\$0	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	2	\$0	NDS
Macrolides			
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	\$0	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	\$0	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	\$0	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	\$0	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	\$0	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	2	\$0	QL (136 per 10 days); NDS
DIFICID ORAL TABLET 200 MG	2	\$0	QL (20 per 10 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	\$0	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	\$0	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	\$0	
Miscellaneous B-Lactam Antibiotics			
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	\$0	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	2	\$0	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	1	\$0	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	\$0	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	\$0	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	1	\$0	
Penicillins			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	\$0	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	\$0	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	1	\$0	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	\$0	
<i>ampicillin oral capsule 500 mg</i>	1	\$0	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	\$0	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	1	\$0	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	2	\$0	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	1	\$0	
<i>nafcillin injection recon soln 1 gram</i>	1	\$0	
<i>nafcillin injection recon soln 10 gram, 2 gram</i>	1	\$0	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	\$0	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	1	\$0	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	1	\$0	
Quinolones			
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	\$0	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	\$0	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	\$0	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	\$0	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	\$0	
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	\$0	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	\$0	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	\$0	
<i>moxifloxacin 400 mg/250 ml bag</i>	1	\$0	
<i>moxifloxacin oral tablet 400 mg</i>	1	\$0	
<i>moxifloxacin-sod. chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Sulfonamides			
<i>sulfadiazine oral tablet 500 mg</i>	1	\$0	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	\$0	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	\$0	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	\$0	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	\$0	
Tetracyclines			
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	\$0	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	1	\$0	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	\$0	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	\$0	
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	1	\$0	
<i>doxycycline hyclate oral tablet 20 mg</i>	1	\$0	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 150 mg, 50 mg, 75 mg</i>	1	\$0	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 200 mg</i> (Doryx)	1	\$0	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	1	\$0	
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	1	\$0	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>doxycycline monohydrate oral tablet 100 mg</i>	(Avidoxy)	1	\$0	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>		1	\$0	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>		1	\$0	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>		1	\$0	
<i>mondoxyme nl oral capsule 100 mg</i>	(doxycycline monohydrate)	1	\$0	
<i>mondoxyme nl oral capsule 75 mg</i>	(doxycycline monohydrate)	1	\$0	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>		1	\$0	
<i>tigecycline intravenous recon soln 50 mg</i>	(Tygacil)	1	\$0	NDS
Anticancer Agents				
Anticancer Agents				
<i>abiraterone oral tablet 250 mg, 500 mg</i>	(Zytiga)	1	\$0	PA NSO; QL (120 per 30 days); NDS
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	(paclitaxel protein-bound)	2	\$0	PA BvD; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	(fluorouracil)	1	\$0	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		2	\$0	PA NSO; QL (60 per 30 days); NDS
ALECENSA ORAL CAPSULE 150 MG		2	\$0	PA NSO; QL (240 per 30 days); NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG		2	\$0	PA NSO; QL (30 per 30 days); NDS
ALUNBRIG ORAL TABLET 30 MG		2	\$0	PA NSO; QL (120 per 30 days); NDS
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)		2	\$0	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AUGTYRO ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	\$0	NDS
BALVERSA ORAL TABLET 3 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
BALVERSA ORAL TABLET 4 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
BALVERSA ORAL TABLET 5 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	1	\$0	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	2	\$0	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	2	\$0	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	\$0	PA NSO; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	1	\$0	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	\$0	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	\$0	
<i>bortezomib injection recon soln 1 mg</i>	2	\$0	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	2	\$0	PA NSO; NDS
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	2	\$0	PA NSO; NDS
BOSULIF ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BOSULIF ORAL CAPSULE 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
BOSULIF ORAL TABLET 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BOSULIF ORAL TABLET 400 MG, 500 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
BRAFTOVI ORAL CAPSULE 75 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BRUKINSA ORAL CAPSULE 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
CABOMETYX ORAL TABLET 20 MG, 60 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
CABOMETYX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 100 MG (vandetanib)	2	\$0	PA NSO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 300 MG (vandetanib)	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	1	\$0	
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	\$0	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	2	\$0	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	2	\$0	PA NSO; QL (112 per 28 days); NDS
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
COTELLIC ORAL TABLET 20 MG	2	\$0	PA NSO; LA; QL (63 per 28 days); NDS
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	\$0	PA BvD; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml, 500 mg/ml</i>	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	1	\$0	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	2	\$0	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	2	\$0	PA NSO; QL (120 per 28 days); NDS
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	2	\$0	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	2	\$0	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
DAURISMO ORAL TABLET 25 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	1	\$0	NDS
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/4 ml (20 mg/ml)</i>	1	\$0	
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	\$0	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	1	\$0	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	2	\$0	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	2	\$0	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	2	\$0	PA NSO

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	2	\$0	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML	2	\$0	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	2	\$0	PA NSO; QL (9.5 per 28 days); NDS
EMCYT ORAL CAPSULE 140 MG	2	\$0	NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	2	\$0	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	2	\$0	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
ERLEADA ORAL TABLET 240 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ERLEADA ORAL TABLET 60 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	1	\$0	PA NSO; QL (60 per 30 days); NDS
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	1	\$0	PA NSO; QL (90 per 30 days); NDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	2	\$0	
<i>etoposide intravenous solution 20 mg/ml</i>	1	\$0	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	1	\$0	PA NSO; QL (56 per 28 days); NDS
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	1	\$0	PA NSO; QL (28 per 28 days); NDS
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	1	\$0	PA NSO; QL (112 per 28 days); NDS
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EXKIVITY ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	2	\$0	PA NSO; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	2	\$0	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	2	\$0	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	1	\$0	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	\$0	PA BvD
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
FRUZAQLA ORAL CAPSULE 1 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
FRUZAQLA ORAL CAPSULE 5 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	1	\$0	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	2	\$0	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
<i>gefitinib oral tablet 250 mg</i> (Iressa)	1	\$0	PA NSO; QL (60 per 30 days); NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	\$0	PA BvD
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	1	\$0	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	2	\$0	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	2	\$0	PA NSO; QL (5 per 21 days); NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	\$0	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
IDHIFA ORAL TABLET 100 MG, 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	1	\$0	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	\$0	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	\$0	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	\$0	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
IMBRUVICA ORAL CAPSULE 70 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
IMBRUVICA ORAL SUSPENSION 70 MG/ML	2	\$0	PA NSO; QL (240 per 30 days); NDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
IMBRUVICA ORAL TABLET 560 MG	2	\$0	QL (28 per 28 days); NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	2	\$0	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
INLYTA ORAL TABLET 5 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
INQOVI ORAL TABLET 35-100 MG	2	\$0	PA NSO; QL (5 per 28 days); NDS
INREBIC ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	1	\$0	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	\$0	
IWILFIN ORAL TABLET 192 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
JAYPIRCA ORAL TABLET 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
JAYPIRCA ORAL TABLET 50 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; QL (8 per 21 days); NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	2	\$0	PA NSO; QL (49 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	2	\$0	PA NSO; QL (70 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	2	\$0	PA NSO; QL (91 per 28 days); NDS
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	2	\$0	PA NSO; QL (21 per 28 days); NDS
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	2	\$0	PA NSO; QL (42 per 28 days); NDS
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	2	\$0	PA NSO; QL (63 per 28 days); NDS
KOSELUGO ORAL CAPSULE 10 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
KOSELUGO ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
KRAZATI ORAL TABLET 200 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	\$0	PA NSO; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	1	\$0	PA NSO; QL (28 per 28 days); NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	2	\$0	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	\$0	
LEUKERAN ORAL TABLET 2 MG	2	\$0	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	2	\$0	PA NSO

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	\$0	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	2	\$0	PA NSO; QL (100 per 28 days); NDS
LONSURF ORAL TABLET 20-8.19 MG	2	\$0	PA NSO; QL (80 per 28 days); NDS
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	2	\$0	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
LORBRENA ORAL TABLET 25 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
LUMAKRAS ORAL TABLET 120 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
LUMAKRAS ORAL TABLET 320 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	2	\$0	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	2	\$0	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
LYSODREN ORAL TABLET 500 MG	2	\$0	NDS
LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB)	2	\$0	PA NSO; QL (140 per 28 days); NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MATULANE ORAL CAPSULE 50 MG	2	\$0	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	2	\$0	PA NSO; QL (1260 per 30 days); NDS
MEKINIST ORAL TABLET 0.5 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
MEKINIST ORAL TABLET 2 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
MEKTOVI ORAL TABLET 15 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>mercaptopurine oral tablet 50 mg</i>	1	\$0	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	\$0	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	\$0	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	\$0	
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	\$0	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	\$0	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	\$0	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	2	\$0	PA NSO; QL (3 per 28 days); NDS
NUBEQA ORAL TABLET 300 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ODOMZO ORAL CAPSULE 200 MG	2	\$0	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OGSIVEO ORAL TABLET 50 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	2	\$0	PA NSO; QL (14 per 28 days); NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	2	\$0	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	2	\$0	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ORSERDU ORAL TABLET 86 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	\$0	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	1	\$0	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	\$0	PA BvD
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	2	\$0	PA BvD; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	1	\$0	PA NSO; QL (120 per 30 days); NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	1	\$0	NDS
<i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)	1	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	2	\$0	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	2	\$0	PA NSO; QL (28 per 28 days); NDS
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	2	\$0	PA NSO; QL (56 per 28 days); NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	2	\$0	NDS
QINLOCK ORAL TABLET 50 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
RETEVMO ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
RETEVMO ORAL CAPSULE 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
REZLIDHIA ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	2	\$0	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
ROZLYTREK ORAL CAPSULE 200 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RYDAPT ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (224 per 28 days); NDS
SCSEMBLIX ORAL TABLET 20 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
SCSEMBLIX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	2	\$0	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	1	\$0	PA NSO; QL (120 per 30 days); NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
SPRYCEL ORAL TABLET 20 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
STIVARGA ORAL TABLET 40 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	1	\$0	PA NSO; QL (28 per 28 days); NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	2	\$0	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	2	\$0	
TABRECTA ORAL TABLET 150 MG, 200 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	2	\$0	PA NSO; QL (900 per 30 days); NDS
TAGRISSO ORAL TABLET 40 MG, 80 MG	2	\$0	PA NSO; LA; QL (30 per 30 days); NDS
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	\$0	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS
TASIGNA ORAL CAPSULE 50 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TAZVERIK ORAL TABLET 200 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	2	\$0	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	2	\$0	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
TIBSOVO ORAL TABLET 250 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	2	\$0	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	2	\$0	PA NSO; QL (5 per 21 days); NDS
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	1	\$0	
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	\$0	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	2	\$0	PA NSO

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	\$0	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	2	\$0	PA NSO; QL (64 per 28 days); NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	2	\$0	PA NSO; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TUKYSA ORAL TABLET 50 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
TURALIO ORAL CAPSULE 125 MG, 200 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	2	\$0	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib)	2	\$0	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	2	\$0	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	2	\$0	PA NSO; LA; QL (180 per 30 days); NDS
VENCLEXTA ORAL TABLET 50 MG	2	\$0	PA NSO; LA; QL (30 per 30 days); NDS
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	2	\$0	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vinblastine intravenous solution 1 mg/ml</i>	1	\$0	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	1	\$0	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	1	\$0	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	1	\$0	
VITRAKVI ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
VITRAKVI ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
VITRAKVI ORAL SOLUTION 20 MG/ML	2	\$0	PA NSO; QL (300 per 30 days); NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
VONJO ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
WELIREG ORAL TABLET 40 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XALKORI ORAL PELLETT 150 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
XALKORI ORAL PELLETT 20 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
XALKORI ORAL PELLETT 50 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XATMEP ORAL SOLUTION 2.5 MG/ML	2	\$0	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	2	\$0	PA NSO; QL (8 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	2	\$0	PA NSO; QL (4 per 28 days); NDS
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	2	\$0	PA NSO; QL (24 per 28 days); NDS
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	2	\$0	PA NSO; QL (32 per 28 days); NDS
XTANDI ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XTANDI ORAL TABLET 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XTANDI ORAL TABLET 80 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	2	\$0	PA NSO; NDS
YONSA ORAL TABLET 125 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ZEJULA ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ZELBORAF ORAL TABLET 240 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	2	\$0	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	2	\$0	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
ZYKADIA ORAL TABLET 150 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	2	\$0	PA NSO; QL (20 per 28 days); NDS
Anticonvulsants			
Anticonvulsants			
APTIOM ORAL TABLET 200 MG, 400 MG	2	\$0	ST; QL (30 per 30 days); NDS
APTIOM ORAL TABLET 600 MG, 800 MG	2	\$0	ST; QL (60 per 30 days); NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	2	\$0	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	2	\$0	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	2	\$0	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	\$0	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	\$0	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	1	\$0	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	\$0	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	\$0	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	\$0	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	\$0	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
DIACOMIT ORAL CAPSULE 500 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
DIACOMIT ORAL POWDER IN PACKET 250 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
DIACOMIT ORAL POWDER IN PACKET 500 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	2	\$0	
DILANTIN ORAL CAPSULE 30 MG	2	\$0	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	1	\$0	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	\$0	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	\$0	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	2	\$0	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	1	\$0	
EPRONTIA ORAL SOLUTION 25 MG/ML	2	\$0	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	\$0	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	\$0	
<i>felbamate oral suspension 600 mg/5 ml</i>	1	\$0	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	\$0	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	2	\$0	PA NSO; NDS
<i>fosphephenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	1	\$0	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	2	\$0	ST; QL (720 per 30 days); NDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	2	\$0	ST; QL (30 per 30 days); NDS
FYCOMPA ORAL TABLET 2 MG	2	\$0	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	2	\$0	ST; QL (60 per 30 days); NDS
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	\$0	QL (360 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>gabapentin oral capsule 400 mg</i>	(Neurontin)	1	\$0	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	(Neurontin)	1	\$0	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	(Neurontin)	1	\$0	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	(Neurontin)	1	\$0	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i>	(Vimpat)	1	\$0	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i>	(Vimpat)	1	\$0	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Vimpat)	1	\$0	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	(Subvenite)	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i>	(Lamictal ODT Starter (Blue))	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i>	(Lamictal ODT Starter (Orange))	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i>	(Lamictal ODT Starter (Green))	1	\$0	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	(Lamictal XR)	1	\$0	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	(Lamictal)	1	\$0	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	(Lamictal ODT)	1	\$0	
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	(Keppra)	1	\$0	
<i>levetiracetam oral solution 100 mg/ml</i>	(Keppra)	1	\$0	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	(Keppra)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	\$0	
<i>methsuximide oral capsule 300 mg</i> (Celontin)	1	\$0	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	2	\$0	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	\$0	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	\$0	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	\$0	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	\$0	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	\$0	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	\$0	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	\$0	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	\$0	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	1	\$0	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	1	\$0	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	\$0	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	1	\$0	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	1	\$0	NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	1	\$0	
<i>rufinamide oral tablet 400 mg</i> (Banzel)	1	\$0	NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	2	\$0	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	2	\$0	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	\$0	
SYMPAZAN ORAL FILM 10 MG, 20 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
SYMPAZAN ORAL FILM 5 MG	2	\$0	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	1	\$0	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	\$0	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	\$0	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	\$0	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	\$0	
<i>valproic acid oral capsule 250 mg</i>	1	\$0	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	2	\$0	
VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	2	\$0	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	2	\$0	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	2	\$0	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	2	\$0	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	2	\$0	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	\$0	
<i>zonisamide oral capsule 50 mg</i>	1	\$0	
ZTALMY ORAL SUSPENSION 50 MG/ML	2	\$0	PA NSO; QL (1080 per 30 days); NDS
Antidementia Agents			
Antidementia Agents			
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	\$0	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ergoloid oral tablet 1 mg</i>	1	\$0	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	1	\$0	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	\$0	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	\$0	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	\$0	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	\$0	QL (300 per 30 days)
<i>memantine oral tablet 10 mg</i>	1	\$0	QL (60 per 30 days)
<i>memantine oral tablet 5 mg</i> (Namenda)	1	\$0	QL (60 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	\$0	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	2	\$0	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	\$0	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	1	\$0	QL (30 per 30 days)
Antidepressants			
Antidepressants			
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	\$0	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	\$0	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	\$0	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	2	\$0	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	\$0	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	\$0	
<i>citalopram oral solution 10 mg/5 ml</i>	1	\$0	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	\$0	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	\$0	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	1	\$0	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	\$0	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	\$0	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	\$0	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	\$0	
<i>doxepin oral concentrate 10 mg/ml</i>	1	\$0	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	2	\$0	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	2	\$0	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	\$0	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 40 mg</i>	1	\$0	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	2	\$0	ST; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	\$0	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	\$0	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	2	\$0	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	2	\$0	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	\$0	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	\$0	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	\$0	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	\$0	
MARPLAN ORAL TABLET 10 MG	2	\$0	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	\$0	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	\$0	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	\$0	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	\$0	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	\$0	
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	1	\$0	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	\$0	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	\$0	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	\$0	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	\$0	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	2	\$0	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	2	\$0	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	1	\$0	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	\$0	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	\$0	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	\$0	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	2	\$0	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	\$0	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	\$0	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	1	\$0	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	1	\$0	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	1	\$0	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	2	\$0	PA NSO; QL (28 per 14 days); NDS
ZURZUVAE ORAL CAPSULE 30 MG	2	\$0	PA NSO; QL (14 per 14 days); NDS
Antidiabetic Agents			
Antidiabetic Agents, Miscellaneous			
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	\$0	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	2	\$0	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	\$0	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	2	\$0	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	2	\$0	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	2	\$0	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	\$0	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	\$0	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	\$0	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	\$0	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG (mifepristone)	2	\$0	PA; QL (112 per 28 days); NDS
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	1	\$0	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	\$0	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	\$0	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	\$0	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	\$0	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	\$0	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	1	\$0	PA; QL (112 per 28 days); NDS
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	1	\$0	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	\$0	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	2	\$0	PA NSO; QL (3 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	2	\$0	PA NSO; QL (1.5 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	\$0	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	1	\$0	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	1	\$0	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	1	\$0	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	1	\$0	QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	1	\$0	QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	2	\$0	PA NSO; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	\$0	PA; QL (10.8 per 28 days); NDS
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	\$0	PA; QL (10.8 per 28 days); NDS
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	\$0	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	\$0	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	\$0	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	2	\$0	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	2	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	2	\$0	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	2	\$0	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	2	\$0	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	2	\$0	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	2	\$0	QL (60 per 30 days)
Insulins			
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	2	\$0	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	\$0	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	2	\$0	QL (40 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	2	\$0	QL (24 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i> (Novolog Mix 70-30FlexPen U-100)	1	\$0	QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i> (Novolog Mix 70-30 U-100 Insuln)	1	\$0	QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i> (Novolog PenFill U-100 Insulin)	1	\$0	QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U-100 Insulin)	1	\$0	QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i> (Novolog U-100 Insulin aspart)	1	\$0	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	\$0	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	\$0	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	\$0	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	2	\$0	QL (40 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	2	\$0	QL (40 per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine-yfgn)	2	\$0	QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	\$0	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) (insulin glargine u-300 conc)	2	\$0	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) (insulin glargine u-300 conc)	2	\$0	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	\$0	QL (15 per 28 days)
Sulfonylureas			
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	\$0	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg, 5 mg</i>	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	\$0	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	\$0	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	\$0	QL (120 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
Antifungals			
Antifungals			
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	2	\$0	PA BvD
ALEVAZOL 1% OINTMENT *	3	\$0	
<i>amphotericin b injection recon soln 50 mg</i>	1	\$0	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	1	\$0	PA BvD; NDS
<i>antifungal 1% topical cream *</i> (clotrimazole)	3	\$0	
<i>antifungal 2% powder *</i> (miconazole nitrate)	3	\$0	
<i>athlete's foot 1% powder spray *</i> (tolnaftate)	3	\$0	
<i>athlete's foot 2% powder *</i> (miconazole nitrate)	3	\$0	
<i>baza antifungal 2% cream *</i> (miconazole nitrate)	3	\$0	
<i>casprofungin intravenous recon soln 50 mg</i> (Cancidas)	1	\$0	
<i>casprofungin intravenous recon soln 70 mg</i> (Cancidas)	1	\$0	NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	\$0	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	1	\$0	QL (300 per 30 days)
<i>ciclopirox topical shampoo 1 %</i>	1	\$0	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	\$0	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	1	\$0	QL (180 per 30 days)
<i>clotrimazole 1% solution (otc) *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>clotrimazole 1% topical cream (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>clotrimazole 1% vaginal cream *</i>	(Clotrimazole-7)	3	\$0	
<i>clotrimazole mucous membrane troche 10 mg</i>		1	\$0	
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	1	\$0	
<i>clotrimazole topical solution 1 %</i>		1	\$0	
<i>clotrimazole-7 vaginal cream 1 % *</i>	(clotrimazole)	3	\$0	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		1	\$0	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>		1	\$0	QL (90 per 30 days)
<i>cvs athlete's foot 2% liq spray *</i>	(miconazole nitrate)	3	\$0	
<i>cvs clotrimazole 1% top cream (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>cvs foot & sneaker spray pwd 1 % *</i>	(tolnaftate)	3	\$0	
<i>dermafungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>desenex 2% powder *</i>	(miconazole nitrate)	3	\$0	
<i>econazole topical cream 1 %</i>		1	\$0	QL (170 per 30 days)
<i>eq athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	
<i>eq jock itch 1% cream *</i>	(clotrimazole)	3	\$0	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>		1	\$0	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	(Diflucan)	1	\$0	
<i>fluconazole oral tablet 100 mg, 200 mg</i>	(Diflucan)	1	\$0	
<i>fluconazole oral tablet 150 mg, 50 mg</i>		1	\$0	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	1	\$0	NDS
<i>gnp athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GNP MICONAZOLE 2% SPRAY POWDER *	(Lotrimin AF Powder)	3	\$0	
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		1	\$0	
<i>griseofulvin microsize oral tablet 500 mg</i>		1	\$0	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		1	\$0	
<i>inzo antifungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	1	\$0	
<i>itraconazole oral solution 10 mg/ml</i>	(Sporanox)	1	\$0	PA; NDS
<i>jock itch relief 1% cream *</i>	(clotrimazole)	3	\$0	
<i>ketoconazole oral tablet 200 mg</i>		1	\$0	
<i>ketoconazole topical cream 2 %</i>		1	\$0	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i>	(Extina)	1	\$0	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>		1	\$0	QL (360 per 30 days)
<i>lamisil af defens 1% spray pwd *</i>	(tolnaftate)	3	\$0	
LOTRIMIN AF 2% SPRAY POWDER *	(miconazole nitrate)	3	\$0	
<i>micatin 2% antifungal cream *</i>	(miconazole nitrate)	3	\$0	
<i>miconazole 2% topical cream *</i>	(Baza Antifungal)	3	\$0	
<i>miconazole 2% vaginal cream *</i>	(Monistat 7)	3	\$0	
<i>miconazole 3 combo pack 3 supp w/9gm cream 200 mg- 2 % (9 gram) *</i>	(miconazole nitrate)	3	\$0	
<i>miconazole 7 100 mg vag supp *</i>	(Miconazole-7)	3	\$0	
<i>miconazole-3 vaginal suppository 200 mg</i>		1	\$0	
<i>micotrin ac 1% topical cream *</i>	(clotrimazole)	3	\$0	
<i>micro-guard 2% powder 12's, antifungal *</i>	(miconazole nitrate)	3	\$0	
MONISTAT 7 CREAM 2 % *	(miconazole nitrate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>monistat 7 cream 7 applicators 2 % *</i>	(miconazole nitrate)	3	\$0	
<i>mycozyl ac 1% topical cream *</i>	(clotrimazole)	3	\$0	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	(posaconazole)	2	\$0	NDS
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG		2	\$0	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	1	\$0	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		1	\$0	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>		1	\$0	
<i>nystatin topical cream 100,000 unit/gram</i>		1	\$0	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>		1	\$0	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	1	\$0	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>		1	\$0	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>		1	\$0	
<i>nystop topical powder 100,000 unit/gram</i>	(nystatin)	1	\$0	QL (60 per 30 days)
<i>odor ctrl foot-sneaker 1% powd *</i>	(tolnaftate)	3	\$0	
<i>posaconazole intravenous solution 300 mg/16.7 ml</i>	(Noxafil)	1	\$0	NDS
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i>	(Noxafil)	1	\$0	PA; NDS
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i>	(Noxafil)	1	\$0	PA; NDS
<i>pub athletic foot 1% cream *</i>	(clotrimazole)	3	\$0	
<i>ra antifungal 1% cream *</i>	(terbinafine hcl)	3	\$0	
<i>ra antifungal 1% liquid spray liquid spray *</i>	(tolnaftate)	3	\$0	
<i>ra antifungal ringworm 1% crm *</i>	(clotrimazole)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra clotrimazole 1% top cream *</i>	(clotrimazole)	3	\$0	
<i>ra jock itch cream 1% *</i>	(clotrimazole)	3	\$0	
<i>terbinafine 1% cream *</i>	(Antifungal (terbinafine))	3	\$0	
<i>terbinafine hcl oral tablet 250 mg</i>		1	\$0	
TINACTIN 1% LIQUID SPRAY *	(tolnaftate)	3	\$0	
<i>tolnaftate 1% cream *</i>	(Antifungal (tolnaftate))	3	\$0	
<i>tolnaftate 1% powder *</i>	(Tinactin)	3	\$0	
<i>tolnaftate 1% spray powder *</i>	(Athlete's Foot (tolnaftate))	3	\$0	
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	1	\$0	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	1	\$0	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	(Vfend)	1	\$0	
<i>votriza-al 1% lotion *</i>		3	\$0	
<i>zeasorb af 2% powder *</i>	(miconazole nitrate)	3	\$0	
Antigout Agents				
Antigout Agents, Other				
<i>allopurinol oral tablet 100 mg</i>	(Zyloprim)	1	\$0	
<i>allopurinol oral tablet 300 mg</i>		1	\$0	
<i>colchicine oral tablet 0.6 mg</i>	(Colcris)	1	\$0	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	(Uloric)	1	\$0	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	(colchicine)	1	\$0	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>		1	\$0	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Antihistamines				
Antihistamines				
<i>alavert d-12 allergy-sinus tab 5-120 mg *</i>		3	\$0	
<i>aler-caps 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>allerclear d-12hr tablet 5-120 mg *</i>		3	\$0	
<i>allerclear d-24hr er tablet 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0	
<i>allergy relief-nasal decong tb 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0	
<i>aller-tec 10 mg tablet *</i>	(cetirizine)	3	\$0	
<i>aller-tec d 5-120 mg tablet *</i>	(cetirizine-pseudoephedrine)	3	\$0	
<i>aprodine tablet 2.5-60 mg *</i>	(triprolidine-pseudoephedrine)	3	\$0	
<i>banophen 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>banophen 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>banophen 50 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>benadryl allergy 25 mg ultratb *</i>	(diphenhydramine hcl)	3	\$0	
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>carbinoxamine maleate oral tablet 4 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cetirizine hcl 1 mg/ml soln children, grape (otc) *</i>	(Allergy Relief (cetirizine))	3	\$0	
<i>cetirizine hcl 1 mg/ml soln children's (otc) *</i>	(Allergy Relief (cetirizine))	3	\$0	
<i>cetirizine hcl 10 mg tablet indoor & outdoor *</i>	(Aller-Tec)	3	\$0	
<i>cetirizine hcl 5 mg chew tab children's, outer, u-d *</i>	(Children's Cetirizine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cetirizine hcl 5 mg tablet indoor & outdoor *</i>	(Allergy Relief (cetirizine))	3	\$0	
<i>cetirizine hcl 5 mg/5 ml solution cup outer *</i>		3	\$0	
<i>cetirizine-pse er 5-120 mg tab *</i>	(Aller-Tec D)	3	\$0	
<i>child allergy rlf 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>child cetirizine 10 mg chew tb chewable, allergy *</i>	(cetirizine)	3	\$0	
<i>child cetirizine hcl 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child loratadine 5 mg/5 ml sol *</i>	(Wal-itin)	3	\$0	
<i>child wal-itin 5 mg/5 ml soln *</i>	(loratadine)	3	\$0	
<i>child wal-zyr 1 mg/ml solution grape *</i>	(cetirizine)	3	\$0	
<i>child's aller-tec 1 mg/ml soln *</i>	(cetirizine)	3	\$0	
<i>child's wal-dryl 12.5 mg/5 ml children, cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>child's wal-zyr 10 mg chew tab *</i>	(cetirizine)	3	\$0	
CLARITIN 10 MG TABLET (OTC) *	(loratadine)	3	\$0	
<i>clemastine oral tablet 2.68 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cvs allergy (diphen) 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy (fexo) 60 mg tab *</i>	(fexofenadine)	3	\$0	
<i>cvs allergy 25 mg softgel dlf, softgel *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy 50 mg/20 ml liq maximum strength 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy relief 5 mg tablet *</i>	(levocetirizine)	3	\$0	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>diphedryl 12.5 mg/5 ml elixir *</i>	(diphenhydramine hcl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diphenhist 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>diphenhydramine 12.5 mg/5 ml *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 12.5 mg/5 ml cup inner *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 25 mg tablet *</i>	(Allergy Medicine)	3	\$0	
<i>diphenhydramine 50 mg capsule u-d, 10x10 (otc) *</i>	(Banophen)	3	\$0	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>		1	\$0	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>		1	\$0	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	(Diphen)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>eq allergy relief 1 mg/ml soln *</i>	(cetirizine)	3	\$0	
<i>eq child allergy 12.5 mg/5 ml children, cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>fexofenadine hcl 180 mg tablet (otc) *</i>	(Wal-Fex Allergy)	3	\$0	
<i>fexofenadine hcl 60 mg tablet (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>fexofenadine hcl 60 mg tablet (rx) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>fexofenadine hcl 60 mg tablet indoor/outdoor (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>geri-dryl 12.5 mg/5 ml liquid *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>gs aller-ease 60 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>gs child all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>gs child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml	1	\$0	
hydroxyzine hcl oral solution 10 mg/5 ml	1	\$0	
hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg	1	\$0	
levocetirizine 5 mg tablet (otc) *	(Allergy Relief (levocetirizin))	3	\$0
levocetirizine oral solution 2.5 mg/5 ml	(Xyzal)	1	\$0
levocetirizine oral tablet 5 mg	(Allergy Relief (levocetirizin))	1	\$0
loradamed 10 mg tablet outer *	(loratadine)	3	\$0
loratadine 10 mg tablet *	(Claritin)	3	\$0
loratadine-d 12 hour tablet 5-120 mg *		3	\$0
maxallergy kids 12.5 mg/5 ml *	(diphenhydramine hcl)	3	\$0
m-dryl 12.5 mg/5 ml solution *	(diphenhydramine hcl)	3	\$0
promethazine oral syrup 6.25 mg/5 ml		1	\$0
pub allergy 12.5 mg/5 ml liq cherry flavor *	(diphenhydramine hcl)	3	\$0
pub children's allergy 1 mg/ml *	(cetirizine)	3	\$0
ra all day allergy 10 mg sftgl *		3	\$0
ra allergy med 25 mg capsule *	(diphenhydramine hcl)	3	\$0
ra allergy med 25 mg tablet *	(diphenhydramine hcl)	3	\$0
ra child allergy relf 1 mg/ml *	(cetirizine)	3	\$0
ra diphedryl 12.5 mg/5 ml elix *	(diphenhydramine hcl)	3	\$0
sm child all day aller 1 mg/ml cherry *	(cetirizine)	3	\$0
sudogest cold and allergy tab 4-60 mg *		3	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>total allergy 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-act d cold & allergy tab 2.5-60 mg *</i>	(triprolidine-pseudoephedrine)	3	\$0	
<i>wal-dryl allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-dryl allergy 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-dryl allergy 25 mg minitab minitab, coated *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-fex allergy 180 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>wal-fex allergy 60 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>wal-itin 10 mg tablet non-drowsy *</i>	(loratadine)	3	\$0	
<i>wal-itin d 12 hour tablet 5-120 mg *</i>		3	\$0	
<i>wal-itin d 24 hour tablet 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0	
<i>wal-zyr 10 mg softgel *</i>		3	\$0	
<i>wal-zyr 10 mg tablet *</i>	(cetirizine)	3	\$0	
<i>wal-zyr d tablet 12 hr relief 5-120 mg *</i>	(cetirizine-pseudoephedrine)	3	\$0	
ZYRTEC 10 MG LIQUID GELS *		3	\$0	
Anti-Infectives (Skin And Mucous Membrane)				
Anti-Infectives (Skin And Mucous Membrane)				
<i>clindamycin phosphate vaginal cream 2 %</i>	(Cleocin)	1	\$0	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	(Vandazole)	1	\$0	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>		1	\$0	
<i>terconazole vaginal suppository 80 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Antivirals (Skin And Mucous Membrane)			
ABREVA 10% CREAM * (docosanol)	3	\$0	
<i>docosanol 10% cream *</i> (Abreva)	3	\$0	
Antimigraine Agents			
Antimigraine Agents			
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	2	\$0	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	2	\$0	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	1	\$0	QL (24 per 28 days); NDS
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (Migranal) (4 mg/ml)</i>	1	\$0	ST; QL (8 per 28 days); NDS
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	2	\$0	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	2	\$0	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	2	\$0	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	1	\$0	QL (9 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	2	\$0	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	2	\$0	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	\$0	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	\$0	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	1	\$0	QL (12 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	1	\$0	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i>	1	\$0	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i>	1	\$0	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	\$0	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	\$0	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	\$0	QL (4 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	1	\$0	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	2	\$0	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	1	\$0	QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	1	\$0	QL (6 per 30 days)
Antimycobacterials			
Antimycobacterials			
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	\$0	
<i>ethambutol oral tablet 100 mg</i>	1	\$0	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	\$0	
<i>isoniazid oral solution 50 mg/5 ml</i>	1	\$0	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PRETOMANID ORAL TABLET 200 MG	2	\$0	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	2	\$0	
<i>pyrazinamide oral tablet 500 mg</i>	1	\$0	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	\$0	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	\$0	
<i>rifampin oral capsule 150 mg, 300 mg</i>	1	\$0	
SIRTURO ORAL TABLET 100 MG, 20 MG	2	\$0	PA; NDS
TRECTOR ORAL TABLET 250 MG	2	\$0	
Antinausea Agents			
Antinausea Agents			
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	2	\$0	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	2	\$0	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	2	\$0	PA BvD
APONVIE INTRAVENOUS EMULSION 7.2 MG/ML	2	\$0	QL (4.4 per 28 days)
<i>aprepitant oral capsule 125 mg</i>	1	\$0	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	1	\$0	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	\$0	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>compro rectal suppository 25 mg</i>	(prochlorperazine)	1	\$0	
<i>cvs motion sickness 25 mg tab *</i>	(meclizine)	3	\$0	
<i>dimenhydrinate injection solution 50 mg/ml</i>		1	\$0	
<i>dramamine less drowsy 25 mg tb *</i>	(meclizine)	3	\$0	
<i>driminate 50 mg tablet *</i>	(dimenhydrinate)	3	\$0	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	(Marinol)	1	\$0	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>		1	\$0	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)		2	\$0	PA BvD; QL (6 per 28 days); NDS
<i>fosaprepitant intravenous recon soln 150 mg</i>	(Emend (fosaprepitant))	1	\$0	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>		1	\$0	
<i>granisetron hcl intravenous solution 1 mg/ml</i>		1	\$0	
<i>granisetron hcl oral tablet 1 mg</i>		1	\$0	PA BvD
<i>meclizine 12.5 mg caplet (otc) *</i>		3	\$0	
<i>meclizine 12.5 mg caplet caplet (otc) *</i>		3	\$0	
<i>meclizine 25 mg tablet (otc) *</i>	(Dramamine Less Drowsy)	3	\$0	
<i>meclizine oral tablet 12.5 mg</i>		1	\$0	
<i>meclizine oral tablet 25 mg</i>	(Dramamine Less Drowsy)	1	\$0	
<i>medi-meclizine 25 mg tablet outer, flc *</i>	(meclizine)	3	\$0	
<i>motion sickness rlf 25 mg tab *</i>	(meclizine)	3	\$0	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>		1	\$0	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>		1	\$0	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>		1	\$0	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>		1	\$0	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>		1	\$0	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>		1	\$0	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	(Compazine)	1	\$0	
<i>prochlorperazine rectal suppository 25 mg</i>	(Compro)	1	\$0	
<i>promethazine injection solution 25 mg/ml</i>	(Phenergan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine injection solution 50 mg/ml</i>	(Phenergan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(Promethegan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(promethazine)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	(Transderm-Scop)	1	\$0	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<i>travel-ease 25 mg tablet *</i>	(meclizine)	3	\$0	
<i>verticalm 25 mg tablet *</i>	(meclizine)	3	\$0	
<i>wal-dram-2 25 mg tablet *</i>	(meclizine)	3	\$0	
Antiparasite Agents				
Antiparasite Agents				
<i>albendazole oral tablet 200 mg</i>		1	\$0	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	(Mepron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	(Malarone)	1	\$0	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	(Malarone Pediatric)	1	\$0	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>		1	\$0	
COARTEM ORAL TABLET 20-120 MG		2	\$0	
<i>hydroxychloroquine oral tablet 200 mg</i>	(Plaquenil)	1	\$0	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG		2	\$0	PA; QL (84 per 28 days); NDS
<i>ivermectin oral tablet 3 mg</i>	(Stromectol)	1	\$0	
KRINTAFEL ORAL TABLET 150 MG		2	\$0	
<i>mefloquine oral tablet 250 mg</i>		1	\$0	
<i>nitazoxanide oral tablet 500 mg</i>	(Alinia)	1	\$0	NDS
<i>paromomycin oral capsule 250 mg</i>	(Humatin)	1	\$0	
<i>pentamidine inhalation recon soln 300 mg</i>	(Nebupent)	1	\$0	PA BvD
<i>pentamidine injection recon soln 300 mg</i>	(Pentam)	1	\$0	
PRIMAQUINE ORAL TABLET 26.3 MG		2	\$0	
<i>pyrimethamine oral tablet 25 mg</i>	(Daraprim)	1	\$0	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i>	(Qualaquin)	1	\$0	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>		1	\$0	
Antiparkinsonian Agents				
Antiparkinsonian Agents				
<i>amantadine hcl oral capsule 100 mg</i>		1	\$0	
<i>amantadine hcl oral solution 50 mg/5 ml</i>		1	\$0	
<i>amantadine hcl oral tablet 100 mg</i>		1	\$0	
<i>apomorphine subcutaneous cartridge 10 mg/ml</i>	(APOKYN)	1	\$0	PA; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>benztropine injection solution 1 mg/ml</i>	1	\$0	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	\$0	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	\$0	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	\$0	
<i>cabergoline oral tablet 0.5 mg</i>	1	\$0	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	\$0	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	1	\$0	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	1	\$0	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	\$0	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	\$0	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	\$0	
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	\$0	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	2	\$0	PA; QL (300 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	\$0	PA; QL (150 per 30 days); NDS
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	2	\$0	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	\$0	ST; QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	2	\$0	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	2	\$0	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	2	\$0	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	\$0	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	\$0	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	\$0	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	1	\$0	
<i>selegiline hcl oral capsule 5 mg</i>	1	\$0	
<i>selegiline hcl oral tablet 5 mg</i>	1	\$0	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	\$0	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	\$0	
XADAGO ORAL TABLET 100 MG, 50 MG	2	\$0	PA; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Antipsychotic Agents			
Antipsychotic Agents			
<i>aripiprazole oral solution 1 mg/ml</i>	1	\$0	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	\$0	
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	1	\$0	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	1	\$0	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	2	\$0	QL (4.8 per 365 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	2	\$0	QL (3.9 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	2	\$0	QL (1.6 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	2	\$0	QL (2.4 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	2	\$0	QL (3.2 per 14 days); NDS
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	1	\$0	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	2	\$0	ST; QL (30 per 30 days); NDS
<i>chlorpromazine injection solution 25 mg/ml</i>	1	\$0	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	1	\$0	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	1	\$0	
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>	1	\$0	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 150 mg</i>	1	\$0	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i>	1	\$0	ST; QL (120 per 30 days); NDS
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	\$0	ST; QL (60 per 30 days); NDS
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	2	\$0	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	\$0	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	\$0	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	\$0	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	\$0	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	1	\$0	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	1	\$0	
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	\$0	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>haloperidol lactate oral concentrate</i> <i>2 mg/ml</i>	1	\$0	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	\$0	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	2	\$0	QL (3.5 per 166 days); NDS
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	2	\$0	QL (5 per 166 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	\$0	QL (0.75 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	2	\$0	QL (1 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	\$0	QL (1.5 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	\$0	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	\$0	QL (0.5 per 21 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	2	\$0	QL (0.88 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	2	\$0	QL (1.32 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	2	\$0	QL (1.75 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	2	\$0	QL (2.63 per 70 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	\$0	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	1	\$0	QL (30 per 30 days); NDS
<i>lurasidone oral tablet 80 mg</i> (Latuda)	1	\$0	QL (60 per 30 days); NDS
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>molindone oral tablet 10 mg</i>	1	\$0	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	\$0	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	\$0	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
NUPLAZID ORAL TABLET 10 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	1	\$0	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	\$0	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	\$0	
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	1	\$0	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	1	\$0	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	\$0	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	\$0	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	2	\$0	QL (1 per 30 days); NDS
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	1	\$0	
<i>quetiapine oral tablet 150 mg</i>	1	\$0	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	1	\$0	
REXULTI ORAL TABLET 0.25 MG	2	\$0	ST; QL (120 per 30 days); NDS
REXULTI ORAL TABLET 0.5 MG	2	\$0	ST; QL (60 per 30 days); NDS
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	2	\$0	ST; QL (30 per 30 days); NDS
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> (Risperdal Consta)	1	\$0	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Risperdal Consta)	1	\$0	QL (2 per 28 days); NDS
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	\$0	
<i>risperidone oral tablet 0.25 mg</i>	1	\$0	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	\$0	
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	1	\$0	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	2	\$0	ST; QL (30 per 30 days); NDS
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	2	\$0	QL (0.28 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	2	\$0	QL (0.35 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	2	\$0	QL (0.42 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	2	\$0	QL (0.56 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	2	\$0	QL (0.7 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	2	\$0	QL (0.14 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	2	\$0	QL (0.21 per 28 days); NDS
VERSACLOZ ORAL SUSPENSION 50 MG/ML	2	\$0	ST; QL (540 per 30 days); NDS
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	2	\$0	ST; QL (30 per 30 days); NDS
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	2	\$0	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	\$0	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	1	\$0	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	2	\$0	QL (2 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	2	\$0	QL (2 per 28 days); NDS
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	2	\$0	QL (1 per 28 days); NDS
Antivirals (Systemic)			
Antiretrovirals			
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	\$0	
<i>abacavir oral tablet 300 mg</i>	1	\$0	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	1	\$0	
APRETUDE INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	2	\$0	QL (24 per 365 days); NDS
APTIVUS ORAL CAPSULE 250 MG	2	\$0	NDS
<i>atazanavir oral capsule 150 mg</i>	1	\$0	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	1	\$0	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	2	\$0	QL (30 per 30 days); NDS
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	2	\$0	NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	2	\$0	QL (24 per 365 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	2	\$0	QL (24 per 365 days); NDS
CIMDUO ORAL TABLET 300-300 MG	2	\$0	NDS
COMPLERA ORAL TABLET 200-25-300 MG	2	\$0	NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	1	\$0	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	2	\$0	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	2	\$0	NDS
<i>didanosine oral capsule, delayed release (drlec) 250 mg, 400 mg</i>	1	\$0	
DOVATO ORAL TABLET 50-300 MG	2	\$0	NDS
EDURANT ORAL TABLET 25 MG	2	\$0	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	1	\$0	
<i>efavirenz oral tablet 600 mg</i>	1	\$0	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	1	\$0	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	1	\$0	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	1	\$0	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	1	\$0	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	1	\$0	NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	1	\$0	
EMTRIVA ORAL SOLUTION 10 MG/ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	2	\$0	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	1	\$0	NDS
EVOTAZ ORAL TABLET 300-150 MG	2	\$0	NDS
<i>fosamprenavir oral tablet 700 mg</i>	1	\$0	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	2	\$0	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	2	\$0	NDS
INTELENCE ORAL TABLET 25 MG	2	\$0	
INVIRASE ORAL TABLET 500 MG	2	\$0	NDS
ISENTRESS HD ORAL TABLET 600 MG	2	\$0	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	2	\$0	NDS
ISENTRESS ORAL TABLET 400 MG	2	\$0	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	2	\$0	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	2	\$0	
JULUCA ORAL TABLET 50-25 MG	2	\$0	NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	\$0	
<i>lamivudine oral tablet 100 mg</i>	1	\$0	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	\$0	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	1	\$0	
LEXIVA ORAL SUSPENSION 50 MG/ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lopinavir-ritonavir oral solution</i> 400-100 mg/5 ml	(Kaletra)	1	\$0	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet</i> 100-25 mg	(Kaletra)	1	\$0	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet</i> 200-50 mg	(Kaletra)	1	\$0	QL (120 per 30 days)
<i>maraviroc oral tablet</i> 150 mg, 300 mg	(Selzentry)	1	\$0	NDS
<i>nevirapine oral suspension</i> 50 mg/5 ml		1	\$0	
<i>nevirapine oral tablet</i> 200 mg		1	\$0	
<i>nevirapine oral tablet extended release</i> 24 hr 100 mg, 400 mg		1	\$0	
NORVIR ORAL POWDER IN PACKET 100 MG		2	\$0	
NORVIR ORAL SOLUTION 80 MG/ML		2	\$0	
ODEFSEY ORAL TABLET 200-25-25 MG		2	\$0	NDS
PIFELTRO ORAL TABLET 100 MG		2	\$0	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG		2	\$0	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML		2	\$0	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG		2	\$0	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML		2	\$0	
REYATAZ ORAL POWDER IN PACKET 50 MG		2	\$0	NDS
<i>rilpivirine intramuscular suspension, extended release</i> 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)		2	\$0	NDS
<i>ritonavir oral tablet</i> 100 mg	(Norvir)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	2	\$0	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	2	\$0	NDS
SELZENTRY ORAL TABLET 25 MG	2	\$0	
SELZENTRY ORAL TABLET 75 MG	2	\$0	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	\$0	
STRIBILD ORAL TABLET 150-150-200-300 MG	2	\$0	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	2	\$0	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	2	\$0	PA BvD; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	2	\$0	NDS
TEMIXYS ORAL TABLET 300-300 MG	2	\$0	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	\$0	
TIVICAY ORAL TABLET 10 MG	2	\$0	
TIVICAY ORAL TABLET 25 MG, 50 MG	2	\$0	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	2	\$0	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	2	\$0	QL (30 per 30 days); NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	2	\$0	NDS
TRIZIVIR ORAL TABLET 300-150-300 MG	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	2	\$0	NDS
VEMLIDY ORAL TABLET 25 MG	2	\$0	ST; QL (30 per 30 days); NDS
VIRACEPT ORAL TABLET 250 MG, 625 MG	2	\$0	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	2	\$0	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	\$0	NDS
VOCABRIA ORAL TABLET 30 MG	2	\$0	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	\$0	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	\$0	
<i>zidovudine oral tablet 300 mg</i>	1	\$0	
Antivirals, Miscellaneous			
BEYFORTUS INTRAMUSCULAR SYRINGE 100 MG/ML, 50 MG/0.5 ML	2	\$0	PA
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	\$0	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	\$0	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	\$0	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	\$0	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	\$0	QL (540 per 180 days)
PAXLOVID ORAL TABLETS, DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	2	\$0	\$0 copay; QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	2	\$0	PA; QL (336 per 28 days); NDS
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	2	\$0	PA; QL (672 per 28 days); NDS
PREVYMIS ORAL TABLET 240 MG, 480 MG	2	\$0	PA; QL (28 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	\$0	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	\$0	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	2	\$0	PA; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	2	\$0	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	2	\$0	QL (2 per 180 days)
Hcv Antivirals			
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	2	\$0	PA; QL (28 per 28 days); NDS
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	2	\$0	PA; QL (56 per 28 days); NDS
EPCLUSA ORAL TABLET 200-50 MG	2	\$0	PA; QL (28 per 28 days); NDS
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL PELLETS IN PACKET 45-200 MG	2	\$0	PA; QL (56 per 28 days); NDS
HARVONI ORAL TABLET 45-200 MG	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	2	\$0	PA; QL (28 per 28 days); NDS
MAVYRET ORAL TABLET 100-40 MG	2	\$0	PA; QL (84 per 28 days); NDS
VOSEVI ORAL TABLET 400-100-100 MG	2	\$0	PA; QL (28 per 28 days); NDS
Interferons			
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	2	\$0	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Nucleosides And Nucleotides			
<i>acyclovir oral capsule 200 mg</i>	1	\$0	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	\$0	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	\$0	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	1	\$0	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	\$0	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	\$0	
<i>cidofovir intravenous solution 75 mg/ml</i>	1	\$0	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	\$0	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	\$0	
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	1	\$0	PA BvD; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	\$0	PA BvD; NDS
<i>lagevrio (eua) oral capsule 200 mg</i>	2	\$0	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	2	\$0	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	1	\$0	
<i>ribavirin oral tablet 200 mg</i>	1	\$0	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	\$0	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	1	\$0	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	\$0	
VEKLURY INTRAVENOUS RECON SOLN 100 MG (remdesivir)	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Blood Products/Modifiers/Volume Expanders			
Anticoagulants			
<i>dabigatran etexilate oral capsule</i> 110 mg, 150 mg, 75 mg (Pradaxa)	1	\$0	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	\$0	
ELIQUIS ORAL TABLET 2.5 MG	2	\$0	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	2	\$0	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution</i> 300 mg/3 ml (Lovenox)	1	\$0	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 100 mg/ml, 150 mg/ml (Lovenox)	1	\$0	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 120 mg/0.8 ml, 80 mg/0.8 ml (Lovenox)	1	\$0	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 30 mg/0.3 ml (Lovenox)	1	\$0	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 40 mg/0.4 ml (Lovenox)	1	\$0	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 60 mg/0.6 ml (Lovenox)	1	\$0	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 10 mg/0.8 ml (Arixtra)	1	\$0	QL (24 per 30 days); NDS
<i>fondaparinux subcutaneous syringe</i> 2.5 mg/0.5 ml (Arixtra)	1	\$0	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 5 mg/0.4 ml (Arixtra)	1	\$0	QL (12 per 30 days); NDS
<i>fondaparinux subcutaneous syringe</i> 7.5 mg/0.6 ml (Arixtra)	1	\$0	QL (18 per 30 days); NDS
<i>heparin (porcine) injection</i> cartridge 5,000 unit/ml (1 ml)	1	\$0	
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	1	\$0	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml</i>	1	\$0	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	\$0	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	\$0	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	\$0	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	2	\$0	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	2	\$0	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	2	\$0	QL (60 per 30 days)
Blood Formation Modifiers			
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	2	\$0	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	2	\$0	PA; QL (30 per 30 days); NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	2	\$0	PA; QL (20 per 30 days); NDS
LEUKINE INJECTION RECON SOLN 250 MCG	2	\$0	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML) (plerixafor)	2	\$0	NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	2	\$0	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
<i>plerixafor subcutaneous solution 24 mg/1.2 ml (20 mg/ml)</i> (Mozobil)	2	\$0	NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	2	\$0	PA; QL (90 per 30 days); NDS
PROMACTA ORAL POWDER IN PACKET 25 MG	2	\$0	PA; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PROMACTA ORAL TABLET 12.5 MG	2	\$0	PA; QL (90 per 30 days); NDS
PROMACTA ORAL TABLET 25 MG	2	\$0	PA; QL (30 per 30 days); NDS
PROMACTA ORAL TABLET 50 MG, 75 MG	2	\$0	PA; QL (60 per 30 days); NDS
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	\$0	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	\$0	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	2	\$0	PA; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
Hematologic Agents, Miscellaneous			
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agylin)	1	\$0	
<i>anagrelide oral capsule 1 mg</i>	1	\$0	
CABLIVI INJECTION KIT 11 MG	2	\$0	PA; QL (30 per 30 days); NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	2	\$0	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	2	\$0	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	1	\$0	
TAVALISSE ORAL TABLET 100 MG, 150 MG	2	\$0	PA; QL (60 per 30 days); NDS
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	1	\$0	
<i>tranexamic acid oral tablet 650 mg</i>	1	\$0	
Platelet-Aggregation Inhibitors			
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	1	\$0	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	2	\$0	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	\$0	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	\$0	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	\$0	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Caloric Agents			
Caloric Agents			
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	2	\$0	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	\$0	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	\$0	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CLINIMIX E 4.25%/D10W SULFREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX E 4.25%/D5W SULFREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	\$0	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	\$0	PA BvD
<i>dex4 glucose 4 gm tablet chew grape flavor (rx) 4 gram *</i> (glucose)	3	\$0	
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	\$0	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	\$0	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	\$0	
<i>dextrose 5%-water iv soln single use</i>	1	\$0	
<i>glucose 3.75 gram tablet chew (rx) 4 gram *</i> (Dex4 Glucose)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcare.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	2	\$0	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	2	\$0	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	2	\$0	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	\$0	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	\$0	PA BvD
<i>trueplus glucose 3.75 g tb chw 4 gram *</i> (glucose)	3	\$0	

Cardiovascular Agents

Alpha-Adrenergic Agents

<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	\$0	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	\$0	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	\$0	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	\$0	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	\$0	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	1	\$0	PA; QL (180 per 30 days); NDS
<i>gs nasal decong pe 10 mg tab *</i> (phenylephrine hcl)	3	\$0	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	\$0	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	\$0	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	\$0	
<i>ra sinus pres-cng rlf pe 10 mg *</i> (phenylephrine hcl)	3	\$0	
<i>wal-phed pe 10 mg tablet non-drowsy *</i> (phenylephrine hcl)	3	\$0	
Angiotensin II Receptor Antagonists			
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	1	\$0	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	\$0	
EDARBI ORAL TABLET 40 MG, 80 MG	2	\$0	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	2	\$0	
ENTRESTO ORAL TABLET 24-26 MG	2	\$0	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	2	\$0	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	\$0	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	\$0	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	\$0	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	\$0	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	\$0	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>olmesartan-amlodipin-hcthiazyd</i> <i>oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	1	\$0	
<i>olmesartan-hydrochlorothiazide</i> <i>oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	\$0	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	\$0	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	1	\$0	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	\$0	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	\$0	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	\$0	
Angiotensin-Converting Enzyme Inhibitors			
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	\$0	
<i>benazepril oral tablet 5 mg</i>	1	\$0	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	\$0	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	\$0	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	\$0	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	\$0	
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	1	\$0	ST; QL (1200 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	\$0	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	\$0	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	\$0	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	\$0	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	\$0	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	\$0	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	\$0	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	\$0	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	\$0	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	\$0	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	\$0	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	\$0	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	\$0	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	\$0	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	1	\$0	
Antiarrhythmic Agents			
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)	1	\$0	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	\$0	PA-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	\$0	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	\$0	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	\$0	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	\$0	
MULTAQ ORAL TABLET 400 MG	2	\$0	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	1	\$0	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	\$0	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	\$0	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	1	\$0	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	\$0	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	\$0	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	\$0	
Beta-Adrenergic Blocking Agents			
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	\$0	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	\$0	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	\$0	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	\$0	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	\$0	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	\$0	
<i>labetalol intravenous solution 5 mg/ml</i>	1	\$0	
<i>labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)</i>	1	\$0	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	\$0	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	\$0	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	1	\$0	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	\$0	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	\$0	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	\$0	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	1	\$0	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	1	\$0	
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>propranolol intravenous solution 1 mg/ml</i>	1	\$0	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	\$0	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	\$0	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	\$0	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	1	\$0	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	1	\$0	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	1	\$0	
<i>sotalol oral tablet 240 mg</i> (Betapace)	1	\$0	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	\$0	
Calcium-Channel Blocking Agents			
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	1	\$0	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	\$0	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	\$0	
<i>diltiazem hcl oral capsule, extended release 24 hr 360 mg</i> (Taztia XT)	1	\$0	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiadylt ER)	1	\$0	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	\$0	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	\$0	
<i>diltiazem hcl oral tablet 90 mg</i>	1	\$0	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	1	\$0	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	1	\$0	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	\$0	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	1	\$0	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	\$0	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	1	\$0	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	\$0	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	1	\$0	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	2	\$0	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	\$0	
<i>verapamil oral tablet extended release 120 mg</i> (Calan SR)	1	\$0	
<i>verapamil oral tablet extended release 180 mg, 240 mg</i>	1	\$0	
Cardiovascular Agents, Miscellaneous			
CORLANOR ORAL SOLUTION 5 MG/5 ML	2	\$0	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	2	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	1	\$0	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	1	\$0	
<i>digoxin injection solution 250 mcg/ml (0.25 mg/ml)</i> (Lanoxin)	1	\$0	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	\$0	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	1	\$0	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	1	\$0	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	\$0	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	\$0	
<i>hydralazine injection solution 20 mg/ml</i>	1	\$0	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	1	\$0	PA; QL (18 per 30 days); NDS
<i>metyrosine oral capsule 250 mg</i> (Demser)	1	\$0	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	1	\$0	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	1	\$0	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	1	\$0	PA; QL (18 per 30 days); NDS
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML	2	\$0	QL (4 per 30 days)
SYMJEPI INJECTION SYRINGE 0.3 MG/0.3 ML (epinephrine)	2	\$0	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	2	\$0	PA; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Dihydropyridines			
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	\$0	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	\$0	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	\$0	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	\$0	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	\$0	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	\$0	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	\$0	
KATERZIA ORAL SUSPENSION 1 MG/ML	2	\$0	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	\$0	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	1	\$0	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	\$0	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	1	\$0	
Diuretics			
<i>amiloride oral tablet 5 mg</i>	1	\$0	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bumetanide injection solution 0.25 mg/ml</i>	1	\$0	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	\$0	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	1	\$0	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	\$0	
<i>furosemide injection solution 10 mg/ml</i>	1	\$0	
<i>furosemide injection syringe 10 mg/ml</i>	1	\$0	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	\$0	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	\$0	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	\$0	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	\$0	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	\$0	
JYNARQUE ORAL TABLET 15 MG, 30 MG	2	\$0	PA; QL (120 per 30 days); NDS
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	2	\$0	PA; QL (56 per 28 days); NDS
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	\$0	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>torsemide oral tablet 10 mg, 100 mg, 5 mg</i>	1	\$0	
<i>torsemide oral tablet 20 mg</i> (Soanz)	1	\$0	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	\$0	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	\$0	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	\$0	
Dyslipidemics			
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	1	\$0	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	\$0	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	\$0	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	\$0	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	\$0	
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	1	\$0	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	1	\$0	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	1	\$0	
<i>colestipol oral packet 5 gram</i> (Colestid)	1	\$0	
<i>colestipol oral tablet 1 gram</i> (Colestid)	1	\$0	
<i>endur-acin er 500 mg tablet *</i> (niacin)	3	\$0	
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	2	\$0	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	1	\$0	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	1	\$0	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	\$0	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	\$0	
<i>fenofibric acid (choline) oral capsule, delayed release (drlec) 135 mg, 45 mg</i> (Trilipix)	1	\$0	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	1	\$0	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	1	\$0	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	\$0	
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG	2	\$0	PA; QL (28 per 28 days); NDS
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	2	\$0	PA; QL (56 per 28 days); NDS
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG (pitavastatin calcium)	1	\$0	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	\$0	
NEXLETOL ORAL TABLET 180 MG	2	\$0	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	2	\$0	QL (30 per 30 days)
<i>niacin 500 mg capsule sa (rx) *</i>	3	\$0	
<i>niacin 500 mg tablet (rx) *</i> (Niacor)	3	\$0	
<i>niacin oral tablet 500 mg</i> (Niacor)	1	\$0	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	1	\$0	
<i>niacin tr 500 mg capsule (rx) *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>niacin tr 500 mg tablet (rx) *</i>	(Endur-Acin)	3	\$0	
<i>niacor oral tablet 500 mg</i>	(niacin)	1	\$0	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	(Lovaza)	1	\$0	ST; QL (120 per 30 days)
<i>plain niacin 500 mg tablet (rx) *</i>	(Niacor)	3	\$0	
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML		2	\$0	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>		1	\$0	
<i>pravastatin oral tablet 20 mg, 40 mg</i>		1	\$0	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	(cholestyramine- aspartame)	1	\$0	
<i>ra niacin 500 mg tablet (rx) *</i>	(Niacor)	3	\$0	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML		2	\$0	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML		2	\$0	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML		2	\$0	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	(Crestor)	1	\$0	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i>	(Zocor)	1	\$0	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>		1	\$0	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	(icosapent ethyl)	1	\$0	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	(icosapent ethyl)	1	\$0	QL (120 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Renin-Angiotensin-Aldosterone System Inhibitors			
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	1	\$0	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	\$0	
KERENDIA ORAL TABLET 10 MG, 20 MG	2	\$0	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	1	\$0	ST; QL (600 per 30 days)
Vasodilators			
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	\$0	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	1	\$0	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	\$0	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	\$0	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	1	\$0	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	\$0	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	\$0	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	\$0	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	1	\$0	
Central Nervous System Agents			
Central Nervous System Agents			
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	1	\$0	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AUSTEDO ORAL TABLET 12 MG, 9 MG	2	\$0	PA; QL (120 per 30 days); NDS
AUSTEDO ORAL TABLET 6 MG	2	\$0	PA; QL (60 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	2	\$0	PA; QL (90 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG	2	\$0	PA; QL (60 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	2	\$0	PA; QL (210 per 30 days); NDS
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)	2	\$0	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	2	\$0	PA; QL (15 per 30 days); NDS
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	1	\$0	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	\$0	
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	1	\$0	
COPAXONE SUBCUTANEOUS SYRINGE (glatiramer) 20 MG/ML	2	\$0	PA; QL (30 per 30 days); NDS
COPAXONE SUBCUTANEOUS SYRINGE (glatiramer) 40 MG/ML	2	\$0	PA; QL (12 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	\$0	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i> (Dexedrine Spansule)	1	\$0	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 15 mg, 5 mg</i>	1	\$0	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	1	\$0	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i> (Zenzedi)	1	\$0	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	1	\$0	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	\$0	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg</i> (Tecfidera)	1	\$0	PA; QL (14 per 7 days); NDS
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg (14) - 240 mg (46)</i> (Tecfidera)	1	\$0	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release (drlec) 240 mg</i> (Tecfidera)	1	\$0	PA; QL (60 per 30 days); NDS
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	2	\$0	PA; NDS
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	1	\$0	PA; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>flumazenil intravenous solution 0.1 mg/ml</i>	1	\$0	
GILENYA ORAL CAPSULE 0.25 MG	2	\$0	PA; QL (60 per 30 days); NDS
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	2	\$0	PA; QL (30 per 30 days); NDS
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	2	\$0	PA; QL (12 per 28 days); NDS
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	2	\$0	PA; QL (30 per 30 days); NDS
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	2	\$0	PA; QL (12 per 28 days); NDS
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	\$0	
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)	2	\$0	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	2	\$0	PA; QL (30 per 30 days); NDS
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	2	\$0	PA; QL (1.2 per 28 days); NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	\$0	
<i>lithium carbonate oral tablet 300 mg</i>	1	\$0	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	\$0	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	\$0	
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	\$0	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	2	\$0	PA; QL (112 per 28 days); NDS
MAYZENT ORAL TABLET 1 MG, 2 MG	2	\$0	PA; QL (30 per 30 days); NDS
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	2	\$0	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	2	\$0	PA; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	\$0	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	1	\$0	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	2	\$0	PA; QL (20 per 180 days); NDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	\$0	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	\$0	PA; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	2	\$0	PA; QL (2800 per 28 days); NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	\$0	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	\$0	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	2	\$0	PA; QL (30 per 30 days); NDS
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	1	\$0	PA; QL (30 per 30 days); NDS
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	1	\$0	PA; QL (112 per 28 days); NDS
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	2	\$0	PA; QL (120 per 30 days); NDS

Contraceptives

Contraceptives

<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	1	\$0	
<i>after pill 1.5 mg tablet *</i> (levonorgestrel)	3	\$0	
<i>aftera 1.5 mg tablet *</i> (levonorgestrel)	3	\$0	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	1	\$0	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	\$0	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	\$0	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estradiol)	1	\$0	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	1	\$0	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	\$0	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estradiol)	1	\$0	QL (91 per 84 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>caziant (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>		1	\$0	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol -e.estradiol)	1	\$0	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	1	\$0	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	1	\$0	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	1	\$0	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	1	\$0	
<i>econtra one-step 1.5 mg tablet outer *</i>	(levonorgestrel)	3	\$0	
<i>elimest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
ELLA ORAL TABLET 30 MG		2	\$0	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	\$0	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	1	\$0	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	1	\$0	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>her style 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	\$0	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	\$0	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	1	\$0	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	1	\$0	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	1	\$0	
<i>levonorgestrel 1.5 mg tablet (otc) *</i>	(After Pill)	3	\$0	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	1	\$0	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	1	\$0	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	1	\$0	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	1	\$0	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>merzee oral capsule 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>my choice 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>my way 1.5 mg tablet (otc) *</i>	(levonorgestrel)	3	\$0	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	\$0	
<i>new day 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	1	\$0	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	\$0	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	1	\$0	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	1	\$0	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/175 mg (4)</i>	(Merzee)	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tri-Legest Fe)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri-Estarylla)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	1	\$0	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	\$0	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	1	\$0	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	\$0	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	\$0	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	\$0	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	\$0	
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	\$0	
<i>opcicon one-step 1.5 mg tablet *</i> (levonorgestrel)	3	\$0	
<i>option 2 1.5 mg tablet *</i> (levonorgestrel)	3	\$0	
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	\$0	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	1	\$0	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>	1	\$0	
<i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	\$0	
<i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	1	\$0	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	1	\$0	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>simliya (28) oral tablet 0.15-0.02 mgx21 10.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>simpesse oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol -e.estradiol)	1	\$0	QL (91 per 84 days)
SLYND ORAL TABLET 4 MG (28)		2	\$0	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	1	\$0	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>take action 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) 11mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		2	\$0	
VCF CONTRACEPTIVE FILM 28 % *		3	\$0	
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		1	\$0	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		1	\$0	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	1	\$0	QL (3 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	1	\$0	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	\$0	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	

Cough And Cold Products

Cough And Cold Products				
<i>adult wal-tussin dm max liq cherry menthol 10-200 mg/5 ml *</i>		3	\$0	
<i>benzonatate 100 mg capsule *</i>		3	\$0	
<i>benzonatate 150 mg capsule *</i>		3	\$0	
<i>benzonatate 200 mg capsule *</i>		3	\$0	
<i>chest cong rlf pe 400-10 mg tb 10-400 mg *</i>	(phenylephrine-guaifenesin)	3	\$0	
<i>chest congest rlf 400 mg tab *</i>	(guaifenesin)	3	\$0	
<i>chest congestion relief dm syr 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>chest congst-cough relief tab 20-400 mg *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>cvs mucus er 1,200 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>cvs tussin 100 mg/5 ml liquid *</i>	(guaifenesin)	3	\$0	
DELSYM 30 MG/5 ML SUSPENSION FOR ADULT *	(dextromethorphan polistirex)	3	\$0	
<i>dextromethorphan er 30 mg/5 ml *</i>	(Delsym 12 hour)	3	\$0	
<i>diabetic tussin 200 mg/10 ml 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>diabetic tussin dm max-str liq 10-200 mg/5 ml *</i>		3	\$0	
<i>diabetic tussin ex liquid dlf,n 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>dimaphen dm elixir grape,gluten-f 1-2.5-5 mg/5 ml *</i>		3	\$0	
<i>expectorant 100 mg/5 ml syrup *</i>	(guaifenesin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>expectorant 200 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>gs tussin dm max liquid 10-200 mg/5 ml *</i>		3	\$0	
<i>guaifenesin 100 mg/5 ml liquid *</i>	(Expectorant)	3	\$0	
<i>guaifenesin 200 mg tablet (otc) *</i>	(Expectorant)	3	\$0	
MUCINEX DM ER 1,200-60 MG TAB BI-LAYER, MAX-STR 60-1,200 MG *	(dextromethorphan-guaifenesin)	3	\$0	
MUCINEX ER 600 MG TABLET *	(guaifenesin)	3	\$0	
<i>mucinex fast-max chest-congest 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>mucus relief er 600 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>mucus rlf chest congest 200 mg *</i>	(guaifenesin)	3	\$0	
<i>mucus rlf dm er 600-30 mg tab 30-600 mg *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>neo-tuss liquid 30-200 mg/5 ml *</i>		3	\$0	
<i>pseudoephedrine 30 mg tablet *</i>	(Sudogest)	3	\$0	
<i>pseudoephedrine er 120 mg tab *</i>	(Suphedrine 12 Hour)	3	\$0	
<i>ra expectorant cough syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>ra suphedrine 12hr 120 mg cplt caplet,mx-str *</i>	(pseudoephedrine hcl)	3	\$0	
<i>ra tussin chest congestion syr non-drowsy 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>ra tussin cough liquid dlf 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>ra tussin dm max liquid 10-200 mg/5 ml *</i>		3	\$0	
<i>ra tussin dm syrup 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>refenesen 400 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>robafen 200 mg/10 ml syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>robafen cf liquid multi-cld symptm 5-10-100 mg/5 ml *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>robafen dm peak cold oral liquid 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>robitussin cough-chest dm liq 5-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>robitussin cough-cold cf liq 2.5-5-50 mg/5 ml *</i>		3	\$0	
ROBITUSSIN SEVERE COUGH-SORE THROAT LIQUID 325-10 MG/10 ML *		3	\$0	
<i>scot-tussin expectorant liquid 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>sm mucus relief cough liquid childrens 5-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>sudogest 30 mg tablet boxed *</i>	(pseudoephedrine hcl)	3	\$0	
<i>suphedrin liquid 15 mg/5 ml *</i>		3	\$0	
THERAFLU MS SEVERE COLD PCKT 10-20-500 MG *		3	\$0	
<i>tussin dm max liquid non-drowsy 10-200 mg/5 ml *</i>		3	\$0	
VANATAB DM CAPLET 5-9-198 MG *		3	\$0	
<i>wal-phed 30 mg tablet non-drowsy *</i>	(pseudoephedrine hcl)	3	\$0	
<i>wal-phed d er 120 mg tablet *</i>	(pseudoephedrine hcl)	3	\$0	
<i>wal-tussin dm clear syrup 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>wal-tussin syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
Dental And Oral Agents				
Dental And Oral Agents				
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	1	\$0	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	\$0	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	\$0	
KOURZEQ DENTAL PASTE 0.1 %	(triamcinolone acetonide)	1	\$0	
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	1	\$0	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	\$0	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	\$0	
PHOS-FLUR ORAL RINSE 6'S,10ML DOSAGE CUP 0.02 % (0.044 % SOD. FLUORIDE) *		3	\$0	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	1	\$0	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	\$0	
<i>sodium fluoride dental solution 0.2 %</i>	(PreviDent)	1	\$0	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Fluoridex Sensitivity Relief)	1	\$0	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	1	\$0	
Dermatological Agents				
Dermatological Agents, Other				
A AND D DIAPER RASH CREAM 1-10 % *		3	\$0	
<i>a and d ointment *</i>	(vits a and d-white pet-lanolin)	3	\$0	
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	1	\$0	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		1	\$0	
<i>acne foaming 10% wash *</i>	(benzoyl peroxide)	3	\$0	
<i>acne medication 10% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>acne medication 5% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>acneclear gel 10 % *</i>	(benzoyl peroxide)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>acyclovir topical cream 5 %</i>	(Zovirax)	1	\$0	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	1	\$0	QL (30 per 30 days)
ALCOHOL 70% SWABS	(Alcohol Pads)	1	\$0	
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	\$0	
<i>ameriphor moist ointment *</i>		3	\$0	
<i>ammonium lactate 12% cream fragrance free (otc) *</i>		3	\$0	
<i>ammonium lactate 12% lotion (otc) *</i>	(Skin Treatment)	3	\$0	
<i>ammonium lactate 12% lotion fragrance free (otc) *</i>	(Skin Treatment)	3	\$0	
<i>ammonium lactate topical cream 12 %</i>		1	\$0	
<i>ammonium lactate topical lotion 12 %</i>	(Skin Treatment)	1	\$0	
AQUAPHOR 41% HEALING OINTMENT *		3	\$0	
<i>aquaphor baby diaper rash 40% *</i>	(zinc oxide)	3	\$0	
<i>aquaphor healing ointment *</i>		3	\$0	
<i>arthritis pain relief 0.1% crm high potency str *</i>	(capsaicin)	3	\$0	
<i>arthritis pain rlf 0.075% crm *</i>	(capsaicin)	3	\$0	
<i>astrigent solution powder pkt 952- 1,347 mg *</i>		3	\$0	
<i>aveeno baby cream 1 % *</i>		3	\$0	
AVEENO ECZEMA THERAPY 1% CREAM *		3	\$0	
<i>balmex adult care 11.3% cream *</i>		3	\$0	
<i>balmex cmplt protect 11.3% crm *</i>		3	\$0	
BD SINGLE USE SWAB	(alcohol swabs)	1	\$0	
<i>benzoyl peroxide 10% wash (otc) *</i>	(Acne Control Cleanser)	3	\$0	
<i>benzoyl peroxide 5% wash (otc) *</i>	(Advanced Exfoliating Cleanser)	3	\$0	
BETADINE 5% SPRAY *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>calcipotriene scalp solution 0.005 %</i>	1	\$0	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	1	\$0	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	1	\$0	QL (120 per 30 days)
CALDESENE MEDICATED 15-81% PWD *	3	\$0	
CALMOSEPTINE OINTMENT 0.44-20.6 % *	3	\$0	(menthol-zinc oxide)
<i>capsaicin 0.1% cream *</i>	3	\$0	(Arthritis Pain Relief(capsaicin))
<i>capsaicin 0.15% liquid *</i>	3	\$0	(Capzasin)
CARETOUCH ALCOHOL 70% PREP PAD	1	\$0	(alcohol swabs)
CASTELLANI PAINT 1.5% COLORLESS, MODIFIED *	3	\$0	
<i>cold and hot pain relief topical adhesive patch,medicated 5 % *</i>	3	\$0	
CURITY ALCOHOL PREPS 2 PLY,MEDIUM	1	\$0	(alcohol swabs)
<i>cutter lemon eucalyptus spray 30 % *</i>	3	\$0	
<i>cvs acne control 10 % cleanser *</i>	3	\$0	(benzoyl peroxide)
<i>cvs adv exfoliating 5% cleansr *</i>	3	\$0	(benzoyl peroxide)
<i>cvs advanced healing 41% oint *</i>	3	\$0	
<i>cvs diaper cream 1-10 % *</i>	3	\$0	
<i>cvs diaper rash 40% ointment *</i>	3	\$0	(zinc oxide)
<i>cvs eczema relief 1% cream *</i>	3	\$0	
<i>cvs foaming acne face 10% wash *</i>	3	\$0	(benzoyl peroxide)
CVS PETROLEUM JELLY *	3	\$0	(Lip Treatment)
<i>cvs skin treatment body lotion 12 % *</i>	3	\$0	(ammonium lactate)
<i>cvs wound wash saline spray 0.9 % *</i>	3	\$0	
DAKIN'S 0.125% SOLUTION *	3	\$0	
<i>dakin's 0.25% solution *</i>	3	\$0	
<i>daylogic acne treatmnt 10% gel *</i>	3	\$0	(benzoyl peroxide)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>daylogic advanced healing oint 41 % *</i>	3	\$0	
<i>dermaphor ointment *</i>	3	\$0	
DESITIN 40% PASTE *	3	\$0	
DESITIN DAILY DEFENSE 13% CRM *	3	\$0	
<i>dhs sal 3% shampoo *</i>	3	\$0	
DHS TAR 0.5% SHAMPOO *	3	\$0	
<i>diaper rash 13% cream *</i>	3	\$0	
<i>diaper rash 40% ointment *</i> (zinc oxide)	3	\$0	
<i>diaper rash 40% paste *</i>	3	\$0	
DOMEBORO POWDER PACKET 952-1,347 MG *	3	\$0	
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	\$0	
<i>dry skin treatment 41 % *</i>	3	\$0	
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	\$0	
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	\$0	
<i>eucerin eczema relief 1% cream *</i>	3	\$0	
<i>fluorouracil topical cream 0.5 %</i> (Carac)	2	\$0	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	\$0	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	\$0	
<i>gnp saline wound wash spray 0.9 % *</i>	3	\$0	
<i>gs diaper rash 40% paste *</i> (zinc oxide)	3	\$0	
<i>h-chlor 12 0.125% solution *</i>	3	\$0	
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	\$0	
<i>hemorrhoidal ointment 0.25-14-74.9 % *</i>	3	\$0	
<i>hysept 0.25% solution *</i>	3	\$0	
<i>icy hot kids 5% patch *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>icy hot medicated patch extra strength 5 % *</i>	3	\$0	
<i>imiquimod topical cream in packet 5 %</i>	1	\$0	QL (24 per 30 days)
ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD (alcohol swabs) TOPICAL PADS, MEDICATED	1	\$0	
IV ANTISEPTIC WIPES (alcohol swabs)	1	\$0	
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	\$0	
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	2	\$0	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	1	\$0	NDS
NATRAPEL 20% SPRAY *	3	\$0	
NEOSPORIN MOISTURIZING TOPICAL CREAM 1 % *	3	\$0	
<i>neutrogena t-sal 3% shampoo *</i>	3	\$0	
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	1	\$0	QL (30 per 30 days)
PANRETIN TOPICAL GEL 0.1 %	2	\$0	QL (180 per 30 days); NDS
<i>penciclovir topical cream 1 %</i> (Denavir)	1	\$0	
<i>periguard ointment *</i>	3	\$0	
<i>persa-gel 10% 12's, max-strength *</i> (benzoyl peroxide)	3	\$0	
<i>petrolatum base ointment *</i>	3	\$0	
PETROLEUM JELLY * (white petrolatum)	3	\$0	
PETROLEUM JELLY LIP TREATMENT * (white petrolatum)	3	\$0	
<i>podofilox topical solution 0.5 %</i>	1	\$0	
<i>povidone-iodine 10% solution *</i>	3	\$0	
<i>povidone-iodine 10% solution *</i> (Antiseptic)	3	\$0	
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	\$0	
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra antiseptic 10% solution *</i>	(povidone-iodine)	3	\$0	
RA ISOPROPYL ALCOHOL 70% WIPES	(alcohol swabs)	1	\$0	
<i>ra vitamin a and d ointment *</i>	(A and D (lan, pet))	3	\$0	
<i>ra zinc oxide ointment *</i>		3	\$0	
REGRANEX TOPICAL GEL 0.01 %		2	\$0	PA; QL (30 per 30 days); NDS
<i>repel lemon eucalyptus 30% spr *</i>		3	\$0	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		2	\$0	QL (180 per 30 days)
<i>selsun blue deep clean shampoo 3 % *</i>		3	\$0	
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	\$0	
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	\$0	
<i>thera-gel 0.5% shampoo *</i>		3	\$0	
<i>therapeutic t+plus shampoo 3 % *</i>		3	\$0	
<i>t-plus 0.5% therapeutic shmpoo *</i>		3	\$0	
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	\$0	
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	\$0	
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	\$0	
VALCHLOR TOPICAL GEL 0.016 %		2	\$0	PA NSO; NDS
VASELINE PETROLEUM JELLY 12'S *	(white petrolatum)	3	\$0	
<i>vaseline white petroleum jelly *</i>	(white petrolatum)	3	\$0	
VASELINE WHITE PETROLEUM JELLY *	(white petrolatum)	3	\$0	
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	\$0	
WHITE PETROLEUM JELLY *	(Lip Treatment)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
WHITE PETROLEUM JELLY 144'S *	(white petrolatum)	3	\$0	
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	(isotretinoin)	1	\$0	
zinc oxide 20% ointment (otc) *		3	\$0	
zostrix hp 0.1% cream *	(capsaicin)	3	\$0	
zostrix hp 0.1% foot cream *	(capsaicin)	3	\$0	
Dermatological Antibacterials				
bacitracin 500 unit/gm ointmnt 500 unit/gram *	(Bacitraycin Plus)	3	\$0	
bacitracin zn 500 unit/gm oint 500 unit/gram *	(Antibiotic (bacitracin zinc))	3	\$0	
bacitraycin plus 500 unit/gm 500 unit/gram *	(bacitracin)	3	\$0	
clindamycin phosphate topical foam 1 %	(Clindacin)	1	\$0	QL (100 per 30 days)
clindamycin phosphate topical solution 1 %	(Cleocin T)	1	\$0	QL (180 per 30 days)
clindamycin phosphate topical swab 1 %	(Clindacin ETZ)	1	\$0	
clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %	(Neuac)	1	\$0	
clindamycin-benzoyl peroxide topical gel 1-5 %		1	\$0	
ery pads topical swab 2 %	(erythromycin with ethanol)	1	\$0	
erythromycin with ethanol topical gel 2 %	(Erygel)	1	\$0	QL (180 per 30 days)
erythromycin with ethanol topical solution 2 %		1	\$0	QL (180 per 30 days)
erythromycin-benzoyl peroxide topical gel 3-5 %	(Benzamycin)	1	\$0	
gentamicin topical cream 0.1 %		1	\$0	QL (120 per 30 days)
gentamicin topical ointment 0.1 %		1	\$0	QL (120 per 30 days)
metronidazole topical cream 0.75 %	(Rosadan)	1	\$0	
metronidazole topical gel 0.75 %	(Rosadan)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>metronidazole topical gel 1 %</i>	(Metrogel)	1	\$0	
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	1	\$0	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	\$0	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>		1	\$0	
<i>rosadan topical cream 0.75 %</i>	(metronidazole)	1	\$0	
<i>selenium sulfide topical lotion 2.5 %</i>		1	\$0	
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	1	\$0	
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	2	\$0	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	1	\$0	
<i>triple antibiotic ointment 3.5mg-400 unit- 5,000 unit/gram *</i>	(neomycin-bacitraczn-polymyxnb)	3	\$0	
Dermatological Anti-Inflammatory Agents				
<i>ala-cort topical cream 1 %</i>	(hydrocortisone)	1	\$0	
<i>ala-scalp topical lotion 2 %</i>		1	\$0	
<i>alclometasone topical cream 0.05 %</i>		1	\$0	
<i>alclometasone topical ointment 0.05 %</i>		1	\$0	
<i>aquanil hc 1% lotion *</i>	(hydrocortisone)	3	\$0	
<i>aquaphor itch relief 1% oint *</i>	(hydrocortisone)	3	\$0	
<i>beta hc 1% lotion *</i>	(hydrocortisone)	3	\$0	
<i>betamethasone dipropionate topical cream 0.05 %</i>		1	\$0	
<i>betamethasone dipropionate topical lotion 0.05 %</i>		1	\$0	
<i>betamethasone dipropionate topical ointment 0.05 %</i>		1	\$0	
<i>betamethasone valerate topical cream 0.1 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>betamethasone valerate topical foam 0.12 %</i>	(Luxiq)	1	\$0	
<i>betamethasone valerate topical lotion 0.1 %</i>		1	\$0	
<i>betamethasone valerate topical ointment 0.1 %</i>		1	\$0	
<i>betamethasone, augmented topical cream 0.05 %</i>		1	\$0	
<i>betamethasone, augmented topical gel 0.05 %</i>		1	\$0	
<i>betamethasone, augmented topical lotion 0.05 %</i>		1	\$0	
<i>betamethasone, augmented topical ointment 0.05 %</i>	(Diprolene (augmented))	1	\$0	
<i>clobetasol scalp solution 0.05 %</i>		1	\$0	
<i>clobetasol topical cream 0.05 %</i>		1	\$0	
<i>clobetasol topical foam 0.05 %</i>	(Olux)	1	\$0	
<i>clobetasol topical gel 0.05 %</i>		1	\$0	
<i>clobetasol topical lotion 0.05 %</i>	(Clobex)	1	\$0	
<i>clobetasol topical ointment 0.05 %</i>	(Temovate)	1	\$0	
<i>clobetasol topical shampoo 0.05 %</i>	(Clobex)	1	\$0	
<i>clobetasol-emollient topical cream 0.05 %</i>		1	\$0	
<i>clobetasol-emollient topical foam 0.05 %</i>	(Olux-E)	1	\$0	
<i>cortizone-10 1% ointment *</i>	(hydrocortisone)	3	\$0	
<i>cortizone-10 with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>cvs cortisone 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>cvs cortisone with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>desonide topical cream 0.05 %</i>	(DesOwen)	1	\$0	
<i>desonide topical lotion 0.05 %</i>		1	\$0	
<i>desonide topical ointment 0.05 %</i>		1	\$0	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	(Topicort)	1	\$0	QL (120 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	1	\$0	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	1	\$0	QL (120 per 30 days)
<i>diflorasone topical ointment 0.05 %</i>	1	\$0	QL (180 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	2	\$0	
<i>fluocinolone topical cream 0.01 %</i>	1	\$0	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	\$0	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	\$0	
<i>fluocinonide topical cream 0.05 %</i>	1	\$0	
<i>fluocinonide topical gel 0.05 %</i>	1	\$0	
<i>fluocinonide topical ointment 0.05 %</i>	1	\$0	
<i>fluocinonide topical solution 0.05 %</i>	1	\$0	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	1	\$0	
<i>fluticasone propionate topical cream 0.05 %</i>	1	\$0	
<i>fluticasone propionate topical ointment 0.005 %</i>	1	\$0	
<i>halobetasol propionate topical cream 0.05 %</i>	1	\$0	
<i>halobetasol propionate topical ointment 0.05 %</i>	1	\$0	
<i>hydrocortisone 0.5% ointment *</i>	3	\$0	
<i>hydrocortisone 1% cream *</i> (Vanicream HC)	3	\$0	
<i>hydrocortisone 1% cream maximum strength (otc) *</i> (Ala-Cort)	3	\$0	
<i>hydrocortisone 1% lotion (otc) *</i> (Aquanil HC)	3	\$0	
<i>hydrocortisone 1% ointment *</i>	3	\$0	
<i>hydrocortisone 1% ointment maximum strength (otc) *</i> (Anti-Itch (HC))	3	\$0	
<i>hydrocortisone 2.5% cream</i>	1	\$0	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	1	\$0	QL (120 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	(Locoid)	1	\$0	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>		1	\$0	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>		1	\$0	QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i>	(Ala-Cort)	1	\$0	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	(Proctosol HC)	1	\$0	
<i>hydrocortisone topical lotion 2.5 %</i>		1	\$0	
<i>hydrocortisone topical ointment 1 %</i>	(Anti-Itch (HC))	1	\$0	
<i>hydrocortisone topical ointment 2.5 %</i>		1	\$0	
<i>hydrocortisone valerate topical cream 0.2 %</i>		1	\$0	
<i>hydrocortisone valerate topical ointment 0.2 %</i>		1	\$0	
<i>hydrocortisone-aloe 1% cream *</i>	(Anti-Itch(hydrocortisone)-Aloe)	3	\$0	
<i>hydrocortisone-min oil-wht pet topical ointment 1 %</i>		1	\$0	
<i>mometasone topical cream 0.1 %</i>		1	\$0	
<i>mometasone topical ointment 0.1 %</i>		1	\$0	
<i>mometasone topical solution 0.1 %</i>		1	\$0	
<i>monistat care 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>pimecrolimus topical cream 1 %</i>	(Elidel)	1	\$0	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>		1	\$0	
<i>preparation h hc 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	1	\$0	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	1	\$0	
<i>pub hydrocream 1% *</i>	(hydrocortisone)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>qc anti-itch with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>ra anti-itch 1% cream maximum strength *</i>	(hydrocortisone)	3	\$0	
<i>ra anti-itch 1% ointment maximum strength *</i>	(hydrocortisone)	3	\$0	
<i>sm hydrocortisone 1% ointment maximum strength (otc) *</i>	(Anti-Itch (HC))	3	\$0	
<i>sm hydrocortisone plus 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>		1	\$0	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>		1	\$0	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	(Triderm)	1	\$0	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>		1	\$0	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>		1	\$0	
<i>triamcinolone acetonide topical ointment 0.05 %</i>	(Trianex)	1	\$0	
<i>vanicream hc 1% cream *</i>	(hydrocortisone acetate)	3	\$0	
Dermatological Retinoids				
<i>adapalene topical cream 0.1 %</i>	(Differin)	1	\$0	
<i>adapalene topical gel 0.1 %</i>	(Differin)	1	\$0	
ALTRENO TOPICAL LOTION 0.05 %		2	\$0	PA
<i>tazarotene topical cream 0.1 %</i>	(Tazorac)	1	\$0	
TAZORAC TOPICAL CREAM 0.05 %		2	\$0	
<i>tretinoin topical cream 0.025 %</i>	(Avita)	1	\$0	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i>	(Retin-A)	1	\$0	PA
<i>tretinoin topical gel 0.01 %</i>	(Retin-A)	1	\$0	PA
<i>tretinoin topical gel 0.025 %</i>	(Avita)	1	\$0	PA

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tretinoin topical gel 0.05 %</i>	(Atralin)	1	\$0	PA
Scabicides And Pediculicides				
<i>complete lice treatment kit shamp,gel,comb,spray 4-0.33-0.5 % *</i>		3	\$0	
<i>lice treatment 1% creme rinse 1 nit removal comb *</i>	(permethrin)	3	\$0	
<i>lice treatment shampoo 1 nit comb included 0.33-4 % *</i>		3	\$0	
<i>malathion topical lotion 0.5 %</i>	(Ovide)	1	\$0	
<i>permethrin topical cream 5 %</i>	(Elimite)	1	\$0	QL (60 per 30 days)
Devices				
Devices				
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		1	\$0	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		1	\$0	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		1	\$0	
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		1	\$0	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		1	\$0	
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	\$0	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		1	\$0	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		1	\$0	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		1	\$0	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		1	\$0	
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	1	\$0	
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	1	\$0	(insulin syringe- needle u-100)
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	1	\$0	
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	1	\$0	(insulin syringe- needle u-100)
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	1	\$0	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	1	\$0	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	1	\$0	(Comfort EZ Insulin Syringe)
BD INSULIN SYRINGE 1 ML W/O NEEDLE	1	\$0	(insulin syringe needleless)
BD LUER-LOK SYRINGE 1 ML	1	\$0	(Easy Touch Luer Lock Insulin)
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	\$0	(pen needle, diabetic)
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	1	\$0	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	1	\$0	(insulin syringe- needle u-100)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	1	\$0	
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	1	\$0	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	1	\$0	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	\$0	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	1	\$0	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	1	\$0	
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	1	\$0	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	1	\$0	
BD UF MICRO PEN NEEDLE (pen needle, 6MMX32G 32 GAUGE X 1/4" diabetic)	1	\$0	
BD UF MINI PEN NEEDLE (pen needle, 5MMX31G 31 GAUGE X 3/16" diabetic)	1	\$0	
BD UF NANO PEN NEEDLE (pen needle, 4MMX32G 32 GAUGE X 5/32" diabetic)	1	\$0	
BD UF ORIG PEN NDL (pen needle, 12.7MMX29G 29 GAUGE X 1/2" diabetic)	1	\$0	
BD UF SHORT PEN NEEDLE (pen needle, 8MMX31G 31 GAUGE X 5/16" diabetic)	1	\$0	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	\$0	
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		1	\$0	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"		1	\$0	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFEEL PLUS CLEAR DRESSING 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		1	\$0	
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	1	\$0	
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		1	\$0	
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CURAD GAUZE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	\$0	
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "		1	\$0	
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	(gauze bandage)	1	\$0	
CUTINOVA HYDRO 6"X8" DRESSING 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	(gauze bandage)	1	\$0	
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	\$0	
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	1	\$0	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	1	\$0	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	1	\$0	(insulin syringe- needle u-100)
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	1	\$0	(insulin syringe- needle u-100)
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	1	\$0	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	1	\$0	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	1	\$0	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	1	\$0	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	1	\$0	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	1	\$0	(insulin syringe- needle u-100)
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	1	\$0	(insulin syringe- needle u-100)
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	1	\$0	(insulin syringe- needle u-100)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		1	\$0	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		1	\$0	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		1	\$0	
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		1	\$0	
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	\$0	
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		1	\$0	
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"		1	\$0	
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"		1	\$0	
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"		1	\$0	
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"		1	\$0	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	\$0	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use	
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
DUODERM CGF 2.5"X2.5" DRESSING 2 1/2 X 2 1/2 " *		3	\$0	
DUODERM CGF 6"X8" DRESSING REF#187643 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		1	\$0	
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		1	\$0	
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		1	\$0	
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		1	\$0	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		1	\$0	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		1	\$0	
EASY TOUCH FLIPLK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		1	\$0	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		1	\$0	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		1	\$0	
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		1	\$0	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		1	\$0	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	\$0	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	\$0	
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	1	\$0	
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		1	\$0	
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		1	\$0	
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	\$0	
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		1	\$0	
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	1	\$0	
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		1	\$0	
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	1	\$0	
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	1	\$0	
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	1	\$0	
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	1	\$0	
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
GAUZE PADS & DRESSINGS - PADS 2 X 2 TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	\$0	
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		1	\$0	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe- needle u-100)	1	\$0	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe- needle u-100)	1	\$0	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		1	\$0	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		1	\$0	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	2	\$0	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	2	\$0	
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	\$0	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (UltiCare Insuln Syr(half unit))	1	\$0	
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	\$0	
INSULIN SYRINGE 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	1	\$0	
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe- needle u-100)	1	\$0	
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		1	\$0	
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	1	\$0	
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	1	\$0	
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	1	\$0	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	1	\$0	
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
LISCO SPONGES 100/BAG 2 X 2 "		1	\$0	
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		1	\$0	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		1	\$0	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		1	\$0	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		1	\$0	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		1	\$0	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		1	\$0	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		1	\$0	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		1	\$0	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	1	\$0	
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	1	\$0	
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	1	\$0	
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	1	\$0	
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	1	\$0	
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	1	\$0	
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	1	\$0	
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	\$0	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	1	\$0	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	1	\$0	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0
NOVOFINE 30 NEEDLE	1	\$0	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	1	\$0	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	1	\$0	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	2	\$0	QL (1 per 365 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16" (Embrace Pen Needle)	1	\$0	
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16" (CareFine Pen Needle)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	1	\$0	
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	1	\$0	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	\$0	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT PEN ND 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN ND 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN ND 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN ND 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		1	\$0	
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	1	\$0	
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		1	\$0	
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		1	\$0	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	1	\$0	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		1	\$0	
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RELION NEEDLES NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
RELION PEN NEEDLES NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
REPLICARE THIN 6"X8" DRESSING (RX) 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
RESTORE EX THIN 6"X8" DRESSING HYDROCOLLOID,STERILE 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
RESTORE HYDROCOLLOID 6"X8" FOAM BACKING 6 X 8 " *	(Comfeel Plus Clear Dressing)	3	\$0	
SAFESNAP INS SYR UNITS- 100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		1	\$0	
SAFESNAP INS SYR UNITS- 100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		1	\$0	
SAFESNAP INS SYR UNITS- 100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		1	\$0	
SAFESNAP INS SYR UNITS- 100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		1	\$0	
SAFESNAP INS SYR UNITS- 100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		1	\$0	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	1	\$0	
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		1	\$0	
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SECURES SAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	1	\$0	
SECURES SAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	1	\$0	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	1	\$0	
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	1	\$0	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	\$0	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	\$0	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	\$0	
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	1	\$0	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	\$0	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	\$0	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	\$0	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		1	\$0	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		1	\$0	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		1	\$0	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		1	\$0	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		1	\$0	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"		1	\$0	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		1	\$0	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		1	\$0	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		1	\$0	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		1	\$0	
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		1	\$0	
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	
TERUMO INS SYRINGE U100- 1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TERUMO INS SYRINGE U100- 1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	1	\$0	
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe- needle u-100)	1	\$0	
TERUMO INS SYRINGE U100- 1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		1	\$0	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		1	\$0	
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	1	\$0	
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		1	\$0	
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		1	\$0	
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		1	\$0	
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1	\$0	
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		1	\$0	
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		1	\$0	
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"		1	\$0	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	1	\$0	
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	1	\$0	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	1	\$0	
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	1	\$0	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	1	\$0	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	1	\$0	
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	1	\$0	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	1	\$0	
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	1	\$0	
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe- needle u-100)	1	\$0	
ULTILET PEN NEEDLE 29 GAUGE	1	\$0	
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	\$0	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		1	\$0	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		1	\$0	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		1	\$0	
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		1	\$0	
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		1	\$0	
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		1	\$0	
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"		1	\$0	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"		1	\$0	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		1	\$0	
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		1	\$0	
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	\$0	
V-GO 20 DEVICE		2	\$0	QL (30 per 30 days)
V-GO 30 DEVICE		2	\$0	QL (30 per 30 days)
V-GO 40 DEVICE		2	\$0	QL (30 per 30 days)
Enzyme Replacement/Modifiers				
Enzyme Replacement/Modifiers				
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML		2	\$0	NDS
CERDELGA ORAL CAPSULE 84 MG		2	\$0	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT		2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CREON ORAL CAPSULE, DELAYED RELEASE (DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	\$0	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	2	\$0	NDS
ELFABRIO INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	2	\$0	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	2	\$0	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	2	\$0	PA; QL (14 per 28 days); NDS
<i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)	1	\$0	PA; NDS
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	2	\$0	PA BvD; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	1	\$0	PA; QL (90 per 30 days); NDS
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	2	\$0	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	1	\$0	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	2	\$0	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	2	\$0	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	2	\$0	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	1	\$0	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	2	\$0	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	2	\$0	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	2	\$0	NDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	1	\$0	PA; QL (90 per 30 days); NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	2	\$0	
Eye, Ear, Nose, Throat Agents			
Eye, Ear, Nose, Throat Agents, Miscellaneous			
<i>alaway 0.025% eye drops 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>alcaine ophthalmic (eye) drops 0.5 %</i> (proparacaine)	1	\$0	
<i>altamist 0.65% nose spray *</i> (sodium chloride)	3	\$0	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>artificial eye lub 15-83% oint 83-15 % *</i>	3	\$0	
<i>artificial tears drops 0.5-0.6 % *</i>	3	\$0	
<i>artificial tears drops 1-0.2-0.2 % *</i>	3	\$0	
<i>artificial tears drops sterile, plf 0.1-0.3 % *</i>	3	\$0	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	\$0	
<i>ayr saline 0.65% nose spray *</i> (sodium chloride)	3	\$0	
AYR SALINE NASAL RINSE KIT 50 PKTS & 1 APP BTL *	3	\$0	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	1	\$0	QL (30 per 25 days)
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	1	\$0	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	\$0	
<i>baby ayr saline 0.65% drops *</i>	3	\$0	
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	1	\$0	ST
<i>clear eyes natural tears drop 0.5-0.6 % *</i>	3	\$0	
<i>clear eyes once daily 0.2% drp *</i> (olopatadine)	3	\$0	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	\$0	
<i>cvs allergy nasal mist 0.05% *</i>	3	\$0	
<i>cvs artificial tears drops 1-0.3 % *</i>	3	\$0	
<i>cvs eye itch relief 0.025% drp 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	
<i>cvs lubricant 0.5% eye drop *</i> (carboxymethylcellulose sodium)	3	\$0	
<i>cvs nasal wash squeeze bottle *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs natural tears drop 0.1-0.3 % *</i>	3	\$0	
<i>cvs overnight lubricating eye 94-3 % *</i>	3	\$0	
<i>cvs saline 0.65% nasal spray *</i> (sodium chloride)	3	\$0	
<i>cvs saline 3% nasal mist *</i>	3	\$0	
<i>cvs sodium chloride 5% eye ont *</i> (Muro 128)	3	\$0	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	\$0	
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	2	\$0	PA; QL (20 per 28 days); NDS
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	2	\$0	PA; QL (60 per 28 days); NDS
<i>deep sea 0.65% nose spray *</i> (sodium chloride)	3	\$0	
<i>dristan 0.05% nasal spray *</i> (oxymetazoline)	3	\$0	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	\$0	
<i>eq nasal 0.65% spray *</i> (sodium chloride)	3	\$0	
<i>eye allergy itch rlf 0.2% drop *</i> (olopatadine)	3	\$0	
<i>eye allergy itch-red 0.1% drop *</i> (olopatadine)	3	\$0	
<i>for sty relief eye ointment *</i>	3	\$0	
<i>freshkote eye drop 2.7-2 % *</i>	3	\$0	
GENTEAL TEARS 0.1%-0.2%-0.3% 0.1-0.3-0.2 % * (artificial tear(dxtrn-hpm-gly))	3	\$0	
GENTEAL TEARS 0.1%-0.3% DROP 0.1-0.3 % *	3	\$0	
GENTEAL TEARS SEVERE 0.3% GEL *	3	\$0	
<i>gonak 2.5% solution *</i> (hypromellose)	3	\$0	
<i>goniotaire 2.5% eye drop *</i> (hypromellose)	3	\$0	
<i>gs nasal moist 0.65% spray *</i> (sodium chloride)	3	\$0	
<i>gs nasal spray 0.05% *</i> (oxymetazoline)	3	\$0	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	1	\$0	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	1	\$0	QL (15 per 10 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>isopto tears 0.5% eye drops *</i>	3	\$0	
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	1	\$0	
<i>little remedies saline spray 0.65 % *</i> (sodium chloride)	3	\$0	
<i>lubricant 0.5% eye drop *</i> (carboxymethylcellulose sodium)	3	\$0	
<i>lubricant 0.5-0.9% eye drops *</i>	3	\$0	
<i>lubrifresh pm eye ointment 83-15 % *</i>	3	\$0	
<i>muro-128 2% eye drops *</i>	3	\$0	
<i>muro-128 5% eye drops *</i> (sodium chloride)	3	\$0	
<i>muro-128 5% eye ointment *</i> (sodium chloride)	3	\$0	
<i>neilmed sinus rinse kit *</i>	3	\$0	
<i>neilmed sinus rinse kit refill *</i>	3	\$0	
<i>ocean 0.65% nasal spray *</i> (sodium chloride)	3	\$0	
OCUSOFT LID SCRUB PADS *	3	\$0	
OCUSOFT LID SCRUB PLUS PADS *	3	\$0	
<i>olopatadine hcl 0.1% eye drops (otc) *</i> (Eye Allergy Itch-Redness Rlf)	3	\$0	
<i>olopatadine hcl 0.2% eye drop (otc) *</i> (Eye Allergy Itch Relief)	3	\$0	
<i>olopatadine nasal spray, non-aerosol 0.6 %</i> (Patanase)	1	\$0	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	1	\$0	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	1	\$0	
<i>polyvinyl alcohol 1.4% eyedrop *</i> (Artificial Tears (polyvin alc))	3	\$0	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	1	\$0	
<i>ra artificial tears drops dry eye formula 1-0.3 % *</i>	3	\$0	
<i>ra nasal rlf sinus wash refill *</i>	3	\$0	
<i>ra saline 0.65% nose spray *</i> (sodium chloride)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
REFRESH CLASSIC EYE DROPS U-D,P/F,30X.4ML 1.4-0.6 % *	3	\$0	
REFRESH LACRI-LUBE OINTMENT 56.8-42.5 % *	3	\$0	
REFRESH LIQUIGEL 1% EYE DROP * (carboxymethylcellulose sodium)	3	\$0	
REFRESH P.M. OINTMENT 57.3-42.5 % *	3	\$0	
REFRESH TEARS 0.5% EYE DROP * (carboxymethylcellulose sodium)	3	\$0	
<i>sinus relief nasal spray 0.05% *</i> (oxymetazoline)	3	\$0	
<i>sinus rinse premixed packet plf *</i>	3	\$0	
<i>sinus rinse starter kit *</i>	3	\$0	
<i>sm nasal spray sinus 0.05 % *</i> (oxymetazoline)	3	\$0	
<i>sodium chloride 5% eye drop *</i> (Muro 128)	3	\$0	
SYSTANE 0.3% EYE GEL *	3	\$0	
SYSTANE 0.4-0.3% EYE DROP *	3	\$0	
SYSTANE BALANCE 0.6% EYE DROP CLINICAL STRENGTH *	3	\$0	
SYSTANE GEL EYE DROPS 0.4-0.3 % *	3	\$0	
SYSTANE NIGHTTIME EYE OINTMENT 94-3 % *	3	\$0	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	2	\$0	PA; NDS
THERA TEARS 0.25% EYE DROPS *	3	\$0	
<i>vicks sinex 12 hour mist 0.05 % *</i>	3	\$0	
<i>wal-zyr 0.025% eye drops 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	
Eye, Ear, Nose, Throat Anti-Infectives Agents			
<i>acetic acid otic (ear) solution 2 %</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	\$0	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	1	\$0	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	1	\$0	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	1	\$0	QL (7.5 per 7 days)
<i>debrox 6.5% ear drops *</i> (carbamide peroxide)	3	\$0	
<i>ear drops 6.5% *</i> (carbamide peroxide)	3	\$0	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	\$0	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	\$0	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	\$0	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	1	\$0	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	1	\$0	
<i>murine 6.5% ear drops *</i> (carbamide peroxide)	3	\$0	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	2	\$0	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	1	\$0	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	1	\$0	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	1	\$0	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	\$0	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	\$0	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	\$0	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	\$0	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	1	\$0	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	1	\$0	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	1	\$0	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	\$0	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)	1	\$0	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	\$0	
REFRESH OPTIVE MEGA-3 DROPS 0.5-1-0.5 % *	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	1	\$0		
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	\$0		
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	\$0		
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	\$0		
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	1	\$0		
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	\$0		
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	2	\$0		
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	2	\$0		
Eye, Ear, Nose, Throat Anti-Inflammatory Agents				
<i>24 hour allergy 50 mcg spray 50 mcglactuation *</i>	(fluticasone propionate)	3	\$0	
<i>aller-cort 55 mcg nasal spray inner *</i>	(triamcinolone acetonide)	3	\$0	
<i>aller-flo 50 mcg spray inner 50 mcglactuation *</i>	(fluticasone propionate)	3	\$0	
<i>allergy relief 50 mcg spray 50 mcglactuation *</i>	(fluticasone propionate)	3	\$0	
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	(loteprednol etabonate)	2	\$0	ST; QL (10 per 25 days)
<i>bromfenac ophthalmic (eye) drops 0.07 %</i>	(Prolensa)	2	\$0	
<i>bromfenac ophthalmic (eye) drops 0.075 %</i>	(BromSite)	2	\$0	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	(bromfenac)	2	\$0	
clarispray 50 mcg nasal spray 50 mcglactuation *	(fluticasone propionate)	3	\$0	
dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %		1	\$0	
diclofenac sodium ophthalmic (eye) drops 0.1 %		1	\$0	
difluprednate ophthalmic (eye) drops 0.05 %	(Durezol)	1	\$0	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %		2	\$0	QL (8.3 per 14 days)
FLONASE ALLERGY RLF 50 MCG SPR 50 MCG/ACTUATION *	(fluticasone propionate)	3	\$0	
flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)		1	\$0	QL (50 per 25 days)
fluocinolone acetonide oil otic (ear) drops 0.01 %	(DermOtic Oil)	1	\$0	
fluorometholone ophthalmic (eye) drops,suspension 0.1 %	(FML Liquifilm)	2	\$0	
flurbiprofen sodium ophthalmic (eye) drops 0.03 %		1	\$0	
fluticasone prop 50 mcg spray (otc) 50 mcglactuation *	(24 Hour Allergy Relief)	3	\$0	
fluticasone propionate nasal spray,suspension 50 mcglactuation	(24 Hour Allergy Relief)	1	\$0	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %		2	\$0	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %		2	\$0	QL (5.6 per 14 days)
ketorolac ophthalmic (eye) drops 0.5 %	(Acular)	1	\$0	QL (10 per 25 days)
kro 24hr allergy rlf 50 mcg spr 50 mcglactuation *	(fluticasone propionate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	2	\$0	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	2	\$0	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	1	\$0	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	2	\$0	ST; QL (10 per 25 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	1	\$0	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcglactuation</i> (Nasonex 24hr Allergy)	1	\$0	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	2	\$0	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	\$0	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	2	\$0	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	1	\$0	QL (60 per 30 days)
<i>triamcinolone 55 mcg nasal spr (otc) *</i> (Aller-Cort)	3	\$0	
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	2	\$0	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	2	\$0	QL (60 per 30 days)
Gastrointestinal Agents			
Antiflatulents			
<i>cvs gas relf(simeth) 80 mg chw *</i> (simethicone)	3	\$0	
<i>gas relief (simethicone) oral drops,suspension 40 mg/0.6 ml *</i> (simethicone)	3	\$0	
<i>gas relief 125 mg softgel *</i> (simethicone)	3	\$0	
<i>gas-x extra strength softgel softgel, ex-strength 125 mg *</i> (simethicone)	3	\$0	
<i>gnp gas rlf(simeth) 80 mg chew *</i> (simethicone)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>infants' simethicone drops 40 mg/0.6 ml *</i>	(simethicone)	3	\$0	
<i>little remedies gas relief drp 40 mg/0.6 ml *</i>	(simethicone)	3	\$0	
PHAZYME 250 MG SOFTGEL MAX-STRENGTH,SOFTGEL *		3	\$0	
<i>simethicone 125 mg tab chew *</i>	(Gas Relief (simethicone))	3	\$0	
<i>simethicone 180 mg softgel *</i>	(Anti-Gas Ultra Strength)	3	\$0	
Antiulcer Agents And Acid Suppressants				
<i>acid reducer dr 20 mg cap *</i>	(omeprazole magnesium)	3	\$0	
<i>acid-pep 20 mg tablet *</i>	(famotidine)	3	\$0	
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>		1	\$0	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>		1	\$0	
<i>cimetidine oral tablet 200 mg</i>	(Acid Reducer (cimetidine))	1	\$0	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>		1	\$0	
<i>cvs acid controller 20 mg tab *</i>	(famotidine)	3	\$0	
<i>cvs lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>eq lansoprazole dr 15 mg cap outer (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>esomeprazole magnesium oral capsule,delayed release(drlec) 20 mg</i>	(Nexium)	1	\$0	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(drlec) 40 mg</i>	(Nexium)	1	\$0	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	(Nexium Packet)	1	\$0	ST; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	1	\$0	ST; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	\$0	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	\$0	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	\$0	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	\$0	
<i>famotidine 20 mg tablet (otc) *</i> (Acid Controller)	3	\$0	
<i>famotidine intravenous solution 10 mg/ml</i>	1	\$0	
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>	1	\$0	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	\$0	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	\$0	
<i>gnp omeprazole mag dr 20 mg cp *</i> (Acid Reducer (omeprazole))	3	\$0	
<i>gs acid reducer 20 mg tablet *</i> (famotidine)	3	\$0	
<i>heartburn relief 10 mg tablet *</i> (famotidine)	3	\$0	
<i>heartburn relief 20 mg tablet *</i> (famotidine)	3	\$0	
<i>hm famotidine 20 mg tablet maximum strength (otc) *</i> (Acid Controller)	3	\$0	
<i>kro heartburn preven 20 mg tab *</i> (famotidine)	3	\$0	
<i>lansoprazole dr 15 mg capsule (otc) *</i> (Acid Reducer (lansoprazole))	3	\$0	
<i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Acid Reducer (lansoprazole))	1	\$0	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid)	1	\$0	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	1	\$0	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>omeprazole dr 20 mg tablet *</i>		3	\$0	
<i>omeprazole mag dr 20.6 mg cap two 14-day course 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>		1	\$0	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	(Zegerid)	1	\$0	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	(Protonix)	1	\$0	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i>	(Protonix)	1	\$0	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i>	(Protonix)	1	\$0	QL (60 per 30 days)
<i>pub famotidine 20 mg tablet max strength (otc) *</i>	(Acid Controller)	3	\$0	
<i>ra lansoprazole dr 15 mg cap 14capsx3 bottles (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i>	(AcipHex)	1	\$0	QL (30 per 30 days)
<i>sm acid reducer 20 mg tablet maximum strength *</i>	(famotidine)	3	\$0	
<i>sm lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	1	\$0	
<i>zantac 75 oral tablet 75 mg *</i>		3	\$0	
<i>zantac-360 (famotidine) 20 mg tb *</i>	(famotidine)	3	\$0	
Gastrointestinal Agents, Other				
<i>acid gone antacid liquid 95-358 mg/15 ml *</i>		3	\$0	
<i>acid gone tablet chew 160-105 mg *</i>		3	\$0	
<i>alka-seltzer heartburn chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>aluminum hydroxide gel 320 mg/5 ml *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>antacid ex-str tablet chew 160-105 mg *</i>		3	\$0	
<i>antacid ultra tablet chew 400 mg calcium (1,000 mg) *</i>	(calcium carbonate)	3	\$0	
<i>anti-diarrheal 2 mg caplet caplet *</i>	(loperamide)	3	\$0	
<i>anti-diarrheal 2 mg softgel *</i>	(loperamide)	3	\$0	
<i>calcium 500 mg chewable tablet tab chew,plf (rx) 500 mg calcium (1,250 mg) *</i>	(Calcium 500)	3	\$0	
<i>calcium antacid 500 mg chw tab assorted fruit 200 mg calcium (500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>calcium antacid 750 mg tb chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cal-gest 500 mg tablet chew 200 mg calcium (500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	1	\$0	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose)	1	\$0	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	1	\$0	
<i>cvs antacid ex-str 750 mg chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cvs antacid ultra str tab chew 400 mg calcium (1,000 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cvs anti-diarrheal suspension 262 mg/15 ml *</i>	(bismuth subsalicylate)	3	\$0	
<i>cvs flavor chew antacid 750 mg 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cvs heartburn relief chew tab 160-105 mg *</i>		3	\$0	
<i>diamode 2 mg caplet inner *</i>	(loperamide)	3	\$0	
<i>dicyclomine oral capsule 10 mg</i>		1	\$0	
<i>dicyclomine oral solution 10 mg/5 ml</i>		1	\$0	
<i>dicyclomine oral tablet 20 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diphenoxylate-atropine oral liquid</i> 2.5-0.025 mg/5 ml	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>diphenoxylate-atropine oral tablet</i> 2.5-0.025 mg (Lomotil)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution</i> 10 gram/15 ml (lactulose)	1	\$0	
<i>foaming antacid liquid</i> 95-358 mg/15 ml *	3	\$0	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	2	\$0	PA; NDS
<i>gelusil</i> 200-200-25 mg chew tab cool mint *	3	\$0	
<i>generlac oral solution</i> 10 gram/15 ml (lactulose)	1	\$0	
<i>glycopyrrolate oral tablet</i> 1 mg (Robinul)	1	\$0	
<i>glycopyrrolate oral tablet</i> 2 mg (Robinul Forte)	1	\$0	
<i>imodium a-d</i> 2 mg softgel * (loperamide)	3	\$0	
<i>kaopectate</i> 262 mg/15 ml susp * (bismuth subsalicylate)	3	\$0	
<i>lactulose oral solution</i> 10 gram/15 ml (Constulose)	1	\$0	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	\$0	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	2	\$0	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	2	\$0	QL (30 per 30 days)
<i>loperamide</i> 1 mg/7.5 ml soln * (Anti-Diarrheal (loperamide))	3	\$0	
<i>loperamide oral capsule</i> 2 mg (Anti-Diarrheal (loperamide))	1	\$0	
<i>lubiprostone oral capsule</i> 24 mcg, 8 mcg (Amitiza)	2	\$0	QL (60 per 30 days)
<i>magnesium</i> 400 mg tablet gluten- free 400 mg magnesium *	3	\$0	
<i>magnesium oxide</i> 400 mg tablet (rx) 400 mg (241.3 mg (MgO) magnesium) *	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>magnesium oxide 420 mg tablet (rx) *</i>	3	\$0	
<i>magnesium oxide 500 mg tablet plf,lactose-free (rx) 500 mg magnesium *</i> (Phillips)	3	\$0	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	\$0	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	\$0	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	\$0	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	\$0	
<i>mgo 400 mg tablet 400 mg (241.3 mg magnesium) *</i> (magnesium oxide)	3	\$0	
<i>mintox plus tablet chewable 200-200-25 mg *</i>	3	\$0	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	2	\$0	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	2	\$0	PA; QL (30 per 30 days); NDS
<i>phillips 500 mg caplet 500 mg magnesium *</i> (magnesium oxide)	3	\$0	
<i>pink bismuth 262 mg tab chew *</i> (bismuth subsalicylate)	3	\$0	
<i>pub calcium carb 1,000 mg tab 400 mg calcium (1,000 mg) *</i> (Antacid Ultra Strength)	3	\$0	
<i>ra anti-diarrheal 2 mg caplet caplet *</i> (loperamide)	3	\$0	
RAVICTI ORAL LIQUID 1.1 GRAM/ML	2	\$0	PA; NDS
RELISTOR ORAL TABLET 150 MG	2	\$0	PA; QL (90 per 30 days); NDS
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	2	\$0	PA; QL (16.8 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	2	\$0	PA; QL (16.8 per 28 days); NDS
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	2	\$0	PA; QL (11.2 per 28 days); NDS
<i>sodium bicarb 650 mg tablet *</i>	3	\$0	
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	1	\$0	PA; NDS
<i>sodium polystyrene sulfonate oral powder</i>	1	\$0	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	\$0	
<i>stomach rlf 525 mg/30 ml susp 262 mg/15 ml *</i> (bismuth subsalicylate)	3	\$0	
<i>ursodiol oral capsule 300 mg</i>	1	\$0	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	\$0	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	\$0	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	2	\$0	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	2	\$0	PA; QL (84 per 28 days); NDS
Laxatives			
<i>alophen pills 5 mg *</i> (bisacodyl)	3	\$0	
<i>best fiber powder 3 gram/3.5 gram *</i>	3	\$0	
<i>bisacodyl 10 mg suppository *</i> (Dulcolax (bisacodyl))	3	\$0	
<i>bisacodyl ec 5 mg tablet *</i> (Alophen (bisacodyl))	3	\$0	
<i>citroma solution *</i> (magnesium citrate)	3	\$0	
CITRUCEL POWDER S-F *	3	\$0	
<i>clearlax powder packet 17 gram *</i> (polyethylene glycol 3350)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	2	\$0	
COLACE 100 MG CAPSULE * (docusate sodium)	3	\$0	
<i>cvs enema disposable 19-7 gram/118 ml *</i>	3	\$0	
<i>cvs fiber laxative 625 mg cplt caplet *</i> (calcium polycarbophil)	3	\$0	
<i>cvs fiber therapy 500 mg caplt soluble, caplet *</i>	3	\$0	
<i>cvs glycerin suppository child size *</i>	3	\$0	
<i>cvs magnesium citrate solution *</i> (Citrate of Magnesia)	3	\$0	
<i>cvs mini enema 283-20 mg/5 ml *</i>	3	\$0	
<i>cvs natural daily fiber powder 3.4 gram/7 gram *</i>	3	\$0	
<i>cvs purelax powder 17 gram/dose *</i> (polyethylene glycol 3350)	3	\$0	
<i>cvs purelax powder packet 10 daily doses 17 gram *</i> (polyethylene glycol 3350)	3	\$0	
<i>daily fiber capsule 0.4 gram *</i> (psyllium husk)	3	\$0	
<i>docusate cal 240 mg softgel *</i> (Kaopectate (docusate calcium))	3	\$0	
<i>docusate sodium 100 mg softgel softgel *</i> (Colace)	3	\$0	
<i>docusate sodium 50 mg/5 ml liq *</i> (OneLAX Docusate Sodium)	3	\$0	
<i>docusate sodium mini enema 283 mg/5 ml *</i> (Enemeez)	3	\$0	
<i>docusil oral capsule 100 mg *</i> (docusate sodium)	3	\$0	
<i>dok 100 mg tablet *</i> (docusate sodium)	3	\$0	
<i>dok 250 mg softgel *</i> (docusate sodium)	3	\$0	
<i>ducodyl (bisacodyl) oral tablet, delayed release (drlec) 5 mg *</i> (bisacodyl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DULCOLAX 10 MG SUPPOSITORY *	(bisacodyl)	3	\$0	
<i>enema disposable 19-7 gram/118 ml *</i>		3	\$0	
<i>enemeez mini enema 5cc tubes, outer 283 mg/5 ml *</i>	(docusate sodium)	3	\$0	
<i>enemeez plus mini enema outer 283-20 mg/5 ml *</i>		3	\$0	
<i>eq magnesium citrate solution cherry *</i>	(Citrate of Magnesia)	3	\$0	
<i>eq fiber therapy powder 3.4 gram/7 gram *</i>		3	\$0	
<i>eq milk of magnesia susp 400 mg/5 ml *</i>	(magnesium hydroxide)	3	\$0	
<i>evac-u-gen 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>fiber tablet unboxed 625 mg *</i>	(calcium polycarbophil)	3	\$0	
<i>fiber therapy 500 mg caplet caplet *</i>		3	\$0	
<i>fiber therapy powder 2 gram/19 gram *</i>		3	\$0	
<i>fiber-lax 625 mg tablet 500mg polycarbophil *</i>	(calcium polycarbophil)	3	\$0	
<i>fiber-tabs 625 mg caplet *</i>	(calcium polycarbophil)	3	\$0	
FLEET BISACODYL 10 MG ENEMA 10 MG/30 ML *		3	\$0	
<i>gavilax 8.5 gram powder packet *</i>	(polyethylene glycol 3350)	3	\$0	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	(peg 3350-electrolytes)	1	\$0	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	(peg 3350-electrolytes)	1	\$0	
<i>gentlelax powder 30 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>glycerin pediatric suppository infants & children *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>glycerin suppository child size *</i>		3	\$0	
<i>gnp stool softener 250 mg sfgl *</i>	(docusate sodium)	3	\$0	
<i>gs senna laxative 8.6 mg tab *</i>	(sennosides)	3	\$0	
<i>healthylax powder packet outer 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
KONSYL ORIGINAL 6 GM POWD PKT (OTC) 6 GRAM *		3	\$0	
<i>konsyl psyllium fiber packet orange, gluten free 3.4 gram *</i>		3	\$0	
<i>laxacin tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>magic bullet 10 mg suppos *</i>	(bisacodyl)	3	\$0	
<i>magnesium citrate solution *</i>	(Citrate of Magnesia)	3	\$0	
METAMUCIL CAPSULE 0.4 GRAM *	(psyllium husk)	3	\$0	
METAMUCIL FIBER SINGLES PACKET 3.4 GRAM *		3	\$0	
METAMUCIL POWDER 3.4 GRAM/7 GRAM *		3	\$0	
<i>milk of magnesia concentrated 2,400 mg/10 ml cup outer *</i>	(magnesium hydroxide)	3	\$0	
<i>milk of magnesia suspension 400 mg/5 ml *</i>	(magnesium hydroxide)	3	\$0	
<i>mineral oil *</i>	(Mineral Oil Extra Heavy)	3	\$0	
<i>mineral oil enema *</i>	(Fleet Mineral Oil)	3	\$0	
<i>mineral oil heavy heavy (otc) *</i>	(mineral oil)	3	\$0	
<i>mineral oil, heavy usp, heavy (rx) *</i>	(mineral oil)	3	\$0	
MIRALAX POWDER 7 DAY (OTC) 17 GRAM/DOSE *	(polyethylene glycol 3350)	3	\$0	
MIRALAX POWDER PACKET (OTC) 17 GRAM *	(polyethylene glycol 3350)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>natural fiber lax powder original texture 3.4 gram/7 gram *</i>		3	\$0	
<i>natural psyllium fiber oral powder 3.4 gram/5.8 gram *</i>		3	\$0	
<i>peg-electrolyte soln oral recon soln 420 gram</i>		1	\$0	
<i>phillips' lax liqui-gels 100 mg *</i>	(docusate sodium)	3	\$0	
PHILLIPS' MILK OF MAGNESIA 400 MG/5 ML *	(magnesium hydroxide)	3	\$0	
<i>polyethylene glycol 3350 powd 30 once-daily doses (otc) 17 gram/dose *</i>	(GentleLax)	3	\$0	
<i>polyethylene glycol 3350 powd outer (otc) 17 gram *</i>	(ClearLax)	3	\$0	
<i>promolaxin 100 mg tablet *</i>	(docusate sodium)	3	\$0	
<i>psyllium fiber capsule 0.4 gram *</i>	(Daily Fiber)	3	\$0	
<i>ra citrate of magnesia soln *</i>	(magnesium citrate)	3	\$0	
<i>ra enema twin pack 2 x 4.5oz, rtu 19-7 gram/118 ml *</i>		3	\$0	
<i>ra fast relief lax 10 mg supp *</i>	(bisacodyl)	3	\$0	
<i>ra laxative 25 mg pill *</i>		3	\$0	
<i>ra mineral oil extra-heavy extra-heavy *</i>	(mineral oil)	3	\$0	
<i>ra p-col rite tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>ra senna-lax 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>reguloid capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
REGULOID POWDER 3 GRAM/12 GRAM *		3	\$0	
<i>reguloid, sugar free oral powder *</i>	(psyllium)	3	\$0	
<i>senexon-s 50-8.6 mg tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>senna 8.8 mg/5 ml liquid *</i>	(sennosides)	3	\$0	
<i>senna-time 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>senno oral tablet 8.6 mg *</i>	(sennosides)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sennosides-docusate sodium tab 8.6-50 mg *</i>	(Laxacin)	3	\$0	
<i>senokot-s tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>silace 60 mg/15 ml syrup *</i>	(docusate sodium)	3	\$0	
<i>sm fiber capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
<i>sm fiber powder (rx) 3.4 gram/12 gram *</i>		3	\$0	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i>	(Suprep Bowel Prep Kit)	2	\$0	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>		2	\$0	
<i>stimulant laxative plus tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>stool softener 100 mg tablet *</i>	(docusate sodium)	3	\$0	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM		2	\$0	
WAL-MUCIL 100% NATURAL FIBER 114 DOSES,ORANGE 3.4 GRAM/5.8 GRAM *		3	\$0	
Phosphate Binders				
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>		1	\$0	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>		1	\$0	
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i>	(Fosrenol)	1	\$0	NDS
MAGNEBIND 300 TABLET 250-300 MG *		3	\$0	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML		2	\$0	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i>	(Renvela)	1	\$0	
<i>sevelamer carbonate oral tablet 800 mg</i>	(Renvela)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	1	\$0	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	2	\$0	
Genitourinary Agents			
Antispasmodics, Urinary			
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	1	\$0	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	1	\$0	
<i>flavoxate oral tablet 100 mg</i>	1	\$0	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	\$0	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	\$0	
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	1	\$0	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	\$0	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	\$0	
<i>trospium oral capsule,extended release 24hr 60 mg</i>	1	\$0	
<i>trospium oral tablet 20 mg</i>	1	\$0	
Genitourinary Agents, Miscellaneous			
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	\$0	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	\$0	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	1	\$0	
ENTADFI ORAL CAPSULE 5-5 MG	2	\$0	PA; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	\$0	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	\$0	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	1	\$0	NDS
Heavy Metal Antagonists			
Heavy Metal Antagonists			
<i>deferiasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	1	\$0	PA; NDS
<i>deferiasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	1	\$0	PA; NDS
<i>deferiasirox oral tablet 90 mg</i> (Jadenu)	1	\$0	PA
<i>deferiasirox oral tablet, dispersible 125 mg</i> (Exjade)	1	\$0	PA
<i>deferiasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	1	\$0	PA; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	1	\$0	PA; NDS
<i>deferoxamine injection recon soln 2 gram</i>	1	\$0	PA; NDS
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	1	\$0	PA; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG	2	\$0	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	2	\$0	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	1	\$0	PA; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	1	\$0	PA; QL (240 per 30 days); NDS
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	\$0	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	1	\$0	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	\$0	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	\$0	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	1	\$0	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	1	\$0	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	1	\$0	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	1	\$0	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	2	\$0	PA; QL (2 per 28 days)
Estrogens And Antiestrogens			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	2	\$0	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	\$0	PA-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	\$0	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	\$0	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	1	\$0	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	\$0	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	1	\$0	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	2	\$0	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	1	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	2	\$0	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	2	\$0	PA-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	\$0	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	\$0	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	\$0	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	1	\$0	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids			
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	\$0	
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	1	\$0	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	\$0	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	\$0	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	\$0	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	\$0	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	\$0	
<i>fludrocortisone oral tablet 0.1 mg</i>	1	\$0	
HEMADY ORAL TABLET 20 MG	2	\$0	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	\$0	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	\$0	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>methylprednisolone oral tablet 32 mg</i>	1	\$0	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	\$0	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	\$0	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	\$0	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	1	\$0	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	\$0	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	1	\$0	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	1	\$0	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	\$0	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	\$0	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	\$0	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	\$0	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	\$0	
Pituitary			
ACTHAR INJECTION GEL 80 UNIT/ML	2	\$0	PA; QL (35 per 28 days); NDS
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	2	\$0	PA; QL (35 per 28 days); NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>desmopressin ac 4 mcg/ml ampul plf, outer, sdv</i> (DDAVP)	1	\$0	NDS
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	\$0	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	\$0	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	\$0	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	2	\$0	PA; QL (30 per 30 days); NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	2	\$0	NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	2	\$0	PA NSO; QL (0.5 per 28 days); NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	2	\$0	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	2	\$0	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	2	\$0	PA; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	1	\$0	
<i>octreotide acetate injection solution</i> 100 mcg/ml, 50 mcg/ml (Sandostatin)	1	\$0	
<i>octreotide acetate injection solution</i> 500 mcg/ml (Sandostatin)	1	\$0	NDS
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	1	\$0	
ORGOVYX ORAL TABLET 120 MG	2	\$0	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	2	\$0	PA; QL (28 per 28 days); NDS
ORILISSA ORAL TABLET 200 MG	2	\$0	PA; QL (56 per 28 days); NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	2	\$0	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	2	\$0	PA; QL (60 per 30 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE (lanreotide) 120 MG/0.5 ML	2	\$0	PA NSO; QL (0.5 per 28 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	2	\$0	PA NSO; QL (0.2 per 28 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	2	\$0	PA NSO; QL (0.3 per 28 days); NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	\$0	PA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	2	\$0	PA; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	\$0	PA; NDS
Progestins			
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	2	\$0	QL (1 per 84 days)
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i>	1	\$0	NDS
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	1	\$0	NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	\$0	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	\$0	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	\$0	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i>	1	\$0	
<i>progesterone intramuscular oil 50 mg/ml</i>	1	\$0	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	\$0	
Thyroid And Antithyroid Agents			
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	\$0	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lithyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	\$0	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>propylthiouracil oral tablet 50 mg</i>	1	\$0	
Immunological Agents			
Immunological Agents			
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	2	\$0	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	\$0	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	\$0	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	2	\$0	NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	2	\$0	PA BvD
AVSOLA INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	\$0	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	\$0	PA BvD
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	2	\$0	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	2	\$0	PA; QL (8 per 28 days); NDS
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	2	\$0	PA; QL (8 per 28 days); NDS
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	2	\$0	PA NSO; QL (2 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	2	\$0	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	\$0	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	2	\$0	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	2	\$0	PA; NDS
<i>cyclosporine intravenous solution</i> 250 mg/5 ml (Sandimmune)	1	\$0	PA BvD
<i>cyclosporine modified oral capsule</i> 100 mg, 25 mg (Gengraf)	1	\$0	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	1	\$0	PA BvD
<i>cyclosporine modified oral solution</i> 100 mg/ml (Gengraf)	1	\$0	PA BvD
<i>cyclosporine oral capsule 100 mg,</i> 25 mg (Sandimmune)	1	\$0	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	2	\$0	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	2	\$0	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	2	\$0	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	2	\$0	PA; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> (Zortress)	1	\$0	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	2	\$0	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	2	\$0	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	2	\$0	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	2	\$0	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	2	\$0	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	2	\$0	PA BvD; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	2	\$0	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	1	\$0	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	2	\$0	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	2	\$0	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	2	\$0	PA; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	2	\$0	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	2	\$0	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	2	\$0	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	\$0	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	\$0	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	\$0	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	\$0	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	\$0	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (drlec) 180 mg, 360 mg</i> (Myfortic)	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NULOJIX INTRAVENOUS RECON SOLN 250 MG	2	\$0	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	2	\$0	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	2	\$0	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	2	\$0	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	2	\$0	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	2	\$0	PA; NDS
OTEZLA ORAL TABLET 30 MG	2	\$0	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	2	\$0	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	2	\$0	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	2	\$0	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	2	\$0	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	\$0	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
REZUROCK ORAL TABLET 200 MG	2	\$0	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG	2	\$0	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	2	\$0	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	\$0	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	\$0	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	2	\$0	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	2	\$0	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	2	\$0	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	2	\$0	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	\$0	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	2	\$0	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	\$0	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	2	\$0	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	2	\$0	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	2	\$0	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	2	\$0	PA; NDS
Vaccines			
ABRYSVO INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	2	\$0	
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	\$0	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	\$0	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	\$0	
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AREXVY ANTIGEN COMPONENT 120 MCG	2	\$0	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	\$0	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	\$0	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	2	\$0	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	\$0	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	2	\$0	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	2	\$0	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	\$0	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	\$0	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	\$0	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	\$0	QL (1.5 per 365 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	\$0	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	\$0	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	2	\$0	PA BvD
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	\$0	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	\$0	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	\$0	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	2	\$0	
IXCHIQ INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	2	\$0	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	\$0	
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	2	\$0	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	\$0	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	2	\$0	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	\$0	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	\$0	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML	2	\$0	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	\$0	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	2	\$0	
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	2	\$0	
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	\$0	
PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 48MCG-62DU -10 MCG/0.5ML	2	\$0	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	2	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	2	\$0	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	2	\$0	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	2	\$0	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	\$0	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	\$0	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	\$0	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	\$0	PA BvD
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	2	\$0	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	\$0	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	\$0	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML (tetanus-diphtheria toxoids-td)	2	\$0	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	\$0	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	2	\$0	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	\$0	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	2	\$0	QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	2	\$0	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	\$0	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	\$0	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	\$0	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	2	\$0	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	2	\$0	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	\$0	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	2	\$0	

Inflammatory Bowel Disease Agents

Inflammatory Bowel Disease Agents

<i>alosectron oral tablet 0.5 mg</i> (Lotronex)	1	\$0	
<i>alosectron oral tablet 1 mg</i> (Lotronex)	1	\$0	NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	\$0	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	1	\$0	
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	1	\$0	
DIPENTUM ORAL CAPSULE 250 MG	2	\$0	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	1	\$0	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	1	\$0	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	1	\$0	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i>	1	\$0	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	1	\$0	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	\$0	
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	2	\$0	

Metabolic Bone Disease

Agents

Metabolic Bone Disease Agents

<i>alendronate oral solution 70 mg/75 ml</i>	1	\$0	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	\$0	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	\$0	QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	1	\$0	NDS
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	1	\$0	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	\$0	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	\$0	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	\$0	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	1	\$0	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	1	\$0	QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	1	\$0	
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	\$0	QL (3 per 84 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	1	\$0	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	1	\$0	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	2	\$0	PA; QL (2 per 28 days); NDS
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	\$0	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	\$0	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	\$0	
<i>paricalcitol oral capsule 4 mcg</i>	1	\$0	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	\$0	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	2	\$0	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	1	\$0	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	1	\$0	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	\$0	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	1	\$0	QL (4 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	1	\$0	QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	2	\$0	QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	\$0	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	\$0	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	\$0	QL (100 per 300 days)
Miscellaneous Therapeutic Agents			
Miscellaneous Therapeutic Agents			
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	2	\$0	PA; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	1	\$0	PA; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	\$0	
CARBOXYMETHYL SOD GRANULE MEDIUM VISCOSITY, USP (RX) *	3	\$0	
CARBOXYMETHYL SOD GRANULE USP, MED VISCOSITY (RX) *	3	\$0	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA; NDS
CVS TRANSPARENT DRESSING 4X4 3/4" 4 X 4 3/4 " *	(IV3000 Frame Delivery Dressing)	3	\$0
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	1	\$0	NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	1	\$0	
ELMIRON ORAL CAPSULE 100 MG	2	\$0	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	2	\$0	PA; QL (180 per 30 days); NDS
<i>epsom salt granules 495 mg/5 gram</i> *	3	\$0	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EXCILON DRESSING SPONGE 4 X 3 " *	3	\$0	
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	1	\$0	NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	\$0	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	2	\$0	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	2	\$0	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	2	\$0	
<i>hydroxyzine pamoate oral capsule 100 mg, 50 mg</i>	1	\$0	
<i>hydroxyzine pamoate oral capsule 25 mg</i> (Vistaril)	1	\$0	
IV3000 FRAME DELIVERY 4X4 3/4" 4 X 4 3/4 " * (transparent dressings)	3	\$0	
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	1	\$0	
<i>leucovorin calcium injection solution 10 mg/ml</i>	1	\$0	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	\$0	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	\$0	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	\$0	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	1	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>mesna intravenous solution 100 mg/ml</i>	(Mesnex)	1	\$0	
MESNEX ORAL TABLET 400 MG		2	\$0	NDS
NEXCARE TEGADERM DRESSING 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
NON-STICK PAD 3"X4" 4 X 3 " *		3	\$0	
OPSITE FLEXIGRID DRESSING 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
OPSITE FLEXIGRID DRESSING 6 X 8 " *		3	\$0	
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML		2	\$0	PA; NDS
POLYSKIN II TRANSPRNT DRESS 4'S, 6"X8", STERILE 6 X 8 " *		3	\$0	
POLYSKIN II TRANSPRNT DRESS 4'S,4"X4-3/4",STRL 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i>	(Mestinon)	1	\$0	
<i>pyridostigmine bromide oral tablet 30 mg</i>		1	\$0	
<i>pyridostigmine bromide oral tablet 60 mg</i>	(Mestinon)	1	\$0	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i>	(Mestinon Timespan)	1	\$0	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	(nitroglycerin)	2	\$0	QL (30 per 30 days)
RELIAMED TRANSPRNT I.V. DRESS 4 X 4 3/4 " *	(IV3000 Frame Delivery Dressing)	3	\$0	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)		2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	2	\$0	PA; NDS
SURESITE MATRIX TRANSPRNT DRES 6 X 8 " *	3	\$0	
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	\$0	PA; QL (4 per 28 days); NDS
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	2	\$0	PA; QL (2 per 28 days); NDS
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	2	\$0	PA; QL (4 per 28 days); NDS
TELFANON-ADHERENT DRESSING 50/CTN 1'S 4 X 3 " *	3	\$0	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	2	\$0	NDS
TRIAD WOUND DRESSING PASTE 12'S *	3	\$0	
TYBOST ORAL TABLET 150 MG	2	\$0	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	2	\$0	QL (24 per 14 days); NDS
VOWST ORAL CAPSULE	2	\$0	PA; QL (12 per 30 days); NDS
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	2	\$0	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Mouthwashes And Gargles			
Mouthwashes And Gargles			
<i>cvs hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>hm hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>hydrogen peroxide 3% solution (otc) *</i>	3	\$0	
<i>hydrogen peroxide 3% solution usp (rx) *</i>	3	\$0	
<i>qc hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>sm hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
Ophthalmic Agents			
Antiglaucoma Agents			
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	\$0	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	\$0	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	\$0	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide)	1	\$0	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	\$0	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	1	\$0	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	\$0	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	1	\$0	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	1	\$0	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	\$0	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	\$0	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	\$0	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	\$0	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	\$0	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	1	\$0	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	\$0	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	2	\$0	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	\$0	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	1	\$0	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	\$0	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	1	\$0	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	1	\$0	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	2	\$0	QL (5 per 30 days)
Replacement Preparations			
Replacement Preparations			
<i>calcium 500 mg tablet 500mg elemental ca (rx) 500 mg calcium (1,250 mg) *</i> (Oyster Shell Calcium 500)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>calcium 500-vit d3 10 mcg chew 500 mg-10 mcg (400 unit) *</i>	(Calcium 500 + D)	3	\$0	
<i>calcium 500-vit d3 125 caplet 500 mg-3.125 mcg (125 unit) *</i>		3	\$0	
<i>calcium 500-vit d3 400 chew tb 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>calcium 600 mg tablet (rx) 600 mg calcium (1,500 mg) *</i>	(Calcium 600)	3	\$0	
<i>calcium carb 1,250 mg/5 ml sus n (otc) 500 mg/5 ml (1,250 mg/5 ml) *</i>		3	\$0	
<i>calcium carbonate 648 mg tab 260 mg calcium (648 mg) *</i>		3	\$0	
<i>calcium chloride intravenous syringe 100 mg/ml (10%)</i>		1	\$0	
<i>calcium cit 315 mg-d3 250 unit (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>calcium citrate - vit d caplet caplet, coated (rx) 315 mg-5 mcg (200 unit) *</i>	(Calcium Citrate + D)	3	\$0	
<i>calcium citrate 200 mg tablet (rx) 200 mg (950 mg) *</i>		3	\$0	
<i>calcium citrate-vit d caplet maximum (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>calcium citrate-vit d3 caplet plf (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>citracal + d maximum caplet (rx) 315 mg-6.25 mcg (250 unit) *</i>	(calcium citrate-vitamin d3)	3	\$0	
CITRACAL-D3 MAXIMUM PLUS CAPLT 325 MG-12.5 MCG -2.75 MG *	(calcium-d3-zinc-copper-mangan)	3	\$0	
<i>d5% and 0.9% sodium chloride intravenous parenteral solution</i>		1	\$0	
<i>d5%-0.45% sodium chloride intravenous parenteral solution</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>electrolyte-148 intravenous parenteral solution</i>	(Plasma-Lyte 148)	1	\$0	
<i>eq calcium citrate-d tablet plf,gluten-free (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>gnp electrolyte solution (rx) *</i>	(Hydralyte)	3	\$0	
<i>hydralyte electrolyte soln *</i>	(electrolytes-dextrose)	3	\$0	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE		2	\$0	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION		2	\$0	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %		2	\$0	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	(potassium chloride)	1	\$0	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	(potassium chloride)	1	\$0	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	(potassium chloride)	1	\$0	
<i>mag64 dr 64 mg tablet (rx) *</i>	(magnesium chloride)	3	\$0	
<i>magnesium chloride 64 mg tab 64 mg magnesium *</i>		3	\$0	
<i>magnesium chloride ec 70 mg tb *</i>		3	\$0	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>		1	\$0	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i>	1	\$0	
<i>magnesium sulfate injection solution 500 mg/ml (50%)</i>	2	\$0	
<i>magnesium sulfate injection syringe 500 mg/ml (50%)</i>	1	\$0	
NORMOSOL-M IN 5% DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	2	\$0	
<i>nu-mag 71.5 mg tablet *</i>	3	\$0	
<i>oralyte solution *</i>	(electrolytes-dextrose)	3	\$0
<i>oyster shell calcium 500 mg tb 500mg elemental ca (rx) 500 mg calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0
<i>pediatric electrolyte solution (rx) *</i>	(electrolytes-dextrose)	3	\$0
<i>phospha 250 neutral tablet 250 mg *</i>	(sod phos di, mono-k phos mono)	3	\$0
<i>phosphorous 250 mg tablet *</i>	(sod phos di, mono-k phos mono)	3	\$0
<i>phospho-trin 250 neutral tab 250 mg *</i>	(sod phos di, mono-k phos mono)	3	\$0
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	(electrolyte-a)	2	\$0
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	1	\$0	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>		1	\$0	
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	1	\$0	
<i>potassium chloride oral tablet extended release 20 meq</i>	(K-Tab)	1	\$0	
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i>	(Klor-Con M10)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i>	(Klor-Con M15)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i>	(Klor-Con M20)	1	\$0	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>		1	\$0	
<i>potassium cit-citric acid soln 1,100-334 mg/5 ml *</i>	(Cytra-K)	3	\$0	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	(Urocit-K 10)	1	\$0	
<i>potassium citrate oral tablet extended release 15 meq</i>	(Urocit-K 15)	1	\$0	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	(Urocit-K 5)	1	\$0	
<i>ra calcium 600 mg tablet plf (rx) 600 mg calcium (1,500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>ra calcium citrate - vit d tab plf, dlf (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>ra magnesium 250 mg tablet (rx) *</i>		3	\$0	
<i>ra pediatric electrolyte soln (rx) *</i>	(electrolytes-dextrose)	3	\$0	
<i>ra pediatric freezer pops *</i>	(electrolytes-dextrose)	3	\$0	
<i>sm pediatric electrolyte soln (rx) *</i>	(electrolytes-dextrose)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sod citrate-citric acid soln (rx)</i> 500-334 mg/5 ml * (Cytra-2)	3	\$0	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	\$0	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	\$0	
<i>sodium chloride 0.9 % intravenous piggyback</i>	1	\$0	
<i>sodium chloride 0.9% solution viaflex, single use</i>	1	\$0	
<i>sodium chloride 1 gm tablet (otc) *</i>	3	\$0	
<i>super calcium 600 mg tablet 600 mg calcium (1,500 mg) *</i> (calcium carbonate)	3	\$0	
<i>tricitrates oral solution 550-500- 334 mg/5 ml *</i> (pot,sodium citrate-citric acid)	3	\$0	
Respiratory Tract Agents			
Anti-Inflammatories, Inhaled Corticosteroids			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion- salmeterol)	2	\$0	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	\$0	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100- 25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	2	\$0	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	2	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>breyina inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(budesonide-formoterol)	1	\$0	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	(Pulmicort)	1	\$0	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	(Pulmicort)	1	\$0	PA BvD; QL (60 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(Breyna)	1	\$0	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>		1	\$0	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>		1	\$0	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>		1	\$0	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	1	\$0	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(fluticasone propion-salmeterol)	1	\$0	QL (60 per 30 days)
Antileukotrienes				
<i>montelukast oral tablet 10 mg</i>	(Singulair)	1	\$0	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	(Singulair)	1	\$0	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate)	1	\$0	
Bronchodilators				
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION		2	\$0	QL (32.1 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Proventil HFA)	1	\$0	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	1	\$0	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	1	\$0	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	1	\$0	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	1	\$0	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	\$0	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	\$0	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	\$0	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	\$0	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	\$0	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	2	\$0	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	\$0	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml (theophylline)</i>	1	\$0	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	\$0	PA BvD; QL (312.5 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	\$0	PA BvD; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	\$0	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	\$0	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	2	\$0	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION (tiotropium CAPSULE, W/INHALATION bromide) DEVICE 18 MCG	1	\$0	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	\$0	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	\$0	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	\$0	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	1	\$0	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	1	\$0	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	2	\$0	QL (60 per 30 days)
Respiratory Tract Agents, Other			
<i>acetylcysteine intravenous solution 200 mg/ml (20%)</i> (Acetadote)	1	\$0	
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	1	\$0	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	2	\$0	QL (560 per 28 days); NDS
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	\$0	PA BvD
<i>cromolyn sodium nasal spray 5.2 mg/spray (4%) *</i> (Nasalcrom)	3	\$0	
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	2	\$0	PA; QL (1 per 28 days); NDS
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	2	\$0	PA; QL (1 per 28 days); NDS
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	2	\$0	PA; QL (56 per 28 days); NDS
KALYDECO ORAL TABLET 150 MG	2	\$0	PA; QL (56 per 28 days); NDS
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	2	\$0	PA; LA; QL (0.4 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OFEV ORAL CAPSULE 100 MG, 150 MG	2	\$0	PA; QL (60 per 30 days); NDS
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	2	\$0	PA; QL (56 per 28 days); NDS
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	2	\$0	PA; QL (112 per 28 days); NDS
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	1	\$0	PA; QL (270 per 30 days); NDS
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	1	\$0	PA; QL (270 per 30 days); NDS
<i>pirfenidone oral tablet 534 mg</i>	1	\$0	PA; QL (90 per 30 days); NDS
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	1	\$0	PA; QL (90 per 30 days); NDS
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	2	\$0	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	2	\$0	PA BvD; NDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	1	\$0	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	1	\$0	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	2	\$0	PA; QL (56 per 28 days); NDS
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	2	\$0	PA; QL (56 per 28 days); NDS
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	2	\$0	PA; QL (84 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 300 MG/2 ML	2	\$0	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	2	\$0	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	2	\$0	PA; NDS
Skeletal Muscle Relaxants			
Skeletal Muscle Relaxants			
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	\$0	
<i>chlorzoxazone oral tablet 250 mg</i>	1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years); NDS
<i>chlorzoxazone oral tablet 500 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 750 mg</i> (Lorzone)	1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	1	\$0	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	1	\$0	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	1	\$0	
<i>tizanidine oral tablet 2 mg</i>	1	\$0	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	\$0	
Sleep Disorder Agents			
Sleep Disorder Agents			
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	\$0	PA; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	2	\$0	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	\$0	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	2	\$0	PA; QL (150 per 30 days); NDS
<i>modafinil oral tablet 100 mg</i> (Provigil)	1	\$0	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	1	\$0	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	2	\$0	PA; LA; QL (540 per 30 days); NDS
SUNOSI ORAL TABLET 150 MG, 75 MG	2	\$0	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (Hetlioz)	1	\$0	PA; QL (30 per 30 days); NDS
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	\$0	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	\$0	QL (30 per 30 days)
Vasodilating Agents			
Vasodilating Agents			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	2	\$0	PA; QL (90 per 30 days); NDS
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	1	\$0	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	1	\$0	PA; QL (30 per 30 days); NDS
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	1	\$0	PA; LA; QL (60 per 30 days); NDS
<i>epoprostenol intravenous recon soln 0.5 mg, 1.5 mg</i> (Veletri)	1	\$0	PA; NDS
OPSUMIT ORAL TABLET 10 MG	2	\$0	PA; QL (30 per 30 days); NDS
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	\$0	PA; QL (37.5 per 1 day); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	\$0	PA; QL (360 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	1	\$0	PA; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	1	\$0	PA; QL (30 per 30 days)
<i>tadalafil oral tablet 5 mg</i> (Cialis)	1	\$0	PA; QL (30 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	2	\$0	PA; QL (112 per 28 days); NDS
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	1	\$0	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	2	\$0	PA; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	2	\$0	PA; QL (60 per 30 days); NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	2	\$0	PA; QL (60 per 30 days); NDS
UPTRAVI ORAL TABLET 200 MCG	2	\$0	PA; QL (240 per 30 days); NDS
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	2	\$0	PA; NDS
Vitamins And Minerals			
Vitamins And Minerals			
<i>a thru z advanced formula tab new formula (rx) *</i>	3	\$0	
<i>a thru z select tablet new formulation (rx) *</i>	3	\$0	
<i>a-25 7,500 mcg capsule *</i>	3	\$0	
<i>acerola c 500 mg tablet chew *</i> (ascorbic acid (vitamin c))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>animal chews tablet *</i>	(pediatric multivitamin)	3	\$0	
AQUA-E CONCENTRATE 75 UNIT/ML *		3	\$0	
<i>b complex capsule (rx) *</i>	(Vitamins B Complex)	3	\$0	
<i>b complex number 1 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>b complex tablet *</i>	(vitamin b complex)	3	\$0	
<i>b-12 500 mcg tablet (rx) *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>b-12 dots 500 mcg tablet *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>balance b-100 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balance b-50 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balance b-50 tablet outer,plf,glutenlf 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balanced b-complex caplet plf,no-lactose (rx) 400 mcg *</i>		3	\$0	
<i>bal-care dha combo pack 27-1-430 mg</i>		1	\$0	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>		1	\$0	
<i>b-complex plus vitamin c cplt (rx) 400 mcg *</i>		3	\$0	
<i>b-complex with b12 tablet (rx) *</i>	(vitamin b complex)	3	\$0	
<i>b-complex with c tablet (rx) *</i>		3	\$0	
<i>b-complex with vit c caplet (rx) 400 mcg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>b-complex w-vitamin c caplet caplet,plf (rx) *</i>		3	\$0	
<i>biotin 5,000 mcg capsule mx-str (rx) 5 mg *</i>	(Meribin)	3	\$0	
<i>c complex 500 mg tablet sa *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>c-500 mg tablet (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>calcidol drops 200 mcg/ml (8,000 unit/ml) *</i>	(ergocalciferol (vitamin d2))	3	\$0	
<i>calcium 500-vit d3 600 tablet 500 mg-15 mcg (600 unit) *</i>	(Os-Cal 500 + D3)	3	\$0	
<i>calcium 600 mg-vit d3 10 mcg tb (rx) 600 mg-10 mcg (400 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>calcium 600 mg-vit d3 5 mcg tb (rx) 600 mg-5 mcg (200 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>calcium 600-vit d3 800 tablet plf (rx) 600 mg-20 mcg (800 unit) *</i>	(Caltrate with Vitamin D3)	3	\$0	
<i>certavite senior tablet 0.4 mg-300 mcg- 250 mcg *</i>		3	\$0	
<i>certavite-antioxidant tablet (rx) 18-400 mg-mcg *</i>		3	\$0	
<i>children multivitamin chew tab *</i>		3	\$0	
<i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i>		1	\$0	
<i>completenate tablet chew 29 mg iron- 1 mg</i>		1	\$0	
<i>cvs b-1 100 mg tablet plf,gluten-free (rx) *</i>	(thiamine hcl (vitamin b1))	3	\$0	
<i>cvs b-complex-vit c caplet caplet (rx) *</i>		3	\$0	
<i>cvs calcium 600-vit d3 800 tab plf,gluten-free (rx) 600 mg-20 mcg (800 unit) *</i>	(Caltrate with Vitamin D3)	3	\$0	
<i>cvs hair, skin and nails cplt (rx) *</i>	(multivitamin with minerals)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs iron 27 mg tablet (rx) 240 mg (27 mg iron) *</i> (Ferate)	3	\$0	
<i>cvs iron 65 mg tablet (rx) 325 mg (65 mg iron) *</i> (Feosol)	3	\$0	
<i>cvs vit c-rose hip 500 mg chew *</i> (ascorbic acid (vitamin c))	3	\$0	
<i>cvs vitamin d3 25 mcg softgel (rx) 25 mcg (1,000 unit) *</i> (Vitamin D3)	3	\$0	
<i>cyanocobalamin 1,000 mcg/ml vl outer,mdv *</i> (Dodex)	3	\$0	
<i>cyanocobalamin 500 mcg spray inner 500 mcg/spray *</i> (Nascobal)	3	\$0	
<i>d3 dots 2,000 unit tablet plf (rx) 50 mcg (2,000 unit) *</i> (cholecalciferol (vitamin d3))	3	\$0	
<i>daily multivit-minerals tab (rx) *</i> (multivitamin with minerals)	3	\$0	
<i>daily value multivitamin tab *</i> (multivitamin)	3	\$0	
<i>daily vitamin + iron tablet (rx) *</i> (multivitamin with iron)	3	\$0	
<i>daily vitamin formula tablet *</i> (multivitamin)	3	\$0	
<i>daily vitamin formula tablet *</i> (multivitamin with minerals)	3	\$0	
<i>daily vite tablet (rx) *</i> (multivitamin)	3	\$0	
<i>daily vite with iron tablet *</i> (multivitamin with iron)	3	\$0	
<i>daily-vite tablet 400 mcg *</i> (multivitamin with folic acid)	3	\$0	
<i>dekas essential capsule 600 mcg-50 mcg- 101 mg-1,000mcg *</i>	3	\$0	
DEKAS ESSENTIAL LIQUID 2,000 UNIT- 2,000 MCG/ML *	3	\$0	
DEKAS PLUS CHEWABLE TABLET 200 MCG-1,000 MCG-10 MG *	3	\$0	
DEKAS PLUS LIQUID 500 MCG/ML *	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DEKAS PLUS SOFTGEL 200 MCG-1,000 MCG-10 MG *	3	\$0	
<i>dodex 10,000 mcg/10 ml vial muv *</i> (cyanocobalamin (vitamin b-12))	3	\$0	
<i>d-vi-sol 400 unit/ml liquid (rx) 10 mcg/ml (400 unit/ml) *</i> (cholecalciferol (vitamin d3))	3	\$0	
ELDERTONIC LIQUID 3.6 MG-0.75 MG /15 ML *	3	\$0	
<i>eql eye health plus lutein tab 300 mcg-200 mg-27 mg-2 mg *</i>	3	\$0	
<i>eql vitamin c gummies 94 mg *</i>	3	\$0	
<i>ergocalciferol 200 mcg/ml drop (rx) 200 mcg/ml (8,000 unit/ml) *</i> (Calcidol)	3	\$0	
<i>feosol 65 mg tablet (rx) 325 mg (65 mg iron) *</i> (ferrous sulfate)	3	\$0	
<i>ferate 27 mg tablet 240 mg (27 mg iron) *</i> (ferrous gluconate)	3	\$0	
<i>ferosul 325 mg tablet (rx) 325 mg (65 mg iron) *</i> (ferrous sulfate)	3	\$0	
<i>ferretts 325 mg tablet 325 mg (106 mg iron) *</i>	3	\$0	
<i>ferrex 150 capsule outer, u-d 150 mg iron *</i> (polysaccharide iron complex)	3	\$0	
<i>ferrocite tablet 324 mg (106 mg iron) *</i> (ferrous fumarate)	3	\$0	
<i>ferrous fumarate 324 mg tablet 324 mg (106 mg iron) *</i> (Ferrocite)	3	\$0	
<i>ferrous gluconate 240 mg tab 240mg=27mg elemental (rx) 240 mg (27 mg iron) *</i> (Ferate)	3	\$0	
<i>ferrous gluconate 324 mg tab (rx) 324 mg (38 mg iron) *</i>	3	\$0	
<i>ferrous sulf 15 mg iron/ml drp (rx) 15 mg iron (75 mg)/ml *</i> (Fer-In-Sol)	3	\$0	
<i>ferrous sulf 220 mg/5 ml elix (rx) 220 mg (44 mg iron)/5 ml *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ferrous sulf ec 324 mg tablet 324 mg (65 mg iron) *</i>	3	\$0	
<i>ferrous sulf ec 325 mg tablet (rx) 325 mg (65 mg iron) *</i>	3	\$0	
<i>ferrous sulfate 300 mg/5 ml cup 100's, u-d 300 mg (60 mg iron)/5 ml *</i>	3	\$0	
<i>ferrous sulfate 325 mg tablet (rx) 325 mg (65 mg iron) *</i> (Feosol)	3	\$0	
<i>ferrousul oral tablet 325 mg (65 mg iron) *</i> (ferrous sulfate)	3	\$0	
<i>flintstones extra c tab chew (rx) *</i> (pediatric multivitamin)	3	\$0	
<i>flintstones tablet chewable *</i> (pediatric multivitamin)	3	\$0	
FLINTSTONES WITH IRON TAB CHEW 18 MG IRON *	3	\$0	
<i>folic acid 1 mg tablet (rx) *</i>	3	\$0	
<i>folic acid 400 mcg tablet (rx) *</i>	3	\$0	
<i>folic acid 5 mg/ml vial mdv *</i>	3	\$0	
<i>folivane-ob capsule 85-1 mg</i>	1	\$0	
<i>fruit c-500 tablet chewable 500 mg *</i> (ascorbic acid (vitamin c))	3	\$0	
<i>generic prenatal vitamin oral capsule 27-1.25-55-300 mg, 28-1-50-250 mg, 29-1.25-55-325 mg, 30 mg iron-1 mg -50 mg-260 mg, 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	\$0	
<i>generic prenatal vitamin oral combo pack, tablet and cap, dr 29 mg iron-1 mg -50 mg</i>	1	\$0	
<i>generic prenatal vitamin oral tablet 27 mg iron- 1 mg</i> (pnv, calcium 72-iron-folic acid)	1	\$0	
<i>generic prenatal vitamin oral tablet 90-1-50 mg</i>	1	\$0	
<i>generic prenatal vitamin oral tablet extended release 90 mg iron-1 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>generic prenatal vitamin oral tablet, chewable 40 mg iron- 1 mg</i>		1	\$0	
<i>gnp one daily essential tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>gnp vitamin c 500 mg tab chew chewables (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>gummi bear multivit tab chew multivit & minerals (rx) *</i>	(pediatric multivitamin)	3	\$0	
<i>hair vitamins *</i>	(multivitamin with iron)	3	\$0	
<i>hemocyte tablet 324 mg (106 mg iron) *</i>	(ferrous fumarate)	3	\$0	
<i>high potency multivitamin tab 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>high potency multivitamin tab 9 mg iron-400 mcg *</i>		3	\$0	
<i>honey bears chewable tablet *</i>		3	\$0	
<i>hydroxocobalamin 1,000 mcg/ml *</i>		3	\$0	
ICAPS MV TABLET (RX) 100-1.66-0.83 MCG-MG-MG *		3	\$0	
<i>iferex 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>infant vitamin a-c-d drop 250 mcg- 50 mg- 10 mcg/ml *</i>	(Pedia Tri-Vite)	3	\$0	
<i>infant vitamin d 10 mcg/ml drp (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>infant-toddler vit a-c-d drop 250 mcg-50 mg- 10 mcg/ml *</i>	(Pedia Tri-Vite)	3	\$0	
<i>iron 28 mg tablet 256 mg (28 mg iron) *</i>		3	\$0	
<i>iron 65 mg tablet (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>		1	\$0	
<i>little animals child tb chw *</i>	(pediatric multivitamin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>little animals-iron tab chew *</i>	(pediatric multivitamin-iron)	3	\$0	
<i>marnatal-f capsule 60 mg iron-1 mg</i>		1	\$0	
<i>mega multivit-chelated min tab *</i>	(multivitamin with minerals)	3	\$0	
<i>milltrium senior multivit tab *</i>		3	\$0	
<i>m-natal plus tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>multi-day plus iron tablet 18-400 mg-mcg *</i>		3	\$0	
<i>multiple vitamin with iron tab (rx) *</i>	(Daily Vitamin with Iron)	3	\$0	
<i>multiple vitamin w-minerals tb *</i>	(multivitamin with minerals)	3	\$0	
<i>multiple vitamins tablet one daily *</i>	(multivitamin)	3	\$0	
<i>multi-vitamin daily tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>multivitamin tablet (rx) *</i>	(Daily Multi-Vitamin)	3	\$0	
<i>multivitamin-minerals tablet plf 7.5 mg iron-400 mcg *</i>		3	\$0	
<i>multivitamins tablet (rx) *</i>	(Daily Multi-Vitamin)	3	\$0	
<i>myferon 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>mynatal capsule 65 mg iron- 1 mg</i>		1	\$0	
<i>mynatal plus captab 65 mg iron- 1 mg</i>		1	\$0	
<i>mynatal-z captab 65 mg iron- 1 mg</i>		1	\$0	
NASCOBAL 500 MCG NASAL SPRAY 500 MCG/SPRAY *	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>nephplex rx tablet 1-60-300-12.5 mg-mg-mcg-mg *</i>		3	\$0	
NEPHRON FA TABLET 66 MG IRON- 1,000 MCG *		3	\$0	
<i>newgen tablet 32-1,000 mg-mcg</i>		1	\$0	
<i>niacinamide 500 mg tablet (rx) *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>niva-plus tablet 27 mg iron- 1 mg</i>		1	\$0	
<i>nu-iron 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>		1	\$0	
<i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i>		1	\$0	
<i>ocutabs tablet (rx) *</i>		3	\$0	
<i>onccor tablet 200-10-10 mcg *</i>		3	\$0	
<i>oncovite tablet *</i>	(therapeutic multivitamin)	3	\$0	
<i>one daily complete tablet *</i>	(multivitamin with minerals)	3	\$0	
<i>one daily complete tablet 18-0.4 mg *</i>		3	\$0	
<i>one daily essential tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>one daily for women tablet 18-0.4 mg *</i>		3	\$0	
<i>one daily maximum tablet (rx) 18-0.4 mg *</i>		3	\$0	
<i>one daily multivitamin tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>one daily with minerals tablet (rx) *</i>	(multivitamin with minerals)	3	\$0	
<i>one-a-day essential tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>one-a-day max formula tab *</i>	(multivitamin with minerals)	3	\$0	
<i>one-a-day men's tablet 400-20-300 mcg *</i>		3	\$0	
<i>one-a-day teen advantage tab 9 mg iron-400 mcg *</i>		3	\$0	
<i>one-daily multi-vitamin tab (rx) *</i>	(multivitamin)	3	\$0	
<i>onevite daily multivitamin tab 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>oysco 500-vit d3 200 tablet 500 mg- 5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oyster shell 500-vit d3 200 tb (rx) 500 mg-5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>oyster shell calcium-vit d tab plf,gluten-free (rx) 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>oystercal-d 500 mg-400 unit tb 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>pedia tri-vite drop 250 mcg-50 mg-10 mcg/ml *</i>	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>pediatric tri-vite drops 750 unit-35 mg -400 unit/ml *</i>	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>pharm choice d3 400 unit/ml (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>pharmacist choice ped tri-vit 750 unit-35 mg -400 unit/ml *</i>	(Pediatric Tri-Vite)	3	\$0	
<i>phytonadione 5 mg tablet *</i>	(Mephyton)	3	\$0	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>		1	\$0	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>pnv-omega softgel 28-1-300 mg</i>		1	\$0	
<i>polysaccharide iron 150 mg cap (rx) 150 mg iron *</i>	(Ferrex 150)	3	\$0	
POLY-VI-SOL 250 MCG-50 MG/ML DRP 250 MCG-50 MG-10 MCG/ML *		3	\$0	
POLY-VI-SOL WITH IRON DROPS 11 MG IRON/ML *		3	\$0	
<i>pr natal 400 combo pack 29-1-400 mg</i>		1	\$0	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>		1	\$0	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pr natal 430 ec combo pack 29-1-430 mg</i>		1	\$0	
<i>prenal true combo pack 30 mg iron- 1.4 mg-300 mg</i>		1	\$0	
<i>prenatabs fa tablet 29-1 mg</i>		1	\$0	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>		1	\$0	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>		1	\$0	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>		1	\$0	
<i>prenatal one daily tablet 27 mg iron- 800 mcg *</i>		3	\$0	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic)	1	\$0	
<i>prenatal tablet 28 mg iron- 800 mcg *</i>		3	\$0	
<i>prenatal tablet 28 mg iron- 800 mcg *</i>	(Prenatal)	3	\$0	
<i>prenatal vitamins tablet phosphorus free (rx) 28 mg iron- 800 mcg *</i>	(pnv cmb#95-ferrous fumarate-fa)	3	\$0	
<i>prenatal-u capsule 106.5-1 mg</i>		1	\$0	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>		1	\$0	
<i>prosght tablet 5,000-60-30 unit-mg-unit *</i>		3	\$0	
<i>pub multivitamin 50 plus tab *</i>		3	\$0	
<i>ra balanced b-50 tablet natural,plf (rx) *</i>	(vitamin b complex)	3	\$0	
<i>ra b-complex tablet plf (rx) *</i>	(vitamin b complex)	3	\$0	
<i>ra b-complex tablet plf (rx) *</i>	(B-Complex)	3	\$0	
<i>ra iron 65 mg tablet plf, dlf (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra one daily energy tablet *</i>	(multivitamin with minerals)	3	\$0	
<i>ra one daily maximum tablet (rx) 18-0.4 mg *</i>		3	\$0	
<i>ra oyster shell 500-vit d3 200 natural,plf (rx) 500 mg-5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>ra vitamin c 500 mg tab chew plf (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>ra vitamin d3 1,000 unit tab glutenlf,yeastlf (rx) 25 mcg (1,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>		1	\$0	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>		1	\$0	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>		1	\$0	
<i>sm b complex with vit c tablet (rx) *</i>		3	\$0	
<i>sod fer gluc cplx 62.5 mg/5 ml sdv,outer *</i>	(Ferrlecit)	3	\$0	
<i>soothing pureway-c 500 mg tab *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>stress formula tablet (rx) *</i>		3	\$0	
<i>stress formula with iron tab 500 mg-400 mcg- 27 mg iron *</i>		3	\$0	
<i>stress-c with iron tablet 500 mg-400 mcg- 18 mg iron *</i>		3	\$0	
<i>stress-c with zinc tablet 600mg (rx) *</i>		3	\$0	
<i>super b complex tablet plf (rx) 400 mcg *</i>		3	\$0	
<i>super b-50 complex capsule 400 mcg-20 mg- 50 mg *</i>		3	\$0	
<i>super multivitamin tablet *</i>	(multivitamin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>super quintis b-50 tablets *</i>	(vitamin b complex)	3	\$0	
<i>super thera vite m tablet (rx) *</i>		3	\$0	
<i>tab-a-vite multivit with iron 18-400 mg-mcg *</i>		3	\$0	
<i>tab-a-vite tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>taron-c dha capsule 35-1-200 mg</i>		1	\$0	
<i>thera m plus tablet 9 mg iron-400 mcg *</i>		3	\$0	
<i>thera tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>thera-d 2000 tablet 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>thera-m caplet caplet (rx) 27-0.4 mg *</i>		3	\$0	
<i>thera-m tablet w/beta carotene 9 mg iron-400 mcg *</i>		3	\$0	
<i>thera-tabs caplet *</i>	(therapeutic multivitamin)	3	\$0	
<i>therems multivitamin tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>triveen-duo dha combo pack 29-1-400 mg</i>		1	\$0	
TRI-VI-SOL DROPS 250 MCG-50 MG- 10 MCG/ML *	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>true vitamin b-12 500 mcg tab *</i>	(B-12 DOTS)	3	\$0	
<i>true vitamin b-6 10 mg tablet *</i>		3	\$0	
<i>ultra calc 600 mg-vit d3 10 mcg (rx) 600 mg-10 mcg (400 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>		1	\$0	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>		1	\$0	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>		1	\$0	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vision plus lutein vitamin tab *</i>	3	\$0	
<i>vision vitamins (rx) *</i>	3	\$0	
<i>vitafol caplet 65-1 mg *</i>	3	\$0	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	\$0	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	1	\$0	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	\$0	
<i>vitalets tablet chewable child, orange (rx) *</i>	(pediatric multivitamin-iron)	3	\$0
<i>vitamin a 3,000 mcg softgel (rx) *</i>	3	\$0	
<i>vitamin b complex capsule (rx) *</i>	(vitamin b complex)	3	\$0
<i>vitamin b complex tablet n,plf (rx) 0.4 mg *</i>	(B Complex 1 (with folic acid))	3	\$0
<i>vitamin b complex-vit c caplet (rx) *</i>	3	\$0	
<i>vitamin b complex-vitamin c tb (rx) 400 mcg *</i>	3	\$0	
<i>vitamin b-1 100 mg tablet (rx) *</i>	(Vitamin B-1)	3	\$0
<i>vitamin b-12 1,000 mcg tablet (rx) *</i>	(Vitamin B-12)	3	\$0
<i>vitamin b-12 100 mcg tablet (rx) *</i>	(Vitamin B-12)	3	\$0
<i>vitamin b-12 500 mcg tablet *</i>	(B-12 DOTS)	3	\$0
<i>vitamin b-6 100 mg tablet (rx) *</i>	(Vitamin B-6)	3	\$0
<i>vitamin b-6 25 mg tablet (rx) *</i>	(pyridoxine (vitamin b6))	3	\$0
<i>vitamin b-6 50 mg tablet (rx) *</i>	(Vitamin B-6)	3	\$0
<i>vitamin b-complex & c caplet plf,lactose free 400-500 mcg-mg *</i>	3	\$0	
<i>vitamin c 250 mg tablet (rx) *</i>	(Vitamin C)	3	\$0
<i>vitamin c 250 mg tablet chew plf (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0
<i>vitamin c 500 mg tablet (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vitamin c 500 mg wafer *</i>	(Acerola C-500)	3	\$0	
<i>vitamin d2 1.25 mg(50,000 unit) softgel *</i>	(Drisdol)	3	\$0	
<i>vitamin d3 1,000 unit tablet glutenlf, dlfl (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>vitamin d3 10 mcg/ml liquid wldropper (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>vitamin d3 2,000 unit softgel softgel, plfl (rx) 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>vitamin d3 25 mcg tablet (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>vitamin d3 50 mcg tablet (rx) 50 mcg (2,000 unit) *</i>	(D3 DOTS)	3	\$0	
<i>vitamin k-1 1 mg/0.5 ml ampul sub, outer *</i>	(phytonadione (vitamin k1))	3	\$0	
<i>vitamin k-1 10 mg/ml ampul sub, outer *</i>	(phytonadione (vitamin k1))	3	\$0	
<i>vitamins for hair capsule 400-400 mcg *</i>		3	\$0	
<i>vitatum tablet 18-500-300-250 mg-mcg-mcg-mcg *</i>		3	\$0	
<i>vitrum 50 plus senior tablet 500-300-250 mcg *</i>		3	\$0	
<i>vitrum senior tablet flfl,plfl (rx) *</i>		3	\$0	
<i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i>		1	\$0	
<i>xyzbac tablet 1-5-50 mg *</i>		3	\$0	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>		1	\$0	
<i>zatean-pn plus softgel 28-1-300 mg</i>		1	\$0	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>		1	\$0	
<i>zyvit tablet 1-5-50 mg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



INDEX

1ST TIER UNIFINE PENTIPS.....	144	<i>acne control cleanser</i>	134	<i>ala-cort</i>	139
1ST TIER UNIFINE PENTIPS PLUS.....	144	<i>acne foaming wash</i>	132	<i>ala-scalp</i>	139
24 hour allergy relief.....	201, 202	<i>acne medication</i>	132	<i>alavert d-12 allergy-sinus</i>	65
<i>a and d (lan, pet)</i>	132	<i>acne-clear</i>	132	<i>alaway</i>	194
A AND D DIAPER RASH CREAM.....	132	ACTEMRA.....	225	<i>albendazole</i>	74
<i>a thru z high potency</i>	259	ACTEMRA ACTPEN.....	225	<i>albuterol sulfate</i>	253
<i>a thru z select</i>	259	ACTHAR.....	221	<i>alcaine</i>	195
<i>a-25 (vit a palmitate)</i>	259	ACTHIB (PF).....	232	<i>alclometasone</i>	139
<i>abacavir</i>	84	ACTIMMUNE.....	241	ALCOHOL PREP SWABS...133	
<i>abacavir-lamivudine</i>	84	<i>acyclovir</i>	91, 133	ALDURAZYME.....	192
ABELCET.....	60	<i>acyclovir sodium</i>	91	ALECENSA.....	26
<i>abiraterone</i>	26	ADACEL(TDAP ADOLESN/ADULT)(PF)....	232	<i>alendronate</i>	239
ABOUTTIME PEN NEEDLE.....	144	ADAKVEO.....	96	<i>aler-cap</i>	65
ABRAXANE.....	26	<i>adapalene</i>	143	ALEVAZOL.....	60
ABREVA.....	70	<i>addaprin</i>	8	<i>alfuzosin</i>	216
ABRYSVO.....	232	<i>adefovir</i>	91	<i>aliskiren</i>	113
<i>acamprosate</i>	14	ADEMPAS.....	258	<i>alka-seltzer heartburn chew</i>	206
<i>acarbose</i>	54	<i>adrucil</i>	26	<i>all day allergy (cetirizine)</i>	68
<i>accutane</i>	132	<i>adult wal-tussin dm max</i>	129	<i>allerclear d-12hr</i>	65
<i>acebutolol</i>	103	ADVAIR HFA.....	251	<i>allerclear d-24hr</i>	65
<i>acerola c</i>	259	<i>advanced exfoliating cleanser</i> ..	134	<i>aller-cort</i>	201
<i>acetaminophen</i>	3	<i>advanced healing (petrolatum)</i>	134	<i>aller-ease</i>	67
<i>acetaminophen-codeine</i>	3	ADVOCATE PEN NEEDLE	145	<i>aller-flo</i>	201
<i>acetazolamide</i>	245	ADVOCATE SYRINGES....	145	<i>allergy (diphenhydramine)</i> .	66, 68
<i>acetazolamide sodium</i>	245	<i>afirmelle</i>	119	<i>allergy medication</i>	68
<i>acetic acid</i>	198	<i>after pill</i>	119	<i>allergy medicine</i>	68
<i>acetylcysteine</i>	255	<i>aftera</i>	119	<i>allergy nasal (oxymetazoline)</i>	195
<i>acid controller</i>	204	AIRSUPRA.....	252	<i>allergy relief (cetirizine)</i>	67
<i>acid gone antacid</i>	206	AJOVY AUTOINJECTOR....	70	<i>allergy relief (fexofenadine)</i>	66
<i>acid gone antacid e.strength</i>	206	AJOVY SYRINGE.....	70	<i>allergy relief (fluticasone)</i>	201
<i>acid reducer (famotidine)</i> 205, 206		AKEEGA.....	26	<i>allergy relief (levocetirizin)</i>	66
<i>acid reducer (omeprazole)</i>	204	AKYNZEO (FOSNETUPITANT).....	72	<i>allergy relief(diphenhydramin)</i> .	66
<i>acid-pep</i>	204	AKYNZEO (NETUPITANT).....	72	<i>allergy relief,nasal decongest</i>	65
<i>acitretin</i>	132			<i>aller-tec</i>	65

<i>alprazolam</i>	15, 16	<i>animal chews</i>	260	ARISTADA.....	78
ALREX.....	201	ANORO ELLIPTA.....	253	ARISTADA INITIO.....	78
<i>altamist</i>	195	<i>antacid exst (mag carb-al hyd)</i>207	<i>armodafinil</i>	257
<i>altavera (28)</i>	119	<i>antacid ext str (calcium carb)</i>	207	ARNUITY ELLIPTA.....	251
ALTRENO.....	143	<i>antacid ultra strength</i>	207	<i>arthritis pain relief (acetam)</i>	3
<i>aluminum hydroxide gel</i>	206	<i>anti-diarrheal</i>	207	<i>arthritis pain relief(capsaic)</i> ..	133
ALUNBRIG.....	26	<i>anti-diarrheal (loperamide)</i>207, 209	<i>artificial eye lubricant</i>	195
<i>alyacen 1/35 (28)</i>	119	<i>antifungal (clotrimazole)</i>	60	<i>artificial tears (pf)</i>	195
<i>alyacen 7/7/7 (28)</i>	119	<i>antifungal (miconazole)</i>	60	<i>artificial tears(glycerin-peg)</i> 195, 197
<i>alyq</i>	258	<i>antifungal (terbinafine)</i>	63	<i>artificial tears(pg-hypm-glyc)</i>	195
<i>amabelz</i>	218	<i>antifungal (tolnaftate)</i>	63	<i>artificial tears(pvalch-povid)</i> ..	195
<i>amantadine hcl</i>	75	<i>antifungal ringworm</i>	63	<i>ascomp with codeine</i>	3
<i>ambrisentan</i>	258	<i>anti-itch (hc)</i>	143	<i>ascorbic acid (vitamin c)</i>	272
<i>ameriphor</i>	133	<i>anti-itch(hydrocortisone)-aloe</i>	143	<i>ascorbic acid-ascorbate sodium</i> 263, 273
<i>amethia</i>	119	<i>antiseptic</i>	137	<i>asenapine maleate</i>	78
<i>amiloride</i>	108	<i>apomorphine</i>	75	<i>ashlyna</i>	119
<i>amiloride-hydrochlorothiazide</i>	108	APONVIE.....	72	ASPERCREME	
<i>amiodarone</i>	102	<i>apraclonidine</i>	195	(LIDOCAINE HCL).....	13
<i>amitriptyline</i>	50	<i>aprepitant</i>	72	<i>aspercreme (lidocaine)</i>	13
<i>amitriptyline-chlordiazepoxide</i>	50	APRETUDE.....	84	<i>aspirin</i>	8, 9, 12
<i>amlodipine</i>	108	<i>apri</i>	119	<i>aspirin-dipyridamole</i>	96
<i>amlodipine-atorvastatin</i>	110	<i>aprodine</i>	65	<i>aspir-trin</i>	9
<i>amlodipine-benazepril</i>	108	APTIOM.....	44	ASSURE ID DUO PRO	
<i>amlodipine-olmesartan</i>	108	APTIVUS.....	84	SFTY PEN NDL.....	146
<i>amlodipine-valsartan</i>	108	AQINJECT PEN NEEDLE 145, 146	ASSURE ID DUO-SHIELD	146
<i>amlodipine-valsartan-hcthiazid</i>	108	AQUA-E CONCENTRATE	260	ASSURE ID INSULIN	
<i>ammonium lactate</i>	133	<i>aquanil hc</i>	139	SAFETY.....	146
<i>amoxapine</i>	50	<i>aquaphor</i>	133	ASSURE ID PEN NEEDLE	146
<i>amoxicil-clarithromy-</i>		<i>aquaphor baby diaper rash</i>	133	ASSURE ID PRO PEN	
<i>lansopraz</i>	204	AQUAPHOR HEALING.....	133	NEEDLE.....	146
<i>amoxicillin</i>	22	<i>aquaphor itch relief</i>	139	ASTAGRAF XL.....	225
<i>amoxicillin-pot clavulanate</i>	22, 23	<i>aranelle (28)</i>	119	<i>astringent</i>	133
<i>amphotericin b</i>	60	ARCALYST.....	225	<i>atazanavir</i>	84
<i>amphotericin b liposome</i>	60	AREXVY (PF).....	232	<i>atenolol</i>	103
<i>ampicillin</i>	23	AREXVY ANTIGEN		<i>atenolol-chlorthalidone</i>	103
<i>ampicillin sodium</i>	23	COMPONENT.....	233	<i>athenol</i>	8
<i>ampicillin-sulbactam</i>	23	<i>aripiprazole</i>	78	<i>athlete's foot</i>	60, 61
<i>anagrelide</i>	96			<i>athlete's foot (clotrimazole)</i>	61
<i>anastrozole</i>	26				
<i>anecream</i>	13				

<i>athlete's foot (tolnaftate)</i>	60	<i>b complex-vitamin c-folic acid</i>	BD SAFETYGLIDE
<i>athletic foot cream</i>	63	SYRINGE.....
<i>atomoxetine</i>	113	<i>b-12 dots</i>	148
<i>atorvastatin</i>	110	<i>baby ayr saline</i>	BD ULTRA-FINE MICRO
<i>atovaquone</i>	74	<i>bacitracin</i>	PEN NEEDLE
<i>atovaquone-proguanil</i>	75	18, 138, 199	BD ULTRA-FINE MINI
<i>atropine</i>	195	<i>bacitracin zinc</i>	PEN NEEDLE
ATROVENT HFA	253	138	148
<i>aubra eq</i>	120	<i>bacitracin-polymyxin b</i>	BD ULTRA-FINE NANO
AUGTYRO	27	199	PEN NEEDLE
<i>aurovela 1.5/30 (21)</i>	120	<i>bacitraycin plus</i>	148
<i>aurovela 1/20 (21)</i>	120	138	BD ULTRA-FINE ORIG
<i>aurovela 24 fe</i>	120	<i>baclofen</i>	PEN NEEDLE
<i>aurovela fe 1.5/30 (28)</i>	120	257	148
<i>aurovela fe 1-20 (28)</i>	120	<i>balance b-100 (folic acid)</i>	BD ULTRA-FINE SHORT
AUSTEDO	114	260	PEN NEEDLE
AUSTEDO XR	114	<i>balance b-50 (with folic acid)</i>	148
AUSTEDO XR TITRATION		269	BD VEO INSULIN SYR
KT(WK1-4)	114	<i>balanced b-50</i>	(HALF UNIT).....
AUVELITY	50	269	148
<i>aveeno baby</i>	133	<i>balmex adult care</i>	BD VEO INSULIN
AVEENO MOISTURIZING	133	133	SYRINGE UF
<i>aviane</i>	120	<i>balmex complete protection</i>	149
AVONEX	114	133	BELSOMRA.....
AVSOLA	225	<i>balsalazide</i>	258
<i>ayr saline</i>	195	238	<i>benadryl allergy</i>
AYR SINUS RINSE	195	BALVERSA	65
<i>ayuna</i>	120	27	<i>benazepril</i>
AYVAKIT	27	<i>balziva (28)</i>	101
<i>azacitidine</i>	27	120	<i>benazepril-hydrochlorothiazide</i>
<i>azathioprine</i>	225	<i>banophen</i>
<i>azathioprine sodium</i>	225	65	101
<i>azelastine</i>	195	<i>bayer low dose aspirin</i>	<i>bendamustine</i>
<i>azithromycin</i>	21	9	27
AZOPT	245	<i>baza antifungal</i>	BENDAMUSTINE.....
<i>aztreonam</i>	22	60	27
<i>azurette (28)</i>	120	BCG VACCINE, LIVE (PF).....	BENLYSTA
<i>b complex 1 (with folic acid)</i> ..	260	233	225
<i>b complex-vitamin b12</i>	260	<i>b-complex</i>	<i>benzonatate</i>
		269	129
		<i>b-complex with vitamin c</i>	<i>benzoyl peroxide</i>
		133
		260, 261, 270, 272	<i>benztropine</i>
		BD AUTOSHIELD DUO	76
		PEN NEEDLE.....	<i>bepotastine besilate</i>
		146	195
		BD ECLIPSE LUER-LOK... 146	BESREMI
		BD INSULIN SYRINGE..... 147	225
		BD INSULIN SYRINGE	<i>best fiber</i>
		(HALF UNIT).....	210
		147	BETADINE
		BD INSULIN SYRINGE	133
		SLIP TIP	<i>beta-hc</i>
		147	139
		BD INSULIN SYRINGE U-	<i>betaine</i>
		500	241
		147	<i>betamethasone acet,sod phos</i> ...220
		BD INSULIN SYRINGE	<i>betamethasone dipropionate</i>139
		ULTRA-FINE.....	<i>betamethasone valerate</i> ... 139, 140
		147	<i>betamethasone, augmented</i> 140
		BD NANO 2ND GEN PEN	BETASERON.....
		NEEDLE.....	114
		147	<i>betatemp</i>
		BD SAFETYGLIDE	3
		INSULIN SYRINGE.... 147, 148	

<i>betaxolol</i>	103, 245	<i>buprenorphine-naloxone</i>	14	<i>candesartan</i>	100
<i>bethanechol chloride</i>	216	<i>bupropion hcl</i>	50, 51	<i>candesartan-</i>	
<i>bexarotene</i>	27	<i>bupropion hcl (smoking deter)</i> .	14	<i>hydrochlorothiazid</i>	100
BEXSERO	233	<i>bupirone</i>	241	CAPLYTA	78
BEYFORTUS	89	<i>butalbital-acetaminop-caf-cod</i>	3	CAPRELSA	28
<i>bicalutamide</i>	27	<i>butalbital-acetaminophen</i>	4	<i>capsaicin</i>	134
BICILLIN L-A	23	<i>butalbital-acetaminophen-caff</i>	4	<i>captopril</i>	101
BIKTARVY	84	<i>butalbital-aspirin-caffeine</i>	4	<i>captopril-hydrochlorothiazide</i> .	101
<i>bimatoprost</i>	245	<i>butorphanol</i>	4	<i>carbamazepine</i>	44
<i>biotin</i>	261	<i>c complex</i>	261	<i>carbidopa</i>	76
<i>bisacodyl</i>	210	<i>c-500</i>	261	<i>carbidopa-levodopa</i>	76
<i>bisoprolol fumarate</i>	104	CABENUVA	84	<i>carbidopa-levodopa-entacapone</i> 76	
<i>bisoprolol-hydrochlorothiazide</i> 104		<i>cabergoline</i>	76	<i>carbinoxamine maleate</i>	65
<i>bleomycin</i>	27	CABLIVI	96	<i>carboplatin</i>	28
<i>blisovi 24 fe</i>	120	CABOMETYX	28	CARBOXYMETHYLCELL	
<i>blisovi fe 1.5/30 (28)</i>	120	<i>cabotegravir</i>	84, 85	UL.SOD.(BULK)	241
<i>blisovi fe 1/20 (28)</i>	120	<i>caffeine citrate</i>	114	CAREFINE PEN NEEDLE .	149
BOOSTRIX TDAP	233	<i>calcidol</i>	261	CARETOUCH INSULIN	
<i>bortezomib</i>	27	<i>calcipotriene</i>	134	SYRINGE	150
<i>bosentan</i>	258	<i>calcitonin (salmon)</i>	239	CARETOUCH PEN	
BOSULIF	27, 28	<i>calcitriol</i>	239	NEEDLE	149, 150
BRAFTOVI	28	<i>calcium 500 + d</i>	247	<i>carglumic acid</i>	207
BREO ELLIPTA	251	<i>calcium 600</i>	250	<i>carteolol</i>	245
<i>breyna</i>	252	<i>calcium acetate(phosphat</i>		<i>cartia xt</i>	105
BREZTRI AEROSPHERE ..	253	<i>bind)</i>	215	<i>carvedilol</i>	104
<i>briellyn</i>	120	<i>calcium antacid</i>	207	<i>casprofungin</i>	60
BRILINTA	96	<i>calcium carbonate</i>		CASTELLANI PAINT	134
<i>brimonidine</i>	245	207, 209, 246, 247	CAYSTON	22
<i>brimonidine-timolol</i>	245	<i>calcium carbonate-vitamin d3</i>		<i>caziant (28)</i>	120
BRIVIACT	44	247, 261, 271	<i>cefaclor</i>	19
<i>bromfenac</i>	201	<i>calcium chloride</i>	247	<i>cefadroxil</i>	19
<i>bromocriptine</i>	76	<i>calcium citrate</i>	247	<i>cefazolin</i>	20
BROMSITE	202	<i>calcium citrate-vitamin d3</i>		<i>cefazolin in dextrose (iso-os)</i> ...	20
BRONCHITOL	255	247, 248, 250	<i>cefdinir</i>	20
BRUKINSA	28	CALDESENE	134	<i>cefepime</i>	20
<i>budesonide</i>	238, 252	<i>cal-gest antacid</i>	207	<i>cefixime</i>	20
<i>budesonide-formoterol</i>	252	CALMOSEPTINE	134	<i>cefotaxime</i>	20
<i>bumetanide</i>	109	CALQUENCE		<i>cefoxitin</i>	20
<i>buprenorphine</i>	3	(ACALABRUTINIB MAL) ... 28		<i>cefpodoxime</i>	20
<i>buprenorphine hcl</i>	3, 14	<i>camila</i>	120	<i>cefprozil</i>	20

<i>ceftazidime</i>	20	<i>chlorthalidone</i>	109	<i>clindamycin-benzoyl peroxide</i> .	138
<i>ceftriaxone</i>	20	<i>chlorzoxazone</i>	257	CLINIMIX 5%/D15W	
<i>cefuroxime axetil</i>	21	<i>cholecalciferol (vitamin d3)</i>		SULFITE FREE.....	97
<i>cefuroxime sodium</i>	21	262, 265, 268, 273	CLINIMIX 4.25%/D10W	
<i>celecoxib</i>	9	<i>cholestyramine (with sugar) ...</i>	110	SULF FREE.....	97
<i>cephalexin</i>	21	<i>cholestyramine light</i>	110	CLINIMIX 4.25%/D5W	
CERDELGA.....	192	<i>ciclopirox</i>	60	SULFIT FREE.....	97
CEREZYME.....	192	<i>cidofovir</i>	91	CLINIMIX 5%-	
<i>certavite senior</i>	261	<i>cilostazol</i>	96	D20W(SULFITE-FREE).....	97
<i>certavite-antioxidant</i>	261	CIMDUO.....	85	CLINIMIX 6%-D5W	
<i>cetirizine</i>	65, 66	<i>cimetidine</i>	204	(SULFITE-FREE).....	97
<i>cetirizine-pseudoephedrine</i>	66	<i>cimetidine hcl</i>	204	CLINIMIX 8%-	
<i>cevimeline</i>	131	<i>cinacalcet</i>	239	D10W(SULFITE-FREE).....	97
<i>chateal eq (28)</i>	120	CINQAIR.....	255	CLINIMIX 8%-	
<i>chest congestion relief</i>	129	CINRYZE.....	93	D14W(SULFITE-FREE).....	97
<i>chest congestion relief dm</i>	129	<i>ciprofloxacin</i>	24	CLINIMIX E 2.75%/D5W	
<i>chest congestion relief pe</i>	129	<i>ciprofloxacin hcl</i>	24, 199	SULF FREE.....	97
<i>chest congestion-cough relief</i> ...129		<i>ciprofloxacin in 5 % dextrose</i> ...24		CLINIMIX E 4.25%/D10W	
<i>child allergy relf(cetirizine)</i>	68	<i>ciprofloxacin-dexamethasone</i> ..199		SUL FREE.....	98
<i>children's acetaminophen</i>	4	<i>citalopram</i>	51	CLINIMIX E 4.25%/D5W	
<i>children's allergy (diphenhyd)</i>		<i>citracal + d maximum</i>	247	SULF FREE.....	98
.....	66, 67	CITRACAL-D3		CLINIMIX E 5%/D15W	
<i>children's allergy(cetirizine)</i>	68	MAXIMUM PLUS.....	247	SULFIT FREE.....	98
<i>children's aller-tec</i>	66	<i>citrate of magnesia</i>	214	CLINIMIX E 5%/D20W	
<i>children's cetirizine</i>	66	<i>citroma</i>	210	SULFIT FREE.....	98
<i>children's ibuprofen</i>	9, 10	CITRUCEL SUGAR FREE	210	CLINIMIX E 8%-D10W	
<i>children's mapap</i>	4	<i>cladribine</i>	28	SULFITEFREE.....	98
<i>children's multivitamin</i>	261	<i>clarispray</i>	202	CLINIMIX E 8%-D14W	
<i>children's pain relief</i>	4, 5	<i>clarithromycin</i>	21	SULFITEFREE.....	98
<i>children's profen ib</i>	12	CLARITIN.....	66	<i>clobazam</i>	44
<i>children's tylenol</i>	4	<i>clear eyes natural tears</i>	195	<i>clobetasol</i>	140
<i>children's wal-dryl allergy</i>	66	<i>clear eyes once daily allergy</i>195		<i>clobetasol-emollient</i>	140
<i>children's wal-zyr</i>	66	<i>clearlax</i>	210	<i>clomipramine</i>	51
<i>child's all day allergy(cetir)</i> 67, 68		<i>clemastine</i>	66	<i>clonazepam</i>	16
<i>chloramphenicol sod succinate</i> .. 18		CLENPIQ.....	211	<i>clonidine</i>	99
<i>chlordiazepoxide hcl</i>	16	CLICKFINE PEN NEEDLE	150	<i>clonidine hcl</i>	99, 114
<i>chlorhexidine gluconate</i>	131	<i>clindamycin hcl</i>	18	<i>clopidogrel</i>	96
<i>chloroquine phosphate</i>	75	<i>clindamycin in 5 % dextrose</i>	18	<i>clorazepate dipotassium</i>	16
<i>chlorothiazide sodium</i>	109	<i>clindamycin pediatric</i>	18	<i>clotrimazole</i>	60, 61
<i>chlorpromazine</i>	78, 79	<i>clindamycin phosphate</i> .18, 69, 138		<i>clotrimazole af</i>	64

<i>clotrimazole-7</i>	61	COSENTYX UNOREADY	<i>dalfampridine</i>	115
<i>clotrimazole-betamethasone</i>	61	PEN.....	<i>danazol</i>	217
<i>clozapine</i>	79	COTELLIC.....	<i>dantrolene</i>	257
COARTEM.....	75	CREON.....	DANYELZA.....	29
<i>codeine sulfate</i>	4	<i>cromolyn</i>	<i>dapsone</i>	71
<i>codeine-butalbital-asa-caff</i>	4	<i>cryselle (28)</i>	DAPTACEL (DTAP	
COLACE.....	211	CURAD GAUZE PAD.....	PEDIATRIC) (PF).....	233
<i>colchicine</i>	64	CUTINOVA HYDRO	<i>daptomycin</i>	18
<i>cold and hot pain relief</i>	134	DRESSING.....	<i>darunavir</i>	85
<i>colesevelam</i>	110	<i>cutter lemon eucalyptus</i>	DARZALEX.....	29
<i>colestipol</i>	110	<i>cyanocobalamin (vitamin b-</i>	DARZALEX FASPRO.....	29
<i>colistin (colistimethate na)</i>	18	<i>12)</i>	<i>dasetta 1135 (28)</i>	121
COMBIVENT RESPIMAT..	253	<i>cyclobenzaprine</i>	<i>dasetta 71717 (28)</i>	121
COMETRIQ.....	28	<i>cyclopentolate</i>	DAURISMO.....	29
COMFEEL PLUS CLEAR		<i>cyclophosphamide</i>	<i>daylogic acne treatment</i>	134
DRESSING.....	150	<i>cyclosporine</i>	<i>daylogic advanced healing</i>	135
COMFORT EZ INSULIN		<i>cyclosporine modified</i>	<i>daysee</i>	121
SYRINGE.....	150, 151, 152	<i>cyproheptadine</i>	<i>deblitane</i>	121
COMFORT EZ PEN		CYRAMZA.....	<i>debrox</i>	199
NEEDLES.....	151, 152	<i>cyred eq</i>	<i>decitabine</i>	29
COMFORT EZ PRO		CYSTADROPS.....	<i>deep sea nasal</i>	196
SAFETY PEN NDL.....	152	CYSTARAN.....	<i>deferasirox</i>	217
COMFORT TOUCH PEN		<i>d3 dots</i>	<i>deferiprone</i>	217
NEEDLE.....	153	<i>d5 % and 0.9 % sodium</i>	<i>deferoxamine</i>	217
COMPLERA.....	85	<i>chloride</i>	<i>dekas essential</i>	262
<i>complete lice treatment</i>	144	<i>d5 %-0.45 % sodium chloride</i> ..	DEKAS ESSENTIAL.....	262
<i>compro</i>	73	<i>dabigatran etexilate</i>	DEKAS PLUS (FOLIC	
<i>constulose</i>	207	<i>daily fiber</i>	ACID).....	262, 263
COPAXONE.....	114	<i>daily fiber (psyllium-sucrose)</i> ..	DEKAS PLUS LIQUID.....	262
COPIKTRA.....	28	<i>daily multi-vitamin</i>	DELSTRIGO.....	85
CORLANOR.....	106	<i>daily multivitamin-minerals</i>	DELSYM 12 HOUR.....	129
<i>cortisone (hydrocortisone)</i>	140	<i>daily value</i>	<i>demeclocycline</i>	25
<i>cortisone with aloe</i>	140	<i>daily vitamin formula</i>	DENG VAXIA (PF).....	233
<i>cortizone-10</i>	140	<i>daily vitamin formula-minerals</i> 262	<i>denta 5000 plus</i>	131
<i>cortizone-10 with aloe</i>	140	<i>daily vitamin with iron</i>	<i>dentagel</i>	132
CORTROPHIN GEL.....	221	<i>daily vites/iron</i>	DEPO-SUBQ PROVERA	
COSENTYX.....	226, 241	<i>daily-vite</i>	104.....	224
COSENTYX (2 SYRINGES)226		<i>daily-vite (with folic acid)</i>	<i>dermafungal</i>	61
COSENTYX PEN (2 PENS).226		DAKIN'S SOLUTION.....	<i>dermaphor</i>	135
		<i>dakin's solution</i>	DESCOVY.....	85

<i>desenex</i>	61	<i>didanosine</i>	85	DOVATO.....	85
<i>desipramine</i>	51	DIFICID.....	21	<i>doxazosin</i>	99
DESITIN.....	135	<i>diflorasone</i>	141	<i>doxepin</i>	51
DESITIN DAILY		<i>diflunisal</i>	10	<i>doxercalciferol</i>	239
DEFENSE.....	135	<i>difluprednate</i>	202	<i>doxorubicin</i>	29
<i>desmopressin</i>	221, 222	<i>digitek</i>	107	<i>doxorubicin, peg-liposomal</i>	29
<i>desog-e.estradiolle.estradiol</i>	121	<i>digox</i>	107	<i>doxy-100</i>	25
<i>desogestrel-ethinyl estradiol</i>	121	<i>digoxin</i>	107	<i>doxycycline hyclate</i>	25
<i>desonide</i>	140	<i>dihydroergotamine</i>	70	<i>doxycycline monohydrate</i>	25, 26
<i>desoximetasone</i>	140, 141	DILANTIN.....	45	<i>dramamine less drowsy</i>	73
<i>desvenlafaxine succinate</i>	51	<i>diltiazem hcl</i>	105, 106	<i>drimate</i>	73
<i>dex4 glucose</i>	98	<i>dilt-xr</i>	106	<i>dristan long lasting</i>	196
<i>dexamethasone</i>	220	<i>dimaphen dm</i>	129	DRIZALMA SPRINKLE.....	51
<i>dexamethasone sodium phos</i>		<i>dimenhydrinate</i>	73	<i>dronabinol</i>	73
(<i>pf</i>).....	220	<i>dimethyl fumarate</i>	115	<i>droperidol</i>	73
<i>dexamethasone sodium</i>		DIPENTUM.....	238	DROPLET INSULIN	
<i>phosphate</i>	202, 220	<i>diphedryl</i>	66, 68	SYR(HALF UNIT).....	154
<i>dexmethylphenidate</i>	115	<i>diphenhist</i>	67	DROPLET INSULIN	
<i>dextrazoxane hcl</i>	241	<i>diphenhydramine hcl</i>	67	SYRINGE.....	154, 155
<i>dextroamphetamine sulfate</i>	115	<i>diphenoxylate-atropine</i>	208	DROPLET MICRON PEN	
<i>dextroamphetamine-</i>		<i>dipyridamole</i>	96	NEEDLE.....	155
<i>amphetamine</i>	115	<i>disopyramide phosphate</i>	102	DROPLET PEN NEEDLE	
<i>dextromethorphan polistirex</i> ...	129	<i>disulfiram</i>	14	155, 156
<i>dextrose 10 % in water (d10w)</i> .98		<i>divalproex</i>	45	DROPSAFE ALCOHOL	
<i>dextrose 5 % in water (d5w)</i>	98	<i>docetaxel</i>	29	PREP PADS.....	135
<i>dhs sal</i>	135	<i>docosanol</i>	70	DROPSAFE INSULIN	
DHS TAR.....	135	<i>docusate calcium</i>	211	SYRINGE.....	156
<i>diabetic tussin dm</i>	129	<i>docusate sodium</i>	211	DROPSAFE PEN NEEDLE	156
<i>diabetic tussin ex</i>	129	<i>docusil</i>	211	<i>drospirenone-ethinyl estradiol</i> .	121
DIACOMIT.....	44	<i>dodex</i>	263	DROXIA.....	96
<i>diamode</i>	207	<i>dofetilide</i>	103	<i>droxidopa</i>	99
<i>diaper rash</i>	134, 135	<i>dok</i>	211	DUAVEE.....	218
<i>diazepam</i>	16, 45	DOMEBORO.....	135	<i>ducodyl (bisacodyl)</i>	211
<i>diazepam intensol</i>	16	<i>donepezil</i>	49	DULCOLAX (BISACODYL)	
<i>diazoxide</i>	241	DOPTELET (10 TAB PACK) 93		212
<i>diclofenac potassium</i>	9	DOPTELET (15 TAB PACK) 93		<i>duloxetine</i>	51
<i>diclofenac sodium</i>	9, 10, 202	DOPTELET (30 TAB PACK) 93		DUODERM CGF BORDER	
<i>diclofenac-misoprostol</i>	10	<i>dorzolamide</i>	246	DRESSING.....	157
<i>dicloxacillin</i>	23	<i>dorzolamide-timolol</i>	246	DUODERM CGF	
<i>dicyclomine</i>	207	<i>dotti</i>	218	DRESSING.....	157

DUPIXENT PEN.....	226	<i>eczema relief</i>	134	ENBREL.....	226, 227
DUPIXENT SYRINGE.....	226	EDARBI.....	100	ENBREL MINI.....	226
<i>dutasteride</i>	216	EDARBYCLOR.....	100	ENBREL SURECLICK.....	227
<i>dutasteride-tamsulosin</i>	216	EDURANT.....	85	ENDARI.....	241
<i>d-vi-sol</i>	263	<i>efavirenz</i>	85	<i>endocet</i>	4, 5
<i>ear drops (carbamide</i>		<i>efavirenz-emtricitabin-tenofov</i> ..	85	<i>endur-acin</i>	110
<i>peroxide)</i>	199	<i>efavirenz-lamivu-tenofov disop</i> ..	85	<i>enema</i>	214
EASY COMFORT		EGRIFTA SV.....	222	<i>enema disposable</i>	211, 212
INSULIN SYRINGE....	157, 158	ELAPRASE.....	193	<i>enemeez</i>	212
EASY COMFORT PEN		ELDERTONIC.....	263	<i>enemeez plus</i>	212
NEEDLES.....	158	<i>electrolyte-148</i>	248	ENGERIX-B (PF).....	233
EASY COMFORT SAFETY		<i>electrolytes-dextrose</i>	248	ENGERIX-B PEDIATRIC	
PEN NEEDLE.....	157	ELFABRIO.....	193	(PF).....	233
EASY GLIDE INSULIN		ELIGARD.....	30	<i>enilloring</i>	121
SYRINGE.....	158	ELIGARD (3 MONTH).....	29	<i>enoxaparin</i>	92
EASY GLIDE PEN		ELIGARD (4 MONTH).....	29	<i>enpresse</i>	121
NEEDLE.....	158	ELIGARD (6 MONTH).....	29	<i>enskyce</i>	121
EASY TOUCH.....	160, 161	<i>elinest</i>	121	ENSPRYNG.....	115
EASY TOUCH FLIPLOCK		ELIQUIS.....	92	<i>entacapone</i>	76
INSULIN.....	160	ELIQUIS DVT-PE TREAT		ENTADFI.....	216
EASY TOUCH FLIPLOCK		30D START.....	92	<i>entecavir</i>	91
SYRINGE.....	159	ELITEK.....	193	ENTRESTO.....	100
EASY TOUCH INSULIN		<i>elixophyllin</i>	253	<i>enulose</i>	208
SAFETY SYR.....	159	ELLA.....	121	EPCLUSA.....	90
EASY TOUCH INSULIN		ELMIRON.....	241	EPIDIOLEX.....	45
SYRINGE.....	159, 160, 161	ELREXFIO.....	30	<i>epinastine</i>	196
EASY TOUCH LUER		<i>eluryng</i>	121	<i>epinephrine</i>	107
LOCK INSULIN.....	160	EMBRACE PEN NEEDLE		<i>epitol</i>	45
EASY TOUCH PEN		161, 162	EPIVIR HBV.....	86
NEEDLE.....	160	EMCYT.....	30	EPKINLY.....	30
EASY TOUCH SAFETY		EMEND.....	73	<i>eplerenone</i>	113
PEN NEEDLE.....	161	EMGALITY PEN.....	70	<i>epoprostenol</i>	258
EASY TOUCH		EMGALITY SYRINGE.....	70	EPRONTIA.....	45
SHEATHLOCK INSULIN		EMSAM.....	51	<i>eprosartan</i>	100
.....	159, 160	<i>emtricitabine</i>	85	<i>epsom salt (laxative)</i>	241
EASY TOUCH UNI-SLIP...	161	<i>emtricitabine-tenofov (tdf)</i>	85	ERBITUX.....	30
<i>ec-naproxen</i>	10	EMTRIVA.....	85	<i>ergocalciferol (vitamin d2)</i>	
<i>econazole</i>	61	<i>enalapril maleate</i>	101, 102	263, 273
<i>econtra one-step</i>	121	<i>enalaprilat</i>	102	<i>ergoloid</i>	50
<i>ecotrin</i>	10	<i>enalapril-hydrochlorothiazide</i> .	102	ERIVEDGE.....	30

ERLEADA.....	30	<i>expectorant</i>	129, 130	<i>ferrocite</i>	263
<i>erlotinib</i>	30	<i>expectorant cough syrup</i>	130	<i>ferrous fumarate</i>	263
<i>errin</i>	121	<i>eye allergy itch relief</i>	196	<i>ferrous gluconate</i>	262, 263, 265
<i>ertapenem</i>	22	<i>eye allergy itch-redness rlf</i>	196	<i>ferrous sulfate</i>	262, 263, 264
<i>ery pads</i>	138	<i>eye health plus lutein</i>	263	<i>ferrousul</i>	264
<i>erythromycin</i>	22, 199	<i>eye itch relief</i>	195	<i>fesoterodine</i>	216
<i>erythromycin ethylsuccinate</i>	22	EYSUVIS.....	202	FETZIMA.....	52
<i>erythromycin with ethanol</i>	138	EZALLOR SPRINKLE.....	110	<i>feverall</i>	5
<i>erythromycin-benzoyl peroxide</i>	138	<i>ezetimibe</i>	110	FEVERALL.....	5
<i>escitalopram oxalate</i>	52	<i>ezetimibe-simvastatin</i>	110, 111	<i>fexofenadine</i>	67
<i>esomeprazole magnesium</i>	204, 205	FABRAZYME.....	193	FIASP FLEXTOUCH U-100	
<i>esomeprazole sodium</i>	205	<i>falmina (28)</i>	122	INSULIN.....	57
<i>estarylla</i>	121	<i>famciclovir</i>	91	FIASP PENFILL U-100	
<i>estazolam</i>	16	<i>famotidine</i>	205, 206	INSULIN.....	57
<i>estradiol</i>	218, 219	<i>famotidine (pf)</i>	205	FIASP U-100 INSULIN.....	57
<i>estradiol valerate</i>	219	<i>famotidine (pf)-nacl (iso-os)</i>	205	<i>fiber (calcium polycarbophil)</i>	212
<i>estradiol-norethindrone acet</i>	219	FANAPT.....	79	<i>fiber (psyllium husk)</i>	215
<i>eszopiclone</i>	258	FARXIGA.....	54	<i>fiber (psyllium husk-sugar)</i>	212, 215
<i>ethambutol</i>	71	FARYDAK.....	31	<i>fiber laxative (ca polycarbo)</i>	211
<i>ethosuximide</i>	45	FASENRA.....	255	<i>fiber therapy (m-cellsugar)</i>	212
<i>ethynodiol diac-eth estradiol</i>	122	FASENRA PEN.....	255	<i>fiber therapy (m-cellulose)</i>	211, 212
<i>etodolac</i>	10	<i>febuxostat</i>	64	<i>fiber-lax</i>	212
<i>etonogestrel-ethinyl estradiol</i>	122	<i>felbamate</i>	45	<i>fiber-tabs</i>	212
ETOPOPHOS.....	30	<i>felodipine</i>	108	<i>finasteride</i>	217
<i>etoposide</i>	30	FEMRING.....	219	<i>fingolimod</i>	115
<i>etravirine</i>	86	<i>fenofibrate</i>	111	FINTEPLA.....	45
<i>eucerin eczema relief</i>	135	<i>fenofibrate micronized</i>	111	FIRMAGON KIT W	
EUCRISA.....	141	<i>fenofibrate nanocrystallized</i>	111	DILUENT SYRINGE.....	31
<i>evac-u-gen (sennosides)</i>	212	<i>fenofibric acid (choline)</i>	111	<i>flavor chews antacid</i>	207
<i>everolimus (antineoplastic)</i>	30	<i>fenopropfen</i>	10	<i>flavoxate</i>	216
<i>everolimus</i> (<i>immunosuppressive</i>).....	227	<i>fentanyl</i>	5	FLEBOGAMMA DIF.....	227
EVOTAZ.....	86	<i>fentanyl citrate</i>	5	<i>flecainide</i>	103
EVRYSDI.....	241	<i>feosol</i>	263	FLEET BISACODYL.....	212
EXCILON.....	242	<i>ferate</i>	263	<i>flintstones multivitamin</i>	264
EXEL INSULIN.....	162	<i>ferosul</i>	263	FLINTSTONES WITH	
<i>exemestane</i>	30	<i>ferretts</i>	263	IRON.....	264
EXKIVITY.....	31	<i>ferrex 150</i>	263	<i>flintstones/extra c</i>	264
EXONDYS-51.....	242	FERRIPROX.....	217		
		FERRIPROX (2 TIMES A			
		DAY).....	217		

FLONASE ALLERGY RELIEF	202	FREESTYLE PRECISION ..	163	<i>gemcitabine</i>	31
<i>floxuridine</i>	31	<i>freshkote</i>	196	<i>gemfibrozil</i>	111
<i>fluconazole</i>	61	<i>fruit c-500</i>	264	<i>generic prenatal vitamin</i>	260, 261, 264, 265, 266, 267, 268,
<i>fluconazole in nacl (iso-osm)</i>	61	FRUZAQLA	31	269, 270, 271, 272, 273	
<i>flucytosine</i>	61	FULPHILA	93	<i>generlac</i>	208
<i>fludrocortisone</i>	220	<i>fulvestrant</i>	31	<i>gengraf</i>	227
<i>flumazenil</i>	116	<i>furosemide</i>	109	<i>gentak</i>	199
<i>flunisolide</i>	202	FUZEON	86	<i>gentamicin</i>	17, 138, 199
<i>fluocinolone</i>	141	FYARRO	31	<i>gentamicin sulfate (ped) (pf)</i> ...	17
<i>fluocinolone acetonide oil</i>	202	<i>fyavolv</i>	219	<i>gentamicin sulfate (pf)</i>	17
<i>fluocinonide</i>	141	FYCOMPA	45	GENTEAL TEARS	
<i>fluocinonide-emollient</i>	141	FYLNETRA	93	MODERATE	196
<i>fluorometholone</i>	202	<i>gabapentin</i>	45, 46	GENTEAL TEARS	
<i>fluorouracil</i>	31, 135	GALAFOLD	193	MODERATE (PF)	196
<i>fluoxetine</i>	52	<i>galantamine</i>	50	GENTEAL TEARS	
<i>fluphenazine decanoate</i>	79	GAMIFANT	227	SEVERE GEL	196
<i>fluphenazine hcl</i>	79	GAMMAGARD LIQUID ...	227	<i>gentlelax</i>	212
<i>flurazepam</i>	16	GAMMAGARD S-D (IGA <	1 MCG/ML)	GENVOYA	86
<i>flurbiprofen</i>	10	GAMMAPLEX	227	<i>geri-dryl</i>	67
<i>flurbiprofen sodium</i>	202	GAMMAPLEX (WITH		GILENYA	116
<i>fluticasone propionate</i>	141, 202, 252	SORBITOL)	227	GILOTRIF	31
<i>fluticasone propion-salmeterol</i>	252	GAMUNEX-C	227	GIVLAARI	96
<i>fluvastatin</i>	111	<i>ganciclovir sodium</i>	91	<i>glatiramer</i>	116
<i>fluvoxamine</i>	52	GARDASIL 9 (PF)	233, 234	<i>glatopa</i>	116
<i>foaming acne face wash</i>	134	<i>gas relief (simethicone)</i>	203	GLEOSTINE	32
<i>foaming antacid</i>	208	<i>gas relief 80 (simethicone)</i>	203	<i>glimpiride</i>	59
<i>folic acid</i>	264	<i>gas relief extra strength</i>	203	<i>glipizide</i>	59
<i>fomepizole</i>	242	<i>gas-x extra strength</i>	203	<i>glipizide-metformin</i>	59
<i>fondaparinux</i>	92	<i>gatifloxacin</i>	199	<i>glucose</i>	98
<i>foot and sneaker</i>	61	GATTEX 30-VIAL	208	<i>glyburide</i>	60
<i>for sty relief</i>	196	GAUZE PADS &		<i>glyburide micronized</i>	60
<i>fosamprenavir</i>	86	DRESSINGS - PADS 2 X 2		<i>glyburide-metformin</i>	60
<i>fosaprepitant</i>	73	.. 149, 153, 154, 163, 167, 177, 192		<i>glycerin (child)</i>	211, 212, 213
<i>foscarnet</i>	89	<i>gavilax</i>	212	<i>glycopyrrolate</i>	208
<i>fosinopril</i>	102	<i>gavilyte-c</i>	212	<i>glydo</i>	13
<i>fosinopril-hydrochlorothiazide</i>	102	<i>gavilyte-g</i>	212	GLYXAMBI	54
<i>fosphenytoin</i>	45	GAVRETO	31	<i>gonak</i>	196
FOTIVDA	31	<i>gefitinib</i>	31	<i>goniotaire</i>	196
		<i>gelusil antacid and anti-gas</i>	208	<i>granisetron (pf)</i>	73

<i>granisetron hcl</i>	73	HEMADY	220	HYDROCOLLOID	
GRANIX.....	94	<i>hemocyte</i>	265	DRESSING.....	176
<i>griseofulvin microsize</i>	62	<i>hemorrhoidal(pe-min oil-</i>		<i>hydrocortisone</i>	
<i>griseofulvin ultramicrosize</i>	62	<i>petro)</i>	135	141, 142, 143, 220, 238
<i>guaifenesin</i>	130	<i>heparin (porcine)</i>	92	<i>hydrocortisone acetate</i>	141
<i>guanfacine</i>	99, 116	<i>heparin, porcine (pf)</i>	93	<i>hydrocortisone butyrate..</i>	141, 142
<i>gummi bear multivitamin</i>	265	HEPLISAV-B (PF).....	234	<i>hydrocortisone plus</i>	143
GVOKE.....	242	<i>her style</i>	122	<i>hydrocortisone valerate</i>	142
GVOKE HYOPEN 2-		HERCEPTIN HYLECTA.....	32	<i>hydrocortisone-acetic acid</i>	199
PACK.....	242	HERZUMA.....	32	<i>hydrocortisone-aloe vera</i>	142
GVOKE PFS 1-PACK		HETLIOZ LQ.....	258	<i>hydrocortisone-min oil-wht pet</i>	142
SYRINGE.....	242	HIBERIX (PF).....	234	<i>hydrocream</i>	142
GVOKE PFS 2-PACK		<i>high potency multivit (w-iron)</i>	265	<i>hydrogen peroxide</i>	245
SYRINGE.....	242	<i>high potency multivitamin</i>	265	<i>hydromorphone</i>	5, 6
HAEGARDA.....	94	<i>honey bears multivitamin</i>	265	<i>hydromorphone (pf)</i>	5
<i>hailey</i>	122	HUMIRA.....	228	<i>hydroxocobalamin</i>	265
<i>hailey 24 fe</i>	122	HUMIRA PEN.....	228	<i>hydroxychloroquine</i>	75
<i>hailey fe 1.5/30 (28)</i>	122	HUMIRA PEN CROHNS-		<i>hydroxyprogesterone</i>	
<i>hailey fe 1/20 (28)</i>	122	UC-HS START.....	228	<i>cap(ppres)</i>	224
<i>hair vitamins</i>	265	HUMIRA PEN PSOR-		<i>hydroxyprogesterone caproate</i>	224
<i>hair,skin and nails</i>	261	UVEITS-ADOL HS.....	228	<i>hydroxyurea</i>	32
<i>halobetasol propionate</i>	141	HUMIRA(CF).....	228	<i>hydroxyzine hcl</i>	68
<i>haloette</i>	122	HUMIRA(CF) PEDI		<i>hydroxyzine pamoate</i>	242
<i>haloperidol</i>	80	CROHNS STARTER.....	228	HYQVIA.....	229
<i>haloperidol decanoate</i>	79	HUMIRA(CF) PEN.....	228	<i>hysept</i>	135
<i>haloperidol lactate</i>	79, 80	HUMIRA(CF) PEN		<i>ibandronate</i>	239, 240
HARVONI.....	90	CROHNS-UC-HS.....	228	IBRANCE.....	32
HAVRIX (PF).....	234	HUMIRA(CF) PEN		<i>ibu</i>	10
<i>h-chlor 12</i>	135	PEDIATRIC UC.....	228	<i>ibuprofen</i>	10
HEALTHWISE INSULIN		HUMIRA(CF) PEN PSOR-		<i>ibuprofen-famotidine</i>	10
SYRINGE.....	163, 164	UV-ADOL HS.....	228	ICAPS MV.....	265
HEALTHWISE PEN		HUMULIN R U-500		<i>icatibant</i>	107
NEEDLE.....	164	(CONC) INSULIN.....	57	<i>iclevia</i>	122
HEALTHY ACCENTS		HUMULIN R U-500		ICLUSIG.....	32
UNIFINE PENTIP.....	164	(CONC) KWIKPEN.....	58	<i>icy hot (menthol)</i>	136
<i>healthylax</i>	213	<i>hydralazine</i>	107	<i>icy hot kids</i>	135
<i>heartburn prevention</i>	205	<i>hydralyte</i>	248	IDHIFA.....	32
<i>heartburn relief</i>	207	<i>hydrochlorothiazide</i>	109	<i>iferex 150</i>	265
<i>heartburn relief (famotidine)</i> ..	205	<i>hydrocodone-acetaminophen</i>	5	<i>ifosfamide</i>	32
<i>heather</i>	122	<i>hydrocodone-ibuprofen</i>	5	ILARIS (PF).....	229

ILEVRO.....	202	INSULIN SYR/NDL U100	<i>isosorbide mononitrate</i>	113
ILUMYA.....	229	HALF MARK.....	<i>isosorbide-hydralazine</i>	113
<i>imatinib</i>	32	INSULIN SYRINGE.....	<i>isradipine</i>	108
IMBRUVICA.....	32	INSULIN SYRINGE	<i>itraconazole</i>	62
<i>imipenem-cilastatin</i>	22	MICROFINE.....	IV3000 FRAME DELIVERY	
<i>imipramine hcl</i>	52	INSULIN SYRINGE	DRESSING.....	242
<i>imipramine pamoate</i>	52	NEEDLELESS.....	<i>ivermectin</i>	75
<i>imiquimod</i>	136	INSULIN SYRINGE-	IWILFIN.....	33
IMJUDO.....	32	NEEDLE U-100	IXCHIQ.....	234
IMLYGIC.....	33	..	IXIARO (PF).....	234
<i>imodium a-d</i>	208	INSUPEN PEN NEEDLE	<i>jaimiess</i>	122
IMOVAX RABIES		JAKAFI.....	33
VACCINE (PF).....	234	INTELENCE.....	<i>jantoven</i>	93
IMPAVIDO.....	75	INTRALIPID.....	JANUMET.....	54
INBRIJA.....	76	INVEGA HAFYERA.....	JANUMET XR.....	54
<i>incassia</i>	122	INVEGA SUSTENNA.....	JANUVIA.....	54
INCONTROL PEN		INVEGA TRINZA.....	JARDIANCE.....	54
NEEDLE.....	164	INVELTYS.....	<i>jasmiel (28)</i>	122
INCRELEX.....	222	INVIRASE.....	<i>javygtor</i>	193
<i>indapamide</i>	109	<i>inzo antifungal</i>	JAYPIRCA.....	33
<i>indomethacin</i>	11	IPOL.....	JEMPERLI.....	33
INFANRIX (DTAP) (PF)....	234	<i>ipratropium bromide</i>	<i>jencycla</i>	122
<i>infant fever reducer-pain relf</i>	8	<i>ipratropium-albuterol</i>	JENTADUETO.....	55
<i>infant's ibuprofen</i>	11	<i>irbesartan</i>	JENTADUETO XR.....	55
<i>infants simethicone</i>	204	<i>irbesartan-hydrochlorothiazide</i>	<i>jinteli</i>	219
INFLECTRA.....	229	<i>irinotecan</i>	<i>jock itch (clotrimazole)</i>	61, 62, 64
<i>infliximab</i>	229	<i>iron</i>	<i>juleber</i>	122
INGREZZA.....	116	ISENTRESS.....	JULUCA.....	86
INGREZZA INITIATION		ISENTRESS HD.....	<i>junel 1.5/30 (21)</i>	123
PACK.....	116	<i>isibloom</i>	<i>junel 1/20 (21)</i>	123
INLYTA.....	33	ISOLYTE S PH 7.4.....	<i>junel fe 1.5/30 (28)</i>	123
INPEN (FOR HUMALOG)		ISOLYTE-P IN 5 %	<i>junel fe 1/20 (28)</i>	123
BLUE.....	165	DEXTROSE.....	<i>junel fe 24</i>	123
INPEN (NOVOLOG OR		ISOLYTE-S.....	JUXTAPID.....	111
FIASP) BLUE.....	165	<i>isoniazid</i>	JYNARQUE.....	109
INQOVI.....	33	ISOPROPYL ALCOHOL 0.7	JYNNEOS (PF).....	234
INREBIC.....	33	ML/ML MEDICATED PAD	<i>kalliga</i>	123
<i>insulin asp prt-insulin aspart</i>	58	KALYDECO.....	255
<i>insulin aspart u-100</i>	58	KANJINTI.....	33
		<i>isopto tears</i>	KANUMA.....	193
		<i>isosorbide dinitrate</i>		

<i>kapectate (bismuth subsalicy)</i>	<i>lamivudine</i>	86	<i>levothyroxine</i>	224
.....	<i>lamivudine-zidovudine</i>	86	LEXIVA	86
<i>kariva (28)</i>	<i>lamotrigine</i>	46	<i>lice treatment</i>	144
KATERZIA	<i>lanreotide</i>	222	<i>lido king</i>	13
<i>kelnor 1/35 (28)</i>	<i>lansoprazole</i>	204, 205, 206	<i>lidocaine</i>	13
<i>kelnor 1-50 (28)</i>	<i>lanthanum</i>	215	<i>lidocaine (pf)</i>	13, 103
KERENDIA	<i>lapatinib</i>	34	<i>lidocaine hcl</i>	13
KESIMPTA PEN	<i>larin 1.5/30 (21)</i>	123	<i>lidocaine viscous</i>	13
<i>ketoconazole</i>	<i>larin 1/20 (21)</i>	123	<i>lidocaine-prilocaine</i>	13
<i>ketoprofen</i>	<i>larin 24 fe</i>	123	<i>linezolid</i>	18
<i>ketorolac</i>	<i>larin fe 1.5/30 (28)</i>	123	<i>linezolid in dextrose 5%</i>	18
KEVZARA	<i>larin fe 1/20 (28)</i>	123	LINZESS	208
KEYTRUDA	<i>latanoprost</i>	246	<i>liothyronine</i>	225
KIMMTRAK	<i>laxacin</i>	213	LIP TREATMENT	136
KINERET	<i>laxative (bisacodyl)</i>	214	<i>lisinopril</i>	102
KINRIX (PF)	<i>laxative (sennosides)</i>	214	<i>lisinopril-hydrochlorothiazide</i>	102
KISQALI	<i>leflunomide</i>	229	LITE TOUCH INSULIN	
KISQALI FEMARA CO-	<i>lenalidomide</i>	34	PEN NEEDLES	167
PACK	LENVIMA	34	LITE TOUCH INSULIN	
KLISYRI	<i>lessina</i>	124	SYRINGE	167, 168
<i>klor-con m10</i>	<i>letrozole</i>	34	<i>lithium carbonate</i>	116
<i>klor-con m15</i>	<i>leucovorin calcium</i>	242	<i>lithium citrate</i>	116
<i>klor-con m20</i>	LEUKERAN	34	<i>little animals</i>	265
KLOXXADO	LEUKINE	94	<i>little animals-iron</i>	266
<i>konsyl (sugar)</i>	<i>leuprolide</i>	35	<i>little remedies saline</i>	197
KONSYL SUGAR-FREE	<i>leuprolide (3 month)</i>	34	<i>little tummys gas relief</i>	204
KORLYM	<i>levetiracetam</i>	46, 47	LIVALO	111
KOSELUGO	<i>levobunolol</i>	246	<i>lojaimiess</i>	124
KOURZEQ	<i>levocarnitine</i>	242	LOKELMA	208
KRAZATI	<i>levocarnitine (with sugar)</i>	242	LONSURF	35
KRINTAFEL	<i>levocetirizine</i>	68	<i>loperamide</i>	208
KRYSTEXXA	<i>levofloxacin</i>	24, 197, 199	<i>lopinavir-ritonavir</i>	87
<i>kurvelo (28)</i>	<i>levofloxacin in d5w</i>	24	LOQTORZI	35
KYNMOBI	<i>levoleucovorin calcium</i>	242	<i>loradamed</i>	68
<i>l norgestle.estradiol-e.estrad...</i>	<i>levonest (28)</i>	124	<i>loratadine</i>	66, 68
<i>labetalol</i>	<i>levonorgest-eth.estradiol-iron</i> ..	124	<i>loratadine-d</i>	68
<i>lacosamide</i>	<i>levonorgestrel</i>	124	<i>lorazepam</i>	16, 17
<i>lactulose</i>	<i>levonorgestrel-ethinyl estrad...</i>	124	<i>lorazepam intensol</i>	17
<i>lagevrio (eua)</i>	<i>levonorg-eth estrad triphasic</i> ...	124	LORBRENA	35
<i>lamisil af</i>	<i>levora-28</i>	124	<i>loryna (28)</i>	124

<i>losartan</i>	100	MAGELLAN SYRINGE.....	168	MAXI-COMFORT
<i>losartan-hydrochlorothiazide</i> ..	100	MAGNEBIND 300.....	215	INSULIN SYRINGE.....
LOTEMAX.....	203	<i>magnesium</i>	250	MAXICOMFORT SAFETY
LOTEMAX SM.....	203	<i>magnesium chloride</i>	248	PEN NEEDLE.....
<i>loteprednol etabonate</i>	203	<i>magnesium citrate</i> ... 211, 212, 213		MAYZENT.....
LOTRIMIN AF POWDER....	62	<i>magnesium oxide</i>	208, 209	MAYZENT STARTER(FOR
<i>lovastatin</i>	111	<i>magnesium sulfate</i>	249	1MG MAINT).....
<i>low-ogestrel (28)</i>	124	<i>magnesium sulfate in d5w</i>	248	MAYZENT STARTER(FOR
<i>loxapine succinate</i>	81	<i>magnesium sulfate in water</i>		2MG MAINT).....
<i>lo-zumandimine (28)</i>	124	248, 249	<i>m-dryl</i>
<i>lubiprostone</i>	208	<i>malathion</i>	144	<i>meclizine</i>
<i>lubricant eye (cmc-glycer) (pf)</i>		<i>mapap (acetaminophen)</i>	6	<i>medi-meclizine</i>
.....	197	<i>mapap arthritis pain</i>	6	<i>medroxyprogesterone</i>
<i>lubricant eye drops</i>	195, 197	<i>maraviroc</i>	87	<i>mefenamic acid</i>
<i>lubrifresh pm</i>	197	MARGENZA.....	35	<i>mefloquine</i>
LUMAKRAS.....	35	<i>marlissa (28)</i>	124	<i>mega multiplechelated mineral</i>
LUMIGAN.....	246	MARPLAN.....	52
LUNSUMIO.....	35	<i>masophen</i>	6	<i>megestrol</i>
LUPRON DEPOT.....	222	MATULANE.....	36
LUPRON DEPOT (3		<i>matzim la</i>	106	MEKINIST.....
MONTH).....	35, 222	MAVENCLAD (10 TABLET		MEKTOVI.....
LUPRON DEPOT (4		PACK).....	116	<i>meloxicam</i>
MONTH).....	35	MAVENCLAD (4 TABLET		<i>memantine</i>
LUPRON DEPOT (6		PACK).....	116	MENACTRA (PF).....
MONTH).....	35	MAVENCLAD (5 TABLET		MENQUADFI (PF).....
LUPRON DEPOT-PED.....	222	PACK).....	117	MENVEO A-C-Y-W-135-
LUPRON DEPOT-PED (3		MAVENCLAD (6 TABLET		DIP (PF).....
MONTH).....	222	PACK).....	117	MEPSEVII.....
<i>lurasidone</i>	81	MAVENCLAD (7 TABLET		<i>mercaptopurine</i>
<i>lutea (28)</i>	124	PACK).....	117	<i>meropenem</i>
LYBALVI.....	81	MAVENCLAD (8 TABLET		<i>merzee</i>
<i>lyleq</i>	124	PACK).....	117	<i>mesalamine</i>
<i>lyllana</i>	219	MAVENCLAD (9 TABLET	
LYNPARZA.....	35	PACK).....	117	MESNEX.....
LYSODREN.....	35	MAVYRET.....	90	<i>metadate er</i>
LYTGOBI.....	35	<i>maxallergy kids</i>	68	METAMUCIL.....
<i>lyza</i>	124	MAXICOMFORT II PEN		METAMUCIL (WITH
<i>mag 64</i>	248	NEEDLE.....	168	SUGAR).....
MAGELLAN INSULIN		MAXICOMFORT INSULIN		METAMUCIL FIBER
SAFETY SYRNG.....	168	SYRINGE.....	168, 169	SINGLES.....
				<i>metformin</i>

<i>methadone</i>	6	<i>miglitol</i>	55	<i>morphine</i>	6
<i>methadose</i>	6	<i>miglustat</i>	193	MORPHINE	6
<i>methazolamide</i>	246	<i>migraine formula</i>	9	<i>morphine concentrate</i>	6
<i>methenamine hippurate</i>	18	<i>mili</i>	125	<i>motion sickness (meclizine)</i>	73
<i>methimazole</i>	225	<i>milk of magnesia</i>	212, 213	<i>motion sickness relief(mecliz)</i> ..	73
<i>methocarbamol</i>	257	<i>milk of magnesia concentrated</i>	213	MOUNJARO	55
<i>methotrexate sodium</i>	36	<i>milltrium senior</i>	266	MOVANTIK	209
<i>methotrexate sodium (pf)</i>	36	<i>mimvey</i>	219	<i>moxifloxacin</i>	24, 199
<i>methoxsalen</i>	136	<i>mineral oil</i>	213	<i>moxifloxacin-sod.ace,sul-water</i> .24	
<i>methscopolamine</i>	209	<i>mineral oil extra heavy</i>	214	<i>moxifloxacin-sod.chloride(iso)</i> .24	
<i>methsuximide</i>	47	<i>mineral oil heavy</i>	213	MOZOBIL	94
<i>methyl dopa</i>	99	<i>mini enema</i>	211	<i>m-pap</i>	6
<i>methylphenidate hcl</i>	117, 118	MINI ULTRA-THIN II	169	MUCINEX	130
<i>methylprednisolone</i>	220, 221	<i>minocycline</i>	26	MUCINEX DM	130
<i>methylprednisolone acetate</i>	220	<i>minoxidil</i>	113	<i>mucinex fast-max chest-</i>	
<i>methylprednisolone sodium</i>		<i>mintox plus</i>	209	<i>congest</i>	130
<i>succ</i>	221	MIRALAX	213	<i>mucus dm</i>	130
<i>metoclopramide hcl</i>	209	<i>mirtazapine</i>	52	<i>mucus relief</i>	130
<i>metolazone</i>	109	<i>misoprostol</i>	205	<i>mucus relief cough</i>	131
<i>metoprolol succinate</i>	104	MITIGARE	64	<i>mucus relief er</i>	129, 130
<i>metoprolol ta-hydrochlorothiaz</i>		<i>mitoxantrone</i>	36	MULTAQ	103
.....	104	M-M-R II (PF)	235	<i>multi-day with iron</i>	266
<i>metoprolol tartrate</i>	104	<i>modafinil</i>	258	<i>multiple vitamin-minerals</i>	266
<i>metronidazole</i>	19, 69, 138, 139	<i>moexipril</i>	102	<i>multiple vitamins</i>	266
<i>metronidazole in nacl (iso-os)</i> ..	19	<i>molindone</i>	81	<i>multivitamin</i>	266
<i>metirosine</i>	107	<i>mometasone</i>	142, 203	<i>multivitamin 50 plus</i>	269
<i>mexiletine</i>	103	<i>mondoxyne nl</i>	26	<i>multivitamin with iron</i>	266
<i>mgo</i>	209	MONISTAT 7	62	<i>multivit-min-iron fum-folic ac</i> .266	
<i>micatin</i>	62	<i>monistat 7</i>	63	<i>mupirocin</i>	139
MICONAZOLE NITRATE ...	62	<i>monistat care (hydrocortisone)</i>		<i>murine ear</i>	199
<i>miconazole nitrate</i>	62	142	<i>muro 128</i>	197
<i>miconazole-3</i>	62	MONOJECT INSULIN		MVASI	36
<i>micotrin ac</i>	62	SAFETY SYRINGE	170, 171	<i>my choice</i>	125
MICRODOT INSULIN PEN		MONOJECT INSULIN		<i>my way</i>	125
NEEDLE	169	SYRINGE	170, 171	<i>mycophenolate mofetil</i>	229
<i>microgestin fe 1/20 (28)</i>	125	MONOJECT SYRINGE	170	<i>mycophenolate mofetil (hcl)</i> ...	229
<i>micro-guard</i>	62	MONOJECT ULTRA		<i>mycophenolate sodium</i>	229
<i>midazolam</i>	17	COMFORT INSULIN	187	<i>mycozyl ac</i>	63
<i>midodrine</i>	99	<i>mono-linyah</i>	125	<i>myferon 150</i>	266
<i>mifepristone</i>	55	<i>montelukast</i>	252	MYRBETRIQ	216

<i>nabumetone</i>	12	<i>neomycin-polymyxin-hc</i>	200	NORDITROPIN FLEXP	222
<i>nadolol</i>	104	<i>neo-polycin</i>	200	<i>norelgestromin-ethin.estradiol</i>	125
<i>nafcillin</i>	23	<i>neo-polycin hc</i>	200	<i>norethindrone (contraceptive)</i>	125
<i>nafcillin in dextrose iso-osm</i>	23	NEOSPORIN		<i>norethindrone acetate</i>	224
NAGLAZYME.....	193	MOISTURIZING.....	136	<i>norethindrone ac-eth estradiol</i>	125, 219
<i>naloxone</i>	14	<i>neo-tuss</i>	130	<i>norethindrone-e.estradiol-iron</i>	125
<i>naltrexone</i>	14	<i>nephplex rx</i>	266	<i>norgestimate-ethinyl estradiol</i>	125, 126
NAMZARIC.....	50	NEPHRON FA.....	266	NORMOSOL-M IN 5 %	
<i>naproxen</i>	12	NERLYNX.....	36	DEXTROSE.....	249
<i>naproxen sodium</i>	12	NEULASTA ONPRO.....	94	<i>nortrel 0.5/35 (28)</i>	126
<i>naratriptan</i>	70	NEUPRO.....	77	<i>nortrel 1/35 (21)</i>	126
<i>nasal decongestant (pe)</i>	99	<i>neutrogena t/sal</i>	136	<i>nortrel 1/35 (28)</i>	126
<i>nasal moisturizing</i>	196	<i>nevirapine</i>	87	<i>nortrel 7/7/7 (28)</i>	126
<i>nasal spray (oxymetazoline)</i> ..	196	<i>new day</i>	125	<i>nortriptyline</i>	52
<i>nasal spray (sodium chloride)</i>	196	NEXCARE TEGADERM...	243	NORVIR.....	87
<i>nasal spray sinus</i>	198	NEXLETOL.....	111	NOVOFINE 30.....	171
<i>nasal wash</i>	195	NEXLIZET.....	111	NOVOFINE 32.....	171
NASCOBAL.....	266	<i>niacin</i>	111, 112	NOVOFINE PLUS.....	171
NATACYN.....	199	<i>niacinamide</i>	266	NOVOLIN 70/30 U-100	
<i>nateglinide</i>	55	<i>niacor</i>	112	INSULIN.....	58
NATPARA.....	240	<i>nicardipine</i>	108	NOVOLIN 70-30 FLEXPEN	
NATRAPEL.....	136	<i>nicotine</i>	14, 15	U-100.....	58
<i>natural fiber laxative (sugar)</i>	214	<i>nicotine (polacrilex)</i>	14, 15	NOVOLIN N FLEXPEN.....	58
<i>natural psyllium fiber</i>	214	NICOTROL.....	15	NOVOLIN N NPH U-100	
<i>natural tears (pf)</i>	196	NICOTROL NS.....	15	INSULIN.....	58
NAYZILAM.....	47	<i>nifedipine</i>	108	NOVOLIN R FLEXPEN.....	58
<i>nebivolol</i>	104	<i>nikki (28)</i>	125	NOVOLIN R REGULAR	
<i>necon 0.5/35 (28)</i>	125	<i>nilutamide</i>	36	U100 INSULIN.....	58
<i>nefazodone</i>	52	NINLARO.....	36	NOVOTWIST.....	171
<i>neilmed sinus rinse complete</i> ...	197	<i>nitazoxanide</i>	75	NOXAFIL.....	63
<i>neilmed sinus rinse refill</i>	197	<i>nitisinone</i>	193	NPLATE.....	94
<i>neomycin</i>	17	<i>nitrofurantoin macrocrystal</i>	19	NUBEQA.....	36
<i>neomycin-bacitracin-poly-hc</i> ...	199	<i>nitrofurantoin monohydlm-</i> <i>cryst</i>	19	NUCALA.....	255
<i>neomycin-bacitracin-</i> <i>polymyxin</i>	200	<i>nitroglycerin</i>	113, 136	<i>nu-iron</i>	267
<i>neomycin-polymyxin b gu</i>	139	NIVESTYM.....	94	NULOJIX.....	230
<i>neomycin-polymyxin b-</i> <i>dexameth</i>	200	<i>nizatidine</i>	205	<i>nu-mag</i>	249
<i>neomycin-polymyxin-</i> <i>gramicidin</i>	200	<i>non-aspirin</i>	6	NUPLAZID.....	81
		<i>non-aspirin pain relief</i>	8	NURTEC ODT.....	70
		NON-STICK PAD.....	243		

NUTRILIPID.....	99	OMNIPOD 5 G6 INTRO		<i>one daily plus minerals</i>	267
<i>nyamyc</i>	63	KIT (GEN 5).....	171	<i>one-a-day essential</i>	267
<i>nylia 1/35 (28)</i>	126	OMNIPOD 5 G6 PODS		<i>one-a-day maximum formula</i> ..	267
<i>nylia 7/7/7 (28)</i>	126	(GEN 5).....	171	<i>one-a-day men's multivitamin</i> ..	267
<i>nymyo</i>	126	OMNIPOD 5 G6-G7 INTRO		<i>one-a-day teen advantage</i>	267
<i>nystatin</i>	63	KT(GEN5).....	171	<i>onevite daily multivitamin</i>	267
<i>nystatin-triamcinolone</i>	63	OMNIPOD 5 G6-G7 PODS		ONGENTYS.....	77
<i>nystop</i>	63	(GEN 5).....	171	ONTRUZANT.....	37
NYVEPRIA.....	94	OMNIPOD CLASSIC PODS		ONUREG.....	37
<i>obstetrix dha prenatal duo</i>	267	(GEN 3).....	171	<i>opcicon one-step</i>	126
OICALIVA.....	209	OMNIPOD DASH INTRO		OPDIVO.....	37
<i>ocean nasal</i>	197	KIT (GEN 4).....	171	OPDUALAG.....	37
OCREVUS.....	118	OMNIPOD DASH PDM		OPSITE FLEXIGRID	
OCTAGAM.....	230	KIT (GEN 4).....	171	DRESSING.....	243
<i>octreotide acetate</i>	223	OMNIPOD DASH PODS		OPSUMIT.....	258
OCUSOFT LID SCRUB.....	197	(GEN 4).....	172	<i>option-2</i>	126
OCUSOFT LID SCRUB		OMNIPOD GO PODS.....	172	<i>oralone</i>	132
PLUS.....	197	OMNIPOD GO PODS 10		<i>oralyte</i>	249
<i>ocutabs</i>	267	UNITS/DAY.....	172	ORENCIA.....	230
ODEFSEY.....	87	OMNIPOD GO PODS 15		ORENCIA (WITH	
ODOMZO.....	36	UNITS/DAY.....	172	MALTOSE).....	230
<i>odor control foot-sneaker</i>	63	OMNIPOD GO PODS 20		ORENCIA CLICKJECT.....	230
OFEV.....	256	UNITS/DAY.....	172	ORFADIN.....	193
<i>ofloxacin</i>	200	OMNIPOD GO PODS 25		ORGOVYX.....	223
OGIVRI.....	36	UNITS/DAY.....	172	ORILISSA.....	223
OGSIVEO.....	37	OMNIPOD GO PODS 30		ORKAMBI.....	256
OJJAARA.....	37	UNITS/DAY.....	172	ORSERDU.....	37
<i>olanzapine</i>	81	OMNIPOD GO PODS 40		<i>oseltamivir</i>	89
<i>olmesartan</i>	100	UNITS/DAY.....	172	OSMOLEX ER.....	77
<i>olmesartan-amlodipin-</i>		<i>onccor</i>	267	OTEZLA.....	230
<i>hcthiazyd</i>	101	<i>oncovite</i>	267	OTEZLA STARTER.....	230
<i>olmesartan-</i>		<i>ondansetron</i>	74	<i>overnight lubricating eye</i>	196
<i>hydrochlorothiazide</i>	101	<i>ondansetron hcl</i>	74	<i>oxaliplatin</i>	37
<i>olopatadine</i>	197	<i>ondansetron hcl (pf)</i>	73, 74	<i>oxandrolone</i>	218
OLUMIANT.....	230	<i>one daily complete</i>	267	<i>oxazepam</i>	17
<i>omega-3 acid ethyl esters</i>	112	<i>one daily energy</i>	270	<i>oxcarbazepine</i>	47
<i>omeprazole</i>	206	<i>one daily essential</i>	265, 267	OXLUMO.....	243
<i>omeprazole magnesium</i> ... 205, 206		<i>one daily for women</i>	267	<i>oxybutynin chloride</i>	216
<i>omeprazole-sodium</i>		<i>one daily maximum</i>	267, 270	<i>oxycodone</i>	7
<i>bicarbonate</i>	206	<i>one daily multivitamin</i>	267	<i>oxycodone-acetaminophen</i>	7

OXYCONTIN.....	7	PENBRAYA MENACWY		<i>phosphorous</i>	249
<i>oxymorphone</i>	7	COMPONENT(PF).....	235	<i>phospho-trin 250 neutral</i>	249
<i>oysco 500/d</i>	267	PENBRAYA MENB		<i>phytonadione (vitamin k1)</i>	268
<i>oyster shell calcium 500</i>	249	COMPONENT (PF).....	235	PIFELTRO.....	87
<i>oyster shell calcium-vit d3</i> 268, 270		<i>penciclovir</i>	136	<i>pilocarpine hcl</i>	132, 246
<i>oystercal-d</i>	268	<i>penicillamine</i>	217	<i>pimecrolimus</i>	142
OZEMPIC.....	55, 56	<i>penicillin g potassium</i>	23	<i>pimozide</i>	81
<i>pacerone</i>	103	<i>penicillin g procaine</i>	24	<i>pimtrea (28)</i>	126
<i>paclitaxel</i>	37	<i>penicillin v potassium</i>	24	<i>pindolol</i>	104
<i>paclitaxel protein-bound</i>	37	PENTACEL (PF).....	235	<i>pink bismuth</i>	209
<i>pain relief adult</i>	5, 7	<i>pentamidine</i>	75	<i>pioglitazone</i>	56
<i>pain reliever plus</i>	12	PENTIPS.....	173	<i>pioglitazone-metformin</i>	56
<i>paliperidone</i>	81	<i>pentoxifylline</i>	96	PIP PEN NEEDLE.....	173
PALYNZIQ.....	194	<i>periguard</i>	136	<i>piperacillin-tazobactam</i>	24
<i>pamidronate</i>	240	<i>perindopril erbumine</i>	102	PIQRAY.....	38
PANRETIN.....	136	<i>periogard</i>	132	<i>pirfenidone</i>	256
<i>pantoprazole</i>	206	<i>permethrin</i>	144	<i>pirmella</i>	126
<i>paricalcitol</i>	240	<i>perphenazine</i>	81	<i>piroxicam</i>	12
<i>paroex oral rinse</i>	132	<i>perphenazine-amitriptyline</i>	53	PLASMA-LYTE A.....	249
<i>paromomycin</i>	75	<i>persa-gel</i>	136	PLEGRIDY.....	118
<i>paroxetine hcl</i>	53	PERSERIS.....	81	<i>plerixafor</i>	94
PAXLOVID.....	89	<i>petrolatum</i>	136	<i>pnv cmb#95-ferrous fumarate-</i>	
<i>pazopanib</i>	37	PETROLEUM JELLY.....	136	<i>fa</i>	269
<i>p-col rite</i>	214	<i>pfizerpen-g</i>	24	<i>podofilox</i>	136
<i>pedia tri-vite</i>	268	<i>pharbetol</i>	7, 8	<i>polycin</i>	200
PEDIARIX (PF).....	235	PHAZYME.....	204	<i>polyethylene glycol 3350</i>	214
<i>pediatric electrolyte</i>	249, 250	<i>phenelzine</i>	53	<i>polymyxin b sulfate</i>	19
<i>pediatric freezer pops</i>	250	<i>phenobarbital</i>	47	<i>polymyxin b sulf-trimethoprim</i>	200
<i>pediatric tri-vite</i>	268	<i>phenylephrine hcl</i>	100	<i>polysaccharide iron complex</i> ...	268
PEDVAX HIB (PF).....	235	<i>phenytoin</i>	47	POLYSKIN II.....	243
PEGASYS.....	90	<i>phenytoin sodium</i>	47	<i>polyvinyl alcohol</i>	197
<i>peg-electrolyte soln</i>	214	<i>phenytoin sodium extended</i>	47	POLY-VI-SOL.....	268
PEMAZYRE.....	37	<i>philith</i>	126	POLY-VI-SOL WITH IRON.....	268
<i>pemetrexed disodium</i>	37, 38	<i>phillips</i>	209	POMALYST.....	38
PEN NEEDLE.....	162, 173, 175	<i>phillips' liqui-gels</i>	214	<i>portia 28</i>	126
PEN NEEDLE, DIABETIC		PHILLIPS MILK OF		<i>posaconazole</i>	63
.....	152, 153, 169, 172, 173, 175	MAGNESIA.....	214	<i>potassium chloride</i>	249, 250
PEN NEEDLE, DIABETIC,		PHOS-FLUR.....	132	<i>potassium chloride-0.45 % nacl</i>	
SAFETY.....	176	PHOSLYRA.....	215	250
PENBRAYA (PF).....	235	<i>phospha 250 neutral</i>	249	<i>potassium citrate</i>	250

<i>potassium citrate-citric acid</i>	250	<i>probenecid</i>	64	<i>pyrazinamide</i>	72
<i>povidone-iodine</i>	136	<i>probenecid-colchicine</i>	64	<i>pyridostigmine bromide</i>	243
PRALUENT PEN.....	112	<i>procainamide</i>	103	<i>pyridoxine (vitamin b6)</i> ..	271, 272
<i>pramipexole</i>	77	<i>prochlorperazine</i>	74	<i>pyrimethamine</i>	75
<i>prasugrel</i>	96	<i>prochlorperazine edisylate</i>	74	QINLOCK.....	38
<i>pravastatin</i>	112	<i>prochlorperazine maleate</i>	74	QUADRACEL (PF).....	236
<i>prazosin</i>	100	<i>proctosol hc</i>	142	<i>quetiapine</i>	82
<i>prednicarbate</i>	142	<i>proctozone-hc</i>	142	<i>quinapril</i>	102
<i>prednisolone</i>	221	PRODIGY INSULIN		<i>quinapril-hydrochlorothiazide</i> ..	102
<i>prednisolone acetate</i>	203	SYRINGE.....	174	<i>quinidine gluconate</i>	103
<i>prednisolone sodium phosphate</i>		<i>progesterone</i>	224	<i>quinidine sulfate</i>	103
.....	203, 221	<i>progesterone micronized</i>	224	<i>quinine sulfate</i>	75
<i>prednisone</i>	221	PROGRAF.....	230	QULIPTA.....	70
<i>pregabalin</i>	47	PROLASTIN-C.....	256	RABAVERT (PF).....	236
PREHEVBRIO (PF).....	235	PROLIA.....	240	<i>rabeprazole</i>	206
PREMARIN.....	219, 220	PROMACTA.....	94, 95	RADICAVA.....	118
PREMPHASE.....	220	<i>promethazine</i>	68, 74	<i>raloxifene</i>	220
PREMPRO.....	220	<i>promethegan</i>	74	<i>ramipril</i>	102
<i>prenatal</i>	269	<i>promolaxin</i>	214	<i>ranolazine</i>	107
<i>prenatal 19 (with docusate)</i> ...	269	<i>propafenone</i>	103	<i>rasagiline</i>	77
<i>prenatal one daily</i>	269	<i>proparacaine</i>	197	RASUVO (PF).....	230
<i>prenatal vit no.179-iron-folic</i> ...	269	<i>propranolol</i>	104, 105	RAVICTI.....	209
<i>preparation h hydrocortisone</i> ..	142	<i>propranolol-hydrochlorothiazid</i>		RAYALDEE.....	240
PRETOMANID.....	72	105	<i>reclipsen (28)</i>	126
<i>prevalite</i>	112	<i>propylthiouracil</i>	225	RECOMBIVAX HB (PF).....	236
PREVENT DROPSAFE		PROQUAD (PF).....	236	RECTIV.....	243
PEN NEEDLE.....	173, 174	<i>prosight</i>	269	<i>redutemp</i>	8
PREVYMIS.....	89	PROSOL 20 %.....	99	<i>refenesen</i>	130
PREZCOBIX.....	87	<i>protamine</i>	96	REFRESH CLASSIC (PF) ...	198
PREZISTA.....	87	<i>protriptyline</i>	53	REFRESH LACRI-LUBE...	198
PRIFTIN.....	72	<i>provil</i>	12	REFRESH LIQUIGEL.....	198
PRIMAQUINE.....	75	<i>pseudoephedrine hcl</i>	130	REFRESH OPTIVE MEGA-	
<i>primidone</i>	47	<i>psyllium husk</i>	214	3 (PF).....	200
PRIORIX (PF).....	236	PULMOZYME.....	194	REFRESH P.M.....	198
PRIVIGEN.....	230	PURE COMFORT PEN		REFRESH TEARS.....	198
PRO COMFORT INSULIN		NEEDLE.....	175	REGRANEX.....	137
SYRINGE.....	174	PURE COMFORT SAFETY		<i>reguloid (psyllium husk)</i>	214
PRO COMFORT PEN		PEN NEEDLE.....	175	REGULOID (PSYLLIUM	
NEEDLE.....	174	<i>purelax</i>	211	HUSK-SUCRO).....	214
PROAIR RESPICLICK.....	254	PURIXAN.....	38	<i>reguloid, sugar free</i>	214

RELENZA DISKHALER.....	90	RITUXAN HYCELA.....	38	SCEMBLIX.....	39
RELEUKO.....	95	<i>rivastigmine</i>	50	<i>scopolamine base</i>	74
RELION NEEDLES.....	176	<i>rivastigmine tartrate</i>	50	<i>scot-tussin expectorant</i>	131
RELION PEN NEEDLES....	176	RIVFLOZA.....	243, 244	SECUADO.....	82
RELISTOR.....	209, 210	<i>rizatriptan</i>	70, 71	SECURESAFE INSULIN	
RENFLEXIS.....	230	<i>robafen</i>	130	SYRINGE.....	177
<i>repaglinide</i>	56	<i>robafen cf (phenylephrine)</i>	130	SECURESAFE PEN	
<i>repaglinide-metformin</i>	56	<i>robafen dm peak cold</i>	131	NEEDLE.....	176
REPATHA PUSHTRONEX	112	<i>robitussin cough and cold cf</i>	131	<i>selegiline hcl</i>	77
REPATHA SURECLICK....	112	<i>robitussin cough-chest cong dm</i>		<i>selenium sulfide</i>	139
REPATHA SYRINGE.....	112	131	<i>selsun blue (salicylic acid)</i>	137
<i>repelemon eucalyptus</i>	137	ROBITUSSIN COUGH-		SELZENTRY.....	88
REPLICARE THIN.....	176	SORE THROAT.....	131	SEMGLEE(INSULIN	
RESTASIS.....	203	ROCKLATAN.....	246	GLARGINE-YFGN).....	59
RESTASIS MULTIDOSE....	203	<i>roflumilast</i>	256	SEMGLEE(INSULIN	
RESTORE EXTRA THIN		ROLVEDON.....	95	GLARG-YFGN)PEN.....	59
DRESSING.....	176	<i>ropinirole</i>	77	<i>senexon-s</i>	214
RETACRIT.....	95	<i>rosadan</i>	139	<i>senna</i>	214
RETEVMO.....	38	<i>rosuvastatin</i>	112	<i>senna lax</i>	214
RETROVIR.....	87	ROTARIX.....	236	<i>senna laxative</i>	213
REVCOVI.....	194	ROTATEQ VACCINE.....	237	<i>senno</i>	214
<i>revonto</i>	257	ROZLYTREK.....	38	<i>senno sides-docusate sodium</i>	215
REXULTI.....	82	RUBRACA.....	38	<i>senokot-s</i>	215
REYATAZ.....	87	<i>rufinamide</i>	48	SEREVENT DISKUS.....	254
REZLIDHIA.....	38	RUKOBIA.....	88	SEROSTIM.....	223
REZUROCK.....	231	RUXIENCE.....	38	<i>sertraline</i>	53
RHOPRESSA.....	246	RYBELSUS.....	56	<i>setlakin</i>	126
RIABNI.....	38	RYBREVANT.....	38	<i>sevelamer carbonate</i>	215
<i>ribavirin</i>	91	RYDAPT.....	39	<i>sevelamer hcl</i>	216
RIDAURA.....	231	SAFESNAP INSULIN		SEZABY.....	48
<i>rifabutin</i>	72	SYRINGE.....	176	<i>sf 5000 plus</i>	132
<i>rifampin</i>	72	SAFETY PEN NEEDLE.....	176	<i>sharobel</i>	126
<i>rilpivirine</i>	87	<i>sajazir</i>	107	SHINGRIX (PF).....	237
<i>riluzole</i>	118	<i>saline nasal</i>	196	SIGNIFOR.....	223
<i>rimantadine</i>	90	<i>saline nasal mist</i>	196	<i>silace</i>	215
RINVOQ.....	231	<i>saline nose</i>	197	<i>sildenafil (pulm.hypertension)</i>	
<i>risedronate</i>	240	<i>saline wound wash</i>	135	258, 259
<i>risperidone</i>	82	SANTYL.....	137	<i>silver sulfadiazine</i>	139
<i>risperidone microspheres</i>	82	<i>sapropterin</i>	194	SIMBRINZA.....	246
<i>ritonavir</i>	87	SAVELLA.....	119	<i>simethicone</i>	204

<i>simliya (28)</i>	127	SPIRIVA WITH	<i>sulfamethoxazole-trimethoprim</i> 25
<i>simpesse</i>	127	HANDIHALER	<i>sulfasalazine</i>239
<i>simvastatin</i>	112	<i>spironolactone</i>	109, 113
<i>sinus pressure-cong relief pe</i>	100	<i>spironolacton-hydrochlorothiaz</i>109
<i>sinus relief (oxymetazoline)</i> ...	198	SPRAVATO	53
<i>sinus rinse</i>	198	<i>sprintec (28)</i>	127
<i>sinus rinse starter</i>	198	SPRITAM	48
<i>sinus wash</i>	197	SPRYCEL	39
<i>sirolimus</i>	231	<i>sps (with sorbitol)</i>	210
SIRTURO	72	<i>sronyx</i>	127
<i>skin treatment</i>	134	<i>ssd</i>	139
SKY SAFETY PEN		<i>st joseph aspirin</i>	12
NEEDLE	177	<i>st. joseph aspirin</i>	12
SKYRIZI	231	<i>stavudine</i>	88
SLYND	127	STELARA	231
<i>sodium bicarbonate</i>	210	STIMUFEND	95
<i>sodium chloride</i>	196, 198, 251	<i>stimulant laxative plus</i>	215
<i>sodium chloride 0.45 %</i>	251	STIOLTO RESPIMAT	254
<i>sodium chloride 0.9 %</i>	251	STIVARGA	39
<i>sodium citrate-citric acid</i>	251	<i>stomach relief</i>	210
<i>sodium ferric gluconat-sucrose</i>	270	<i>stool softener</i>	213, 215
<i>sodium fluoride</i>	132	<i>stop smoking aid</i>	15
<i>sodium fluoride-pot nitrate</i>	132	STRENSIQ	194
<i>sodium oxybate</i>	258	<i>streptomycin</i>	17
<i>sodium phenylbutyrate</i>	210	<i>stress formula</i>	270
<i>sodium polystyrene sulfonate</i> ..	210	<i>stress formula with iron</i>	270
<i>sodium,potassium,mag sulfates</i>	215	<i>stress formula with iron(sulf)</i> .	270
SOLQUA 100/33	59	<i>stress formula with zinc</i>	270
SOLTAMOX	39	STRIBILD	88
SOLU-CORTEF ACT-O-		STRIVERDI RESPIMAT ...	254
VIAL (PF)	221	SUBLOCADE	15
SOMATULINE DEPOT	223	<i>subvenite</i>	48
SOMAVERT	223	<i>sucralfate</i>	206
<i>soothing pureway-c</i>	270	<i>sudogest</i>	131
<i>sorafenib</i>	39	<i>sudogest cold and allergy</i>	68
<i>sorine</i>	105	<i>sulfacetamide sodium</i>	201
<i>sotalol</i>	105	<i>sulfacetamide sodium (acne)</i> ..	139
<i>sotalol af</i>	105	<i>sulfacetamide-prednisolone</i>	201
SPIRIVA RESPIMAT	254	<i>sulfadiazine</i>	25

SYNAREL.....	224	TECENTRIQ.....	40	<i>theophylline</i>	254
SYNJARDY.....	56	TECHLITE INSULIN		<i>thera</i>	271
SYNJARDY XR.....	56	SYRINGE.....	179, 180	<i>thera m plus (ferrous fumarat)</i>	
SYNRIBO.....	39	TECHLITE INSULN		271
SYRINGE WITH NEEDLE, SAFETY.....	176	SYR(HALF UNIT).....	179	<i>thera-d</i>	271
SYSTANE (PROPYLENE GLYCOL).....	198	TECHLITE PEN NEEDLE.	180	THERAFLU MULTI-	
SYSTANE BALANCE.....	198	TECVAYLI.....	40	SYMPTOM COLD.....	131
SYSTANE GEL.....	198	TEFLARO.....	21	<i>thera-gel</i>	137
SYSTANE NIGHTTIME.....	198	TELFA OUCHLESS NON-		<i>thera-m</i>	271
<i>tab-a-vite</i>	271	ADHERENT.....	244	<i>therapeutic t plus</i>	137
<i>tab-a-vite multivitamin w-iron</i>	271	<i>telmisartan</i>	101	<i>thera-tabs</i>	271
TABLOID.....	39	<i>telmisartan-amlodipine</i>	101	THERATEARS.....	198
TABRECTA.....	39	<i>telmisartan-hydrochlorothiazid</i>		<i>therems multivitamin</i>	271
<i>tacrolimus</i>	143, 231	101	<i>thiamine hcl (vitamin b1)</i>	272
<i>tadalafil</i>	259	<i>temazepam</i>	17	THINPRO INSULIN	
<i>tadalafil (pulm. hypertension)</i>	259	TEMIXYS.....	88	SYRINGE.....	181
TAFINLAR.....	39	<i>tencon</i>	8	<i>thioridazine</i>	82
<i>tafluprost (pf)</i>	246	TENIVAC (PF).....	237	<i>thiothixene</i>	82
TAGRISSO.....	39	<i>tenofovir disoproxil fumarate</i>	88	<i>tiadylt er</i>	106
<i>take action</i>	127	<i>tension headache</i>	4, 8	<i>tiagabine</i>	48
TAKHZYRO.....	244	<i>tension headache pain reliever</i>	8	TIBSOVO.....	40
TALTZ AUTOINJECTOR..	231	TEPEZZA.....	198	TICE BCG.....	40
TALTZ SYRINGE.....	232	TEPMETKO.....	40	TICOVAC.....	237
TALVEY.....	39	<i>terazosin</i>	217	<i>tigecycline</i>	26
TALZENNA.....	40	<i>terbinafine hcl</i>	64	<i>timolol maleate</i>	105, 246
<i>tamoxifen</i>	40	<i>terbutaline</i>	254	TINACTIN.....	64
<i>tamsulosin</i>	217	<i>terconazole</i>	69	<i>tinidazole</i>	75
<i>tarina 24 fe</i>	127	<i>teriflunomide</i>	119	<i>tiopronin</i>	217
<i>tarina fe 1-20 eq (28)</i>	127	<i>teriparatide</i>	240	TIVDAK.....	40
TASCENSO ODT.....	119	TERUMO INSULIN		TIVICAY.....	88
TASIGNA.....	40	SYRINGE.....	180, 181	TIVICAY PD.....	88
<i>tasimelteon</i>	258	<i>testosterone</i>	218	<i>tizanidine</i>	257
TAVALISSE.....	96	<i>testosterone cypionate</i>	218	TOBI PODHALER.....	17
<i>tazarotene</i>	143	<i>testosterone enanthate</i>	218	<i>tobramycin</i>	18, 201
TAZORAC.....	143	TETANUS,DIPHThERIA		<i>tobramycin in 0.225 % nacl</i>	18
<i>taztia xt</i>	106	TOX PED(PF).....	237	<i>tobramycin sulfate</i>	18
TAZVERIK.....	40	<i>tetrabenazine</i>	119	<i>tobramycin-dexamethasone</i>	201
TDVAX.....	237	<i>tetracycline</i>	26	<i>tolmetin</i>	12
		THALOMID.....	244	<i>tolnaftate</i>	64
		<i>the magic bullet</i>	213	<i>tolterodine</i>	216

TOPCARE CLICKFINE.....	181	<i>triamcinolone acetonide</i>		TRUE COMFORT PEN	
TOPCARE ULTRA		132, 143, 203, 221	NEEDLE.....	182
COMFORT.....	181	<i>triamterene-hydrochlorothiazid</i>		TRUE COMFORT PRO INS	
<i>topiramate</i>	48	110	SYRINGE.....	181, 182, 183
<i>toposar</i>	40	<i>triazolam</i>	17	TRUE COMFORT SAFETY	
<i>toremifene</i>	40	<i>tricitrates</i>	251	PEN NEEDLE.....	182
<i>torseamide</i>	110	<i>trientine</i>	217	<i>trueplus glucose</i>	99
<i>total allergy medicine</i>	69	<i>tri-estarylla</i>	127	TRUEPLUS INSULIN.	183, 184
TOTECT.....	244	<i>trifluoperazine</i>	82	TRUEPLUS PEN NEEDLE	183
TOUJEO MAX U-300		<i>trifluridine</i>	201	TRULICITY.....	57
SOLOSTAR.....	59	<i>trihexyphenidyl</i>	77	TRUMENBA.....	237
TOUJEO SOLOSTAR U-300		TRIJARDY XR.....	56, 57	TRUQAP.....	41
INSULIN.....	59	TRIKAFTA.....	256	TRUSELTIQ.....	41
<i>t-plus</i>	137	<i>tri-legest fe</i>	127	TRUXIMA.....	41
TRACLEER.....	259	<i>tri-linyah</i>	127	TUKYSA.....	41
TRADJENTA.....	56	<i>tri-lo-estarylla</i>	127	<i>tulana</i>	128
<i>tramadol</i>	8	<i>tri-lo-marzia</i>	127	TURALIO.....	41
<i>tramadol-acetaminophen</i>	8	<i>tri-lo-mili</i>	127	<i>turqoz (28)</i>	128
<i>trandolapril</i>	102	<i>tri-lo-sprintec</i>	127	<i>tussin</i>	129
<i>trandolapril-verapamil</i>	102	<i>trimethoprim</i>	19	<i>tussin chest congestion</i>	130
<i>tranexamic acid</i>	96	<i>tri-mili</i>	127	<i>tussin cough-chest congestion</i> ..	130
TRANSPARENT		<i>trimipramine</i>	53	<i>tussin dm</i>	130
DRESSINGS.....	241, 243	TRINTELLIX.....	53	<i>tussin dm max</i>	130, 131
<i>tranylcypromine</i>	53	<i>tri-nymyo</i>	127	TWINRIX (PF).....	237
TRAVASOL 10 %.....	99	<i>triple antibiotic</i>	139	<i>tyblume</i>	128
<i>travel-ease (meclizine)</i>	74	TRIPTODUR.....	224	TYBOST.....	244
<i>travoprost</i>	246	<i>tri-sprintec (28)</i>	128	<i>tylophen</i>	8
TRAZIMERA.....	40	TRIUMEQ.....	88	TYMLOS.....	240
<i>trazodone</i>	53	TRIUMEQ PD.....	88	TYPHIM VI.....	237
TRECATOR.....	72	TRI-VI-SOL.....	271	TYSABRI.....	232
TRELEGY ELLIPTA.....	255	<i>trivora (28)</i>	128	TYVASO.....	259
TRELSTAR.....	40	<i>tri-vylibra</i>	128	UBRELVY.....	71
TREMFYA.....	232	<i>tri-vylibra lo</i>	128	UDENYCA.....	95
<i>treprostinil sodium</i>	259	TRIZIVIR.....	88	UDENYCA	
<i>tretinoin</i>	143, 144	TROGARZO.....	89	AUTOINJECTOR.....	95
<i>tretinoin (antineoplastic)</i>	41	TROPHAMINE 10 %.....	99	UDENYCA ONBODY.....	95
TRIAD WOUND		<i>trosipium</i>	216	ULTICARE.....	184, 185
DRESSING.....	244	TRUE COMFORT		ULTICARE INSULIN	
		INSULIN SYRINGE.....	182	SYRINGE.....	184

ULTICARE INSULN	UNIFINE PENTIPS	VELCADE.....41
SYR(HALF UNIT)..... 184172, 189, 190	<i>velivet triphasic regimen (28)</i> . 128
ULTICARE PEN NEEDLE	UNIFINE PENTIPS	VELPHORO.....216
..... 184, 185	MAXFLOW190	VELTASSA.....210
ULTICARE SAFETY PEN	UNIFINE PENTIPS PLUS.. 190	VEMLIDY89
NEEDLE..... 185	UNIFINE PENTIPS PLUS	VENCLEXTA..... 41
ULTIGUARD SAFEPAK-	MAXFLOW190	VENCLEXTA STARTING
INSULIN SYR..... 185, 186	UNIFINE PROTECT190	PACK..... 41
ULTIGUARD SAFEPAK-	UNIFINE SAFECONTROL 191	<i>venlafaxine</i> 53, 54
PEN NEEDLE..... 185, 186	UNIFINE ULTRA PEN	<i>venlafaxine besylate</i> 53
ULTILET INSULIN	NEEDLE..... 191	<i>verapamil</i> 106
SYRINGE..... 165, 166, 186	UPTRAVI.....259	VERIFINE INSULIN
ULTILET PEN NEEDLE.... 186	<i>ursodiol</i> 210	SYRINGE..... 191, 192
ULTRA CMFT INS SYR	UZEDY 83	VERIFINE PEN NEEDLE
(HALF UNIT).....163, 177	VAGINAL 191, 192
ULTRA COMFORT	CONTRACEPTIVE FILM.. 128	VERIFINE PLUS PEN
INSULIN SYRINGE	<i>valacyclovir</i> 91	NEEDLE..... 192
..... 157, 163, 186, 187	VALCHLOR.....137	VERIFINE PLUS PEN
ULTRA FLO INSUL	<i>valganciclovir</i> 91	NEEDLE-SHARP..... 192
SYR(HALF UNIT)..... 187	<i>valproate sodium</i> 48	VERQUVO..... 107
ULTRA FLO INSULIN	<i>valproic acid</i>48	VERSACLOZ..... 83
SYRINGE..... 187, 188	<i>valproic acid (as sodium salt)</i> ...48	<i>verticalm</i> 74
ULTRA FLO PEN NEEDLE	<i>valsartan</i> 101	VERZENIO..... 41
.....187	<i>valsartan-hydrochlorothiazide</i> . 101	<i>vestura (28)</i> 128
<i>ultra strength antacid</i>207	VALTOCO..... 48	V-GO 20..... 192
ULTRA THIN PEN	VANATAB DM.....131	V-GO 30..... 192
NEEDLE..... 188	<i>vancomycin</i> 19	V-GO 40..... 192
ULTRACARE INSULIN	VANFLYTA.....41	<i>vicks sinex ultra fine mist 12</i> ... 198
SYRINGE.....188	<i>vanicream hc</i> 143	<i>vienna</i> 128
ULTRACARE PEN	VANISHPOINT INSULIN	<i>vigabatrin</i>49
NEEDLE..... 188, 189	SYRINGE.....191	<i>vigadrone</i> 49
ULTRA-THIN II (SHORT)	VANISHPOINT SYRINGE. 191	<i>vigpoder</i> 49
INS SYR..... 189	VAQTA (PF).....238	<i>vilazodone</i> 54
ULTRA-THIN II (SHORT)	<i>varenicline</i> 15	VIMIZIM.....194
PEN NDL..... 189	VARIVAX (PF)..... 238	<i>vinblastine</i>42
ULTRA-THIN II INS PEN	VASCEPA.....112	<i>vincasar pfs</i> 42
NEEDLES..... 189	VASELINE..... 137	<i>vincristine</i>42
ULTRA-THIN II INSULIN	<i>vaseline white petroleum</i> 137	<i>vinorelbine</i>42
SYRINGE.....189	VEGZELMA..... 41	<i>violele (28)</i> 128
UNIFINE PEN NEEDLE.... 189	VEKLURY91	VIRACEPT.....89

VIREAD.....	89	wal-dryl allergy.....	69	XGEVA.....	240
vision.....	272	wal-fex allergy.....	69	XHANCE.....	203
vision plus lutein.....	272	walgreens dry skin treatment..	135	XIFAXAN.....	19
VISTOGARD.....	244	wal-itin.....	66, 69	XIGDUO XR.....	57
vit a palmitate-vit c-vit d3	265, 268	wal-itin d.....	69	XIIDRA.....	203
vitafol.....	272	wal-itin d 12 hour.....	69	XOFLUZA.....	90
vitalets.....	272	WAL-MUCIL FIBER		XOLAIR.....	257
vitamin a.....	272	(ASPARTAME).....	215	XOSPATA.....	42
vitamin b complex.....	260, 269	wal-phed.....	131	XPOVIO.....	42, 43
vitamin b complex-folic acid...	272	wal-phed d.....	131	XTAMPZA ER.....	8
vitamin b-1.....	261	wal-phed pe.....	100	XTANDI.....	43
vitamin b-12.....	260	wal-profen.....	12	xulane.....	128
vitamin b-6.....	272	wal-tussin.....	131	XULTOPHY 100/3.6.....	59
vitamin c.....	265, 270, 272	wal-tussin dm clear.....	131	XYOSTED.....	218
vitamin c with rose hips.....	262	wal-zyr (cetirizine).....	69	xyzbac.....	273
vitamin d3.....	270, 273	wal-zyr (ketotifen).....	198	yargesa.....	194
vitamin k.....	273	wal-zyr d.....	69	YERVOY.....	43
vitamin k1.....	273	warfarin.....	93	YF-VAX (PF).....	238
vitamins b complex.....	260, 272	WELIREG.....	42	YONSA.....	43
vitamins for hair.....	273	wera (28).....	128	yuvafem.....	220
vitatrum.....	273	WHITE PETROLATUM		zafemy.....	129
VITRAKVI.....	42	134, 137	zafirlukast.....	252
vitrum senior.....	273	WHITE PETROLEUM		zaleplon.....	258
vits a and d-white pet-lanolin...	137	JELLY.....	138	zantac 75.....	206
VIZIMPRO.....	42	wixela inhub.....	252	zantac-360 (famotidine).....	206
VOCABRIA.....	89	wound wash saline.....	134	zarah.....	129
volnea (28).....	128	XADAGO.....	77	ZARXIO.....	95
VONJO.....	42	XALKORI.....	42	zeasorb af.....	64
voriconazole.....	64	XARELTO.....	93	zebutal.....	8
VOSEVI.....	90	XARELTO DVT-PE TREAT		ZEGALOGUE	
votriza-al.....	64	30D START.....	93	AUTOINJECTOR.....	244
VOWST.....	244	XATMEP.....	42	ZEGALOGUE SYRINGE...	244
VPRIV.....	194	XCOPRI.....	49	ZEJULA.....	43
VRAYLAR.....	83	XCOPRI MAINTENANCE		ZELBORAF.....	43
VUMERITY.....	119	PACK.....	49	zenatane.....	138
vyfemla (28).....	128	XCOPRI TITRATION		ZENPEP.....	194
vylibra.....	128	PACK.....	49	zidovudine.....	89
VYZULTA.....	246	XELJANZ.....	232	ZIEXTENZO.....	96
wal-act d cold and allergy.....	69	XELJANZ XR.....	232	zinc oxide.....	137, 138
wal-dram 2.....	74	XERMELO.....	210	zinc oxide diaper cream.....	134

<i>ziprasidone hcl</i>	83
<i>ziprasidone mesylate</i>	83
ZIRABEV.....	43
ZIRGAN.....	201
ZOLADEX.....	43
<i>zoledronic acid</i>	241
<i>zoledronic acid-mannitol-water</i>	241
ZOLINZA.....	43
<i>zolmitriptan</i>	71
<i>zolpidem</i>	258
ZONISADE.....	49
<i>zonisamide</i>	49
<i>zostrix-hp</i>	138
<i>zostrix-hp foot</i>	138
<i>zovia 1-35 (28)</i>	129
ZTALMY.....	49
ZTLIDO.....	13
<i>zumandimine (28)</i>	129
ZURZUVAE.....	54
ZYDELIG.....	43
ZYKADIA.....	43
ZYLET.....	201
ZYNLONTA.....	43
ZYNYZ.....	44
ZYPREXA RELPREVV ..	83, 84
ZYRTEC.....	69
<i>zyvit</i>	273