



**Your Plan  
YOUR WAY**  
PHP Care Complete FIDA-IDD  
(Medicare - Medicaid Plan)

# 2024 FORMULARY

## (LIST OF COVERED DRUGS)

Updated on **08/27/2024**

**Important Information About What You Pay for Vaccines:** Some vaccines are considered medical benefits. Other vaccines are considered Part drugs. Our plan covers most Part D vaccines at no cost to you. For more recent information or other questions, contact us at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week, or visit [www.phpcares.org](http://www.phpcares.org).

# PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) | 2024 List of Covered Drugs (Formulary)

## Introduction

This document is called the *List of Covered Drugs* (also known as the Drug List). It tells you which prescription drugs over-the-counter drugs and items are covered by PHP Care Complete FIDA-IDD Plan. The Drug List also tells you if there are any special rules or restrictions on any drugs covered by PHP Care Complete FIDA-IDD Plan. Key terms and their definitions appear in the last chapter of the *Participant Handbook*.

## Table of Contents

A. Disclaimers.....	3
B. Frequently Asked Questions (FAQ).....	4
B1. What prescription drugs are on the <i>List of Covered Drugs</i> ? (We call the <i>List of Covered Drugs</i> the “Drug List” for short.) .....	4
B2. Does the Drug List ever change? .....	4
B3. What happens when there is a change to the Drug List?.....	5
B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs? .....	6
B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?.....	7
B6. What happens if PHP Care Complete FIDA-IDD Plan changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)? .....	7
B7. How can I find a drug on the Drug List? .....	7
B8. What if the drug I want to take is not on the Drug List? .....	7
B9. What if I am a new PHP Care Complete FIDA-IDD Plan Participant and can't find my drug on the Drug List or have a problem getting my drug? .....	8
B10. Can I ask for an exception to cover my drug? .....	8
B11. How can I ask for an exception? .....	9
B12. How long does it take to get an exception? .....	9

---

**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).



B13. What are generic drugs? .....	9
B14. What are OTC drugs? .....	9
B15. Does PHP Care Complete FIDA-IDD Plan cover non-drug OTC products?.....	9
B16. What is my copay?.....	10
B17. What are drug tiers?.....	10
C. Overview of the <i>List of Covered Drugs</i> .....	10
C1. Drugs Grouped by Medical Condition.....	11
D. Index of Covered Drugs.....	I-1



---

**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).

---

## A. Disclaimers

This is a list of drugs that Participants can get in PHP Care Complete FIDA-IDD Plan.

- ❖ Partners Health Plan is a managed care plan that contracts with Medicare and the New York State Department of Health (Medicaid) to provide benefits to Participants through the Fully Integrated Duals Advantage for individuals with Intellectual and Developmental Disabilities (FIDA-IDD) Demonstration.
- ❖ ATTENTION: If you speak a language other than English, language assistance services, free of charge, are available to you. Call 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free.
- ❖ Si usted habla español, se encuentran disponibles para usted servicios sin cargo de asistencia con el idioma. Llame al 1-855-747-5483 y al 711 para los usuarios de TTY de 8:00 a. m. a 8:00 p. m., los siete días de la semana. La llamada es gratuita.
- ❖ Если Вы говорите на русском языке, Вам доступна бесплатная языковая поддержка. Звоните по телефону 1-855-747-5483 и 711 для пользователей линии TTY/TDD с 08:00 до 20:00, без выходных. Звонок бесплатный.
- ❖ 如果您說中文，您可以獲得免費的語言協助服務。請致電 1-855-747-5483，TTY 使用者請致電 711，服務時間為每週七天，上午 8 時至晚上 8 時。本電話為免付費電話。
- ❖ You can get this document for free in other formats, such as large print, braille, or audio. Call 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free.
- ❖ If you would like to make or change a standing request for a preferred language or format, call PHP Care Complete FIDA-IDD Plan Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week and we will keep this on file for future mailings and communications. If we do not receive a request for a preferred language or format, we will provide you with your materials in English.
- ❖ The State of New York has created a Participant ombudsman program called the Independent Consumer Advocacy Network (ICAN) to provide Participants free, confidential assistance on any services offered by PHP Care Complete FIDA-IDD Plan. ICAN may be reached toll-free at 1-844-614-8800 (TTY users call 711, then follow the prompts to dial 844-614-8800) or online at [icannys.org](http://icannys.org).

---

**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).



---

## B. Frequently Asked Questions (FAQ)

Find answers here to questions you have about this *List of Covered Drugs*. You can read all of the FAQ to learn more or look for a question and answer.

---

### B1. What prescription drugs are on the *List of Covered Drugs*? (We call the *List of Covered Drugs* the “Drug List” for short.)

The drugs on the *List of Covered Drugs* that starts on page 1 are the drugs covered by PHP Care Complete FIDA-IDD Plan. These drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- PHP Care Complete FIDA-IDD Plan will cover all drugs on the Drug List if:
  - your doctor or other prescriber says you need them to get better or stay healthy,
  - the drug is medically necessary for your condition, **and**
  - you fill the prescription at a PHP Care Complete FIDA-IDD Plan network pharmacy.
- PHP Care Complete FIDA-IDD Plan may have additional steps to access certain drugs (refer to question B4 below). In some cases, you may have to do something before you can get a drug, like try other drugs first.

You can also find an up-to-date list of drugs that we cover on our website at [www.phpcares.org](http://www.phpcares.org) or call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.

---

### B2. Does the Drug List ever change?

Yes, and PHP Care Complete FIDA-IDD Plan must follow Medicare and Medicaid rules when making changes. We may add or remove drugs on the Drug List during the year.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior approval (PA) for a drug. (PA is permission from PHP Care Complete FIDA-IDD Plan or your Interdisciplinary Team (IDT) before you can get a drug.)
- Add or change the amount of a drug you can get (called quantity limits).
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we will cover another drug.)

For more information on these drug rules, refer to question B4.



**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).

If you are taking a drug that was covered at the **beginning** of the year, we will generally not remove or change coverage of that drug **during the rest of the year** unless:

- a new, cheaper drug comes on the market that works as well as a drug on the Drug List now, **or**
- we learn that a drug is not safe, **or**
- a drug is removed from the market.

Questions B3 and B6 below have more information on what happens when the Drug List changes.

- You can always check PHP Care Complete FIDA-IDD Plan's up to date Drug List online at [www.phpcares.org](http://www.phpcares.org).
- You can also call Participant Services to check the current Drug List at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.

---

### **B3. What happens when there is a change to the Drug List?**

Some changes to the Drug List will happen **immediately**. For example:

- **A new generic drug becomes available.** Sometimes, a new generic drug comes on the market that works as well as a brand name drug on the Drug List now. When that happens, we may remove the brand name drug and the new generic drug, but your cost for the new drug will stay the same. When we add the new generic drug, we may also decide to keep the brand name drug on the list but change its coverage rules or limits.
  - We may not tell you before we make this change, but we will send you information about the specific change we made once it happens.
  - You or your provider can ask for an exception from these changes. We will send you a notice with the steps you can take to ask for an exception. Please refer to question B10 for more information on exceptions.
- **A drug is taken off the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not safe or the drug's manufacturer takes a drug off the market, we will take it off the Drug List. If you are taking the drug, we will also send you a letter and call you to tell you that the unsafe drug was taken off the Drug List. If you receive a letter, please review with your prescriber and/or your Care Manager for next steps.

**We may make other changes that affect the drugs you take.** We will tell you in advance about these other changes to the Drug List. These changes might happen if:

- The FDA provides new guidance or there are new clinical guidelines about a drug.



**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).

- We add a generic drug that is not new to the market **and**
  - Replace a brand name drug currently on the Drug List **or**
  - Change the coverage rules or limits for the brand name drug.

When these changes happen, we will:

- Tell you at least 30 days before we make the change to the Drug List **or**
- Let you know and give you a 30-day supply of the drug after you ask for a refill.

This will give you time to talk to your doctor or other prescriber. They can help you decide:

- If there is a similar drug on the Drug List you can take instead **or**
- Whether to ask for an exception from these changes. To learn more about exceptions, refer to question B10.

---

#### **B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?**

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior authorization (PA) or approval:** For some drugs, you or your doctor or other prescriber must get PA from PHP Care Complete FIDA-IDD Plan or your IDT before you fill your prescription. PHP Care Complete FIDA-IDD Plan may not cover the drug if you do not get approval.
- **Quantity limits:** Sometimes PHP Care Complete FIDA-IDD Plan limits the amount of a drug you can get.
- **Step therapy:** Sometimes PHP Care Complete FIDA-IDD Plan requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug before we will cover another drug. If your doctor thinks the first drug doesn't work for you, then we will cover the second.

You can find out if your drug has any additional requirements or limits by looking in the tables beginning on page 1. You can also get more information by visiting our website at [www.phpcares.org](http://www.phpcares.org). We have posted online documents that explain our PA and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an exception from these limits. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take



**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).

instead or whether to ask for an exception. Please refer to questions B10-B12 for more information about exceptions.

---

### **B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?**

The table of drugs on page 1 has a column labeled “Necessary actions, restrictions, or limits on use.”

---

### **B6. What happens if PHP Care Complete FIDA-IDD Plan changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?**

In some cases, we will tell you in advance if we add or change PA, quantity limits, and/or step therapy restrictions on a drug. Refer to question B3 for more information about this advance notice and situations where we may not be able to tell you in advance when our rules about drugs on the Drug List change.

---

### **B7. How can I find a drug on the Drug List?**

There are two ways to find a drug:

- You can search alphabetically by the drug’s name, **or**
- You can search by medical condition.

To search **alphabetically**, refer to the Index of Covered Drugs section on page I-1. Then look for the name of your drug in the list.

To search **by medical condition**, find the section labeled “Drugs Grouped by Medical Condition” on page 1. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Angiotensin-Converting Enzyme (ACE) Inhibitors. That is where you will find drugs that treat heart conditions.

---

### **B8. What if the drug I want to take is not on the Drug List?**

If you don’t find your drug on the Drug List, call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week and ask about it. If you learn that PHP Care Complete FIDA-IDD Plan will not cover the drug, you can do one of these things:

- Ask Participant Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. They can prescribe a drug on the Drug List that is like the one you want to take. **Or**
  - You can ask the plan or your IDT to make an exception to cover your drug. Please refer to questions B10-B12 for more information about exceptions.
- 



**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).



---

## **B9. What if I am a new PHP Care Complete FIDA-IDD Plan Participant and can't find my drug on the Drug List or have a problem getting my drug?**

We can help. We must cover a temporary 30-day supply of your drug, as needed, during the first 90 days you are a Participant of PHP Care Complete FIDA-IDD Plan. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception.

If your prescription is written for fewer days, we will allow multiple refills to provide up to a maximum of 30 days of medication.

We will cover a 30-day supply of your drug if:

- you are taking a drug that is not on our Drug List, **or**
- health plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires PA by PHP Care Complete FIDA-IDD Plan or your IDT, **or**
- you are taking a drug that is part of a step therapy restriction.

If you are in an intermediate care facility (ICF) or other long-term care (LTC) facility and need a drug that is not on the Drug List or if you cannot easily get the drug you need, we can help. If you have been in the plan for more than 90 days, live in a LTC facility, and need a supply right away:

- We will cover one 31-day supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new PHP Care Complete FIDA-IDD Plan Participant.
- This is in addition to the temporary supply during the first 90 days you are a Participant of PHP Care Complete FIDA-IDD Plan.
- If you have been in PHP Care Complete FIDA-IDD Plan for more than 90 days and have a change to your level of care, we will cover up to a 31-day supply of your prescribed drugs.

---

## **B10. Can I ask for an exception to cover my drug?**

Yes. You can ask PHP Care Complete FIDA-IDD Plan or your IDT to make an exception to cover a drug that is not on the Drug List.

You can also ask PHP Care Complete FIDA-IDD Plan or your IDT to change the rules on your drug.

- For example, PHP Care Complete FIDA-IDD Plan may limit the amount of a drug we will cover. If your drug has a limit, you can ask us or your IDT to change the limit and cover more.



**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).

- Other examples: You can ask us or your IDT to drop step therapy restrictions or PA requirements.

---

### **B11. How can I ask for an exception?**

To ask for an exception, call your Care Manager. Your Care Manager will work with you and your provider to help you ask for an exception. You can also read Chapter 9, Section F, of the *Participant Handbook* to learn more about exceptions.

---

### **B12. How long does it take to get an exception?**

After we get a statement from your prescriber supporting your request for an exception, we will give you a decision within 72 hours. To file an exception, please contact us by mail at: 10181 SCRIPPS GATEWAY COURT, SAN DIEGO, CA 92131; by phone at 1-888-648-6759; or by fax at 1-858-790-7100.

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, you will get a decision within 24 hours of getting your prescriber's supporting statement.

---

### **B13. What are generic drugs?**

Generic drugs are made up of the same active ingredients as brand name drugs. They usually cost less than the brand name drug and usually don't have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA).

PHP Care Complete FIDA-IDD Plan covers both brand name drugs and generic drugs.

---

### **B14. What are OTC drugs?**

OTC stands for "over-the-counter". PHP Care Complete FIDA-IDD Plan covers some OTC drugs when they are written as prescriptions by your provider.

You can read the PHP Care Complete FIDA-IDD Plan Drug List to find what OTC drugs are covered.

---

### **B15. Does PHP Care Complete FIDA-IDD Plan cover non-drug OTC products?**

PHP Care Complete FIDA-IDD Plan covers some non-drug OTC products when they are written as prescriptions by your provider.

You can read the PHP Care Complete FIDA-IDD Plan Drug List to find what non-drug OTC products are covered.



**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).

---

## B16. What is my copay?

As a PHP Care Complete FIDA-IDD Plan Participant, you have no copays for prescription and OTC drugs as long as you follow PHP Care Complete FIDA-IDD Plan's rules.

---

## B17. What are drug tiers?

Tiers are groups of drugs on our Drug List.

- Tier 1 drugs are generic drugs that are covered by Medicare Part D.
  - Tier 2 drugs are brand name drugs that are covered by Medicare Part D.
  - Tier 3 drugs are Medicaid-covered drugs and Medicaid-covered over-the-counter drugs (both generic and brand).
- 

## C. Overview of the *List of Covered Drugs*

The following list of covered drugs gives you information about the drugs covered by PHP Care Complete FIDA-IDD Plan. If you have trouble finding your drug in the list, turn to the Index of Covered Drugs that begins on page I-1. The index alphabetically lists all drugs covered by PHP Care Complete FIDA-IDD Plan.

The first column of the chart lists the name of the drug. Brand name drugs are capitalized (e.g., PAXIL or LAMISIL) and generic drugs are listed in lower-case italics (e.g., *ibuprofen*).

The information in the necessary actions, restrictions, or limits on use column tells you if PHP Care Complete FIDA-IDD Plan has any rules for covering your drug.

**Note:** The \* next to a drug means the drug is not a "Part D drug." These drugs have different rules for appeals.

- An appeal is a formal way of asking for a review of and change to a coverage decision if you think there was a mistake. For example, PHP Care Complete FIDA-IDD Plan or your IDT might decide that a drug that you want is not covered or is no longer covered by Medicare or Medicaid.
- If you or your doctor or other prescriber disagrees with the decision, you can appeal. To ask for instructions on how to appeal:
  - Call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.
  - Contact ICAN toll-free at 1-844-614-8800 (TTY users call 711, then follow the prompts to dial 844-614-8800) or online at [icannys.org](http://icannys.org).

---

**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).



- Read Chapter 9, Section F, of the *Participant Handbook* to learn how to appeal a decision.

---

## C1. Drugs Grouped by Medical Condition

The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Angiotensin-Converting Enzyme (ACE) Inhibitors. That is where you will find drugs that treat heart conditions.

Here are the meanings of the codes used in the “Necessary actions, restrictions, or limits on use” column:

*lowercase italics* = Generic drugs. Generic drugs are on Tier 1 of our Formulary.

CAPITALIZED = Brand name drugs. Brand name drugs are on Tier 2 of our Formulary.

PA = Prior authorization (approval): you must have approval from the plan before you can get this drug.

PA NSO = Prior authorization (approval): you must have approval from the plan before you can get this drug – New Starts Only.

PA BvD = Prior authorization (approval): you must have approval from the plan before you can get this drug – Part D vs. Part B coverage determination applies.

ST = Step therapy: you must try another drug before you can get this one.

QL = Quantity limit: limit to the amount of a drug you can get.

NM = Not available through Mail Order.

\* = Not a Part D Drug.

PA-HRM = This drug has been deemed by CMS to be potentially harmful and therefore, a High-Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from the plan before you fill your prescription for this drug. Without prior approval, the plan may not cover this drug.

NDS = Those drugs that are limited to a 30-day supply.

LA = This prescription may be available only at certain pharmacies.

Age: AGE (Max 64 years), age is older than X



**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).

---

## D. Index of Covered Drugs



---

**If you have questions**, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit [www.phpcares.org](http://www.phpcares.org).

## Table of Contents

Analgesics.....	3
Anesthetics.....	13
Anti-Addiction/Substance Abuse Treatment Agents.....	14
Antianxiety Agents.....	16
Antibacterials.....	18
Anticancer Agents.....	27
Anticonvulsants.....	45
Antidementia Agents.....	51
Antidepressants.....	52
Antidiabetic Agents.....	55
Antifungals.....	61
Antigout Agents.....	66
Antihistamines.....	66
Anti-Infectives (Skin And Mucous Membrane).....	73
Antimigraine Agents.....	74
Antimycobacterials.....	75
Antinausea Agents.....	76
Antiparasite Agents.....	78
Antiparkinsonian Agents.....	79
Antipsychotic Agents.....	82
Antivirals (Systemic).....	88
Blood Products/Modifiers/Volume Expanders.....	96
Caloric Agents.....	101
Cardiovascular Agents.....	103
Central Nervous System Agents.....	118
Contraceptives.....	124
Cough And Cold Products.....	134
Dental And Oral Agents.....	136
Dermatological Agents.....	137
Devices.....	150
Enzyme Replacement/Modifiers.....	198

Eye, Ear, Nose, Throat Agents.....	200
Gastrointestinal Agents.....	210
Genitourinary Agents.....	224
Heavy Metal Antagonists.....	225
Hormonal Agents, Stimulant/Replacement/Modifying.....	226
Immunological Agents.....	233
Inflammatory Bowel Disease Agents.....	247
Metabolic Bone Disease Agents.....	248
Miscellaneous Therapeutic Agents.....	250
Mouthwashes And Gargles.....	254
Ophthalmic Agents.....	254
Replacement Preparations.....	256
Respiratory Tract Agents.....	261
Skeletal Muscle Relaxants.....	267
Sleep Disorder Agents.....	267
Vasodilating Agents.....	268
Vitamins And Minerals.....	269

Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<b>Analgesics</b>				
<b>Analgesics, Miscellaneous</b>				
<i>acetaminophen 120 mg suppos outer *</i>	(Feverall)	3	\$0	
<i>acetaminophen 325 mg tablet *</i>	(Aminofen)	3	\$0	
<i>acetaminophen 500 mg softgel *</i>	(Mapap (acetaminophen))	3	\$0	
<i>acetaminophen 500 mg tablet *</i>	(Non-Aspirin Pain Relief)	3	\$0	
<i>acetaminophen 650 mg suppos *</i>	(Feverall)	3	\$0	
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>		1	\$0	QL (4500 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>		1	\$0	QL (360 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-60 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>aminofen 325 mg tablet *</i>	(acetaminophen)	3	\$0	
<i>arthritis pain er 650 mg caplt *</i>	(acetaminophen)	3	\$0	
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	(codeine-butalbital-asa-caff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>betatemp 160 mg/5 ml susp *</i>	(acetaminophen)	3	\$0	
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>		1	\$0	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>		1	\$0	
<i>buprenorphine transdermal patch weekly 10 mcglhour, 15 mcglhour, 20 mcglhour, 5 mcglhour, 7.5 mcglhour</i>	(Butrans)	1	\$0	QL (4 per 28 days); NDS
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i>	(Fioricet with Codeine)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>butalbital-acetaminophen oral tablet 50-325 mg</i> (Tencon)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i> (Esgic)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>	1	\$0	QL (5 per 28 days); NDS
<i>child acetaminophen 80 mg chew fruit *</i> (acetaminophen)	3	\$0	
<i>child tylenol 160 mg tab chew *</i> (acetaminophen)	3	\$0	
<i>children's aurophen pain-fever oral suspension 160 mg/5 ml *</i> (acetaminophen)	3	\$0	
<i>children's mapap 80 mg tab chw *</i> (acetaminophen)	3	\$0	
<i>child's mapap 160 mg tab chew *</i> (acetaminophen)	3	\$0	
<i>chld acetaminophen 160 mg/5 ml glutenlf, cherry *</i> (acetaminophen)	3	\$0	
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i> (Ascomp with Codeine)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs child pain rlf 160 mg/5 ml children's *</i>	(acetaminophen)	3	\$0	
<i>cvs tension headache gelcap 500-65 mg *</i>		3	\$0	
<i>endocet oral tablet 10-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (180 per 30 days); NDS
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (360 per 30 days); NDS
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (240 per 30 days); NDS
<i>eq pain relief 500 mg/15 ml lq *</i>	(acetaminophen)	3	\$0	
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>		1	\$0	PA; QL (120 per 30 days); NDS
<i>fentanyl transdermal patch 72 hour 100 mcg/12hr, 12 mcg/12hr, 25 mcg/12hr, 50 mcg/12hr, 75 mcg/12hr</i>		1	\$0	QL (10 per 30 days); NDS
<i>feverall 120 mg suppository children's, outer *</i>	(acetaminophen)	3	\$0	
<i>feverall 325 mg suppository junior str, outer *</i>	(acetaminophen)	3	\$0	
<i>feverall 650 mg suppository adult, inner *</i>	(acetaminophen)	3	\$0	
<b>FEVERALL 80 MG SUPPOSITORY INFANT'S, OUTER *</b>		3	\$0	
<i>gnp child pain relief 160 mg *</i>	(acetaminophen)	3	\$0	
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>		1	\$0	QL (2700 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>		1	\$0	QL (240 per 30 days); NDS
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>		1	\$0	QL (150 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	1	\$0	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	1	\$0	QL (1200 per 30 days); NDS
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	\$0	QL (180 per 30 days); NDS
<i>mapap 500 mg capsule *</i> (acetaminophen)	3	\$0	
<i>mapap 500 mg/15 ml liquid *</i> (acetaminophen)	3	\$0	
<i>mapap arthritis er 650 mg cplt *</i> (acetaminophen)	3	\$0	
<i>maxrelief jr 160 mg/5 ml liq *</i> (acetaminophen)	3	\$0	
<i>methadone injection solution 10 mg/ml</i>	1	\$0	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	\$0	QL (600 per 30 days); NDS
<i>methadone oral solution 5 mg/5 ml</i>	1	\$0	QL (1200 per 30 days); NDS
<i>methadone oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>methadone oral tablet 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>methadose oral tablet, soluble 40 mg</i> (methadone)	1	\$0	QL (30 per 30 days); NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	\$0	PA; QL (180 per 30 days); NDS
<i>morphine oral solution 10 mg/5 ml</i>	1	\$0	QL (700 per 30 days); NDS
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	\$0	QL (300 per 30 days); NDS
MORPHINE ORAL TABLET 15 MG	2	\$0	QL (180 per 30 days); NDS
MORPHINE ORAL TABLET 30 MG	2	\$0	QL (120 per 30 days); NDS
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	1	\$0	QL (60 per 30 days); NDS
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	\$0	QL (90 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>m-pap 160 mg/5 ml liquid *</i>	(acetaminophen)	3	\$0	
<i>non-aspirin 80 mg tab chew children's *</i>	(acetaminophen)	3	\$0	
<i>oxycodone oral capsule 5 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>oxycodone oral concentrate 20 mg/ml</i>		1	\$0	PA; QL (120 per 30 days); NDS
<i>oxycodone oral solution 5 mg/5 ml</i>		1	\$0	QL (1300 per 30 days); NDS
<i>oxycodone oral tablet 10 mg, 5 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>oxycodone oral tablet 15 mg, 30 mg</i>	(Roxicodone)	1	\$0	QL (120 per 30 days); NDS
<i>oxycodone oral tablet 20 mg</i>		1	\$0	QL (120 per 30 days); NDS
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 20 mg, 40 mg, 80 mg</i>	(OxyContin)	2	\$0	QL (60 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	(Endocet)	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	(Endocet)	1	\$0	QL (360 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	(Endocet)	1	\$0	QL (240 per 30 days); NDS
<b>OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG</b>	(oxycodone)	2	\$0	QL (60 per 30 days); NDS
<i>oxymorphone oral tablet 10 mg</i>		1	\$0	QL (120 per 30 days); NDS
<i>oxymorphone oral tablet 5 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>		1	\$0	QL (60 per 30 days); NDS
<i>pain relief adult 500 mg/15 ml *</i>	(acetaminophen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pharbetol 325 mg tablet regular strength *</i>	(acetaminophen)	3	\$0	
<i>pharbetol 500 mg tablet extra strength *</i>	(acetaminophen)	3	\$0	
<i>qc non-aspirin 500 mg gelcap gelcap, ex-str *</i>	(acetaminophen)	3	\$0	
<i>ra athenol 325 mg tablet *</i>	(acetaminophen)	3	\$0	
<i>ra fever reducer-pain 160 mg/5 infant w/syr, dlf 160 mg/5 ml *</i>	(acetaminophen)	3	\$0	
<i>ra tension headache pain cplt 500-65 mg *</i>		3	\$0	
<i>redutemp 500 mg/15 ml liquid *</i>	(acetaminophen)	3	\$0	
<i>tencon oral tablet 50-325 mg</i>	(butalbital-acetaminophen)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>tension headache caplet 500-65 mg *</i>		3	\$0	
<i>tramadol oral tablet 50 mg</i>		1	\$0	QL (240 per 30 days); NDS
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>		1	\$0	QL (300 per 30 days); NDS
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 13.5 MG, 18 MG, 9 MG		2	\$0	QL (60 per 30 days); NDS
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 27 MG		2	\$0	QL (120 per 30 days); NDS
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 36 MG		2	\$0	QL (240 per 30 days); NDS
<i>zebutal oral capsule 50-325-40 mg</i>	(butalbital-acetaminophen-caff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<b>Nonsteroidal Anti-Inflammatory Agents</b>				
<i>addaprin 200 mg tablet *</i>	(ibuprofen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>aspirin 300 mg suppository *</i>		3	\$0	
<i>aspirin 325 mg tablet *</i>	(Bayer Aspirin)	3	\$0	
<i>aspirin 81 mg chewable tablet *</i>	(St Joseph Aspirin)	3	\$0	
<i>aspirin ec 325 mg tablet *</i>	(Ecotrin)	3	\$0	
<i>aspirin ec 81 mg tablet *</i>	(Bayer Low Dose Aspirin)	3	\$0	
<i>bayer low dose ec 81 mg tab *</i>	(aspirin)	3	\$0	
<i>bayer migraine formula caplet caplet 250-250-65 mg *</i>	(aspirin-acetaminophen-caffeine)	3	\$0	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	(Celebrex)	1	\$0	QL (60 per 30 days)
<i>children ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>children ibuprofen 100 mg/5 ml berry flavor *</i>	(ibuprofen)	3	\$0	
<i>cvs chld ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>cvs migraine 250-250-65 mg cpt coated caplet *</i>	(aspirin-acetaminophen-caffeine)	3	\$0	
<i>diclofenac potassium oral tablet 50 mg</i>		1	\$0	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>		1	\$0	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>		1	\$0	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>		1	\$0	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>		1	\$0	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>		1	\$0	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i>	(Aleve (diclofenac))	1	\$0	QL (1000 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diclofenac sodium topical gel 3 %</i>	1	\$0	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	1	\$0	PA; QL (224 per 28 days); NDS
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	\$0	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	\$0	
<i>diflunisal oral tablet 500 mg</i>	1	\$0	
<i>ec-naproxen oral tablet,delayed release (drlec) 500 mg</i> (naproxen)	1	\$0	
<i>ecotrin ec 325 mg tablet safety coated *</i> (aspirin)	3	\$0	
<i>eq child ibuprofen 100 mg/5 ml berry *</i> (ibuprofen)	3	\$0	
<i>eq child ibuprofen 100 mg/5 ml dlf,berry,child *</i> (ibuprofen)	3	\$0	
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	\$0	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	\$0	
<i>etodolac oral tablet 500 mg</i>	1	\$0	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	1	\$0	
<i>flurbiprofen oral tablet 100 mg</i>	1	\$0	
<i>gs child ibuprofen 100 mg/5 ml *</i> (ibuprofen)	3	\$0	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	\$0	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	\$0	
<i>ibuprofen 100 mg/5 ml susp (otc) *</i> (Children's Ibuprofen)	3	\$0	
<i>ibuprofen 200 mg softgel *</i> (Wal-Profen)	3	\$0	
<i>ibuprofen 200 mg tablet *</i> (Addaprin)	3	\$0	
<i>ibuprofen 200 mg/10 ml suspension cup u-d (otc) 100 mg/5 ml *</i> (Children's Ibuprofen)	3	\$0	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Ibuprofen)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ibuprofen oral tablet 400 mg</i>	(IBU)	1	\$0	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i>	(IBU)	1	\$0	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>	(Duexis)	1	\$0	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg</i>		1	\$0	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>		1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>		1	\$0	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>infant ibuprofen 50 mg/1.25 ml berry *</i>	(ibuprofen)	3	\$0	
<i>ketoprofen oral capsule 50 mg, 75 mg</i>		1	\$0	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>		1	\$0	
<i>ketorolac injection solution 15 mg/ml</i>		1	\$0	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection solution 30 mg/ml, 30 mg/ml (1 ml)</i>		1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 15 mg/ml</i>		1	\$0	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 30 mg/ml</i>		1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>		1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	1	\$0	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	\$0	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	\$0	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	\$0	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	\$0	
<i>naproxen oral tablet, delayed release (drlec) 375 mg</i> (EC-Naprosyn)	1	\$0	
<i>naproxen sodium 220 mg tablet *</i> (Wal-Proxen)	3	\$0	
<i>pain reliever pls 250-250-65 mg *</i> (aspirin-acetaminophen-caffeine)	3	\$0	
<i>piroxicam oral capsule 10 mg</i>	1	\$0	
<i>piroxicam oral capsule 20 mg</i> (Feldene)	1	\$0	
<i>provil oral tablet 200 mg *</i> (ibuprofen)	3	\$0	
<i>pub children's profen ib susp berry flavor 100 mg/5 ml *</i> (ibuprofen)	3	\$0	
<i>pub children's profenib susp bubble gum flavor 100 mg/5 ml *</i> (ibuprofen)	3	\$0	
<i>qc child ibuprofen 100 mg/5 ml *</i> (ibuprofen)	3	\$0	
<i>ra aspirin 325 mg tablet *</i> (Bayer Aspirin)	3	\$0	
<i>ra aspirin ec 325 mg tablet regular strength *</i> (Ecotrin)	3	\$0	
<i>ra aspirin ec 81 mg tablet *</i> (Bayer Low Dose Aspirin)	3	\$0	
<i>ra naproxen sod 220 mg tablet caplet *</i> (Wal-Proxen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra naproxen sodium 220 mg cap liquidgel *</i>	(Aleve)	3	\$0	
<i>sm child ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>st. joseph aspirin 81 mg chew *</i>	(aspirin)	3	\$0	
<i>st. joseph aspirin ec 81 mg tb *</i>	(aspirin)	3	\$0	
<i>sulindac oral tablet 150 mg, 200 mg</i>		1	\$0	
<i>tolmetin oral capsule 400 mg</i>		1	\$0	
<i>tolmetin oral tablet 600 mg</i>	(Tolectin 600)	1	\$0	
<i>wal-profen 200 mg caplet flc, caplet *</i>	(ibuprofen)	3	\$0	
<i>wal-profen 200 mg softgel softgel *</i>	(ibuprofen)	3	\$0	
<i>wal-proxen 220 mg tablet *</i>	(naproxen sodium)	3	\$0	
<b>Anesthetics</b>				
<b>Local Anesthetics</b>				
<i>anecream 4% cream *</i>	(lidocaine)	3	\$0	
ASPERCREME LIDOCAINE 4% CREAM *	(lidocaine hcl)	3	\$0	
<i>aspercreme lidocaine 4% patch outer *</i>	(lidocaine)	3	\$0	
<i>cvs lidocaine hcl 4% cream *</i>	(Aspercreme (lidocaine HCl))	3	\$0	
<i>cvs sunburn relief cool gel 0.5 % *</i>	(lidocaine-aloe vera)	3	\$0	
<i>glydo mucous membrane jelly in applicator 2 %</i>	(lidocaine hcl)	1	\$0	QL (30 per 30 days)
<i>lido king 4% patch *</i>	(lidocaine)	3	\$0	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	(Xylocaine-MPF)	1	\$0	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>		1	\$0	
<i>lidocaine 4% cream *</i>	(Anecream)	3	\$0	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	(Xylocaine)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	1	\$0	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	\$0	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Tridacaine)	1	\$0	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	1	\$0	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	1	\$0	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	\$0	PA; QL (30 per 30 days)
<i>tridacaine topical adhesive patch,medicated 5 %</i> (lidocaine)	1	\$0	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	2	\$0	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>			
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>			
<i>acamprosate oral tablet,delayed release (drlec) 333 mg</i>	1	\$0	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	\$0	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	1	\$0	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	1	\$0	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	\$0	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	\$0	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>eq nicotine 7 mg/24hr patch clear, step 3 (otc) *</i> (Nicoderm CQ)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	2	\$0	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	\$0	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	\$0	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	1	\$0	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	1	\$0	
<i>nicotine 14 mg/24hr patch step 2 (otc) *</i> (Nicoderm CQ)	3	\$0	
<i>nicotine 2 mg chewing gum *</i> (Quit 2)	3	\$0	
<i>nicotine 2 mg lozenge mint, 3 quittube *</i> (Quit 2)	3	\$0	
<i>nicotine 21 mg/24hr patch outer (otc) *</i> (Nicoderm CQ)	3	\$0	
<i>nicotine 4 mg chewing gum *</i> (Quit 4)	3	\$0	
<i>nicotine 4 mg lozenge mint, 3 quittube *</i> (Quit 4)	3	\$0	
<i>nicotine 7 mg/24hr patch step 3 (otc) *</i> (Nicoderm CQ)	3	\$0	
NICOTROL INHALATION CARTRIDGE 10 MG	2	\$0	QL (2688 per 365 days)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	2	\$0	QL (240 per 180 days)
<i>pub stop smoking aid 2 mg lozg *</i> (nicotine (polacrilex))	3	\$0	
<i>pub stop smoking aid 4 mg lozg *</i> (nicotine (polacrilex))	3	\$0	
<i>quit 2 mg chewing gum *</i> (nicotine (polacrilex))	3	\$0	
<i>quit 2 mg lozenge mint *</i> (nicotine (polacrilex))	3	\$0	
<i>quit 4 mg chewing gum *</i> (nicotine (polacrilex))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>quit 4 mg lozenge mint *</i>	(nicotine (polacrilex))	3	\$0	
<i>ra nicotine 2 mg lozenge mint,4 quittube *</i>	(Quit 2)	3	\$0	
<i>ra nicotine 2 mg mini lozenge mini,mint,3 quittube *</i>	(Nicorette)	3	\$0	
<i>ra nicotine 21 mg/24hr patch step 1 (otc) *</i>	(Nicoderm CQ)	3	\$0	
<i>ra nicotine 4 mg mini lozenge mini,mint,4 quittube *</i>	(Nicorette)	3	\$0	
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML		2	\$0	QL (0.5 per 30 days); NDS
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML		2	\$0	QL (1.5 per 30 days); NDS
<i>varenicline oral tablet 0.5 mg, 1 mg (56 pack)</i>		1	\$0	QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i>	(Chantix)	1	\$0	QL (336 per 365 days)
<i>varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i>	(Chantix Starting Month Box)	1	\$0	
<b>Antianxiety Agents</b>				
<b>Benzodiazepines</b>				
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	(Xanax)	1	\$0	QL (120 per 30 days); NDS
<i>alprazolam oral tablet 2 mg</i>	(Xanax)	1	\$0	QL (150 per 30 days); NDS
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i>	(Xanax XR)	1	\$0	QL (120 per 30 days); NDS
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	(Xanax XR)	1	\$0	QL (90 per 30 days); NDS
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>		1	\$0	QL (120 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	(Klonopin)	1	\$0	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	(Klonopin)	1	\$0	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>		1	\$0	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>		1	\$0	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>		1	\$0	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>		1	\$0	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>		1	\$0	
<i>diazepam intensol oral concentrate 5 mg/ml</i>	(diazepam)	1	\$0	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>		1	\$0	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	(Valium)	1	\$0	QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>		1	\$0	QL (60 per 30 days); NDS
<i>estazolam oral tablet 2 mg</i>		1	\$0	QL (30 per 30 days); NDS
<i>flurazepam oral capsule 15 mg</i>		1	\$0	QL (60 per 30 days); NDS
<i>flurazepam oral capsule 30 mg</i>		1	\$0	QL (30 per 30 days); NDS
<i>lorazepam 2 mg/ml oral concent</i>	(Lorazepam Intensol)	1	\$0	QL (150 per 30 days); NDS
<i>lorazepam 4 mg/ml vial inner</i>	(Ativan)	1	\$0	
<i>lorazepam injection solution 2 mg/ml</i>	(Ativan)	1	\$0	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i>	(Ativan)	2	\$0	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>		1	\$0	QL (2 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lorazepam intensol oral concentrate</i> 2 mg/ml (lorazepam)	1	\$0	QL (150 per 30 days); NDS
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	\$0	QL (90 per 30 days); NDS
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	\$0	QL (150 per 30 days); NDS
<i>midazolam oral syrup 2 mg/ml</i>	1	\$0	QL (10 per 30 days); NDS
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	\$0	QL (30 per 30 days); NDS
<i>triazolam oral tablet 0.125 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	1	\$0	QL (60 per 30 days); NDS
<b>Antibacterials</b>			
<b>Aminoglycosides</b>			
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	\$0	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	\$0	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	1	\$0	
<i>neomycin oral tablet 500 mg</i>	1	\$0	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	\$0	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	2	\$0	QL (224 per 28 days); NDS
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization</i> 300 mg/5 ml (Tobi)	1	\$0	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	1	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tobramycin sulfate injection solution 40 mg/ml</i>		1	\$0	
<b>Antibacterials, Miscellaneous</b>				
<i>bacitracin intramuscular recon soln 50,000 unit</i>		1	\$0	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>		1	\$0	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	(Cleocin HCl)	1	\$0	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>		1	\$0	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	(clindamycin palmitate hcl)	1	\$0	
<i>clindamycin phosphate injection solution 150 mg/ml</i>	(Cleocin)	1	\$0	
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	(Coly-Mycin M Parenteral)	1	\$0	NDS
<i>daptomycin intravenous recon soln 500 mg</i>		1	\$0	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	(Zyvox)	1	\$0	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	(Zyvox)	1	\$0	NDS
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	1	\$0	
<i>methenamine hippurate oral tablet 1 gram</i>	(Hiprex)	1	\$0	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	(Metro I.V.)	1	\$0	
<i>metronidazole oral tablet 250 mg, 500 mg</i>		1	\$0	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	(Macrochantin)	1	\$0	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i>	(Macrobid)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	\$0	
<i>trimethoprim oral tablet 100 mg</i>	1	\$0	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	1	\$0	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	1	\$0	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	1	\$0	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	2	\$0	
XIFAXAN ORAL TABLET 200 MG	2	\$0	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	2	\$0	PA; QL (90 per 30 days); NDS
<b>Cephalosporins</b>			
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	\$0	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	1	\$0	
<i>cefadroxil oral capsule 500 mg</i>	1	\$0	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	\$0	
<i>cefadroxil oral tablet 1 gram</i>	1	\$0	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	1	\$0	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	\$0	
<i>cefazolin intravenous recon soln 3 gram</i>	2	\$0	
<i>cefdinir oral capsule 300 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	\$0	
<i>cefixime oral capsule 400 mg</i>	1	\$0	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	1	\$0	
<i>cefotaxime injection recon soln 1 gram</i>	1	\$0	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	\$0	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	\$0	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	\$0	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	1	\$0	(Tazicef)
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	\$0	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	\$0	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	\$0	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	\$0	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	2	\$0	NDS
<b>Macrolides</b>			
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	\$0	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	\$0	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	\$0	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	\$0	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	\$0	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	2	\$0	QL (136 per 10 days); NDS
DIFICID ORAL TABLET 200 MG	2	\$0	QL (20 per 10 days); NDS
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	\$0	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	\$0	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<b>Miscellaneous B-Lactam Antibiotics</b>			
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	\$0	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	2	\$0	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	1	\$0	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	\$0	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	\$0	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	1	\$0	
<b>Penicillins</b>			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	\$0	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	\$0	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	1	\$0	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	\$0	
<i>ampicillin oral capsule 500 mg</i>	1	\$0	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	\$0	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	1	\$0	
<b>BICILLIN L-A</b> <b>INTRAMUSCULAR SYRINGE</b> 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	2	\$0	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	\$0	
<b>EXTENCILLINE</b> <b>INTRAMUSCULAR</b> <b>SUSPENSION FOR</b> <b>RECONSTITUTION 1.2</b> <b>MILLION UNIT, 2.4 MILLION</b> <b>UNIT</b>	2	\$0	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	1	\$0	
<i>nafcillin injection recon soln 1 gram</i>	1	\$0	
<i>nafcillin injection recon soln 10 gram, 2 gram</i>	1	\$0	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	1	\$0	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	\$0	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	1	\$0	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	1	\$0	
<b>Quinolones</b>			
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	\$0	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	\$0	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	\$0	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	\$0	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	\$0	
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	\$0	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	\$0	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	\$0	
<i>moxifloxacin 400 mg/250 ml bag</i>	1	\$0	
<i>moxifloxacin oral tablet 400 mg</i>	1	\$0	
<i>moxifloxacin-sod. chloride (iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	1	\$0	
<b>Sulfonamides</b>			
<i>sulfadiazine oral tablet 500 mg</i>	1	\$0	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	(Sulfatrim)	1	\$0	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	(Bactrim)	1	\$0	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	(Bactrim DS)	1	\$0	
<b>Tetracyclines</b>				
<i>demeclocycline oral tablet 150 mg, 300 mg</i>		1	\$0	
<i>doxy-100 intravenous recon soln 100 mg</i>	(doxycycline hyclate)	1	\$0	
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	(Doxy-100)	1	\$0	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	(Morgidox)	1	\$0	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>		1	\$0	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 150 mg, 50 mg, 75 mg</i>		1	\$0	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 200 mg</i>	(Doryx)	1	\$0	
<i>doxycycline monohydrate oral capsule 100 mg</i>	(Mondoxyne NL)	1	\$0	
<i>doxycycline monohydrate oral capsule 50 mg</i>	(Monodox)	1	\$0	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>		1	\$0	
<i>doxycycline monohydrate oral tablet 100 mg</i>	(Avidoxy)	1	\$0	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>		1	\$0	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>		1	\$0	
<i>mondoxylene nl oral capsule 100 mg</i>	(doxycycline monohydrate)	1	\$0	
<i>mondoxylene nl oral capsule 75 mg</i>	(doxycycline monohydrate)	1	\$0	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>		1	\$0	
<i>tigecycline intravenous recon soln 50 mg</i>	(Tygacil)	1	\$0	NDS
<b>Anticancer Agents</b>				
<b>Anticancer Agents</b>				
<i>abiraterone oral tablet 250 mg, 500 mg</i>	(Zytiga)	1	\$0	PA NSO; QL (120 per 30 days); NDS
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	(paclitaxel protein-bound)	2	\$0	PA BvD; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	(fluorouracil)	1	\$0	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		2	\$0	PA NSO; QL (60 per 30 days); NDS
ALECENSA ORAL CAPSULE 150 MG		2	\$0	PA NSO; QL (240 per 30 days); NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG		2	\$0	PA NSO; QL (30 per 30 days); NDS
ALUNBRIG ORAL TABLET 30 MG		2	\$0	PA NSO; QL (120 per 30 days); NDS
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)		2	\$0	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	1	\$0	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML		2	\$0	PA NSO; QL (1.6 per 28 days); NDS
AUGTYRO ORAL CAPSULE 40 MG		2	\$0	PA NSO; QL (240 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	\$0	NDS
BALVERSA ORAL TABLET 3 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
BALVERSA ORAL TABLET 4 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
BALVERSA ORAL TABLET 5 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	1	\$0	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	2	\$0	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	2	\$0	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	\$0	PA NSO; NDS
<i>bexarotene topical gel 1%</i> (Targretin)	1	\$0	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	\$0	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	\$0	
<i>bortezomib injection recon soln 1 mg</i>	2	\$0	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	2	\$0	PA NSO; NDS
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	2	\$0	PA NSO; NDS
BOSULIF ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BOSULIF ORAL CAPSULE 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
BOSULIF ORAL TABLET 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BOSULIF ORAL TABLET 400 MG, 500 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BRAFTOVI ORAL CAPSULE 75 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BRUKINSA ORAL CAPSULE 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
CABOMETYX ORAL TABLET 20 MG, 60 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
CABOMETYX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 100 MG (vandetanib)	2	\$0	PA NSO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 300 MG (vandetanib)	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	1	\$0	
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	\$0	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	2	\$0	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	2	\$0	PA NSO; QL (112 per 28 days); NDS
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
COTELLIC ORAL TABLET 20 MG	2	\$0	PA NSO; LA; QL (63 per 28 days); NDS
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	\$0	PA BvD; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml, 500 mg/ml</i>	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	1	\$0	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	2	\$0	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	2	\$0	PA NSO; QL (120 per 28 days); NDS
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	2	\$0	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	2	\$0	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
DAURISMO ORAL TABLET 25 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	1	\$0	NDS
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml)</i> (Docivyx)	1	\$0	
<i>docetaxel intravenous solution 80 mg/4 ml (20 mg/ml)</i>	1	\$0	
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	\$0	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	1	\$0	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	2	\$0	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	2	\$0	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	2	\$0	PA NSO

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	2	\$0	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML	2	\$0	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	2	\$0	PA NSO; QL (9.5 per 28 days); NDS
EMCYT ORAL CAPSULE 140 MG	2	\$0	NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	2	\$0	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	2	\$0	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
ERLEADA ORAL TABLET 240 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ERLEADA ORAL TABLET 60 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	1	\$0	PA NSO; QL (60 per 30 days); NDS
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	1	\$0	PA NSO; QL (90 per 30 days); NDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	2	\$0	
<i>etoposide intravenous solution 20 mg/ml</i>	1	\$0	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	1	\$0	PA NSO; QL (56 per 28 days); NDS
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	1	\$0	PA NSO; QL (28 per 28 days); NDS
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	1	\$0	PA NSO; QL (112 per 28 days); NDS
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EXKIVITY ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	2	\$0	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	2	\$0	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	1	\$0	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	\$0	PA BvD
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
FRUZAQLA ORAL CAPSULE 1 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
FRUZAQLA ORAL CAPSULE 5 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	1	\$0	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	2	\$0	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
<i>gefitinib oral tablet 250 mg</i> (Iressa)	1	\$0	PA NSO; QL (60 per 30 days); NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	\$0	PA BvD
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	1	\$0	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	2	\$0	PA NSO; QL (5 per 21 days); NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	\$0	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
IDHIFA ORAL TABLET 100 MG, 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	1	\$0	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	\$0	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	\$0	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	\$0	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
IMBRUVICA ORAL CAPSULE 70 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
IMBRUVICA ORAL SUSPENSION 70 MG/ML	2	\$0	PA NSO; QL (240 per 30 days); NDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
IMBRUVICA ORAL TABLET 560 MG	2	\$0	QL (28 per 28 days); NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	2	\$0	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	2	\$0	PA NSO; QL (4 per 365 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INLYTA ORAL TABLET 1 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
INLYTA ORAL TABLET 5 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
INQOVI ORAL TABLET 35-100 MG	2	\$0	PA NSO; QL (5 per 28 days); NDS
INREBIC ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	1	\$0	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	\$0	
IWILFIN ORAL TABLET 192 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
JAYPIRCA ORAL TABLET 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
JAYPIRCA ORAL TABLET 50 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	2	\$0	PA BvD; ST
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; QL (8 per 21 days); NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	2	\$0	PA NSO; QL (49 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	2	\$0	PA NSO; QL (70 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	2	\$0	PA NSO; QL (91 per 28 days); NDS
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	2	\$0	PA NSO; QL (21 per 28 days); NDS
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	2	\$0	PA NSO; QL (42 per 28 days); NDS
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	2	\$0	PA NSO; QL (63 per 28 days); NDS
KOSELUGO ORAL CAPSULE 10 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
KOSELUGO ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
KRAZATI ORAL TABLET 200 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	\$0	PA NSO; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	1	\$0	PA NSO; QL (28 per 28 days); NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	2	\$0	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	\$0	
LEUKERAN ORAL TABLET 2 MG	2	\$0	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	2	\$0	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	\$0	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	2	\$0	PA NSO; QL (100 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LONSURF ORAL TABLET 20-8.19 MG	2	\$0	PA NSO; QL (80 per 28 days); NDS
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	2	\$0	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
LORBRENA ORAL TABLET 25 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
LUMAKRAS ORAL TABLET 120 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
LUMAKRAS ORAL TABLET 320 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	2	\$0	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	2	\$0	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
LYSODREN ORAL TABLET 500 MG	2	\$0	NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	2	\$0	PA NSO; QL (140 per 28 days); NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	2	\$0	PA NSO; QL (1260 per 30 days); NDS
MEKINIST ORAL TABLET 0.5 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
MEKINIST ORAL TABLET 2 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
MEKTOVI ORAL TABLET 15 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>mercaptopurine oral tablet 50 mg</i>	1	\$0	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	\$0	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	\$0	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	\$0	
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	\$0	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	\$0	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	\$0	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	2	\$0	PA NSO; QL (3 per 28 days); NDS
NUBEQA ORAL TABLET 300 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ODOMZO ORAL CAPSULE 200 MG	2	\$0	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OGSIVEO ORAL TABLET 50 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
OJEMDA 100 MG TAB (400 MG DOSE) 400 MG/WEEK (100 MG X 4)	2	\$0	PA NSO; QL (24 per 28 days); NDS
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	2	\$0	PA NSO; QL (96 per 28 days); NDS
OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5)	2	\$0	PA NSO; QL (24 per 28 days); NDS
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	2	\$0	PA NSO; QL (14 per 28 days); NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	2	\$0	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	2	\$0	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ORSERDU ORAL TABLET 86 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	\$0	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	1	\$0	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	\$0	PA BvD
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pazopanib oral tablet 200 mg</i> (Votrient)	1	\$0	PA NSO; QL (120 per 30 days); NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	1	\$0	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	2	\$0	NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	1	\$0	NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	2	\$0	PA NSO; QL (28 per 28 days); NDS
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	2	\$0	PA NSO; QL (56 per 28 days); NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	2	\$0	NDS
QINLOCK ORAL TABLET 50 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
RETEVMO ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
RETEVMO ORAL CAPSULE 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
REZLIDHIA ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ROZLYTREK ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
ROZLYTREK ORAL CAPSULE 200 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (224 per 28 days); NDS
SCSEMBLIX ORAL TABLET 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
SCSEMBLIX ORAL TABLET 20 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
SCSEMBLIX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	2	\$0	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	1	\$0	PA NSO; QL (120 per 30 days); NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
SPRYCEL ORAL TABLET 20 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
STIVARGA ORAL TABLET 40 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	1	\$0	PA NSO; QL (28 per 28 days); NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	2	\$0	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TABRECTA ORAL TABLET 150 MG, 200 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	2	\$0	PA NSO; QL (900 per 30 days); NDS
TAGRISSE ORAL TABLET 40 MG, 80 MG	2	\$0	PA NSO; LA; QL (30 per 30 days); NDS
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	2	\$0	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	\$0	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS
TASIGNA ORAL CAPSULE 50 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TAZVERIK ORAL TABLET 200 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	2	\$0	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	2	\$0	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
TIBSOVO ORAL TABLET 250 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TIVDAK INTRAVENOUS RECON SOLN 40 MG	2	\$0	PA NSO; QL (5 per 21 days); NDS
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	1	\$0	
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	\$0	NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	2	\$0	PA NSO; QL (60 per 30 days); NDS
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	2	\$0	PA NSO; QL (30 per 30 days); NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	2	\$0	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	\$0	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	2	\$0	PA NSO; QL (64 per 28 days); NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TUKYSA ORAL TABLET 50 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
TURALIO ORAL CAPSULE 125 MG, 200 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	2	\$0	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib)	2	\$0	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	2	\$0	PA NSO; LA; QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VENCLEXTA ORAL TABLET 100 MG	2	\$0	PA NSO; LA; QL (180 per 30 days); NDS
VENCLEXTA ORAL TABLET 50 MG	2	\$0	PA NSO; LA; QL (30 per 30 days); NDS
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	2	\$0	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
<i>vinblastine intravenous solution 1 mg/ml</i>	1	\$0	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	1	\$0	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	1	\$0	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	1	\$0	
VITRAKVI ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
VITRAKVI ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
VITRAKVI ORAL SOLUTION 20 MG/ML	2	\$0	PA NSO; QL (300 per 30 days); NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
VONJO ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
WELIREG ORAL TABLET 40 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XALKORI ORAL PELLETT 150 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XALKORI ORAL PELLETT 20 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
XALKORI ORAL PELLETT 50 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XATMEP ORAL SOLUTION 2.5 MG/ML	2	\$0	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	2	\$0	PA NSO; QL (8 per 28 days); NDS
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	2	\$0	PA NSO; QL (4 per 28 days); NDS
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	2	\$0	PA NSO; QL (24 per 28 days); NDS
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	2	\$0	PA NSO; QL (32 per 28 days); NDS
XTANDI ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XTANDI ORAL TABLET 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XTANDI ORAL TABLET 80 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	2	\$0	PA NSO; NDS
YONSA ORAL TABLET 125 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ZEJULA ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ZELBORAF ORAL TABLET 240 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
ZOLADEx SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	2	\$0	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	2	\$0	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
ZYKADIA ORAL TABLET 150 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	2	\$0	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	2	\$0	PA NSO; QL (20 per 28 days); NDS
<b>Anticonvulsants</b>			
<b>Anticonvulsants</b>			
APTIOm ORAL TABLET 200 MG, 400 MG	2	\$0	ST; QL (30 per 30 days); NDS
APTIOm ORAL TABLET 600 MG, 800 MG	2	\$0	ST; QL (60 per 30 days); NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	2	\$0	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	2	\$0	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	2	\$0	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	\$0	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	\$0	
<i>carbamazepine oral tablet 200 mg</i> (Eptol)	1	\$0	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	\$0	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	\$0	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	\$0	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
DIACOMIT ORAL CAPSULE 500 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
DIACOMIT ORAL POWDER IN PACKET 250 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
DIACOMIT ORAL POWDER IN PACKET 500 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	2	\$0	
DILANTIN ORAL CAPSULE 30 MG	2	\$0	
<i>divalproex oral capsule, delayed release 125 mg</i> (Depakote Sprinkles)	1	\$0	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	\$0	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	\$0	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	2	\$0	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	1	\$0	
EPRONTIA ORAL SOLUTION 25 MG/ML	2	\$0	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	\$0	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	\$0	
<i>felbamate oral suspension 600 mg/5 ml</i>	1	\$0	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FINTEPLA ORAL SOLUTION 2.2 MG/ML	2	\$0	PA NSO; NDS
<i>fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i> (Cerebyx)	1	\$0	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	2	\$0	ST; QL (720 per 30 days); NDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	2	\$0	ST; QL (30 per 30 days); NDS
FYCOMPA ORAL TABLET 2 MG	2	\$0	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	2	\$0	ST; QL (60 per 30 days); NDS
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	\$0	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	\$0	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	\$0	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	1	\$0	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	1	\$0	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	1	\$0	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	1	\$0	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	1	\$0	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose per 25 mg (21)-50 mg (7)</i> (Lamictal ODT Starter (Blue))	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose per 25 mg (14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose per 50 mg (42)-100 mg (14)</i> (Lamictal ODT Starter (Green))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	1	\$0	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	\$0	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	1	\$0	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	\$0	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	\$0	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	\$0	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	\$0	
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	2	\$0	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	1	\$0	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	2	\$0	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	\$0	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	\$0	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	\$0	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>phenytoin sodium extended oral capsule 100 mg</i>	(Dilantin Extended)	1	\$0	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	(Phenytek)	1	\$0	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>		1	\$0	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>		1	\$0	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	(Lyrica)	1	\$0	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	(Lyrica)	1	\$0	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	(Lyrica)	1	\$0	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>		1	\$0	
<i>primidone oral tablet 250 mg, 50 mg</i>	(Mysoline)	1	\$0	
<i>rufinamide oral suspension 40 mg/ml</i>	(Banzel)	1	\$0	NDS
<i>rufinamide oral tablet 200 mg</i>	(Banzel)	1	\$0	
<i>rufinamide oral tablet 400 mg</i>	(Banzel)	1	\$0	NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG		2	\$0	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG		2	\$0	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG		2	\$0	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	(lamotrigine)	1	\$0	
SYMPAZAN ORAL FILM 10 MG, 20 MG		2	\$0	PA NSO; QL (60 per 30 days); NDS
SYMPAZAN ORAL FILM 5 MG		2	\$0	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	\$0	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	\$0	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	\$0	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	\$0	
<i>valproic acid oral capsule 250 mg</i>	1	\$0	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	2	\$0	
VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	2	\$0	NDS
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	2	\$0	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	2	\$0	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	2	\$0	ST; QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	2	\$0	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	2	\$0	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	\$0	
<i>zonisamide oral capsule 50 mg</i>	1	\$0	
ZTALMY ORAL SUSPENSION 50 MG/ML	2	\$0	PA NSO; QL (1080 per 30 days); NDS
<b>Antidementia Agents</b>			
<b>Antidementia Agents</b>			
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	\$0	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	\$0	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	1	\$0	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	\$0	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	\$0	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	\$0	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	\$0	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	1	\$0	QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	\$0	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28- 10 MG, 7-10 MG	2	\$0	ST; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>rivastigmine tartrate oral capsule</i> 1.5 mg, 3 mg, 4.5 mg, 6 mg	1	\$0	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour</i> 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour (Exelon Patch)	1	\$0	QL (30 per 30 days)
<b>Antidepressants</b>			
<b>Antidepressants</b>			
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	\$0	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	\$0	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	\$0	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	2	\$0	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	\$0	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	\$0	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	\$0	
<i>citalopram oral solution 10 mg/5 ml</i>	1	\$0	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	\$0	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	\$0	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	1	\$0	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	\$0	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	\$0	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	\$0	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>doxepin oral concentrate 10 mg/ml</i>	1	\$0	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	2	\$0	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	2	\$0	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	\$0	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 40 mg</i>	1	\$0	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	2	\$0	ST; QL (30 per 30 days); NDS
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	\$0	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	\$0	
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	2	\$0	ST
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	2	\$0	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	\$0	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	\$0	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>imipramine pamoate oral capsule</i> 100 mg, 125 mg, 150 mg, 75 mg	1	\$0	
MARPLAN ORAL TABLET 10 MG	2	\$0	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	\$0	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	\$0	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	\$0	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	\$0	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	\$0	
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	\$0	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	1	\$0	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	\$0	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	\$0	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	\$0	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	2	\$0	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	2	\$0	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	1	\$0	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	\$0	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	\$0	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	\$0	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	2	\$0	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	\$0	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	\$0	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	\$0	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	1	\$0	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	1	\$0	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	1	\$0	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	2	\$0	PA NSO; QL (28 per 14 days); NDS
ZURZUVAE ORAL CAPSULE 30 MG	2	\$0	PA NSO; QL (14 per 14 days); NDS
<b>Antidiabetic Agents</b>			
<b>Antidiabetic Agents, Miscellaneous</b>			
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	\$0	QL (90 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	2	\$0	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	\$0	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	2	\$0	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	2	\$0	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	2	\$0	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	\$0	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	\$0	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	\$0	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	\$0	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	\$0	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	1	\$0	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	\$0	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	\$0	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	\$0	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	\$0	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	\$0	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	1	\$0	PA; QL (112 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	1	\$0	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	\$0	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	2	\$0	PA NSO; QL (3 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	2	\$0	PA NSO; QL (1.5 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	\$0	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	1	\$0	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	1	\$0	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	1	\$0	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	1	\$0	QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	1	\$0	QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	2	\$0	PA NSO; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	\$0	PA; QL (10.8 per 28 days); NDS
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	\$0	PA; QL (10.8 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use	
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	\$0	QL (60 per 30 days)	
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	\$0	QL (30 per 30 days)	
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	\$0	QL (60 per 30 days)	
TRADJENTA ORAL TABLET 5 MG	2	\$0	QL (30 per 30 days)	
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	2	\$0	QL (30 per 30 days)	
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	2	\$0	QL (60 per 30 days)	
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG	(dapaglifloz propaned-metformin)	2	\$0	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	2	\$0	QL (30 per 30 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	2	\$0	QL (60 per 30 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	(dapaglifloz propaned-metformin)	2	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use	
<b>Insulins</b>				
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	max \$35 copay per month supply; QL (30 per 28 days)	
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	2	\$0	max \$35 copay per month supply; QL (30 per 28 days)	
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	\$0	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	2	\$0	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	2	\$0	max \$35 copay per month supply; QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70- 30FlexPen U-100)	1	\$0	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70- 30 U-100 Insuln)	1	\$0	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	1	\$0	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U-100 Insulin)	1	\$0	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	1	\$0	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	\$0	max \$35 copay per month supply; QL (40 per 28 days)	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	\$0	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	2	\$0	max \$35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	2	\$0	max \$35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine-yfgn)	2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	\$0	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) (insulin glargine u-300 conc)	2	\$0	max \$35 copay per month supply; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) (insulin glargine u-300 conc)	2	\$0	max \$35 copay per month supply; QL (13.5 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	\$0	max \$35 copay per month supply; QL (15 per 28 days)
<b>Sulfonylureas</b>			
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	\$0	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg</i>	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	\$0	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	\$0	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 250 mg</i>	1	\$0	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg</i>	1	\$0	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<b>Antifungals</b>			
<b>Antifungals</b>			
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	2	\$0	PA BvD
ALEVAZOL 1% OINTMENT *	3	\$0	
<i>amphotericin b injection recon soln 50 mg</i>	1	\$0	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	1	\$0	PA BvD; NDS
<i>antifungal 1% topical cream *</i> (clotrimazole)	3	\$0	
<i>antifungal 2% powder *</i> (miconazole nitrate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	
<i>athlete's foot 1% powder spray *</i>	(tolnaftate)	3	\$0	
<i>athlete's foot 2% powder *</i>	(miconazole nitrate)	3	\$0	
<i>baza antifungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>casprofungin intravenous recon soln 50 mg</i>	(Cancidas)	1	\$0	
<i>casprofungin intravenous recon soln 70 mg</i>	(Cancidas)	1	\$0	NDS
<i>ciclopirox topical cream 0.77 %</i>	(Ciclodan)	1	\$0	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>		1	\$0	QL (300 per 30 days)
<i>ciclopirox topical shampoo 1 %</i>		1	\$0	
<i>ciclopirox topical solution 8 %</i>	(Ciclodan)	1	\$0	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i>	(Loprox (as olamine))	1	\$0	QL (180 per 30 days)
<i>clotrimazole 1% solution (otc) *</i>		3	\$0	
<i>clotrimazole 1% topical cream (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>clotrimazole 1% topical cream foot care (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>clotrimazole 1% vaginal cream *</i>	(Clotrimazole-7)	3	\$0	
<i>clotrimazole mucous membrane troche 10 mg</i>		1	\$0	
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	1	\$0	
<i>clotrimazole topical solution 1 %</i>		1	\$0	
<i>clotrimazole-7 vaginal cream 1 % *</i>	(clotrimazole)	3	\$0	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		1	\$0	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>		1	\$0	QL (90 per 30 days)
<i>cvs athlete's foot 1% cream *</i>	(tolnaftate)	3	\$0	
<i>cvs athlete's foot 2% liq spray *</i>	(miconazole nitrate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs clotrimazole 1% top cream (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>cvs foot &amp; sneaker spray pwd 1% *</i>	(tolnaftate)	3	\$0	
<i>dermafungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>desenex 2% powder *</i>	(miconazole nitrate)	3	\$0	
<i>econazole topical cream 1%</i>		1	\$0	QL (170 per 30 days)
<i>eq athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	
<i>eq jock itch 1% cream *</i>	(clotrimazole)	3	\$0	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>		1	\$0	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>		1	\$0	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	(Diflucan)	1	\$0	
<i>fluconazole oral tablet 100 mg, 200 mg</i>	(Diflucan)	1	\$0	
<i>fluconazole oral tablet 150 mg, 50 mg</i>		1	\$0	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	1	\$0	NDS
<i>gnp athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	
<b>GNP MICONAZOLE 2% SPRAY POWDER *</b>	(Lotrimin AF Powder)	3	\$0	
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		1	\$0	
<i>griseofulvin microsize oral tablet 500 mg</i>		1	\$0	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		1	\$0	
<i>inzo antifungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	1	\$0	
<i>itraconazole oral solution 10 mg/ml</i>	(Sporanox)	1	\$0	PA; NDS
<i>jock itch relief 1% cream *</i>	(clotrimazole)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ketoconazole oral tablet 200 mg</i>		1	\$0	
<i>ketoconazole topical cream 2 %</i>		1	\$0	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)		1	\$0	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>		1	\$0	QL (360 per 30 days)
<i>lamisil af defens 1% spray pwd *</i> (tolnaftate)		3	\$0	
LOTRIMIN AF 2% SPRAY POWDER *	(miconazole nitrate)	3	\$0	
<i>micatin 2% antifungal cream *</i>	(miconazole nitrate)	3	\$0	
<i>miconazole 2% topical cream *</i>	(Baza Antifungal)	3	\$0	
<i>miconazole 2% vaginal cream *</i>	(Monistat 7)	3	\$0	
<i>miconazole 3 combo pack 3 supp w/9gm cream 200 mg- 2 % (9 gram) *</i>	(miconazole nitrate)	3	\$0	
<i>miconazole 7 100 mg vag supp *</i>	(Miconazole-7)	3	\$0	
<i>miconazole-3 vaginal suppository 200 mg</i>		1	\$0	
<i>micotrin ac 1% topical cream *</i>	(clotrimazole)	3	\$0	
<i>micro-guard 2% powder 12's,antifungal *</i>	(miconazole nitrate)	3	\$0	
MONISTAT 7 CREAM 2 % *	(miconazole nitrate)	3	\$0	
<i>monistat 7 cream 7 applicators 2 % *</i>	(miconazole nitrate)	3	\$0	
<i>mycozyl ac 1% topical cream *</i>	(clotrimazole)	3	\$0	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	(posaconazole)	2	\$0	NDS
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG		2	\$0	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	1	\$0	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		1	\$0	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>nystatin topical cream 100,000 unit/gram</i>	1	\$0	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	1	\$0	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	1	\$0	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	1	\$0	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	1	\$0	
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	1	\$0	QL (60 per 30 days)
<i>odor ctrl foot-sneaker 1% powd *</i> (tolnaftate)	3	\$0	
<i>posaconazole intravenous solution 300 mg/16.7 ml</i> (Noxafil)	1	\$0	NDS
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	1	\$0	PA; NDS
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	1	\$0	PA; NDS
<i>pub athletic foot 1% cream *</i> (clotrimazole)	3	\$0	
<i>ra antifungal 1% liquid spray liquid spray *</i> (tolnaftate)	3	\$0	
<i>ra antifungal ringworm 1% crm *</i> (clotrimazole)	3	\$0	
<i>ra clotrimazole 1% top cream *</i> (clotrimazole)	3	\$0	
<i>ra jock itch cream 1 % *</i> (clotrimazole)	3	\$0	
<i>terbinafine 1% cream *</i> (Antifungal (terbinafine))	3	\$0	
<i>terbinafine hcl oral tablet 250 mg</i>	1	\$0	
<i>TINACTIN 1% LIQUID SPRAY *</i> (tolnaftate)	3	\$0	
<i>tolnaftate 1% cream *</i> (Athlete's Foot (tolnaftate))	3	\$0	
<i>tolnaftate 1% powder *</i> (Tinactin)	3	\$0	
<i>tolnaftate 1% spray powder *</i> (Athlete's Foot (tolnaftate))	3	\$0	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	1	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	1	\$0	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	1	\$0	
<i>votriza-al 1% lotion *</i>	3	\$0	
<i>zeasorb af 2% powder *</i> (miconazole nitrate)	3	\$0	
<b>Antigout Agents</b>			
<b>Antigout Agents, Other</b>			
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	\$0	
<i>allopurinol oral tablet 300 mg</i>	1	\$0	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	1	\$0	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	1	\$0	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	1	\$0	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	\$0	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	\$0	
<b>Antihistamines</b>			
<b>Antihistamines</b>			
<i>alavert d-12 allergy-sinus tab 5-120 mg *</i>	3	\$0	
<i>aler-caps 25 mg capsule *</i> (diphenhydramine hcl)	3	\$0	
<i>allerclear 10 mg tablet non-drowsy, 24hr *</i> (loratadine)	3	\$0	
<i>allerclear d-12hr tablet 5-120 mg *</i>	3	\$0	
<i>allerclear d-24hr er tablet 10-240 mg *</i> (loratadine-pseudoephedrine)	3	\$0	
<i>allergy (loratadine) 10 mg tab *</i> (loratadine)	3	\$0	
<i>allergy 50 mg/20 ml solution 12.5 mg/5 ml *</i> (diphenhydramine hcl)	3	\$0	
<i>allergy relief 10 mg tablet non-drowsy *</i> (loratadine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>allergy relief 10 mg tablet non-drowsy, 24 hour *</i>	(loratadine)	3	\$0	
<i>allergy relief 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>allergy relief 25 mg/10 ml 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>allergy relief-nasal decong tb 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0	
<i>aller-tec 10 mg tablet *</i>	(cetirizine)	3	\$0	
<i>aller-tec d 5-120 mg tablet *</i>	(cetirizine-pseudoephedrine)	3	\$0	
<i>aprodine tablet 2.5-60 mg *</i>	(triprolidine-pseudoephedrine)	3	\$0	
<i>banophen 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>banophen 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>banophen 50 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>benadryl allergy 25 mg ultrab *</i>	(diphenhydramine hcl)	3	\$0	
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>carbinoxamine maleate oral tablet 4 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cetirizine hcl 1 mg/ml soln children, grape (otc) *</i>	(All Day Allergy (cetirizine))	3	\$0	
<i>cetirizine hcl 1 mg/ml soln children's (otc) *</i>	(All Day Allergy (cetirizine))	3	\$0	
<i>cetirizine hcl 10 mg tablet indoor &amp; outdoor *</i>	(Aller-Tec)	3	\$0	
<i>cetirizine hcl 5 mg chew tab children's, outer, u-d *</i>	(Children's Cetirizine)	3	\$0	
<i>cetirizine hcl 5 mg tablet indoor &amp; outdoor *</i>	(Allergy Relief (cetirizine))	3	\$0	
<i>cetirizine hcl 5 mg/5 ml solution cup outer *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cetirizine-pse er 5-120 mg tab *</i>	(Aller-Tec D)	3	\$0	
<i>child all day allergy 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child allergy relief 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child allergy rlf 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>child cetirizine 10 mg chew tb chewable, allergy *</i>	(cetirizine)	3	\$0	
<i>child cetirizine hcl 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child loratadine 5 mg/5 ml sol *</i>	(Wal-itin)	3	\$0	
<i>child wal-itin 5 mg/5 ml soln *</i>	(loratadine)	3	\$0	
<i>child wal-zyr 1 mg/ml solution grape *</i>	(cetirizine)	3	\$0	
<i>child's aller-tec 1 mg/ml soln *</i>	(cetirizine)	3	\$0	
<i>child's wal-dryl 12.5 mg/5 ml children, cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>child's wal-zyr 10 mg chew tab *</i>	(cetirizine)	3	\$0	
<b>CLARITIN 10 MG TABLET (OTC) *</b>	(loratadine)	3	\$0	
<i>clemastine oral tablet 2.68 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cvs allergy (diphen) 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy (fexo) 60 mg tab *</i>	(fexofenadine)	3	\$0	
<i>cvs allergy (lorat) 10 mg tab *</i>	(loratadine)	3	\$0	
<i>cvs allergy 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy 50 mg/20 ml liq maximum strength 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy relief 180 mg tab indoor/outdoor *</i>	(fexofenadine)	3	\$0	
<i>cvs allergy relief 5 mg tablet *</i>	(levocetirizine)	3	\$0	
<i>cvs child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs child allergy relf 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cypheptadine oral tablet 4 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>diphedryl 12.5 mg/5 ml elixir *</i>	(diphenhydramine hcl)	3	\$0	
<i>diphenhist 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>diphenhydramine 12.5 mg/5 ml *</i>	(Allergy)	3	\$0	
<i>diphenhydramine 12.5 mg/5 ml cup inner *</i>	(Allergy)	3	\$0	
<i>diphenhydramine 25 mg tablet *</i>	(Allergy (diphenhydramine ))	3	\$0	
<i>diphenhydramine 25 mg/10 ml cup inner 12.5 mg/5 ml *</i>	(Allergy)	3	\$0	
<i>diphenhydramine 50 mg capsule (otc) *</i>	(Banophen)	3	\$0	
<i>diphenhydramine 50 mg capsule u-d, 10x10 (otc) *</i>	(Banophen)	3	\$0	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>		1	\$0	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>		1	\$0	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	(Diphen)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>eq allergy (lorat) 10 mg tab *</i>	(loratadine)	3	\$0	
<i>eq allergy relief 1 mg/ml soln *</i>	(cetirizine)	3	\$0	
<i>eq child allergy 12.5 mg/5 ml children, cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>eq child allergy relf 1 mg/ml dlf *</i>	(cetirizine)	3	\$0	
<i>eql aller-ease 180 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>eql child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>eql chld all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>fexofenadine hcl 180 mg tablet (otc) *</i>	(Aller-Ease)	3	\$0	
<i>fexofenadine hcl 60 mg tablet (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fexofenadine hcl 60 mg tablet (rx) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>fexofenadine hcl 60 mg tablet indoor/outdoor (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>ft allergy (lorat) 10 mg tab *</i>	(loratadine)	3	\$0	
<i>ft child all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>ft child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>ft child allergy rlf 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>geri-dryl 12.5 mg/5 ml liquid *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp allergy relief 50 mg/20 ml 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp diphedryl 12.5 mg/5 ml elx *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp loratadine 10 mg tablet *</i>	(Allerclear)	3	\$0	
<i>gs aller-ease 180 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>gs aller-ease 60 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>gs child all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>gs child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>hm child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>hm fexofenadine hcl 60 mg tab (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>hm loratadine 10 mg tablet *</i>	(Allerclear)	3	\$0	
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>		1	\$0	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>		1	\$0	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		1	\$0	
<i>levocetirizine 5 mg tablet (otc) *</i>	(Allergy Relief (levocetirizin))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	(Xyzal)	1	\$0	
<i>levocetirizine oral tablet 5 mg</i>	(Allergy Relief (levocetirizin))	1	\$0	
<i>loradamed 10 mg tablet outer *</i>	(loratadine)	3	\$0	
<i>loratadine 10 mg tablet *</i>	(Allerclear)	3	\$0	
<i>loratadine-d 12 hour tablet 5-120 mg *</i>		3	\$0	
<i>maxallergy kids 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>m-dryl 12.5 mg/5 ml solution *</i>	(diphenhydramine hcl)	3	\$0	
<i>pharbedryl 50 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>promethazine oral syrup 6.25 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>pub allergy 12.5 mg/5 ml liq cherry flavor *</i>	(diphenhydramine hcl)	3	\$0	
<i>pub children's allergy 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>qc allergy (lorat) 10 mg tab *</i>	(loratadine)	3	\$0	
<i>qc child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>qc children's allergy 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>qc complete allergy 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0	
<i>qc loratadine 10 mg tablet non-drowsy *</i>	(Allerclear)	3	\$0	
<i>ra all day allergy 10 mg sftgl *</i>		3	\$0	
<i>ra allergy 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy med 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy med 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy med capsule 25 mg *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy relief 180 mg tab *</i>	(fexofenadine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra allergy relief 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra child allergy 12.5 mg/5 ml cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra child allergy relf 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>ra complete allergy 25 mg cplt coated caplet *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra diphedryl 12.5 mg/5 ml elix *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra loratadine 10 mg tablet non-drowsy *</i>	(Allerclear)	3	\$0	
<b>SM ALL DAY ALLERGY 10 MG TAB *</b>	(loratadine)	3	\$0	
<i>sm allergy relief 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>sm child all day aller 1 mg/ml cherry *</i>	(cetirizine)	3	\$0	
<i>sm child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>sm fexofenadine hcl 60 mg tab (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>sm loratadine 10 mg tablet *</i>	(Allerclear)	3	\$0	
<i>sudogest cold and allergy tab 4-60 mg *</i>		3	\$0	
<i>total allergy 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-act d cold &amp; allergy tab 2.5-60 mg *</i>	(triprolidine-pseudoephedrine)	3	\$0	
<i>wal-dryl allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-dryl allergy 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-dryl allergy 25 mg minitab minitab, coated *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-fex allergy 180 mg tablet *</i>	(fexofenadine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
wal-fex allergy 60 mg tablet *	(fexofenadine)	3	\$0	
wal-finatate-d tablet 4-60 mg *		3	\$0	
wal-itin 10 mg tablet non-drowsy *	(loratadine)	3	\$0	
wal-itin 5 mg/5 ml syrup children's, grape *	(loratadine)	3	\$0	
wal-itin d 12 hour tablet 5-120 mg *		3	\$0	
wal-itin d 24 hour tablet 10-240 mg *	(loratadine-pseudoephedrine)	3	\$0	
wal-phed sinus and allergy tab 4-60 mg *		3	\$0	
wal-zyr 10 mg softgel *		3	\$0	
wal-zyr 10 mg tablet *	(cetirizine)	3	\$0	
wal-zyr d tablet 12 hr relief 5-120 mg *	(cetirizine-pseudoephedrine)	3	\$0	
ZYRTEC 10 MG LIQUID GELS *		3	\$0	
<b>Anti-Infectives (Skin And Mucous Membrane)</b>				
<b>Anti-Infectives (Skin And Mucous Membrane)</b>				
clindamycin phosphate vaginal cream 2 %	(Cleocin)	1	\$0	
metronidazole vaginal gel 0.75 % (37.5mg/5 gram)	(Vandazole)	1	\$0	
terconazole vaginal cream 0.4 %, 0.8 %		1	\$0	
terconazole vaginal suppository 80 mg		1	\$0	
<b>Antivirals (Skin And Mucous Membrane)</b>				
ABREVA 10% CREAM *	(docosanol)	3	\$0	
docosanol 10% cream *	(Abreva)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<b>Antimigraine Agents</b>			
<b>Antimigraine Agents</b>			
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	2	\$0	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	2	\$0	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	1	\$0	QL (24 per 28 days); NDS
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (Migranal) (4 mg/ml)</i>	1	\$0	ST; QL (8 per 28 days); NDS
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	2	\$0	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	2	\$0	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	2	\$0	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	1	\$0	QL (9 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	2	\$0	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	2	\$0	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	\$0	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	\$0	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	1	\$0	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	1	\$0	QL (12 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, sub</i> (Imitrex STATdose Pen)	1	\$0	QL (4 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i>	1	\$0	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i>	1	\$0	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	\$0	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	\$0	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	\$0	QL (4 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	1	\$0	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	2	\$0	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	1	\$0	QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	1	\$0	QL (6 per 30 days)
<b>Antimycobacterials</b>			
<b>Antimycobacterials</b>			
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	\$0	
<i>ethambutol oral tablet 100 mg</i>	1	\$0	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	\$0	
<i>isoniazid oral solution 50 mg/5 ml</i>	1	\$0	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PRETOMANID ORAL TABLET 200 MG	2	\$0	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	2	\$0	
<i>pyrazinamide oral tablet 500 mg</i>	1	\$0	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	\$0	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	\$0	
<i>rifampin oral capsule 150 mg, 300 mg</i>	1	\$0	
SIRTURO ORAL TABLET 100 MG, 20 MG	2	\$0	PA; NDS
TRECTOR ORAL TABLET 250 MG	2	\$0	

### Antinausea Agents

#### Antinausea Agents

AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	2	\$0	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	2	\$0	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	2	\$0	PA BvD
APONVIE INTRAVENOUS EMULSION 32 MG/4.4 ML (7.2 MG/ML)	2	\$0	QL (4.4 per 28 days)
<i>aprepitant oral capsule 125 mg</i>	1	\$0	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	1	\$0	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	\$0	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>compro rectal suppository 25 mg</i>	(prochlorperazine)	1	\$0	
<i>cvs motion sickness 25 mg tab *</i>	(meclizine)	3	\$0	
<i>dimenhydrinate injection solution 50 mg/ml</i>		1	\$0	
<i>dramamine less drowsy 25 mg tb *</i>	(meclizine)	3	\$0	
<i>driminate 50 mg tablet *</i>	(dimenhydrinate)	3	\$0	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	(Marinol)	1	\$0	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>		1	\$0	
<b>EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)</b>		2	\$0	PA BvD; QL (6 per 28 days); NDS
<i>fosaprepitant intravenous recon soln 150 mg</i>	(Emend (fosaprepitant))	1	\$0	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>		1	\$0	
<i>granisetron hcl intravenous solution 1 mg/ml</i>		1	\$0	
<i>granisetron hcl oral tablet 1 mg</i>		1	\$0	PA BvD
<i>meclizine 12.5 mg caplet (otc) *</i>		3	\$0	
<i>meclizine 12.5 mg caplet caplet (otc) *</i>		3	\$0	
<i>meclizine 25 mg tablet (otc) *</i>	(Dramamine Less Drowsy)	3	\$0	
<i>meclizine oral tablet 12.5 mg</i>		1	\$0	
<i>meclizine oral tablet 25 mg</i>	(Dramamine Less Drowsy)	1	\$0	
<i>medi-meclizine 25 mg tablet outer, flc *</i>	(meclizine)	3	\$0	
<i>motion sickness rlf 25 mg tab *</i>	(meclizine)	3	\$0	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>		1	\$0	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>		1	\$0	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>		1	\$0	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>		1	\$0	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>		1	\$0	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>		1	\$0	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	(Compazine)	1	\$0	
<i>prochlorperazine rectal suppository 25 mg</i>	(Compro)	1	\$0	
<i>promethazine injection solution 25 mg/ml</i>	(Phenergan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine injection solution 50 mg/ml</i>	(Phenergan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(Promethegan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(promethazine)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	(Transderm-Scop)	1	\$0	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<i>travel-ease 25 mg tablet *</i>	(meclizine)	3	\$0	
<i>verticalm 25 mg tablet *</i>	(meclizine)	3	\$0	
<i>wal-dram-2 25 mg tablet *</i>	(meclizine)	3	\$0	
<b>Antiparasite Agents</b>				
<b>Antiparasite Agents</b>				
<i>albendazole oral tablet 200 mg</i>		1	\$0	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	(Mepron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	(Malarone)	1	\$0	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	(Malarone Pediatric)	1	\$0	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>		1	\$0	
COARTEM ORAL TABLET 20-120 MG		2	\$0	
<i>hydroxychloroquine oral tablet 200 mg</i>	(Plaquenil)	1	\$0	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG		2	\$0	PA; QL (84 per 28 days); NDS
<i>ivermectin oral tablet 3 mg</i>	(Stromectol)	1	\$0	
KRINTAFEL ORAL TABLET 150 MG		2	\$0	
<i>mefloquine oral tablet 250 mg</i>		1	\$0	
<i>nitazoxanide oral tablet 500 mg</i>	(Alinia)	1	\$0	NDS
<i>paromomycin oral capsule 250 mg</i>	(Humatin)	1	\$0	
<i>pentamidine inhalation recon soln 300 mg</i>	(Nebupent)	1	\$0	PA BvD
<i>pentamidine injection recon soln 300 mg</i>	(Pentam)	1	\$0	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)		2	\$0	
<i>pyrimethamine oral tablet 25 mg</i>	(Daraprim)	1	\$0	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i>	(Qualaquin)	1	\$0	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>		1	\$0	
<b>Antiparkinsonian Agents</b>				
<b>Antiparkinsonian Agents</b>				
<i>amantadine hcl oral capsule 100 mg</i>		1	\$0	
<i>amantadine hcl oral solution 50 mg/5 ml</i>		1	\$0	
<i>amantadine hcl oral tablet 100 mg</i>		1	\$0	
<i>apomorphine subcutaneous cartridge 10 mg/ml</i>	(APOKYN)	1	\$0	PA; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>benztropine injection solution 1 mg/ml</i>	1	\$0	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	\$0	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	\$0	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	\$0	
<i>cabergoline oral tablet 0.5 mg</i>	1	\$0	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	\$0	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	1	\$0	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	1	\$0	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	\$0	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	\$0	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	1	\$0	
<i>entacapone oral tablet 200 mg</i>	1	\$0	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	2	\$0	PA; QL (300 per 30 days); NDS
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	\$0	PA; QL (150 per 30 days); NDS
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	\$0	ST; QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	2	\$0	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	2	\$0	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	2	\$0	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	\$0	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	\$0	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	\$0	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	1	\$0	
<i>selegiline hcl oral capsule 5 mg</i>	1	\$0	
<i>selegiline hcl oral tablet 5 mg</i>	1	\$0	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	\$0	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	\$0	
XADAGO ORAL TABLET 100 MG, 50 MG	2	\$0	PA; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<b>Antipsychotic Agents</b>			
<b>Antipsychotic Agents</b>			
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	2	\$0	QL (2.4 per 42 days); NDS
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	2	\$0	QL (3.2 per 42 days); NDS
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	2	\$0	QL (1 per 26 days); NDS
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	2	\$0	QL (1 per 26 days); NDS
<i>aripiprazole oral solution 1 mg/ml</i>	1	\$0	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	\$0	
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	1	\$0	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	1	\$0	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	2	\$0	QL (4.8 per 365 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	2	\$0	QL (3.9 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	2	\$0	QL (1.6 per 14 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	2	\$0	QL (2.4 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	2	\$0	QL (3.2 per 14 days); NDS
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	1	\$0	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	2	\$0	ST; QL (30 per 30 days); NDS
<i>chlorpromazine injection solution</i> 25 mg/ml	1	\$0	
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	1	\$0	
<i>chlorpromazine oral tablet 10 mg,</i> 100 mg, 200 mg, 25 mg, 50 mg	1	\$0	
<i>clozapine oral tablet 100 mg, 200</i> <i>mg, 25 mg, 50 mg</i> (Clozaril)	1	\$0	
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	1	\$0	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	1	\$0	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	1	\$0	ST; QL (120 per 30 days); NDS
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	\$0	ST; QL (60 per 30 days); NDS
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	2	\$0	ST
<i>fluphenazine decanoate injection</i> <i>solution 25 mg/ml</i>	1	\$0	
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	\$0	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	\$0	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	1	\$0	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	1	\$0	
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	\$0	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	\$0	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	\$0	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	\$0	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	2	\$0	QL (3.5 per 166 days); NDS
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	2	\$0	QL (5 per 166 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	\$0	QL (0.75 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	2	\$0	QL (1 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	\$0	QL (1.5 per 21 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	\$0	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	\$0	QL (0.5 per 21 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	2	\$0	QL (0.88 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	2	\$0	QL (1.32 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	2	\$0	QL (1.75 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	2	\$0	QL (2.63 per 70 days); NDS
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	\$0	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	1	\$0	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	1	\$0	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>molindone oral tablet 10 mg</i>	1	\$0	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	\$0	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	\$0	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
NUPLAZID ORAL TABLET 10 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	1	\$0	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	\$0	
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	1	\$0	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	1	\$0	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	\$0	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	\$0	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	2	\$0	QL (1 per 30 days); NDS
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	\$0	
<i>prochlorperazine 10 mg/2 ml vial outer 10 mg/2 ml (5 mg/ml)</i>	1	\$0	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	1	\$0	
<i>quetiapine oral tablet 150 mg</i>	1	\$0	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	1	\$0	
REXULTI ORAL TABLET 0.25 MG	2	\$0	ST; QL (120 per 30 days); NDS
REXULTI ORAL TABLET 0.5 MG	2	\$0	ST; QL (60 per 30 days); NDS
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	2	\$0	ST; QL (30 per 30 days); NDS
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> (Risperdal Consta)	1	\$0	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Risperdal Consta)	1	\$0	QL (2 per 28 days); NDS
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	\$0	
<i>risperidone oral tablet 0.25 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	\$0	
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	1	\$0	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	2	\$0	ST; QL (30 per 30 days); NDS
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML	2	\$0	QL (0.28 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML	2	\$0	QL (0.35 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 150 MG/0.42 ML	2	\$0	QL (0.42 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 200 MG/0.56 ML	2	\$0	QL (0.56 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 250 MG/0.7 ML	2	\$0	QL (0.7 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 50 MG/0.14 ML	2	\$0	QL (0.14 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 75 MG/0.21 ML	2	\$0	QL (0.21 per 28 days); NDS
VERSACLOZ ORAL SUSPENSION 50 MG/ML	2	\$0	ST; QL (540 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	2	\$0	ST; QL (30 per 30 days); NDS
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	2	\$0	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	\$0	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	1	\$0	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	2	\$0	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	2	\$0	QL (2 per 28 days); NDS
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	2	\$0	QL (1 per 28 days); NDS
<b>Antivirals (Systemic)</b>			
<b>Antiretrovirals</b>			
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	\$0	
<i>abacavir oral tablet 300 mg</i>	1	\$0	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	1	\$0	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	2	\$0	QL (24 per 365 days); NDS
APTIVUS ORAL CAPSULE 250 MG	2	\$0	NDS
<i>atazanavir oral capsule 150 mg</i>	1	\$0	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	2	\$0	QL (30 per 30 days); NDS
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	2	\$0	NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	2	\$0	QL (24 per 365 days); NDS
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	2	\$0	QL (24 per 365 days); NDS
CIMDUO ORAL TABLET 300-300 MG	2	\$0	NDS
COMPLERA ORAL TABLET 200-25-300 MG	2	\$0	NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	1	\$0	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	2	\$0	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	2	\$0	NDS
<i>didanosine oral capsule, delayed release (drlec) 250 mg, 400 mg</i>	1	\$0	
DOVATO ORAL TABLET 50-300 MG	2	\$0	NDS
EDURANT ORAL TABLET 25 MG	2	\$0	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	1	\$0	
<i>efavirenz oral tablet 600 mg</i>	1	\$0	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	1	\$0	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	1	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>efavirenz-lamivu-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	1	\$0	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	1	\$0	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	1	\$0	NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	1	\$0	
EMTRIVA ORAL SOLUTION 10 MG/ML	2	\$0	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	2	\$0	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	1	\$0	NDS
EVOTAZ ORAL TABLET 300-150 MG	2	\$0	NDS
<i>fosamprenavir oral tablet 700 mg</i>	1	\$0	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	2	\$0	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	2	\$0	NDS
INTELENCE ORAL TABLET 25 MG	2	\$0	
INVIRASE ORAL TABLET 500 MG	2	\$0	NDS
ISENTRESS HD ORAL TABLET 600 MG	2	\$0	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	2	\$0	NDS
ISENTRESS ORAL TABLET 400 MG	2	\$0	NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG	2	\$0	NDS
ISENTRESS ORAL TABLET, CHEWABLE 25 MG	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
JULUCA ORAL TABLET 50-25 MG	2	\$0	NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	\$0	
<i>lamivudine oral tablet 100 mg</i>	1	\$0	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	\$0	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	1	\$0	
LEXIVA ORAL SUSPENSION 50 MG/ML	2	\$0	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	\$0	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	1	\$0	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	1	\$0	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	1	\$0	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	1	\$0	
<i>nevirapine oral tablet 200 mg</i>	1	\$0	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	1	\$0	
NORVIR ORAL POWDER IN PACKET 100 MG	2	\$0	
NORVIR ORAL SOLUTION 80 MG/ML	2	\$0	
ODEFSEY ORAL TABLET 200-25-25 MG	2	\$0	NDS
PIFELTRO ORAL TABLET 100 MG	2	\$0	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	2	\$0	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	2	\$0	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	
REYATAZ ORAL POWDER IN PACKET 50 MG	2	\$0	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	2	\$0	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	\$0	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	2	\$0	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	2	\$0	NDS
SELZENTRY ORAL TABLET 25 MG	2	\$0	
SELZENTRY ORAL TABLET 75 MG	2	\$0	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	\$0	
STRIBILD ORAL TABLET 150-150-200-300 MG	2	\$0	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	2	\$0	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	2	\$0	PA BvD; NDS
SYM TUZA ORAL TABLET 800-150-200-10 MG	2	\$0	NDS
TEMIXYS ORAL TABLET 300-300 MG	2	\$0	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	\$0	
TIVICAY ORAL TABLET 10 MG	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TIVICAY ORAL TABLET 25 MG, 50 MG	2	\$0	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	2	\$0	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	2	\$0	QL (30 per 30 days); NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	2	\$0	NDS
TRIZIVIR ORAL TABLET 300-150-300 MG	2	\$0	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	2	\$0	NDS
VEMLIDY ORAL TABLET 25 MG	2	\$0	ST; QL (30 per 30 days); NDS
VIRACEPT ORAL TABLET 250 MG, 625 MG	2	\$0	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	2	\$0	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	\$0	NDS
VOCABRIA ORAL TABLET 30 MG	2	\$0	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	\$0	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	\$0	
<i>zidovudine oral tablet 300 mg</i>	1	\$0	
<b>Antivirals, Miscellaneous</b>			
BEYFORTUS INTRAMUSCULAR SYRINGE 100 MG/ML, 50 MG/0.5 ML	2	\$0	PA
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	\$0	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	\$0	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	\$0	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	\$0	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	\$0	QL (540 per 180 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcare.org](http://www.phpcare.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PAXLOVID ORAL TABLETS, DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	2	\$0	\$0 copay; QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	2	\$0	PA; QL (336 per 28 days); NDS
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	2	\$0	PA; QL (672 per 28 days); NDS
PREVYMIS ORAL TABLET 240 MG, 480 MG	2	\$0	PA; QL (28 per 28 days); NDS
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	\$0	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	\$0	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	2	\$0	PA; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	2	\$0	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	2	\$0	QL (2 per 180 days)
<b>Hcv Antivirals</b>			
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	2	\$0	PA; QL (28 per 28 days); NDS
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	2	\$0	PA; QL (56 per 28 days); NDS
EPCLUSA ORAL TABLET 200-50 MG	2	\$0	PA; QL (28 per 28 days); NDS
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL PELLETS IN PACKET 45-200 MG	2	\$0	PA; QL (56 per 28 days); NDS
HARVONI ORAL TABLET 45-200 MG	2	\$0	PA; QL (28 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	2	\$0	PA; QL (28 per 28 days); NDS
MAVYRET ORAL TABLET 100-40 MG	2	\$0	PA; QL (84 per 28 days); NDS
VOSEVI ORAL TABLET 400-100-100 MG	2	\$0	PA; QL (28 per 28 days); NDS
<b>Interferons</b>			
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	2	\$0	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	2	\$0	PA; NDS
<b>Nucleosides And Nucleotides</b>			
<i>acyclovir oral capsule 200 mg</i>	1	\$0	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	\$0	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	\$0	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	1	\$0	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	\$0	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	\$0	
<i>cidofovir intravenous solution 75 mg/ml</i>	1	\$0	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	\$0	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	\$0	
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	1	\$0	PA BvD; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	\$0	PA BvD; NDS
<i>lagevrio (eua) oral capsule 200 mg</i>	2	\$0	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	2	\$0	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	1	\$0	
<i>ribavirin oral tablet 200 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	\$0	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	1	\$0	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	\$0	
VEKLURY INTRAVENOUS RECON SOLN 100 MG (remdesivir)	2	\$0	PA BvD; NDS

**Blood Products/Modifiers/Volume Expanders**

<b>Anticoagulants</b>			
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	1	\$0	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	\$0	
ELIQUIS ORAL TABLET 2.5 MG	2	\$0	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	2	\$0	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	1	\$0	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	1	\$0	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	1	\$0	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	1	\$0	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	1	\$0	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	1	\$0	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	1	\$0	QL (24 per 30 days); NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	1	\$0	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	1	\$0	QL (12 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml	1	\$0	QL (18 per 30 days); NDS
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	1	\$0	
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	1	\$0	
<i>heparin, porcine (pf) injection solution</i> 1,000 unit/ml	1	\$0	
<i>heparin, porcine (pf) injection syringe</i> 5,000 unit/0.5 ml, 5,000 unit/ml	1	\$0	
<i>jantoven oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (warfarin)	1	\$0	
<i>warfarin oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	\$0	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	\$0	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	2	\$0	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	2	\$0	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	2	\$0	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>			
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	2	\$0	PA; QL (60 per 30 days); NDS
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	2	\$0	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	2	\$0	PA; QL (30 per 30 days); NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	2	\$0	PA; QL (20 per 30 days); NDS
LEUKINE INJECTION RECON SOLN 250 MCG	2	\$0	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML) (plerixafor)	2	\$0	NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
<i>plerixafor subcutaneous solution 24 mg/1.2 ml (20 mg/ml)</i> (Mozobil)	2	\$0	NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	2	\$0	PA; QL (90 per 30 days); NDS
PROMACTA ORAL POWDER IN PACKET 25 MG	2	\$0	PA; QL (180 per 30 days); NDS
PROMACTA ORAL TABLET 12.5 MG	2	\$0	PA; QL (90 per 30 days); NDS
PROMACTA ORAL TABLET 25 MG	2	\$0	PA; QL (30 per 30 days); NDS
PROMACTA ORAL TABLET 50 MG, 75 MG	2	\$0	PA; QL (60 per 30 days); NDS
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	\$0	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	\$0	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	2	\$0	PA; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
<b>Hematologic Agents, Miscellaneous</b>			
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	\$0	
<i>anagrelide oral capsule 1 mg</i>	1	\$0	
CABLIVI INJECTION KIT 11 MG	2	\$0	PA; QL (30 per 30 days); NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	2	\$0	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	2	\$0	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	1	\$0	
TAVALISSE ORAL TABLET 100 MG, 150 MG	2	\$0	PA; QL (60 per 30 days); NDS
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	1	\$0	
<i>tranexamic acid oral tablet 650 mg</i>	1	\$0	
<b>Platelet-Aggregation Inhibitors</b>			
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	1	\$0	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	\$0	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	\$0	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	\$0	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	\$0	QL (30 per 30 days)
<b>Caloric Agents</b>			
<b>Caloric Agents</b>			
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	2	\$0	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	\$0	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	\$0	PA BvD
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	\$0	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	\$0	PA BvD
<i>cvs glucose 4 gram tablet chew orange, gluten-free (rx) *</i> (Dex4 Glucose)	3	\$0	
<i>dex4 glucose 4 gm tablet chew grape flavor (rx) 4 gram *</i> (glucose)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	\$0	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	\$0	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	\$0	
<i>dextrose 5%-water iv soln single use</i>	1	\$0	
<i>glucose 3.75 gram tablet chew (rx) 4 gram *</i> (Dex4 Glucose)	3	\$0	
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	2	\$0	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	2	\$0	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	2	\$0	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	\$0	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	\$0	PA BvD
<i>trueplus glucose 3.75 g tb chw 4 gram *</i> (glucose)	3	\$0	

## Cardiovascular Agents

### Alpha-Adrenergic Agents

<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	\$0	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	\$0	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	\$0	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	\$0	QL (8 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	\$0	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	1	\$0	PA; QL (180 per 30 days); NDS
<i>gs nasal decong pe 10 mg tab *</i> (phenylephrine hcl)	3	\$0	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	\$0	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	\$0	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	\$0	
<i>ra sinus pres-cng rlf pe 10 mg *</i> (phenylephrine hcl)	3	\$0	
<i>wal-phed pe 10 mg tablet non-drowsy *</i> (phenylephrine hcl)	3	\$0	
<b>Angiotensin II Receptor Antagonists</b>			
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	1	\$0	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	\$0	
EDARBI ORAL TABLET 40 MG, 80 MG	2	\$0	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	2	\$0	
ENTRESTO ORAL TABLET 24-26 MG	2	\$0	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	2	\$0	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG	2	\$0	QL (240 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	\$0	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	\$0	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	\$0	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	\$0	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	\$0	
<i>olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	1	\$0	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	\$0	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	\$0	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	1	\$0	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	\$0	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	\$0	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	\$0	
<b>Angiotensin-Converting Enzyme Inhibitors</b>			
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	\$0	
<i>benazepril oral tablet 5 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	\$0	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	\$0	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	\$0	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	\$0	
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	1	\$0	ST; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	\$0	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	\$0	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	\$0	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	\$0	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	\$0	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	\$0	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	\$0	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	\$0	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	\$0	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	\$0	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	\$0	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	\$0	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	\$0	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	1	\$0	
<b>Antiarrhythmic Agents</b>			
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)	1	\$0	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	\$0	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	\$0	
<i>lidocaine (pf) injection syringe 100 mg/5 ml (2%)</i>	1	\$0	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	\$0	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	\$0	
<b>MULTAQ ORAL TABLET 400 MG</b>	2	\$0	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	1	\$0	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	\$0	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	\$0	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	1	\$0	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	\$0	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	\$0	
<b>Beta-Adrenergic Blocking Agents</b>			
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	\$0	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	\$0	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	\$0	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	\$0	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	\$0	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	\$0	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	\$0	
<i>labetalol intravenous solution 5 mg/ml</i>	1	\$0	
<i>labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)</i>	1	\$0	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	\$0	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	\$0	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	1	\$0	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	\$0	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	\$0	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	1	\$0	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	1	\$0	
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>propranolol intravenous solution 1 mg/ml</i>	1	\$0	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	\$0	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	\$0	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	\$0	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	\$0	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	1	\$0	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	1	\$0	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	1	\$0	
<i>sotalol oral tablet 240 mg</i> (Betapace)	1	\$0	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	\$0	
<b>Calcium-Channel Blocking Agents</b>			
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	1	\$0	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	\$0	
<i>diltiazem hcl oral capsule, extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)	1	\$0	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	\$0	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	\$0	
<i>diltiazem hcl oral tablet 90 mg</i>	1	\$0	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	1	\$0	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	1	\$0	
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	1	\$0	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	\$0	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	1	\$0	
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	\$0	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	1	\$0	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	\$0	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	1	\$0	
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	\$0	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	\$0	
<b>Cardiovascular Agents, Miscellaneous</b>			
CORLANOR ORAL SOLUTION 5 MG/5 ML	2	\$0	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG (ivabradine)	2	\$0	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	1	\$0	
<i>digox oral tablet 125 mcg (0.125 mg)</i> (digoxin)	1	\$0	
<i>digoxin injection solution 250 mcg/ml (0.25 mg/ml)</i> (Lanoxin)	1	\$0	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	\$0	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	1	\$0	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	1	\$0	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	\$0	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	\$0	
<i>hydralazine injection solution 20 mg/ml</i>	1	\$0	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	1	\$0	PA; QL (18 per 30 days); NDS
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	2	\$0	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	1	\$0	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	1	\$0	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	1	\$0	PA; QL (18 per 30 days); NDS
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML	2	\$0	QL (4 per 30 days)
SYMJEPI INJECTION SYRINGE 0.3 MG/0.3 ML (epinephrine)	2	\$0	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	2	\$0	PA; QL (30 per 30 days)
<b>Dihydropyridines</b>			
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	\$0	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	\$0	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	\$0	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	\$0	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	\$0	
<i>amlodipine-valsartan-hcthiaid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	\$0	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	\$0	
KATERZIA ORAL SUSPENSION 1 MG/ML	2	\$0	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>nifedipine oral capsule 10 mg, 20 mg</i>	1	\$0	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	\$0	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	1	\$0	
<b>Diuretics</b>			
<i>amiloride oral tablet 5 mg</i>	1	\$0	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	\$0	
<i>bumetanide injection solution 0.25 mg/ml</i>	1	\$0	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	\$0	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	1	\$0	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	\$0	
<i>furosemide injection solution 10 mg/ml</i>	1	\$0	
<i>furosemide injection syringe 10 mg/ml</i>	1	\$0	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	\$0	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	\$0	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	\$0	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	\$0	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	\$0	
JYNARQUE ORAL TABLET 15 MG, 30 MG	2	\$0	PA; QL (120 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	2	\$0	PA; QL (56 per 28 days); NDS
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	\$0	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	1	\$0	
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	1	\$0	
<i>toremide oral tablet 20 mg</i> (Soaanz)	1	\$0	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	\$0	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	\$0	
<b>Dyslipidemics</b>			
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	1	\$0	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	\$0	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	\$0	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	\$0	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	\$0	
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	1	\$0	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	1	\$0	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	1	\$0	
<i>colestipol oral packet 5 gram</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>colestipol oral tablet 1 gram</i>	(Colestid)	1	\$0	
<i>endur-acin er 500 mg tablet *</i>	(niacin)	3	\$0	
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG		2	\$0	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	(Vytorin 10-10)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	(Vytorin 10-20)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	(Vytorin 10-40)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i>	(Vytorin 10-80)	1	\$0	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>		1	\$0	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	1	\$0	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		1	\$0	
<i>fenofibric acid (choline) oral capsule, delayed release (drlec) 135 mg, 45 mg</i>	(Trilipix)	1	\$0	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>		1	\$0	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	(Lescol XL)	1	\$0	
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	\$0	
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG		2	\$0	PA; QL (28 per 28 days); NDS
JUXTAPID ORAL CAPSULE 20 MG, 30 MG		2	\$0	PA; QL (56 per 28 days); NDS
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	(pitavastatin calcium)	1	\$0	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NEXLETOL ORAL TABLET 180 MG	2	\$0	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	2	\$0	QL (30 per 30 days)
<i>niacin 500 mg capsule sa (rx) *</i>	3	\$0	
<i>niacin 500 mg tablet (rx) *</i> (Niacor)	3	\$0	
<i>niacin oral tablet 500 mg</i> (Niacor)	1	\$0	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	1	\$0	
<i>niacin tr 500 mg capsule (rx) *</i>	3	\$0	
<i>niacin tr 500 mg tablet (rx) *</i> (Endur-Acin)	3	\$0	
<i>niacor oral tablet 500 mg</i> (niacin)	1	\$0	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	\$0	ST; QL (120 per 30 days)
<i>plain niacin 500 mg tablet (rx) *</i> (Niacor)	3	\$0	
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	2	\$0	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	\$0	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	\$0	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine- aspartame)	1	\$0	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	2	\$0	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	2	\$0	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	2	\$0	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>rosuvastatin oral tablet 40 mg</i>	(Crestor)	1	\$0	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i>	(Zocor)	1	\$0	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>		1	\$0	QL (30 per 30 days)
<i>true vitamin b3 250 mg tablet *</i>		3	\$0	
<i>true vitamin b3 50 mg tablet *</i>		3	\$0	
<i>true vitamin b3 500 mg tablet (rx) *</i>		3	\$0	
<i>true vitamin d3 50 mcg tablet (rx) 50 mcg (2,000 unit) *</i>	(D3 DOTS)	3	\$0	
VASCEPA ORAL CAPSULE 0.5 GRAM	(icosapent ethyl)	1	\$0	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	(icosapent ethyl)	1	\$0	QL (120 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>				
<i>aliskiren oral tablet 150 mg, 300 mg</i>	(Tekturna)	1	\$0	
<i>eplerenone oral tablet 25 mg, 50 mg</i>	(Inspra)	1	\$0	
KERENDIA ORAL TABLET 10 MG, 20 MG		2	\$0	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i>	(CaroSpir)	1	\$0	ST; QL (600 per 30 days)
<b>Vasodilators</b>				
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>		1	\$0	
<i>isosorbide dinitrate oral tablet 5 mg</i>	(Isordil Titrados)	1	\$0	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>		1	\$0	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>		1	\$0	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i>	(BiDil)	1	\$0	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	\$0	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	\$0	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	1	\$0	

## Central Nervous System

### Agents

#### Central Nervous System Agents

<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	1	\$0	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	1	\$0	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	2	\$0	PA; QL (120 per 30 days); NDS
AUSTEDO ORAL TABLET 6 MG	2	\$0	PA; QL (60 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	2	\$0	PA; QL (90 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	2	\$0	PA; QL (60 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	2	\$0	PA; QL (30 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	2	\$0	PA; QL (210 per 30 days); NDS
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	2	\$0	PA; QL (15 per 30 days); NDS
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	1	\$0	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	\$0	
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	1	\$0	
COPAXONE SUBCUTANEOUS SYRINGE (glatiramer) 20 MG/ML	2	\$0	PA; QL (30 per 30 days); NDS
COPAXONE SUBCUTANEOUS SYRINGE (glatiramer) 40 MG/ML	2	\$0	PA; QL (12 per 28 days); NDS
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	\$0	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i> (Dexedrine Spansule)	1	\$0	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 15 mg, 5 mg</i>	1	\$0	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	1	\$0	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i> (Zenzedi)	1	\$0	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> (Adderall XR) 20 mg, 25 mg, 30 mg	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	\$0	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg</i> (Tecfidera)	1	\$0	PA; QL (14 per 7 days); NDS
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	1	\$0	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release (drlec) 240 mg</i> (Tecfidera)	1	\$0	PA; QL (60 per 30 days); NDS
<i>edaravone intravenous solution 30 mg/100 ml</i> (Radicava)	1	\$0	PA; QL (2800 per 28 days); NDS
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	2	\$0	PA; NDS
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	1	\$0	PA; QL (30 per 30 days); NDS
<i>flumazenil intravenous solution 0.1 mg/ml</i>	1	\$0	
GILENYA ORAL CAPSULE 0.25 MG	2	\$0	PA; QL (60 per 30 days); NDS
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	2	\$0	PA; QL (30 per 30 days); NDS
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	2	\$0	PA; QL (12 per 28 days); NDS
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	2	\$0	PA; QL (30 per 30 days); NDS
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	2	\$0	PA; QL (12 per 28 days); NDS
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	2	\$0	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	2	\$0	PA; QL (30 per 30 days); NDS
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	2	\$0	PA; QL (30 per 30 days); NDS
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	2	\$0	PA; QL (1.2 per 28 days); NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	\$0	
<i>lithium carbonate oral tablet 300 mg</i>	1	\$0	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	\$0	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	\$0	
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	\$0	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MAYZENT ORAL TABLET 0.25 MG	2	\$0	PA; QL (112 per 28 days); NDS
MAYZENT ORAL TABLET 1 MG, 2 MG	2	\$0	PA; QL (30 per 30 days); NDS
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	2	\$0	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	2	\$0	PA; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	\$0	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	1	\$0	QL (90 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	1	\$0	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	2	\$0	PA; QL (20 per 180 days); NDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	\$0	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	\$0	PA; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML (edaravone)	2	\$0	PA; QL (2800 per 28 days); NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	\$0	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	\$0	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	\$0	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	2	\$0	PA; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>teriflunomide oral tablet 14 mg, 7 mg</i>	(Aubagio)	1	\$0	PA; QL (30 per 30 days); NDS
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>	(Xenazine)	1	\$0	PA; QL (112 per 28 days); NDS
VUMERITY ORAL CAPSULE, DELAYED RELEASE(DR/EC) 231 MG		2	\$0	PA; QL (120 per 30 days); NDS
<b>Contraceptives</b>				
<b>Contraceptives</b>				
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>after pill 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>aftera 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>amethia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		1	\$0	
<i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>caziant (28) oral tablet 0.1/1.125/1.5-25 mg-mcg</i>		1	\$0	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	1	\$0	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	1	\$0	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	1	\$0	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	1	\$0	
<i>econtra one-step 1.5 mg tablet outer *</i>	(levonorgestrel)	3	\$0	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<b>ELLA ORAL TABLET 30 MG</b>		2	\$0	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	\$0	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	1	\$0	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	1	\$0	QL (1 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>falmina (28) oral tablet 0.1-20 mcg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>her style 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>julie 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	\$0	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	\$0	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	1	\$0	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	1	\$0	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)</i> /iron (7) (Balcoltra)	1	\$0	
<i>levonorgestrel 1.5 mg tablet (otc) *</i> (After Pill)	3	\$0	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	1	\$0	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))	1	\$0	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia)	1	\$0	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	1	\$0	
<i>levora-28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	1	\$0	
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	1	\$0	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	1	\$0	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	1	\$0	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	1	\$0	
<i>lyleq oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	\$0	
<i>lyza oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	\$0	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	1	\$0	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	1	\$0	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>my choice 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>my way 1.5 mg tablet (otc) *</i>	(levonorgestrel)	3	\$0	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	\$0	
<i>new day 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	1	\$0	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	\$0	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	1	\$0	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	1	\$0	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Merzee)	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tri-Legest Fe)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Estarylla)	1	\$0	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	\$0	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		1	\$0	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>opcicon one-step 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>option 2 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>philith oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 10.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>		1	\$0	
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 10.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>simpesse oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<b>SLYND ORAL TABLET 4 MG (28)</b>		2	\$0	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>take action 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>trivora (28) oral tablet 50-30 (6)/175-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		2	\$0	
<b>VCF CONTRACEPTIVE FILM 28 % *</b>		3	\$0	
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		1	\$0	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		1	\$0	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	1	\$0	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	1	\$0	QL (3 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diacetate estradiol)	1	\$0	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<b>Cough And Cold Products</b>				
<b>Cough And Cold Products</b>				
<i>adult wal-tussin dm max liq cherry menthol 10-200 mg/5 ml *</i>		3	\$0	
<i>benzonatate 100 mg capsule *</i>		3	\$0	
<i>benzonatate 150 mg capsule *</i>		3	\$0	
<i>benzonatate 200 mg capsule *</i>		3	\$0	
<i>chest cong rlf pe 400-10 mg tb 10-400 mg *</i>	(phenylephrine-guaifenesin)	3	\$0	
<i>chest congest rlf 400 mg tab *</i>	(guaifenesin)	3	\$0	
<i>chest congestion relief dm syr 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>chest congst-cough relief tab 20-400 mg *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>cvs chest congest relief dm tb 20-400 mg *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>cvs chest congestion rlf tab 400 mg *</i>	(guaifenesin)	3	\$0	
<i>cvs mucus er 1,200 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>cvs tussin 100 mg/5 ml liquid *</i>	(guaifenesin)	3	\$0	
<b>DELSYM 30 MG/5 ML SUSPENSION FOR ADULT *</b>	(dextromethorphan polistirex)	3	\$0	
<i>dextromethorphan er 30 mg/5 ml *</i>	(Delsym 12 hour)	3	\$0	
<i>diabetic tussin 200 mg/10 ml 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>diabetic tussin dm max-str liq 10-200 mg/5 ml *</i>		3	\$0	
<i>diabetic tussin ex liquid dlf,n 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>dimaphen dm elixir grape,gluten-f 1-2.5-5 mg/5 ml *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>expectorant 100 mg/5 ml syrup *</i>	(guaifenesin)	3	\$0	
<i>expectorant 200 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>guaifenesin 100 mg/5 ml liquid *</i>	(Expectorant)	3	\$0	
<i>guaifenesin 200 mg tablet (otc) *</i>	(Expectorant)	3	\$0	
MUCINEX DM ER 1,200-60 MG TAB BI-LAYER, MAX-STR 60-1,200 MG *	(dextromethorphan-guaifenesin)	3	\$0	
MUCINEX ER 600 MG TABLET *	(guaifenesin)	3	\$0	
<i>mucinex fast-max chest-congest 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>mucus relief er 600 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>mucus rlf chest congest 200 mg *</i>	(guaifenesin)	3	\$0	
<i>mucus rlf dm er 600-30 mg tab 30-600 mg *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>neo-tuss liquid 30-200 mg/5 ml *</i>		3	\$0	
<i>pseudoephedrine 30 mg tablet *</i>	(Sudogest)	3	\$0	
<i>pseudoephedrine er 120 mg tab *</i>	(Suphedrine 12 Hour)	3	\$0	
<i>ra anti-tussive dm syrup 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>ra suphedrine 12hr 120 mg cplt caplet,mx-str *</i>	(pseudoephedrine hcl)	3	\$0	
<i>ra tussin cough liquid dlf 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>ra tussin dm max liquid 10-200 mg/5 ml *</i>		3	\$0	
<i>ra tussin dm syrup 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>refenesen 400 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>robafen 200 mg/10 ml syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>robafen cf liquid multi-cld symptm 5-10-100 mg/5 ml *</i>		3	\$0	
<i>robafen dm peak cold oral liquid 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>robitussin cough-chest dm liq 5-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>robitussin cough-cold cf liq 2.5-5-50 mg/5 ml *</i>		3	\$0	
<b>ROBITUSSIN SEVERE COUGH-SORE THROAT LIQUID 325-10 MG/10 ML *</b>		3	\$0	
<i>scot-tussin expectorant liquid 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>sm mucus relief cough liquid childrens 5-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>sudogest 30 mg tablet boxed *</i>	(pseudoephedrine hcl)	3	\$0	
<i>suphedrin liquid 15 mg/5 ml *</i>		3	\$0	
<b>THERAFLU MS SEVERE COLD PKT 10-20-500 MG *</b>		3	\$0	
<b>THERAFLU SVR COLD DAY(DM) PKT 500-20 MG, 650-20 MG *</b>		3	\$0	
<b>VANATAB DM CAPLET 5-9-198 MG *</b>		3	\$0	
<i>wal-phed 30 mg tablet non-drowsy *</i>	(pseudoephedrine hcl)	3	\$0	
<i>wal-phed d er 120 mg tablet *</i>	(pseudoephedrine hcl)	3	\$0	
<i>wal-tussin dm clear syrup 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>wal-tussin syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<b>Dental And Oral Agents</b>				
<b>Dental And Oral Agents</b>				
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	1	\$0	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	\$0	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	\$0	
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KOURZEQ DENTAL PASTE 0.1 %	(triamcinolone acetonide)	1	\$0	
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	1	\$0	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	\$0	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	\$0	
PHOS-FLUR ORAL RINSE 6'S,10ML DOSAGE CUP 0.02 % (0.044 % SOD. FLUORIDE) *		3	\$0	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	1	\$0	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	\$0	
<i>sodium fluoride dental solution 0.2 %</i>	(PreviDent)	1	\$0	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1	\$0	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	1	\$0	
<b>Dermatological Agents</b>				
<b>Dermatological Agents, Other</b>				
A AND D DIAPER RASH CREAM 1-10 % *		3	\$0	
<i>a and d ointment *</i>	(vits a and d-white pet-lanolin)	3	\$0	
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	1	\$0	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		1	\$0	
<i>acne foaming 10% wash *</i>	(benzoyl peroxide)	3	\$0	
<i>acne medication 10% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>acne medication 5% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>acneclear gel 10 % *</i>	(benzoyl peroxide)	3	\$0	
<i>acyclovir topical cream 5 %</i>	(Zovirax)	1	\$0	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ALCOHOL 70% SWABS	(Alcohol Pads)	1	\$0	
ALCOHOL PREP SWABS	(alcohol swabs)	1	\$0	
TOPICAL PADS, MEDICATED				
<i>ameriphor moist ointment *</i>		3	\$0	
<i>ammonium lactate 12% cream (otc) *</i>		3	\$0	
<i>ammonium lactate 12% cream fragrance free (otc) *</i>		3	\$0	
<i>ammonium lactate 12% lotion (otc) *</i>	(Skin Treatment)	3	\$0	
<i>ammonium lactate 12% lotion fragrance free (otc) *</i>	(Skin Treatment)	3	\$0	
<i>ammonium lactate topical cream 12 %</i>		1	\$0	
<i>ammonium lactate topical lotion 12 %</i>	(Skin Treatment)	1	\$0	
AQUAPHOR 41% HEALING OINTMENT *		3	\$0	
<i>aquaphor baby diaper rash 40% *</i>	(zinc oxide)	3	\$0	
<i>aquaphor topical ointment *</i>		3	\$0	
<i>arthritis pain relief 0.1% crm high potency str *</i>	(capsaicin)	3	\$0	
<i>arthritis pain rlf 0.075% crm *</i>	(capsaicin)	3	\$0	
<i>astringent solution powder pkt 952-1,347 mg *</i>		3	\$0	
<i>aveeno baby cream 1 % *</i>		3	\$0	
AVEENO ECZEMA THERAPY 1% CREAM *		3	\$0	
<i>balmex adult care 11.3% cream *</i>		3	\$0	
<i>balmex cmplt protect 11.3% crm *</i>		3	\$0	
BD SINGLE USE SWAB	(alcohol swabs)	1	\$0	
<i>benzoyl peroxide 10% gel (otc) *</i>	(Acne Medication)	3	\$0	
<i>benzoyl peroxide 10% gel max-str, aqueous (otc) *</i>	(Acne Medication)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>benzoyl peroxide 10% wash (otc) *</i>	(Acne Control(benzoyl peroxide))	3	\$0	
<i>benzoyl peroxide 5% wash (otc) *</i>	(Advanced Exfoliating Cleanser)	3	\$0	
<b>BETADINE 5% SPRAY *</b>		3	\$0	
<i>biofreeze 5% overnight patch inner *</i>		3	\$0	
<i>bp 10% gel *</i>	(benzoyl peroxide)	3	\$0	
<b>BP WASH 10% LIQUID *</b>	(benzoyl peroxide)	3	\$0	
<i>calcipotriene scalp solution 0.005 %</i>		1	\$0	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>		1	\$0	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>		1	\$0	QL (120 per 30 days)
<b>CALDESENE MEDICATED 15-81% PWD *</b>		3	\$0	
<b>CALMOSEPTINE OINTMENT 0.44-20.6 % *</b>	(menthol-zinc oxide)	3	\$0	
<i>capsaicin 0.1% cream *</i>	(Arthritis Pain Relief(capsaic))	3	\$0	
<b>CAPZASIN 0.15% LIQUID *</b>	(capsaicin)	3	\$0	
<b>CARETOUCH ALCOHOL 70% PREP PAD</b>	(alcohol swabs)	1	\$0	
<b>CASTELLANI PAINT 1.5% COLORLESS, MODIFIED *</b>		3	\$0	
<b>CURITY ALCOHOL PREPS 2 PLY,MEDIUM</b>	(alcohol swabs)	1	\$0	
<i>cutter lemon eucalyptus spray 30 % *</i>		3	\$0	
<i>cvs acne control 10 % cleanser *</i>	(benzoyl peroxide)	3	\$0	
<i>cvs acne treatment 10% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>cvs adv exfoliating 5% cleansr *</i>	(benzoyl peroxide)	3	\$0	
<i>cvs advanced healing 41% oint *</i>		3	\$0	
<i>cvs capsaicin 0.1% cream *</i>	(Arthritis Pain Relief(capsaic))	3	\$0	
<i>cvs diaper cream 1-10 % *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs diaper rash 40% ointment *</i> (zinc oxide)	3	\$0	
<i>cvs eczema relief 1% cream *</i>	3	\$0	
<i>cvs foaming acne face 10% wash *</i> (benzoyl peroxide)	3	\$0	
CVS PETROLEUM JELLY * (Lip Treatment)	3	\$0	
<i>cvs skin treatment body lotion 12 % *</i> (ammonium lactate)	3	\$0	
<i>cvs wound wash saline spray 0.9 % *</i>	3	\$0	
DAKIN'S 0.125% SOLUTION *	3	\$0	
<i>dakin's 0.25% solution *</i>	3	\$0	
<i>daylogic acne foaming 10% wash *</i> (benzoyl peroxide)	3	\$0	
<i>daylogic acne treatmnt 10% gel *</i> (benzoyl peroxide)	3	\$0	
<i>daylogic advanced healing oint 41 % *</i>	3	\$0	
<i>dermaphor ointment *</i>	3	\$0	
DESITIN 40% PASTE *	3	\$0	
DESITIN DAILY DEFENSE 13% CRM *	3	\$0	
<i>dhs sal 3% shampoo *</i>	3	\$0	
DHS TAR 0.5% SHAMPOO *	3	\$0	
<i>diaper rash 13% cream *</i>	3	\$0	
<i>diaper rash 40% ointment *</i> (zinc oxide)	3	\$0	
<i>diaper rash 40% paste *</i>	3	\$0	
DOMEBORO POWDER PACKET 952-1,347 MG *	3	\$0	
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	\$0	
<i>dry skin treatment 41 % *</i>	3	\$0	
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	\$0	
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	\$0	
<i>eq first aid antiseptic soln 10 % *</i> (povidone-iodine)	3	\$0	
<i>eucerin eczema relief 1% cream *</i>	3	\$0	
<i>fluorouracil topical cream 0.5 %</i> (Carac)	2	\$0	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fluorouracil topical solution 2 %, 5 %</i>	1	\$0	
<i>gnp saline wound wash spray 0.9 %</i> *	3	\$0	
<i>gs diaper rash 40% paste *</i> (zinc oxide)	3	\$0	
<i>gs hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>h-chlor 12 0.125% solution *</i>	3	\$0	
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	\$0	
<i>hemorrhoidal ointment 0.25-14-74.9 % *</i>	3	\$0	
<i>hysept 0.25% solution *</i>	3	\$0	
<i>icy hot medicated patch extra strength 5 % *</i>	3	\$0	
<i>imiquimod topical cream in packet 5 %</i>	1	\$0	QL (24 per 30 days)
ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD TOPICAL PADS, MEDICATED (alcohol swabs)	1	\$0	
IV ANTISEPTIC WIPES (alcohol swabs)	1	\$0	
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	\$0	
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	2	\$0	QL (5 per 5 days)
<i>lintera 10% wash *</i> (benzoyl peroxide)	3	\$0	
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	1	\$0	NDS
NATRAPEL 20% SPRAY *	3	\$0	
NEOSPORIN MOISTURIZING TOPICAL CREAM 1 % *	3	\$0	
<i>neutrogena t-sal 3% shampoo *</i>	3	\$0	
<i>panoxyl 10% acne foaming wash *</i> (benzoyl peroxide)	3	\$0	
PANRETIN TOPICAL GEL 0.1 %	2	\$0	QL (180 per 30 days); NDS
<i>penciclovir topical cream 1 %</i> (Denavir)	1	\$0	
<i>periguard ointment *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>persa-gel 10% 12's,max-strength</i> *	(benzoyl peroxide)	3	\$0	
<i>petrolatum base ointment</i> *		3	\$0	
PETROLATUM JELLY WHITE (RX) 100 % *		3	\$0	
PETROLEUM JELLY LIP TREATMENT *	(white petrolatum)	3	\$0	
<i>podofilox topical solution 0.5 %</i>		1	\$0	
<i>povidone-iodine 10% solution</i> *		3	\$0	
<i>povidone-iodine 10% solution</i> *	(Antiseptic)	3	\$0	
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	\$0	
<i>protective ointment w/vitamins a&amp;d</i> *	(white petrolatum)	3	\$0	
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	\$0	
<i>ra antiseptic 10% solution</i> *	(povidone-iodine)	3	\$0	
<i>ra vitamin a and d ointment</i> *	(A and D (lanolin-petrolatum))	3	\$0	
<i>ra zinc oxide ointment</i> *		3	\$0	
REGRANEX TOPICAL GEL 0.01 %		2	\$0	PA; QL (30 per 30 days); NDS
<i>repel lemon eucalyptus 30% spr</i> *		3	\$0	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		2	\$0	QL (180 per 30 days)
<i>selsun blue deep clean shampoo 3 %</i> *		3	\$0	
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	\$0	
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	\$0	
<i>thera-gel 0.5% shampoo</i> *		3	\$0	
<i>therapeutic t+plus shampoo 3 %</i> *		3	\$0	
<i>t-plus 0.5% therapeutic shmpoo</i> *		3	\$0	
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	\$0	
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	\$0	
VALCHLOR TOPICAL GEL 0.016 %		2	\$0	PA NSO; NDS
VASELINE PETROLEUM JELLY 12'S *	(white petrolatum)	3	\$0	
<i>vaseline white petroleum jelly *</i>	(white petrolatum)	3	\$0	
VASELINE WHITE PETROLEUM JELLY *	(white petrolatum)	3	\$0	
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	\$0	
WHITE PETROLEUM JELLY *	(Lip Treatment)	3	\$0	
WHITE PETROLEUM JELLY 144'S *	(white petrolatum)	3	\$0	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	1	\$0	
<i>zinc oxide 20% ointment (otc) *</i>		3	\$0	
<i>zostrix hp 0.1% cream *</i>	(capsaicin)	3	\$0	
<i>zostrix hp 0.1% foot cream *</i>	(capsaicin)	3	\$0	
<b>Dermatological Antibacterials</b>				
<i>bacitracin 500 unit/gm ointmnt 500 unit/gram *</i>	(Bacitraycin Plus)	3	\$0	
<i>bacitracin zn 500 unit/gm oint 500 unit/gram *</i>	(Antibiotic (bacitracin zinc))	3	\$0	
<i>bacitraycin plus 500 unit/gm 500 unit/gram *</i>	(bacitracin)	3	\$0	
<i>clindamycin phosphate topical foam 1 %</i>	(Clindacin)	1	\$0	QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>		1	\$0	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i>	(Clindacin ETZ)	1	\$0	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i>	(Neuac)	1	\$0	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ery pads topical swab 2 %</i>	(erythromycin with ethanol)	1	\$0	
<i>erythromycin with ethanol topical gel 2 %</i>	(Erygel)	1	\$0	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>		1	\$0	QL (180 per 30 days)
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i>	(Benzamycin)	1	\$0	
<i>gentamicin topical cream 0.1 %</i>		1	\$0	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>		1	\$0	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i>	(Rosadan)	1	\$0	
<i>metronidazole topical gel 0.75 %</i>	(Rosadan)	1	\$0	
<i>metronidazole topical gel 1 %</i>	(Metrogel)	1	\$0	
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	1	\$0	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	\$0	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>		1	\$0	
<i>rosadan topical cream 0.75 %</i>	(metronidazole)	1	\$0	
<i>selenium sulfide topical lotion 2.5 %</i>		1	\$0	
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	1	\$0	
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	2	\$0	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	1	\$0	
<i>triple antibiotic ointment 3.5mg-400 unit- 5,000 unit/gram *</i>	(neomycin-bacitraczn-polymyxnb)	3	\$0	
<b>Dermatological Anti-Inflammatory Agents</b>				
<i>ala-cort topical cream 1 %</i>	(hydrocortisone)	1	\$0	
<i>ala-scalp topical lotion 2 %</i>	(hydrocortisone)	1	\$0	
<i>alclometasone topical cream 0.05 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>alclometasone topical ointment 0.05 %</i>	1	\$0	
<i>aquanil hc 1% lotion *</i> (hydrocortisone)	3	\$0	
<i>aquaphor itch relief 1% oint *</i> (hydrocortisone)	3	\$0	
<i>beta hc 1% lotion *</i> (hydrocortisone)	3	\$0	
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	\$0	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	\$0	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	\$0	
<i>betamethasone valerate topical cream 0.1 %</i>	1	\$0	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	1	\$0	
<i>betamethasone valerate topical lotion 0.1 %</i>	1	\$0	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	\$0	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	\$0	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	\$0	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	\$0	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	1	\$0	
<i>clobetasol scalp solution 0.05 %</i>	1	\$0	
<i>clobetasol topical cream 0.05 %</i>	1	\$0	
<i>clobetasol topical foam 0.05 %</i> (Olux)	1	\$0	
<i>clobetasol topical gel 0.05 %</i>	1	\$0	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	1	\$0	
<i>clobetasol topical ointment 0.05 %</i>	1	\$0	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	1	\$0	
<i>clobetasol-emollient topical cream 0.05 %</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>clobetasol-emollient topical foam 0.05 %</i>	(Olux-E)	1	\$0	
<i>cortizone-10 1% ointment *</i>	(hydrocortisone)	3	\$0	
<i>cortizone-10 with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>cvs cortisone 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>cvs cortisone with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>desonide topical cream 0.05 %</i>	(DesOwen)	1	\$0	
<i>desonide topical lotion 0.05 %</i>		1	\$0	
<i>desonide topical ointment 0.05 %</i>		1	\$0	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	(Topicort)	1	\$0	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i>	(Topicort)	1	\$0	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	(Topicort)	1	\$0	QL (120 per 30 days)
<i>diflorasone topical ointment 0.05 %</i>		1	\$0	QL (180 per 30 days)
<i>eq hydrocortisone-aloe 1% crm *</i>	(Anti-Itch(hydrocortisone)-Aloe)	3	\$0	
<b>EUCRISA TOPICAL OINTMENT 2 %</b>		2	\$0	
<i>fluocinolone topical cream 0.01 %</i>		1	\$0	
<i>fluocinolone topical cream 0.025 %</i>	(Synalar)	1	\$0	
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	1	\$0	
<i>fluocinonide topical cream 0.05 %</i>		1	\$0	
<i>fluocinonide topical gel 0.05 %</i>		1	\$0	
<i>fluocinonide topical ointment 0.05 %</i>		1	\$0	
<i>fluocinonide topical solution 0.05 %</i>		1	\$0	
<i>fluocinonide-emollient topical cream 0.05 %</i>	(Fluocinonide-E)	1	\$0	
<i>fluticasone propionate topical cream 0.05 %</i>		1	\$0	
<i>fluticasone propionate topical ointment 0.005 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ft itch relief 1% ointment *</i>	(hydrocortisone)	3	\$0	
<i>ft itch rlf with aloe 1% cream *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>halobetasol propionate topical cream 0.05 %</i>		1	\$0	
<i>halobetasol propionate topical ointment 0.05 %</i>		1	\$0	
<i>hm hydrocortisone 1% cream (otc) *</i>	(Ala-Cort)	3	\$0	
<i>hydrocortisone 0.5% ointment *</i>		3	\$0	
<i>hydrocortisone 1% cream (otc) *</i>	(Ala-Cort)	3	\$0	
<i>hydrocortisone 1% cream *</i>	(Vanicream HC)	3	\$0	
<i>hydrocortisone 1% cream anti-itch (otc) *</i>	(Ala-Cort)	3	\$0	
<i>hydrocortisone 1% cream maximum strength (otc) *</i>	(Ala-Cort)	3	\$0	
<i>hydrocortisone 1% lotion (otc) *</i>	(Aquanil HC)	3	\$0	
<i>hydrocortisone 1% ointment *</i>		3	\$0	
<i>hydrocortisone 1% ointment maximum strength (otc) *</i>	(Anti-Itch (HC))	3	\$0	
<i>hydrocortisone 2.5% cream</i>		1	\$0	
<i>hydrocortisone butyrate topical cream 0.1 %</i>		1	\$0	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	(Locoid)	1	\$0	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>		1	\$0	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>		1	\$0	QL (120 per 30 days)
<b>HYDROCORTISONE LOTION COMPLETE TOPICAL COMBO PACK 2 %</b>		1	\$0	
<i>hydrocortisone topical cream 1 %</i>	(Ala-Cort)	1	\$0	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	(Proctosol HC)	1	\$0	
<i>hydrocortisone topical lotion 2.5 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydrocortisone topical ointment 1 %</i>	(Anti-Itch (HC))	1	\$0	
<i>hydrocortisone topical ointment 2.5 %</i>		1	\$0	
<i>hydrocortisone valerate topical cream 0.2 %</i>		1	\$0	
<i>hydrocortisone valerate topical ointment 0.2 %</i>		1	\$0	
<i>hydrocortisone-aloe 1% cream *</i>	(Anti-Itch(hydrocortisone)-Aloe)	3	\$0	
<i>mometasone topical cream 0.1 %</i>		1	\$0	
<i>mometasone topical ointment 0.1 %</i>		1	\$0	
<i>mometasone topical solution 0.1 %</i>		1	\$0	
<i>monistat care 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>pimecrolimus topical cream 1 %</i>	(Elidel)	1	\$0	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>		1	\$0	
<i>preparation h hc 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	1	\$0	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	1	\$0	
<i>pub hydrocream 1% *</i>	(hydrocortisone)	3	\$0	
<i>qc anti-itch with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>ra anti-itch 1% cream maximum strength *</i>	(hydrocortisone)	3	\$0	
<i>ra anti-itch 1% ointment maximum strength *</i>	(hydrocortisone)	3	\$0	
<i>sm hydrocortisone 1% ointment maximum strength (otc) *</i>	(Anti-Itch (HC))	3	\$0	
<i>sm hydrocortisone plus 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>		1	\$0	QL (100 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	\$0	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	\$0	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	\$0	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	\$0	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	1	\$0	
<i>vanicream hc 1% cream *</i> (hydrocortisone acetate)	3	\$0	
<b>Dermatological Retinoids</b>			
<i>adapalene topical cream 0.1 %</i> (Differin)	1	\$0	
<i>adapalene topical gel 0.1 %</i> (Differin)	1	\$0	
ALTRENO TOPICAL LOTION 0.05 %	2	\$0	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	1	\$0	
TAZORAC TOPICAL CREAM 0.05 %	2	\$0	
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	\$0	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	\$0	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	\$0	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	\$0	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	\$0	PA
<b>Scabicides And Pediculicides</b>			
<i>complete lice treatment kit shamp,gel,comb,spray 4-0.33-0.5 %</i> *	3	\$0	
<i>lice treatment 1% creme rinse 1 nit removal comb *</i> (permethrin)	3	\$0	
<i>lice treatment shampoo 1 nit comb included 0.33-4 % *</i>	3	\$0	
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	\$0	
<i>permethrin topical cream 5 %</i> (Elimite)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<b>Devices</b>				
<b>Devices</b>				
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		1	\$0	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	\$0	
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	1	\$0	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	1	\$0	
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	\$0	
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	\$0	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	1	\$0	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	1	\$0	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	1	\$0	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	1	\$0	
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	1	\$0	
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	1	\$0	
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		1	\$0	
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe- needle u-100)	1	\$0	
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		1	\$0	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"		1	\$0	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	
BD INSULIN SYRINGE 1 ML W/O NEEDLE	(insulin syringe needleless)	1	\$0	
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	1	\$0	
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		1	\$0	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	\$0	
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		1	\$0	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		1	\$0	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"		1	\$0	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		1	\$0	
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		1	\$0	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		1	\$0	
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		1	\$0	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	\$0	
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		1	\$0	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFEEL PLUS CLEAR DRESSING 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		1	\$0	
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	1	\$0	
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		1	\$0	
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		1	\$0	
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CURAD GAUZE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	\$0	
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "		1	\$0	
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	(gauze bandage)	1	\$0	
CUTINOVA HYDRO 6"X8" DRESSING 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	(gauze bandage)	1	\$0	
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "		1	\$0	
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "		1	\$0	
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"		1	\$0	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"		1	\$0	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	1	\$0	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	1	\$0	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	1	\$0	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	1	\$0	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	1	\$0	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		1	\$0
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		1	\$0	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		1	\$0	
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		1	\$0	
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	\$0	
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	1	\$0	
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	1	\$0	
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	1	\$0	
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	1	\$0	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	\$0	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	\$0	
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0
DUODERM CGF 2.5"X2.5" DRESSING 2 1/2 X 2 1/2 " *	3	\$0	
DUODERM CGF 6"X8" DRESSING REF#187643 6 X 8 " *	(hydrocolloid dressing)	3	\$0
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	\$0	
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		1	\$0	
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		1	\$0	
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		1	\$0	
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		1	\$0	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	\$0	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	\$0	
EASY TOUCH FLIPLK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	1	\$0	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	1	\$0	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	1	\$0	
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	\$0	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	\$0	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	\$0	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	\$0	
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	1	\$0	
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		1	\$0	
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		1	\$0	
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	\$0	
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		1	\$0	
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	1	\$0	
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		1	\$0	
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	1	\$0	
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	1	\$0	
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	1	\$0	
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	1	\$0	
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
GAUZE PADS & DRESSINGS - PADS 2 X 2 TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	\$0	
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	\$0	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	\$0	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		1	\$0	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	1	\$0	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"		1	\$0	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		2	\$0	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		2	\$0	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insuln Syr(half unit))	1	\$0	
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
INSULIN SYRINGE 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	1	\$0	
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	1	\$0	
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	1	\$0	
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		1	\$0	
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	1	\$0	
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	1	\$0	
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	1	\$0	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	1	\$0	
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
LISCO SPONGES 100/BAG 2 X 2 "		1	\$0	
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		1	\$0	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		1	\$0	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		1	\$0	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		1	\$0	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		1	\$0	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		1	\$0	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		1	\$0	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	1	\$0	
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	1	\$0	
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	1	\$0	
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	1	\$0	
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	1	\$0	
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	1	\$0	
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	1	\$0	
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	\$0	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	1	\$0	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR U- 100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR U- 100 29 GAUGE X 1/2"		1	\$0	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
NOVOFINE 30 NEEDLE		1	\$0	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		1	\$0	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	2	\$0	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE		2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE		2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE		2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE		2	\$0	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	1	\$0	
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	1	\$0	
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	1	\$0	
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	1	\$0	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	\$0	
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	\$0	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		1	\$0	
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	1	\$0	
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		1	\$0	
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		1	\$0	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	1	\$0	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		1	\$0	
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
RELION NEEDLES NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
RELION PEN NEEDLES NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
REPLICARE THIN 6"X8" DRESSING (RX) 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
RESTORE EX THIN 6"X8" DRESSING HYDROCOLLOID,STERILE 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
RESTORE HYDROCOLLOID 6"X8" FOAM BACKING 6 X 8 " *	(Comfeel Plus Clear Dressing)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SAFESNAP INS SYR UNITS- 100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	1	\$0	
SAFESNAP INS SYR UNITS- 100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	1	\$0	
SAFESNAP INS SYR UNITS- 100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	1	\$0	
SAFESNAP INS SYR UNITS- 100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	1	\$0	
SAFESNAP INS SYR UNITS- 100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	1	\$0	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	1	\$0
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	1	\$0	
SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	1	\$0	
SECURES SAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	1	\$0	
SECURES SAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	1	\$0	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	1	\$0	
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	1	\$0	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
STERILE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	\$0	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe- needle u-100)	1	\$0	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		1	\$0	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	1	\$0	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	\$0	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	1	\$0	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	1	\$0	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	1	\$0	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	1	\$0	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	1	\$0	
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe- needle u-100)	1	\$0	
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	1	\$0	
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TERUMO INS SYRINGE U100- 1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TERUMO INS SYRINGE U100- 1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	1	\$0	
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe- needle u-100)	1	\$0	
TERUMO INS SYRINGE U100- 1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe- needle u-100)	1	\$0	
TERUMO INS SYRNG U100- 1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe- needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		1	\$0	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe- needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe- needle u-100)	1	\$0	
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		1	\$0	
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		1	\$0	
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		1	\$0	
TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1	\$0	
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		1	\$0	
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		1	\$0	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"		1	\$0	
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"		1	\$0	
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"		1	\$0	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"		1	\$0	
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	1	\$0	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	1	\$0	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	1	\$0	
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	1	\$0	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	1	\$0	
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	1	\$0	
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0
ULTILET PEN NEEDLE 29 GAUGE	1	\$0	
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	\$0	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		1	\$0	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		1	\$0	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		1	\$0	
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		1	\$0	
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		1	\$0	
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		1	\$0	
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		1	\$0	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"		1	\$0	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		1	\$0	
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		1	\$0	
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	\$0	
V-GO 20 DEVICE		2	\$0	QL (30 per 30 days)
V-GO 30 DEVICE		2	\$0	QL (30 per 30 days)
V-GO 40 DEVICE		2	\$0	QL (30 per 30 days)
<b>Enzyme Replacement/Modifiers</b>				
<b>Enzyme Replacement/Modifiers</b>				
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML		2	\$0	NDS
CERDELGA ORAL CAPSULE 84 MG		2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	2	\$0	NDS
CREON ORAL CAPSULE, DELAYED RELEASE (DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	\$0	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	2	\$0	NDS
ELFABRIO INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	2	\$0	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	2	\$0	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	2	\$0	PA; QL (14 per 28 days); NDS
<i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)	1	\$0	PA; NDS
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	2	\$0	PA BvD; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	1	\$0	PA; QL (90 per 30 days); NDS
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	2	\$0	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	1	\$0	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	2	\$0	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	2	\$0	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	2	\$0	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	1	\$0	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	2	\$0	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	2	\$0	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	2	\$0	NDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	1	\$0	PA; QL (90 per 30 days); NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	2	\$0	
<b>Eye, Ear, Nose, Throat Agents</b>			
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>			
<i>alaway 0.025% eye drops 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>alcaine ophthalmic (eye) drops 0.5 %</i> (proparacaine)	1	\$0	
<i>altamist 0.65% nose spray *</i> (sodium chloride)	3	\$0	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>artificial eye lub 15-83% oint 83-15 % *</i>	3	\$0	
<i>artificial tears drops 0.5-0.6 % *</i>	3	\$0	
<i>artificial tears drops 1-0.2-0.2 % *</i>	3	\$0	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	\$0	
<i>ayr saline 0.65% nose spray *</i> (sodium chloride)	3	\$0	
<b>AYR SALINE NASAL RINSE KIT 50 PKTS &amp; 1 APP BTL *</b>	3	\$0	
<i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i>	1	\$0	QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	1	\$0	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	\$0	
<i>baby ayr saline 0.65% drops *</i>	3	\$0	
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	1	\$0	ST
<i>child's alaway 0.025% eye drop 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	
<i>clear eyes natural tears drop 0.5-0.6 % *</i>	3	\$0	
<i>clear eyes once daily 0.2% drp *</i> (olopatadine)	3	\$0	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	\$0	
<i>cvs allergy nasal mist 0.05% *</i>	3	\$0	
<i>cvs artificial tears drops 1-0.3 % *</i>	3	\$0	
<i>cvs lubricant 0.5% eye drop sterile *</i> (carboxymethylcellulose sodium)	3	\$0	
<i>cvs nasal wash squeeze bottle *</i>	3	\$0	
<i>cvs natural tears drop 0.1-0.3 % *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs olopatadine 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>cvs overnight lubricating eye 94-3 % *</i>		3	\$0	
<i>cvs saline 0.65% nasal spray *</i>	(sodium chloride)	3	\$0	
<i>cvs saline 3% nasal mist *</i>		3	\$0	
<i>cvs saline 3% nasal mist *</i>		3	\$0	
<i>cvs sodium chloride 5% eye drp *</i>	(Muro 128)	3	\$0	
<i>cvs sodium chloride 5% eye ont *</i>	(Muro 128)	3	\$0	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i>	(Cyclogyl)	1	\$0	
<b>CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %</b>		2	\$0	PA; QL (20 per 28 days); NDS
<b>CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %</b>		2	\$0	PA; QL (60 per 28 days); NDS
<i>deep sea 0.65% nose spray *</i>	(sodium chloride)	3	\$0	
<i>dristan 0.05% nasal spray *</i>	(oxymetazoline)	3	\$0	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>		1	\$0	
<i>eye allergy itch rlf 0.2% drop *</i>	(olopatadine)	3	\$0	
<i>eye allergy itch-red 0.1% drop *</i>	(olopatadine)	3	\$0	
<i>eye itch relief 0.025% drops 0.025 % (0.035 %) *</i>	(ketotifen fumarate)	3	\$0	
<i>for sty relief eye ointment *</i>		3	\$0	
<i>freshkote eye drop 2.7-2 % *</i>		3	\$0	
<i>ft eye allergy itch rlf 0.2% *</i>	(olopatadine)	3	\$0	
<b>GENTEAL TEARS 0.1%-0.2%-0.3% 0.1-0.3-0.2 % *</b>	(artificial tear(dxtrn-hpm-gly))	3	\$0	
<b>GENTEAL TEARS 0.1%-0.3% DROP 0.1-0.3 % *</b>		3	\$0	
<b>GENTEAL TEARS SEVERE 0.3% GEL *</b>		3	\$0	
<i>gonak 2.5% solution *</i>	(hypromellose)	3	\$0	
<i>goniotaire 2.5% eye drop *</i>	(hypromellose)	3	\$0	
<i>gs nasal moist 0.65% spray *</i>	(sodium chloride)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>gs nasal spray 0.05% *</i>	(oxymetazoline)	3	\$0	
<i>hm eye allergy itch rlf 0.2% *</i>	(olopatadine)	3	\$0	
<i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i>		1	\$0	QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>		1	\$0	QL (15 per 10 days)
<i>isopto tears 0.5% eye drops *</i>		3	\$0	
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>		1	\$0	
<i>little remedies saline spray 0.65 % *</i>	(sodium chloride)	3	\$0	
<i>lubricant 0.5% eye drop *</i>	(carboxymethylcellulose sodium)	3	\$0	
<i>lubricant 0.5-0.9% eye drops *</i>		3	\$0	
<i>lubricant eye 0.4%-0.3% drop 0.4-0.3 % *</i>		3	\$0	
<i>lubrifresh pm eye ointment 83-15 % *</i>		3	\$0	
<i>muro-128 2% eye drops *</i>		3	\$0	
<i>muro-128 5% eye drops *</i>	(sodium chloride)	3	\$0	
<i>muro-128 5% eye ointment *</i>	(sodium chloride)	3	\$0	
<i>neilmed sinus rinse kit *</i>		3	\$0	
<i>neilmed sinus rinse kit refill *</i>		3	\$0	
<i>ocean 0.65% nasal spray *</i>	(sodium chloride)	3	\$0	
<b>OCUSOFT LID SCRUB PADS *</b>		3	\$0	
<b>OCUSOFT LID SCRUB PLUS PADS *</b>		3	\$0	
<i>olopatadine hcl 0.1% eye drops (otc) *</i>	(Eye Allergy Itch-Redness Rlf)	3	\$0	
<i>olopatadine hcl 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>olopatadine nasal spray, non-aerosol 0.6 %</i>	(Patanase)	1	\$0	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Rlf)	1	\$0	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Eye Allergy Itch Relief)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>polyvinyl alcohol 1.4% eyedrop *</i>	(Artificial Tears (polyvin alc))	3	\$0	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	(Alcaine)	1	\$0	
<i>qc olopatadine 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>ra 12hr nasal spray 0.05% for sinus *</i>	(oxymetazoline)	3	\$0	
<i>ra artificial tears drops dry eye formula 1-0.3 % *</i>		3	\$0	
<i>ra nasal rlf sinus wash refill *</i>		3	\$0	
<i>ra saline 0.65% nose spray *</i>	(sodium chloride)	3	\$0	
REFRESH CLASSIC EYE DROPS U-D,P/F,30X.4ML 1.4-0.6 % *		3	\$0	
REFRESH LACRI-LUBE OINTMENT 56.8-42.5 % *		3	\$0	
REFRESH LIQUIGEL 1% EYE DROP *	(carboxymethylcel lulose sodium)	3	\$0	
REFRESH P.M. OINTMENT 57.3-42.5 % *		3	\$0	
REFRESH TEARS 0.5% EYE DROP *	(carboxymethylcel lulose sodium)	3	\$0	
<i>sinus rinse premixed packet plf *</i>		3	\$0	
<i>sinus rinse starter kit *</i>		3	\$0	
<i>sm olopatadine 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>sodium chloride 5% eye drop *</i>	(Muro 128)	3	\$0	
SYSTANE 0.3% EYE GEL *		3	\$0	
SYSTANE 0.4-0.3% EYE DROP *		3	\$0	
SYSTANE BALANCE 0.6% EYE DROP CLINICAL STRENGTH *		3	\$0	
SYSTANE GEL EYE DROPS 0.4-0.3 % *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SYSTANE NIGHTTIME EYE OINTMENT 94-3 % *	3	\$0	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	2	\$0	PA; NDS
THERA TEARS 0.25% EYE DROPS *	3	\$0	
<i>true nasal moisturizing spray 0.65 % *</i> (sodium chloride)	3	\$0	
<i>vicks sinex 12 hour mist 0.05 % *</i>	3	\$0	
<i>wal-zyr 0.025% eye drops 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>			
<i>acetic acid otic (ear) solution 2 %</i>	1	\$0	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	\$0	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	1	\$0	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	1	\$0	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	1	\$0	QL (7.5 per 7 days)
<i>debrox 6.5% ear drops *</i> (carbamide peroxide)	3	\$0	
<i>ear drops 6.5% *</i> (carbamide peroxide)	3	\$0	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	\$0	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	\$0	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	\$0	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>		1	\$0	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	(Vigamox)	1	\$0	
<i>murine 6.5% ear drops *</i>	(carbamide peroxide)	3	\$0	
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>		2	\$0	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	1	\$0	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	1	\$0	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	1	\$0	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	1	\$0	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>		1	\$0	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>		1	\$0	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>		1	\$0	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>		1	\$0	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin)	1	\$0	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflox)	1	\$0	
<i>ofloxacin otic (ear) drops 0.3 %</i>		1	\$0	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b)	1	\$0	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>		1	\$0	
<i>ra ear drops 6.5% *</i>	(carbamide peroxide)	3	\$0	
<b>REFRESH OPTIVE MEGA-3 DROPS 0.5-1-0.5 % *</b>		3	\$0	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>		1	\$0	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>		1	\$0	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>		1	\$0	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>		1	\$0	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>		1	\$0	
<i>trifluridine ophthalmic (eye) drops 1 %</i>		1	\$0	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>		2	\$0	
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>		2	\$0	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>				
<i>24 hour allergy 50 mcg spray 50 mcglactuation *</i>	(fluticasone propionate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>aller-cort 55 mcg nasal spray inner *</i>	(triamcinolone acetonide)	3	\$0	
<i>aller-flo 50 mcg spray inner 50 mcglactuation *</i>	(fluticasone propionate)	3	\$0	
<i>allergy relief 50 mcg spray 50 mcglactuation *</i>	(fluticasone propionate)	3	\$0	
<i>bromfenac ophthalmic (eye) drops 0.07 %</i>	(Prolensa)	2	\$0	
<i>bromfenac ophthalmic (eye) drops 0.075 %</i>	(BromSite)	2	\$0	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>		1	\$0	
<b>CHILD FLONASE ALLER RLF 50 MCG 50 MCG/ACTUATION *</b>	(fluticasone propionate)	3	\$0	
<i>clarispray 50 mcg nasal spray 50 mcglactuation *</i>	(fluticasone propionate)	3	\$0	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>		1	\$0	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>		1	\$0	
<i>difluprednate ophthalmic (eye) drops 0.05 %</i>	(Durezol)	1	\$0	
<i>eq allergy relief 50 mcg spray 50 mcglactuation *</i>	(fluticasone propionate)	3	\$0	
<i>eql fluticasone prop 50 mcg sp (otc) 50 mcglactuation *</i>	(24 Hour Allergy Relief)	3	\$0	
<b>EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %</b>		2	\$0	QL (8.3 per 14 days)
<b>FLONASE ALLERGY RLF 50 MCG SPR 50 MCG/ACTUATION *</b>	(fluticasone propionate)	3	\$0	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>		1	\$0	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	(DermOtic Oil)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	2	\$0	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	\$0	
<i>fluticasone prop 50 mcg spray (otc) 50 mcglactuation *</i> (24 Hour Allergy Relief)	3	\$0	
<i>fluticasone propionate nasal spray,suspension 50 mcglactuation</i> (24 Hour Allergy Relief)	1	\$0	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	2	\$0	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	\$0	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	\$0	QL (10 per 25 days)
<i>kro 24hr allergy rlf 50 mcg spr 50 mcglactuation *</i> (fluticasone propionate)	3	\$0	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	2	\$0	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	2	\$0	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	1	\$0	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	2	\$0	ST; QL (10 per 25 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	1	\$0	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcglactuation</i> (Allergy Nasal (mometasone))	1	\$0	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	2	\$0	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	\$0	
<i>qc allergy relief 50 mcg spray 50 mcglactuation *</i> (fluticasone propionate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RESTASIS MULTIDOSE OPTHALMIC (EYE) DROPS 0.05 %	2	\$0	QL (5.5 per 28 days)
RESTASIS OPTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	1	\$0	QL (60 per 30 days)
<i>triamcinolone 55 mcg nasal spr (otc) *</i> (Aller-Cort)	3	\$0	
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	2	\$0	ST; QL (32 per 30 days)
XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %	2	\$0	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>			
<b>Antiflatulents</b>			
<i>cvs gas relf(simeth) 80 mg chw *</i> (simethicone)	3	\$0	
<i>gas relief (simethicone) oral drops,suspension 40 mg/0.6 ml *</i> (simethicone)	3	\$0	
<i>gas relief 125 mg softgel *</i> (simethicone)	3	\$0	
<i>gas-x extra strength softgel softgel, ex-strength 125 mg *</i> (simethicone)	3	\$0	
<i>gnp gas rlf(simeth) 80 mg chew *</i> (simethicone)	3	\$0	
<i>infants' simethicone drops 40 mg/0.6 ml *</i> (simethicone)	3	\$0	
<i>little remedies gas relief drp 40 mg/0.6 ml *</i> (simethicone)	3	\$0	
PHAZYME 250 MG SOFTGEL MAX-STRENGTH,SOFTGEL *	3	\$0	
<i>simethicone 125 mg tab chew *</i> (Gas Relief (simethicone))	3	\$0	
<i>simethicone 180 mg softgel *</i> (Anti-Gas Ultra Strength)	3	\$0	
<b>Antiulcer Agents And Acid Suppressants</b>			
<i>acid controller 20 mg tablet outer *</i> (famotidine)	3	\$0	
<i>acid reducer 20 mg tablet maximum strength *</i> (famotidine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>acid reducer dr 20 mg cap *</i>	(omeprazole magnesium)	3	\$0	
<i>acid-pep 20 mg tablet *</i>	(famotidine)	3	\$0	
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>		1	\$0	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>		1	\$0	
<i>cimetidine oral tablet 200 mg</i>	(Acid Reducer (cimetidine))	1	\$0	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>		1	\$0	
<i>cvs acid controller 20 mg tab *</i>	(famotidine)	3	\$0	
<i>cvs lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>eq famotidine 20 mg tablet (otc) *</i>	(Acid Controller)	3	\$0	
<i>eq lansoprazole dr 15 mg cap outer (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 20 mg</i>	(Acid Reducer (esomeprazole))	1	\$0	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 40 mg</i>	(Nexium)	1	\$0	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	(Nexium Packet)	1	\$0	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i>	(Nexium Packet)	1	\$0	ST; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg, 40 mg</i>		1	\$0	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>		1	\$0	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>		1	\$0	
<i>famotidine 20 mg tablet (otc) *</i>	(Acid Controller)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>famotidine intravenous solution 10 mg/ml</i>		1	\$0	
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>		1	\$0	
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	\$0	
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	\$0	
<i>gnp omeprazole mag dr 20 mg cp *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>gs acid reducer 20 mg tablet *</i>	(famotidine)	3	\$0	
<i>heartburn relief 10 mg tablet *</i>	(famotidine)	3	\$0	
<i>heartburn relief 20 mg tablet *</i>	(famotidine)	3	\$0	
<i>hm famotidine 20 mg tablet maximum strength (otc) *</i>	(Acid Controller)	3	\$0	
<i>kro heartburn preven 20 mg tab *</i>	(famotidine)	3	\$0	
<i>lansoprazole dr 15 mg capsule (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>lansoprazole dr 15 mg capsule 24hr, 3 bottles (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>lansoprazole dr 15 mg capsule 3x14, gluten/f, n (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>lansoprazole oral capsule, delayed release (drlec) 15 mg</i>	(Acid Reducer (lansoprazole))	1	\$0	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release (drlec) 30 mg</i>	(Prevacid)	1	\$0	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	1	\$0	
<i>nizatidine oral capsule 150 mg, 300 mg</i>		1	\$0	
<i>omeprazole dr 20 mg tablet *</i>		3	\$0	
<i>omeprazole mag dr 20.6 mg cap 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>omeprazole mag dr 20.6 mg cap two 14-day course 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	(Zegerid)	1	\$0	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	(Protonix)	1	\$0	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i>	(Protonix)	1	\$0	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i>	(Protonix)	1	\$0	QL (60 per 30 days)
<i>pub famotidine 20 mg tablet maximum strength (otc) *</i>	(Acid Controller)	3	\$0	
<i>qc omeprazole mag dr 20.6 mg 14-day course 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>ra acid reducer 20 mg tablet maximum strength *</i>	(famotidine)	3	\$0	
<i>ra lansoprazole dr 15 mg cap 14capsx3 bottles (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>ra omeprazole dr 20 mg tablet delayed release *</i>		3	\$0	
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i>	(AcipHex)	1	\$0	QL (30 per 30 days)
<i>sm lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>sucalfate oral tablet 1 gram</i>	(Carafate)	1	\$0	
<i>zantac-360 (famotidine) 20 mg tb *</i>	(famotidine)	3	\$0	
<b>Gastrointestinal Agents, Other</b>				
<i>acid gone antacid liquid 95-358 mg/15 ml *</i>		3	\$0	
<i>acid gone tablet chew 160-105 mg *</i>		3	\$0	
<i>alka-seltzer heartburn chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>aluminum hydroxide gel 320 mg/5 ml *</i>		3	\$0	
<i>antacid ex-str tablet chew 160-105 mg *</i>		3	\$0	
<i>antacid ultra tablet chew 400 mg calcium (1,000 mg) *</i>	(calcium carbonate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>anti-diarrheal 2 mg caplet caplet *</i>	(loperamide)	3	\$0	
<i>anti-diarrheal 2 mg softgel *</i>	(loperamide)	3	\$0	
<i>calcium 500 mg chewable tablet tab chew,plf (rx) 500 mg calcium (1,250 mg) *</i>	(Calcium 500)	3	\$0	
<i>calcium antacid 500 mg chw tab assorted fruit 200 mg calcium (500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>calcium antacid 750 mg tb chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cal-gest 500 mg tablet chew 200 mg calcium (500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	1	\$0	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose)	1	\$0	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	1	\$0	
<i>cvs antacid ex-str 750 mg chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cvs antacid ultra str tab chew 400 mg calcium (1,000 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cvs anti-diarrheal 2 mg sftgel *</i>	(loperamide)	3	\$0	
<i>cvs anti-diarrheal suspension 262 mg/15 ml *</i>	(bismuth subsalcylate)	3	\$0	
<i>cvs epsom salt granules 495 mg/5 gram *</i>		3	\$0	
<i>cvs flavor chew antacid 750 mg 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cvs heartburn relief chew tab 160- 105 mg *</i>		3	\$0	
<i>diamode 2 mg caplet inner *</i>	(loperamide)	3	\$0	
<i>dicyclomine oral capsule 10 mg</i>		1	\$0	
<i>dicyclomine oral solution 10 mg/5 ml</i>		1	\$0	
<i>dicyclomine oral tablet 20 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diphenoxylate-atropine oral liquid</i> 2.5-0.025 mg/5 ml	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>diphenoxylate-atropine oral tablet</i> 2.5-0.025 mg (Lomotil)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution</i> 10 gram/15 ml (lactulose)	1	\$0	
<i>epsom salt granules</i> 495 mg/5 gram *	3	\$0	
<i>eq anti-diarrheal</i> 2 mg <i>sftgel</i> * (loperamide)	3	\$0	
<i>eq antacid ultra str tab chew</i> 400 mg calcium (1,000 mg) * (calcium carbonate)	3	\$0	
<i>foaming antacid liquid</i> 95-358 mg/15 ml *	3	\$0	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	2	\$0	PA; NDS
<i>gelusil</i> 200-200-25 mg <i>chew tab</i> <i>cool mint</i> *	3	\$0	
<i>generlac oral solution</i> 10 gram/15 ml (lactulose)	1	\$0	
<i>glycopyrrolate oral tablet</i> 1 mg (Robinul)	1	\$0	
<i>glycopyrrolate oral tablet</i> 2 mg (Robinul Forte)	1	\$0	
<i>imodium a-d</i> 2 mg <i>softgel</i> * (loperamide)	3	\$0	
IQIRVO ORAL TABLET 80 MG	2	\$0	PA; QL (30 per 30 days); NDS
<i>kaopectate</i> 262 mg/15 ml <i>susp</i> * (bismuth subsalicylate)	3	\$0	
<i>kionex (with sorbitol) oral suspension</i> 15-20 gram/60 ml	1	\$0	
<i>lactulose oral solution</i> 10 gram/15 ml (Constulose)	1	\$0	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	\$0	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	2	\$0	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	2	\$0	QL (30 per 30 days)
<i>loperamide</i> 1 mg/7.5 ml <i>soln</i> * (Anti-Diarrheal (loperamide))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	1	\$0	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	(Amitiza)	2	\$0	QL (60 per 30 days)
<i>magnesium 400 mg tablet gluten-free 400 mg magnesium *</i>		3	\$0	
<i>magnesium oxide 400 mg tablet (rx) 400 mg (241.3 mg magnesium) *</i>	(MgO)	3	\$0	
<i>magnesium oxide 420 mg tablet (rx) *</i>		3	\$0	
<i>magnesium oxide 500 mg tablet p/f, lactose-free (rx) 500 mg magnesium *</i>	(Phillips)	3	\$0	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		1	\$0	
<i>metoclopramide hcl injection solution 5 mg/ml</i>		1	\$0	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>		1	\$0	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		1	\$0	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	(Reglan)	1	\$0	
<i>mgo 400 mg tablet 400 mg (241.3 mg magnesium) *</i>	(magnesium oxide)	3	\$0	
<i>mintox plus tablet chewable 200-200-25 mg *</i>		3	\$0	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		2	\$0	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG		2	\$0	PA; QL (30 per 30 days); NDS
<i>phillips 500 mg caplet 500 mg magnesium *</i>	(magnesium oxide)	3	\$0	
<i>pink bismuth 262 mg tab chew *</i>	(bismuth subsalicylate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pub calcium carb 1,000 mg tab 400 mg calcium (1,000 mg) *</i> (Antacid Ultra Strength)	3	\$0	
<i>qc anti-diarrheal 2 mg softgel *</i> (loperamide)	3	\$0	
<i>ra antacid 500 mg chewable tab 215 mg calcium (500 mg) *</i>	3	\$0	
<i>ra anti-diarrheal 2 mg caplet caplet *</i> (loperamide)	3	\$0	
<i>ra stomach relief 262 mg/15 ml reg strength *</i> (bismuth subsalicylate)	3	\$0	
RAVICTI ORAL LIQUID 1.1 GRAM/ML	2	\$0	PA; NDS
RELISTOR ORAL TABLET 150 MG	2	\$0	PA; QL (90 per 30 days); NDS
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	2	\$0	PA; QL (16.8 per 28 days); NDS
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	2	\$0	PA; QL (16.8 per 28 days); NDS
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	2	\$0	PA; QL (11.2 per 28 days); NDS
<i>sm anti-diarrheal 2 mg softgel *</i> (loperamide)	3	\$0	
<i>sodium bicarb 650 mg tablet *</i>	3	\$0	
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	1	\$0	PA; NDS
<i>sodium polystyrene sulfonate oral powder</i>	1	\$0	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	\$0	
<i>stomach rlf 525 mg/30 ml susp 262 mg/15 ml *</i> (bismuth subsalicylate)	3	\$0	
<i>ursodiol oral capsule 300 mg</i>	1	\$0	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	\$0	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	\$0	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	2	\$0	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	2	\$0	PA; QL (84 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<b>Laxatives</b>				
<i>alophen pills 5 mg *</i>	(bisacodyl)	3	\$0	
<i>best fiber powder 3 gram/3.5 gram *</i>		3	\$0	
<i>bisacodyl 10 mg suppository *</i>	(Dulcolax (bisacodyl))	3	\$0	
<i>bisacodyl ec 5 mg tablet *</i>	(Alophen (bisacodyl))	3	\$0	
<i>calcium polycarbophil oral tablet 625 mg *</i>	(Fiber (calcium polycarbophil))	3	\$0	
<i>citroma solution *</i>	(magnesium citrate)	3	\$0	
<b>CITRUCEL POWDER S-F *</b>		3	\$0	
<i>clearlax powder packet 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<b>CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML</b>		2	\$0	
<b>COLACE 100 MG CAPSULE *</b>	(docusate sodium)	3	\$0	
<i>cvs enema disposable 19-7 gram/118 ml *</i>		3	\$0	
<i>cvs fiber laxative 625 mg cplt caplet *</i>	(calcium polycarbophil)	3	\$0	
<i>cvs fiber therapy 500 mg caplt soluble, caplet *</i>		3	\$0	
<i>cvs gentle laxative ec 5 mg tb comfort coated *</i>	(bisacodyl)	3	\$0	
<i>cvs glycerin suppository child size *</i>		3	\$0	
<i>cvs magnesium citrate solution *</i>	(Citrates of Magnesia)	3	\$0	
<i>cvs mini enema 283-20 mg/5 ml *</i>		3	\$0	
<i>cvs natural daily fiber powder 3.4 gram/5.8 gram *</i>		3	\$0	
<i>cvs natural daily fiber powder 3.4 gram/7 gram *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs purelax powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>cvs purelax powder packet 10 daily doses 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>cvs senna plus tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>daily fiber capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
<i>docusate cal 240 mg softgel *</i>	(Kaopectate (docusate calcium))	3	\$0	
<i>docusate sod 100 mg/10 ml cup outer 50 mg/5 ml *</i>	(OneLAX Docusate Sodium)	3	\$0	
<i>docusate sod 60 mg/15 ml syrup *</i>	(Stool Softener)	3	\$0	
<i>docusate sodium 100 mg softgel softgel *</i>	(Colace)	3	\$0	
<i>docusate sodium 50 mg/5 ml liq *</i>	(OneLAX Docusate Sodium)	3	\$0	
<i>docusate sodium mini enema 283 mg/5 ml *</i>	(Enemeez)	3	\$0	
<i>docusil oral capsule 100 mg *</i>	(docusate sodium)	3	\$0	
<i>dok 100 mg tablet *</i>	(docusate sodium)	3	\$0	
<i>ducodyl (bisacodyl) oral tablet, delayed release (drlec) 5 mg *</i>	(bisacodyl)	3	\$0	
<b>DULCOLAX 10 MG SUPPOSITORY *</b>	(bisacodyl)	3	\$0	
<i>enema disposable 19-7 gram/118 ml *</i>		3	\$0	
<i>enemeez mini enema 5cc tubes, outer 283 mg/5 ml *</i>	(docusate sodium)	3	\$0	
<i>enemeez plus mini enema outer 283-20 mg/5 ml *</i>		3	\$0	
<i>eq magnesium citrate solution cherry *</i>	(Citrate of Magnesia)	3	\$0	
<i>eql fiber therapy powder 3.4 gram/7 gram *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>eql milk of magnesia susp 400 mg/5 ml *</i>	(magnesium hydroxide)	3	\$0	
<i>evac-u-gen 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>fiber tablet unboxed 625 mg *</i>	(calcium polycarbophil)	3	\$0	
<i>fiber therapy 500 mg caplet caplet *</i>		3	\$0	
<i>fiber therapy powder 2 gram/19 gram *</i>		3	\$0	
<i>fiber-lax 625 mg tablet 500mg polycarbophil *</i>	(calcium polycarbophil)	3	\$0	
<b>FLEET BISACODYL 10 MG ENEMA 10 MG/30 ML *</b>		3	\$0	
<i>gavilax 8.5 gram powder packet *</i>	(polyethylene glycol 3350)	3	\$0	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	(peg 3350-electrolytes)	1	\$0	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	(peg 3350-electrolytes)	1	\$0	
<i>gavilyte-n oral recon soln 420 gram</i>	(peg-electrolyte soln)	1	\$0	
<i>gentlelax powder 30 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>glycerin pediatric suppository infants &amp; children *</i>		3	\$0	
<i>glycerin suppository child size *</i>		3	\$0	
<i>gnp natural fiber powder regular 3.4 gram/7 gram *</i>		3	\$0	
<i>gnp stool softener 250 mg sfgl *</i>	(docusate sodium)	3	\$0	
<i>gs senna laxative 8.6 mg tab *</i>	(sennosides)	3	\$0	
<i>healthylax powder packet outer 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<b>KONSYL ORIGINAL 6 GM POWD PKT (OTC) 6 GRAM *</b>		3	\$0	
<i>konsyl psyllium fiber packet orange, gluten free 3.4 gram *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>laxacin tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>laxaclear powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>magic bullet 10 mg suppos *</i>	(bisacodyl)	3	\$0	
<i>magnesium citrate solution *</i>	(Citrate of Magnesia)	3	\$0	
METAMUCIL CAPSULE 0.4 GRAM *	(psyllium husk)	3	\$0	
METAMUCIL FIBER SINGLES PACKET 3.4 GRAM *		3	\$0	
METAMUCIL POWDER 3.4 GRAM/7 GRAM *		3	\$0	
<i>milk of magnesia concentrated 2,400 mg/10 ml cup outer *</i>	(magnesium hydroxide)	3	\$0	
<i>milk of magnesia suspension 400 mg/5 ml *</i>	(magnesium hydroxide)	3	\$0	
<i>mineral oil *</i>	(Mineral Oil Extra Heavy)	3	\$0	
<i>mineral oil enema *</i>	(Fleet Mineral Oil)	3	\$0	
<i>mineral oil heavy heavy (otc) *</i>	(mineral oil)	3	\$0	
<i>mineral oil, heavy usp, heavy (rx) *</i>	(mineral oil)	3	\$0	
MIRALAX POWDER 7 DAY (OTC) 17 GRAM/DOSE *	(polyethylene glycol 3350)	3	\$0	
MIRALAX POWDER PACKET (OTC) 17 GRAM *	(polyethylene glycol 3350)	3	\$0	
<i>peg-3350 8.5 gram powder cup *</i>	(Gavilax)	3	\$0	
<i>peg-3350 4 gram powder packet *</i>		3	\$0	
<i>peg-3350 4.25 gram powder pkt *</i>		3	\$0	
<i>peg-electrolyte soln oral recon soln 420 gram</i>	(GaviLyte-N)	1	\$0	
<i>phillips' lax liqui-gels 100 mg *</i>	(docusate sodium)	3	\$0	
PHILLIPS' MILK OF MAGNESIA 400 MG/5 ML *	(magnesium hydroxide)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>polyethylene glycol 3350 powder (otc) 17 gram/dose *</i>	(GentleLax)	3	\$0	
<i>polyethylene glycol 3350 powder 17 grams pkts, outer (otc) *</i>	(ClearLax)	3	\$0	
<i>polyethylene glycol 3350 powder 30 once-daily doses (otc) 17 gram/dose *</i>	(GentleLax)	3	\$0	
<i>polyethylene glycol 3350 powder outer (otc) 17 gram *</i>	(ClearLax)	3	\$0	
<i>powderlax 17 g powder packet 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>powderlax powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>promolaxin 100 mg tablet *</i>	(docusate sodium)	3	\$0	
<i>psyllium fiber capsule 0.4 gram *</i>	(Daily Fiber)	3	\$0	
<i>qc natura-lax 17 gm powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>ra citrate of magnesia soln *</i>	(magnesium citrate)	3	\$0	
<i>ra enema twin pack 2 x 4.5oz, rtu 19-7 gram/118 ml *</i>		3	\$0	
<i>ra fast relief lax 10 mg supp *</i>	(bisacodyl)	3	\$0	
<i>ra glycerin pediatric supp *</i>		3	\$0	
<i>ra laxative 25 mg pill *</i>		3	\$0	
<i>ra laxative peg 3350 powder 30 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>ra mineral oil extra-heavy extra-heavy *</i>	(mineral oil)	3	\$0	
<i>ra p-col rite tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>ra senna-lax 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>reguloid capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
<b>REGULOID POWDER 3 GRAM/12 GRAM *</b>		3	\$0	
<i>senexon-s 50-8.6 mg tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>senna 17.6 mg/10 ml syrup cup 8.8 mg/5 ml *</i>	(OneLAX Senna)	3	\$0	
<i>senna-time 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>senno oral tablet 8.6 mg *</i>	(sennosides)	3	\$0	
<i>sennosides-docusate sodium tab 8.6-50 mg *</i>	(Laxacin)	3	\$0	
<i>senokot-s tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>sm fiber capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
<i>sm fiber powder (rx) 3.4 gram/12 gram *</i>		3	\$0	
<i>smoothlax powder 14 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>smoothlax powder packet 10 daily doses 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i>	(Suprep Bowel Prep Kit)	2	\$0	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>		2	\$0	
<i>stimulant laxative plus tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>stool softener 100 mg tablet *</i>	(docusate sodium)	3	\$0	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM		2	\$0	
<i>true laxative peg 3350 powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
WAL-MUCIL 100% NATURAL FIBER 114 DOSES,ORANGE 3.4 GRAM/5.8 GRAM *		3	\$0	
WAL-MUCIL 100% NATURAL FIBER 3.4 GRAM/7 GRAM *		3	\$0	
<b>Phosphate Binders</b>				
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>		1	\$0	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lanthanum oral tablet, chewable</i> 1,000 mg, 500 mg, 750 mg (Fosrenol)	1	\$0	NDS
MAGNEBIND 300 TABLET 250-300 MG *	3	\$0	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	2	\$0	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	1	\$0	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	\$0	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	1	\$0	
VELPHORO ORAL TABLET, CHEWABLE 500 MG	2	\$0	
<b>Genitourinary Agents</b>			
<b>Antispasmodics, Urinary</b>			
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	1	\$0	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	1	\$0	
<i>flavoxate oral tablet 100 mg</i>	1	\$0	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR (mirabegron) 25 MG, 50 MG	1	\$0	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	\$0	
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	1	\$0	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	\$0	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	\$0	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tropium oral capsule, extended release 24hr 60 mg</i>	1	\$0	
<i>tropium oral tablet 20 mg</i>	1	\$0	
<b>Genitourinary Agents, Miscellaneous</b>			
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	\$0	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	\$0	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	1	\$0	
ENTADFI ORAL CAPSULE 5-5 MG	2	\$0	PA; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	\$0	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	\$0	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	1	\$0	NDS
<b>Heavy Metal Antagonists</b>			
<b>Heavy Metal Antagonists</b>			
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	1	\$0	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	1	\$0	PA; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	1	\$0	PA
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	1	\$0	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	1	\$0	PA; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	1	\$0	PA; NDS
<i>deferoxamine injection recon soln 2 gram</i>	1	\$0	PA; NDS
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	1	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG	2	\$0	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	2	\$0	PA; NDS
FERRIPROX ORAL TABLET 1,000 MG (deferiprone)	2	\$0	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	1	\$0	PA; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	1	\$0	PA; QL (240 per 30 days); NDS
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>			
<b>Androgens</b>			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	\$0	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	\$0	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	1	\$0	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	\$0	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	\$0	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	1	\$0	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	1	\$0	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	1	\$0	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	1	\$0	PA; QL (180 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		2	\$0	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>				
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		2	\$0	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	1	\$0	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	1	\$0	
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	1	\$0	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	1	\$0	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		2	\$0	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	PA-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	1	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	2	\$0	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	\$0	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	\$0	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	\$0	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	1	\$0	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>			
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	\$0	
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	1	\$0	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	\$0	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	\$0	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	\$0	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	\$0	
<i>fludrocortisone oral tablet 0.1 mg</i>	1	\$0	
HEMADY ORAL TABLET 20 MG	2	\$0	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	\$0	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	\$0	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	1	\$0	
<i>methylprednisolone oral tablet 32 mg</i>	1	\$0	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	\$0	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	\$0	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	\$0	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	1	\$0	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	\$0	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	1	\$0	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	1	\$0	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	\$0	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	\$0	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	\$0	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	\$0	
<b>Pituitary</b>			
ACTHAR INJECTION GEL 80 UNIT/ML	2	\$0	PA; QL (35 per 28 days); NDS
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	2	\$0	PA; QL (15 per 30 days); NDS
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	2	\$0	PA; QL (30 per 30 days); NDS
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	2	\$0	PA; QL (35 per 28 days); NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	\$0	
<i>desmopressin ac 4 mcg/ml ampul plf, outer, sdv</i> (DDAVP)	1	\$0	NDS
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	\$0	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	\$0	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	\$0	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	2	\$0	PA; QL (30 per 30 days); NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lanreotide subcutaneous syringe</i> (Somatuline Depot) 120 mcg/0.5 ml	2	\$0	PA NSO; QL (0.5 per 28 days); NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	2	\$0	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	2	\$0	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	2	\$0	PA; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	\$0	PA; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	1	\$0	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml	1	\$0	
<i>octreotide acetate injection solution</i> (Sandostatin) 500 mcg/ml	1	\$0	NDS
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	1	\$0	
ORGOVYX ORAL TABLET 120 MG	2	\$0	PA NSO; NDS
ORLISSA ORAL TABLET 150 MG	2	\$0	PA; QL (28 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ORILISSA ORAL TABLET 200 MG	2	\$0	PA; QL (56 per 28 days); NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	2	\$0	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	2	\$0	PA; QL (60 per 30 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE (lanreotide) 120 MG/0.5 ML	2	\$0	PA NSO; QL (0.5 per 28 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE (lanreotide) 60 MG/0.2 ML	2	\$0	PA NSO; QL (0.2 per 28 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE (lanreotide) 90 MG/0.3 ML	2	\$0	PA NSO; QL (0.3 per 28 days); NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	\$0	PA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	2	\$0	PA; NDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	2	\$0	PA; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	\$0	PA; NDS
<b>Progestins</b>			
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	2	\$0	QL (1 per 84 days)
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i>	1	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	1	\$0	NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	\$0	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	\$0	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	\$0	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i>	1	\$0	
<i>progesterone intramuscular oil 50 mg/ml</i>	1	\$0	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	\$0	
<b>Thyroid And Antithyroid Agents</b>			
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	\$0	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	\$0	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	\$0	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>propylthiouracil oral tablet 50 mg</i>	1	\$0	
<b>Immunological Agents</b>			
<b>Immunological Agents</b>			
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	\$0	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	\$0	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	2	\$0	NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG (tacrolimus)	2	\$0	PA BvD
AVSOLA INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	\$0	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	\$0	PA BvD
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	2	\$0	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	2	\$0	PA; QL (8 per 28 days); NDS
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	2	\$0	PA; QL (8 per 28 days); NDS
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	2	\$0	PA NSO; QL (2 per 28 days); NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	2	\$0	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	\$0	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	2	\$0	PA; NDS
<i>cyclosporine intravenous solution</i> 250 mg/5 ml (Sandimmune)	1	\$0	PA BvD
<i>cyclosporine modified oral capsule</i> 100 mg, 25 mg (Gengraf)	1	\$0	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	1	\$0	PA BvD
<i>cyclosporine modified oral solution</i> 100 mg/ml (Gengraf)	1	\$0	PA BvD
<i>cyclosporine oral capsule 100 mg,</i> 25 mg (Sandimmune)	1	\$0	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	2	\$0	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	2	\$0	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	2	\$0	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>everolimus (immunosuppressive)</i> oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg (Zortress)	1	\$0	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	2	\$0	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	2	\$0	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	2	\$0	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	2	\$0	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	2	\$0	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	2	\$0	PA BvD; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	2	\$0	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	1	\$0	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	1	\$0	PA BvD
HUMIRA PEN CROHNS-UC- HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	2	\$0	PA; Only NDCs starting with 00074; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	2	\$0	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	2	\$0	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	2	\$0	PA; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	2	\$0	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	2	\$0	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	2	\$0	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	\$0	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	\$0	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	\$0	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	\$0	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	\$0	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (drlec) 180 mg, 360 mg</i> (Myfortic)	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NULOJIX INTRAVENOUS RECON SOLN 250 MG	2	\$0	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	2	\$0	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	2	\$0	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	2	\$0	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	2	\$0	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	2	\$0	PA; NDS
OTEZLA ORAL TABLET 30 MG	2	\$0	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	2	\$0	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	2	\$0	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	2	\$0	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	2	\$0	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	\$0	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
REZUROCK ORAL TABLET 200 MG	2	\$0	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG	2	\$0	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	2	\$0	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i>	1	\$0	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	\$0	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	2	\$0	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	2	\$0	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	2	\$0	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	2	\$0	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	\$0	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	2	\$0	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	\$0	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	2	\$0	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	2	\$0	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	2	\$0	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	2	\$0	PA; NDS
<b>Vaccines</b>			
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	2	\$0	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	\$0	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	\$0	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	\$0	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	2	\$0	\$0 copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AREXVY ANTIGEN COMPONENT 120 MCG	2	\$0	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	\$0	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	\$0	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	2	\$0	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	\$0	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	2	\$0	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	2	\$0	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	\$0	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	\$0	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	\$0	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	\$0	\$0 copay; QL (1.5 per 365 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcare.org](http://www.phpcare.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	\$0	\$0 copay; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	2	\$0	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	2	\$0	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	2	\$0	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	\$0	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	\$0	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	\$0	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	2	\$0	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	2	\$0	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	\$0	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	2	\$0	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	\$0	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	2	\$0	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	\$0	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	\$0	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	2	\$0	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML	2	\$0	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	\$0	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	2	\$0	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	2	\$0	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	\$0	\$0 copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML	2	\$0	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	2	\$0	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	2	\$0	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	2	\$0	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	2	\$0	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	\$0	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	\$0	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	\$0	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	\$0	PA BvD; \$0 copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	2	\$0	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	\$0	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	\$0	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	\$0	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus- SUSPENSION 2-2 LF UNIT/0.5 diphtheria ML toxoids-td)	2	\$0	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	\$0	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	2	\$0	\$0 copay
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	\$0	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	2	\$0	QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	2	\$0	\$0 copay; QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	\$0	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	\$0	\$0 copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	\$0	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	2	\$0	\$0 copay
(typhoid vi polysacch vaccine)			
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	2	\$0	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	2	\$0	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	2	\$0	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	2	\$0	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	\$0	\$0 copay; QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	2	\$0	\$0 copay

## Inflammatory Bowel Disease

### Agents

#### Inflammatory Bowel Disease Agents

<i>alose tron oral tablet 0.5 mg</i>	(Lotronex)	1	\$0	
<i>alose tron oral tablet 1 mg</i>	(Lotronex)	1	\$0	NDS
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	1	\$0	
<i>budesonide rectal foam 2 mg/lactuation</i> (Uceris)	1	\$0	
DIPENTUM ORAL CAPSULE 250 MG	2	\$0	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	1	\$0	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	1	\$0	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	1	\$0	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	1	\$0	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i>	1	\$0	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	1	\$0	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	\$0	
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	2	\$0	

## Metabolic Bone Disease

### Agents

#### Metabolic Bone Disease Agents

<i>alendronate oral solution 70 mg/75 ml</i>	1	\$0	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	\$0	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	\$0	QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	1	\$0	NDS
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	1	\$0	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	\$0	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	\$0	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	1	\$0	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	1	\$0	QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	1	\$0	
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	\$0	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	1	\$0	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	1	\$0	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	2	\$0	PA; QL (2 per 28 days); NDS
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	\$0	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	\$0	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	\$0	
<i>paricalcitol oral capsule 4 mcg</i>	1	\$0	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	\$0	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	2	\$0	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	1	\$0	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	1	\$0	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	\$0	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	1	\$0	QL (4 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	1	\$0	QL (2.48 per 28 days)
<b>TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)</b>	2	\$0	QL (1.56 per 30 days)
<b>XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)</b>	2	\$0	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	\$0	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	\$0	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	\$0	QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>			
<b>Miscellaneous Therapeutic Agents</b>			
<b>ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML</b>	2	\$0	PA; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	1	\$0	PA; NDS
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	\$0	
<b>CARBOXYMETHYL SOD GRANULE MEDIUM VISCOSITY, USP (RX) *</b>	3	\$0	
<b>CARBOXYMETHYL SOD GRANULE USP, MED VISCOSITY (RX) *</b>	3	\$0	
<b>COSENTYX INTRAVENOUS SOLUTION 25 MG/ML</b>	2	\$0	PA; NDS
<b>CVS TRANSPARENT DRESSING 4X4 3/4" 4 X 4 3/4 "</b> (IV3000 Frame Delivery Dressing)	3	\$0	
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	1	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	1	\$0	
ELMIRON ORAL CAPSULE 100 MG	2	\$0	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM (glutamine (sickle cell))	2	\$0	PA; QL (180 per 30 days); NDS
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	2	\$0	PA; NDS
EXCILON DRESSING SPONGE 4 X 3 " *	3	\$0	
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	1	\$0	NDS
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	1	\$0	PA; QL (180 per 30 days); NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	\$0	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	2	\$0	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	2	\$0	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	2	\$0	
<i>hydroxyzine pamoate oral capsule 100 mg, 50 mg</i>	1	\$0	
<i>hydroxyzine pamoate oral capsule 25 mg</i> (Vistaril)	1	\$0	
IV3000 FRAME DELIVERY 4X4 3/4" 4 X 4 3/4 " * (transparent dressings)	3	\$0	
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>leucovorin calcium injection solution 10 mg/ml</i>		1	\$0	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>		1	\$0	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	(Carnitor)	1	\$0	
<i>levocarnitine oral tablet 330 mg</i>	(Carnitor)	1	\$0	
<i>levocarnitine sf 1 g/10 ml sol 100 mg/ml</i>	(Carnitor (sugar-free))	1	\$0	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	(Fusilev)	1	\$0	NDS
<i>mesna intravenous solution 100 mg/ml</i>	(Mesnex)	1	\$0	
MESNEX ORAL TABLET 400 MG		2	\$0	NDS
NEXCARE TEGADERM DRESSING 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i>	(Rectiv)	1	\$0	QL (30 per 30 days)
NON-STICK PAD 3"X4" 4 X 3 " *		3	\$0	
OPSITE FLEXIGRID DRESSING 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
OPSITE FLEXIGRID DRESSING 6 X 8 " *		3	\$0	
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML		2	\$0	PA; NDS
POLYSKIN II TRANSPRNT DRESS 4'S, 6"X8", STERILE 6 X 8 " *		3	\$0	
POLYSKIN II TRANSPRNT DRESS 4'S,4"X4-3/4",STRL 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i>	(Mestinon)	1	\$0	
<i>pyridostigmine bromide oral tablet 30 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	1	\$0	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	1	\$0	
RELIAMED TRANSPRNT I.V. DRESS 4 X 4 3/4 " * (IV3000 Frame Delivery Dressing)	3	\$0	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	2	\$0	PA; NDS
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	2	\$0	PA; NDS
SURESITE MATRIX TRANSPRNT DRES 6 X 8 " *	3	\$0	
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	\$0	PA; QL (4 per 28 days); NDS
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	2	\$0	PA; QL (2 per 28 days); NDS
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	2	\$0	PA; QL (4 per 28 days); NDS
TELFANON-ADHERENT DRESSING 50/CTN 1'S 4 X 3 " *	3	\$0	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	2	\$0	NDS
TRIAD WOUND DRESSING PASTE 12'S *	3	\$0	
TYBOST ORAL TABLET 150 MG	2	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	2	\$0	QL (24 per 14 days); NDS
VOWST ORAL CAPSULE	2	\$0	PA; QL (12 per 30 days); NDS
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	2	\$0	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	2	\$0	
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	2	\$0	PA; NDS
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	2	\$0	PA; NDS
<b>Mouthwashes And Gargles</b>			
<b>Mouthwashes And Gargles</b>			
<i>cvs hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>hm hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>hydrogen peroxide 3% solution (otc) *</i>	3	\$0	
<i>hydrogen peroxide 3% solution usp (rx) *</i>	3	\$0	
<i>qc hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>sm hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<b>Ophthalmic Agents</b>			
<b>Antiglaucoma Agents</b>			
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	\$0	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	\$0	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	\$0	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	1	\$0	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	\$0	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	1	\$0	
<i>brinzolamide ophthalmic (eye) drops, suspension 1 %</i> (Azopt)	1	\$0	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	\$0	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	1	\$0	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	\$0	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	\$0	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	\$0	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	\$0	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	\$0	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	1	\$0	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	\$0	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	2	\$0	QL (2.5 per 25 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	\$0	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	1	\$0	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	\$0	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	1	\$0	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	1	\$0	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	2	\$0	QL (5 per 30 days)
<b>Replacement Preparations</b>			
<b>Replacement Preparations</b>			
<i>calcium 500 mg tablet 500mg elemental ca (rx) 500 mg calcium (1,250 mg) *</i> (Oyster Shell Calcium)	3	\$0	
<i>calcium 500-vit d3 10 mcg chew 500 mg-10 mcg (400 unit) *</i> (Calcium 500 + D)	3	\$0	
<i>calcium 500-vit d3 125 caplet 500 mg-3.125 mcg (125 unit) *</i>	3	\$0	
<i>calcium 500-vit d3 400 chew tb 500 mg-10 mcg (400 unit) *</i> (calcium carbonate-vitamin d3)	3	\$0	
<i>calcium 600 mg tablet (rx) 600 mg calcium (1,500 mg) *</i> (Calcium 600)	3	\$0	
<i>calcium carb 1,250 mg/5 ml sus n (otc) 500 mg/5 ml (1,250 mg/5 ml) *</i>	3	\$0	
<i>calcium carbonate 648 mg tab 260 mg calcium (648 mg) *</i>	3	\$0	
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	1	\$0	
<i>calcium cit 315 mg-d3 250 unit (rx) 315 mg-6.25 mcg (250 unit) *</i> (CitraCal + D Maximum)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>calcium citrate - vit d caplet caplet, coated (rx) 315 mg-5 mcg (200 unit) *</i>	(Calcium Citrate + D)	3	\$0	
<i>calcium citrate 200 mg tablet (rx) 200 mg (950 mg) *</i>		3	\$0	
<i>calcium citrate-vit d caplet maximum (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>calcium citrate-vit d3 caplet plf (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>citracal + d maximum caplet (rx) 315 mg-6.25 mcg (250 unit) *</i>	(calcium citrate-vitamin d3)	3	\$0	
<b>CITRACAL-D3 MAXIMUM PLUS CAPLT 325 MG-12.5 MCG -2.75 MG *</b>	(calcium-d3-zinc-copper-mangan)	3	\$0	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>		1	\$0	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>		1	\$0	
<i>electrolyte-148 intravenous parenteral solution</i>		1	\$0	
<i>eq calcium citrate-d tablet plf,gluten-free (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>gnp electrolyte solution (rx) *</i>	(Hydralyte)	3	\$0	
<i>hydralyte electrolyte soln *</i>	(electrolytes-dextrose)	3	\$0	
<b>ISOLYTE S IV SOLUTION-EXCEL SINGLE USE</b>		2	\$0	
<b>ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION</b>		2	\$0	
<b>ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %</b>		2	\$0	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	(potassium chloride)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>klor-con m15 oral tablet, er particles/crystals 15 meq</i>	(potassium chloride)	1	\$0	
<i>klor-con m20 oral tablet, er particles/crystals 20 meq</i>	(potassium chloride)	1	\$0	
<i>mag64 dr 64 mg tablet (rx) *</i>	(magnesium chloride)	3	\$0	
<i>magnesium chloride 64 mg tab 64 mg magnesium *</i>		3	\$0	
<i>magnesium chloride ec 64 mg tb (rx) *</i>	(Mag 64)	3	\$0	
<i>magnesium chloride ec 70 mg tb *</i>		3	\$0	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>		1	\$0	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4%), 40 gram/1,000 ml (4%)</i>		1	\$0	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i>		1	\$0	
<i>magnesium sulfate injection solution 500 mg/ml (50%)</i>		2	\$0	
<i>magnesium sulfate injection syringe 500 mg/ml (50%)</i>		1	\$0	
<i>natural calcium oral tablet 500 mg calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0	
<b>NORMOSOL-M IN 5% DEXTROSE INTRAVENOUS PARENTERAL SOLUTION</b>		2	\$0	
<i>nu-mag 71.5 mg tablet *</i>		3	\$0	
<i>oralyte solution *</i>	(electrolytes-dextrose)	3	\$0	
<i>oyster shell calcium 500 mg tb (rx) 500 mg calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oyster shell calcium 500 mg tb</i> <i>500mg elemental ca (rx) 500 mg</i> <i>calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0	
<i>pediatric electrolyte solution (rx) *</i>	(electrolytes-dextrose)	3	\$0	
<i>phospha 250 neutral tablet 250 mg</i> <i>*</i>	(sod phos di, mono-k phos mono)	3	\$0	
<i>phosphorous 250 mg tablet *</i>	(sod phos di, mono-k phos mono)	3	\$0	
<i>phospho-trin 250 neutral tab 250 mg *</i>	(sod phos di, mono-k phos mono)	3	\$0	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	(electrolyte-a)	2	\$0	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>		1	\$0	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>		1	\$0	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>		1	\$0	
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	1	\$0	
<i>potassium chloride oral tablet extended release 20 meq</i>	(K-Tab)	1	\$0	
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i>	(Klor-Con M10)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i>	(Klor-Con M15)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i>	(Klor-Con M20)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	\$0	
<i>potassium cit-citric acid soln 1,100-334 mg/5 ml *</i> (Cytra-K)	3	\$0	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	\$0	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	\$0	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	\$0	
<i>ra calcium 600 mg tablet plf (rx) 600 mg calcium (1,500 mg) *</i> (calcium carbonate)	3	\$0	
<i>ra calcium citrate - vit d tab plf, dlf (rx) 315 mg-6.25 mcg (250 unit) *</i> (Citracal + D Maximum)	3	\$0	
<i>ra magnesium 250 mg tablet (rx) *</i>	3	\$0	
<i>ra pediatric electrolyte soln (rx) *</i> (electrolytes-dextrose)	3	\$0	
<i>ra pediatric freezer pops *</i> (electrolytes-dextrose)	3	\$0	
<i>sm pediatric electrolyte soln (rx) *</i> (electrolytes-dextrose)	3	\$0	
<i>sod citrate-citric acid soln (rx) 500-334 mg/5 ml *</i> (Cytra-2)	3	\$0	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	\$0	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	\$0	
<i>sodium chloride 0.9% solution mini-bag, single use</i>	1	\$0	
<i>sodium chloride 1 gm tablet (otc) *</i>	3	\$0	
<i>super calcium 600 mg tablet 600 mg calcium (1,500 mg) *</i> (calcium carbonate)	3	\$0	
<i>tricitrates oral solution 550-500-334 mg/5 ml *</i> (pot,sodium citrate-citric acid)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>true magnesium oxide 400 mg tb (rx) 400 mg (241.3 mg magnesium) *</i> (MgO)	3	\$0	
<i>true oyster calcium 500 mg tab (rx) 500 mg calcium (1,250 mg) *</i> (calcium carbonate)	3	\$0	
<b>Respiratory Tract Agents</b>			
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol)	2	\$0	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION	2	\$0	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	\$0	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	2	\$0	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	2	\$0	QL (60 per 30 days)
<i>breynd inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol)	1	\$0	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	1	\$0	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	1	\$0	PA BvD; QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcglactuation, 80-4.5 mcglactuation</i> (Breyna)	1	\$0	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcglactuation</i>	1	\$0	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcglactuation</i>	1	\$0	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcglactuation</i>	1	\$0	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	1	\$0	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	1	\$0	QL (60 per 30 days)
<b>Antileukotrienes</b>			
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	\$0	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	\$0	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	1	\$0	
<b>Bronchodilators</b>			
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	2	\$0	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation</i> (Ventolin HFA)	1	\$0	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation (nda020503)</i>	1	\$0	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcglactuation (nda020983)</i>	1	\$0	QL (36 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	1	\$0	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	1	\$0	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	\$0	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	\$0	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	\$0	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	\$0	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	\$0	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	2	\$0	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	\$0	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml (theophylline)</i>	1	\$0	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	\$0	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	\$0	PA BvD; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	\$0	QL (2 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	\$0	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	2	\$0	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION (tiotropium CAPSULE, W/INHALATION bromide) DEVICE 18 MCG	1	\$0	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	\$0	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	\$0	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	\$0	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	1	\$0	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	1	\$0	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	\$0	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	2	\$0	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>			
<i>acetylcysteine intravenous solution 200 mg/ml (20%)</i> (Acetadote)	1	\$0	
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	2	\$0	QL (560 per 28 days); NDS
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	\$0	PA BvD
<i>cromolyn sodium nasal spray 5.2 mg/spray (4%) *</i> (Nasalcrom)	3	\$0	
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	2	\$0	PA; QL (1 per 28 days); NDS
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	2	\$0	PA; QL (1 per 28 days); NDS
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	2	\$0	PA; QL (56 per 28 days); NDS
KALYDECO ORAL TABLET 150 MG	2	\$0	PA; QL (56 per 28 days); NDS
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	2	\$0	PA; LA; QL (0.4 per 28 days); NDS
OFEV ORAL CAPSULE 100 MG, 150 MG	2	\$0	PA; QL (60 per 30 days); NDS
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	2	\$0	PA; QL (56 per 28 days); NDS
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	2	\$0	PA; QL (112 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	1	\$0	PA; QL (270 per 30 days); NDS
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	1	\$0	PA; QL (270 per 30 days); NDS
<i>pirfenidone oral tablet 534 mg</i>	1	\$0	PA; QL (90 per 30 days); NDS
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	1	\$0	PA; QL (90 per 30 days); NDS
PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+-)/20 ML	2	\$0	PA BvD; NDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	1	\$0	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	1	\$0	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	2	\$0	PA; QL (56 per 28 days); NDS
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	2	\$0	PA; QL (56 per 28 days); NDS
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	2	\$0	PA; QL (84 per 28 days); NDS
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	2	\$0	PA; QL (1 per 21 days); NDS
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	2	\$0	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	2	\$0	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<b>Skeletal Muscle Relaxants</b>			
<b>Skeletal Muscle Relaxants</b>			
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	1	\$0	
<i>chlorzoxazone oral tablet 250 mg</i>	1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years); NDS
<i>chlorzoxazone oral tablet 500 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 750 mg</i> (Lorzone)	1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	1	\$0	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	1	\$0	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	1	\$0	
<i>tizanidine oral tablet 2 mg</i>	1	\$0	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	\$0	
<b>Sleep Disorder Agents</b>			
<b>Sleep Disorder Agents</b>			
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	\$0	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	2	\$0	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	\$0	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	2	\$0	PA; QL (150 per 30 days); NDS
<i>modafinil oral tablet 100 mg</i> (Provigil)	1	\$0	PA; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>modafinil oral tablet 200 mg</i>	(Provigil)	1	\$0	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i>	(Xyrem)	2	\$0	PA; LA; QL (540 per 30 days); NDS
SUNOSI ORAL TABLET 150 MG, 75 MG		2	\$0	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i>	(Hetlioz)	1	\$0	PA; QL (30 per 30 days); NDS
<i>zaleplon oral capsule 10 mg, 5 mg</i>		1	\$0	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	(Ambien)	1	\$0	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i>	(Ambien CR)	1	\$0	QL (30 per 30 days)
<b>Vasodilating Agents</b>				
<b>Vasodilating Agents</b>				
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		2	\$0	PA; QL (90 per 30 days); NDS
<i>alyq oral tablet 20 mg</i>	(tadalafil (pulm. hypertension))	1	\$0	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	(Letairis)	1	\$0	PA; QL (30 per 30 days); NDS
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	(Tracleer)	1	\$0	PA; LA; QL (60 per 30 days); NDS
<i>epoprostenol intravenous recon soln 0.5 mg, 1.5 mg</i>	(Veletri)	1	\$0	PA; NDS
OPSUMIT ORAL TABLET 10 MG		2	\$0	PA; QL (30 per 30 days); NDS
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	(Revatio)	1	\$0	PA; QL (37.5 per 1 day); NDS
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	(Revatio)	1	\$0	PA; QL (360 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	(Alyq)	1	\$0	PA; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>		1	\$0	PA; QL (30 per 30 days)
<i>tadalafil oral tablet 5 mg</i>	(Cialis)	1	\$0	PA; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	2	\$0	PA; QL (112 per 28 days); NDS
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	1	\$0	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	2	\$0	PA; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	2	\$0	PA; QL (60 per 30 days); NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	2	\$0	PA; QL (60 per 30 days); NDS
UPTRAVI ORAL TABLET 200 MCG	2	\$0	PA; QL (240 per 30 days); NDS
UPTRAVI ORAL TABLETS, DOSE PACK 200 MCG (140)- 800 MCG (60)	2	\$0	PA; NDS
<b>Vitamins And Minerals</b>			
<b>Vitamins And Minerals</b>			
<i>a thru z advanced formula tab new formula (rx) *</i>	3	\$0	
<i>a thru z select tablet new formulation (rx) *</i>	3	\$0	
<i>a-25 7,500 mcg capsule *</i>	3	\$0	
<i>acerola c 500 mg tablet chew *</i>	(ascorbic acid (vitamin c))	3	\$0
<i>animal chews tablet *</i>	(pediatric multivitamin)	3	\$0
AQUA-E CONCENTRATE 75 UNIT/ML *	3	\$0	
<i>b complex capsule (rx) *</i>	(Vitamins B Complex)	3	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>b complex number 1 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>b complex tablet *</i>	(vitamin b complex)	3	\$0	
<i>b-12 500 mcg tablet (rx) *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>b-12 dots 500 mcg tablet *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>balance b-100 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balance b-50 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balance b-50 tablet outer,plf,glutenlf 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balanced b-complex caplet plf,no-lactose (rx) 400 mcg *</i>		3	\$0	
<i>bal-care dha combo pack 27-1-430 mg</i>		1	\$0	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>		1	\$0	
<i>b-complex plus vitamin c cplt (rx) 400 mcg *</i>		3	\$0	
<i>b-complex with b12 tablet (rx) *</i>	(vitamin b complex)	3	\$0	
<i>b-complex with c tablet (rx) *</i>		3	\$0	
<i>b-complex with vit c caplet (rx) 400 mcg *</i>		3	\$0	
<i>b-complex w-vitamin c caplet caplet,plf (rx) *</i>		3	\$0	
<i>biotin 5,000 mcg capsule mx-str (rx) 5 mg *</i>	(Meribin)	3	\$0	
<i>c complex 500 mg tablet sa *</i>	(ascorbic acid (vitamin c))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>calcidol drops 200 mcg/ml (8,000 unit/ml) *</i>	(ergocalciferol (vitamin d2))	3	\$0	
<i>calcium 500-vit d3 600 tablet 500 mg-15 mcg (600 unit) *</i>	(Os-Cal 500 + D3)	3	\$0	
<i>calcium 600 mg-vit d3 10 mcg tb (rx) 600 mg-10 mcg (400 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>calcium 600 mg-vit d3 5 mcg tb (rx) 600 mg-5 mcg (200 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>calcium 600-vit d3 800 tablet plf (rx) 600 mg-20 mcg (800 unit) *</i>	(Caltrate with Vitamin D3)	3	\$0	
<i>certavite senior tablet 0.4 mg-300 mcg- 250 mcg *</i>		3	\$0	
<i>certavite-antioxidant tablet (rx) 18-400 mg-mcg *</i>		3	\$0	
<i>children multivitamin chew tab *</i>		3	\$0	
<i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i>		1	\$0	
<i>completenate tablet chew 29 mg iron- 1 mg</i>		1	\$0	
<i>cvs b-1 100 mg tablet plf,gluten-free (rx) *</i>	(thiamine hcl (vitamin b1))	3	\$0	
<i>cvs b-complex-vit c caplet caplet (rx) *</i>		3	\$0	
<i>cvs calcium 600-vit d3 800 tab plf,gluten-free (rx) 600 mg-20 mcg (800 unit) *</i>	(Caltrate with Vitamin D3)	3	\$0	
<i>cvs hair, skin and nails cplt (rx) *</i>	(multivitamin with minerals)	3	\$0	
<i>cvs iron 27 mg tablet (rx) 240 mg (27 mg iron) *</i>	(Ferate)	3	\$0	
<i>cvs iron 65 mg tablet (rx) 325 mg (65 mg iron) *</i>	(Feosol)	3	\$0	
<i>cvs vit c-rose hip 500 mg chew *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>cvs vitamin d3 25 mcg softgel (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cyanocobalamin 1,000 mcg/ml vial outer,mdv *</i>	(Dodex)	3	\$0	
<i>cyanocobalamin 500 mcg spray inner 500 mcg/spray *</i>	(Nascobal)	3	\$0	
<i>d3 dots 2,000 unit tablet plf (rx) 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>daily multivit-minerals tab (rx) *</i>	(multivitamin with minerals)	3	\$0	
<i>daily value multivitamin tab *</i>	(multivitamin)	3	\$0	
<i>daily vitamin + iron tablet (rx) *</i>	(multivitamin with iron)	3	\$0	
<i>daily vitamin formula tablet *</i>	(multivitamin)	3	\$0	
<i>daily vitamin formula tablet *</i>	(multivitamin with minerals)	3	\$0	
<i>daily vite tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>daily vite with iron tablet *</i>	(multivitamin with iron)	3	\$0	
<i>daily-vite tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>dekas essential capsule 600 mcg-50 mcg- 101 mg-1,000mcg *</i>		3	\$0	
DEKAS ESSENTIAL LIQUID 2,000 UNIT- 2,000 MCG/ML *		3	\$0	
DEKAS PLUS CHEWABLE TABLET 200 MCG-1,000 MCG-10 MG *		3	\$0	
DEKAS PLUS LIQUID 500 MCG/ML *		3	\$0	
DEKAS PLUS SOFTGEL 200 MCG-1,000 MCG-10 MG *		3	\$0	
<i>dodex 10,000 mcg/10 ml vial mv *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>d-vi-sol 10 mcg/ml drop (rx) 10 mcg/ml (400 unit/ml) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
ELDERTONIC LIQUID 3.6 MG-0.75 MG /15 ML *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>eql eye health plus lutein tab 300 mcg-200 mg-27 mg-2 mg *</i>	3	\$0	
<i>eql vitamin c gummies 94 mg *</i>	3	\$0	
<i>ergocalciferol 200 mcg/ml drop (rx) 200 mcg/ml (8,000 unit/ml) *</i> (Calcidol)	3	\$0	
<i>feosol 65 mg tablet (rx) 325 mg (65 mg iron) *</i> (ferrous sulfate)	3	\$0	
<i>ferate 27 mg tablet 240 mg (27 mg iron) *</i> (ferrous gluconate)	3	\$0	
<i>ferosul 325 mg tablet (rx) 325 mg (65 mg iron) *</i> (ferrous sulfate)	3	\$0	
<i>ferretts 325 mg tablet 325 mg (106 mg iron) *</i>	3	\$0	
<i>ferrex 150 capsule outer, u-d 150 mg iron *</i> (polysaccharide iron complex)	3	\$0	
<i>ferrocite tablet 324 mg (106 mg iron) *</i> (ferrous fumarate)	3	\$0	
<i>ferrous fumarate 324 mg tablet 324 mg (106 mg iron) *</i> (Ferrocite)	3	\$0	
<i>ferrous gluconate 240 mg tab 240mg=27mg elemental (rx) 240 mg (27 mg iron) *</i> (Ferate)	3	\$0	
<i>ferrous gluconate 324 mg tab (rx) 324 mg (38 mg iron) *</i>	3	\$0	
<i>ferrous sulf 15 mg iron/ml drp (rx) 15 mg iron (75 mg)/ml *</i> (Fe-Vite)	3	\$0	
<i>ferrous sulf 220 mg/5 ml elix (rx) 220 mg (44 mg iron)/5 ml *</i>	3	\$0	
<i>ferrous sulf ec 324 mg tablet 324 mg (65 mg iron) *</i>	3	\$0	
<i>ferrous sulf ec 325 mg tablet (rx) 325 mg (65 mg iron) *</i>	3	\$0	
<i>ferrous sulfate 300 mg/5 ml cup 100's, u-d 300 mg (60 mg iron)/5 ml *</i>	3	\$0	
<i>ferrous sulfate 325 mg tablet (rx) 325 mg (65 mg iron) *</i> (Feosol)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ferrousul oral tablet 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>flintstones extra c tab chew (rx) *</i>	(pediatric multivitamin)	3	\$0	
<i>flintstones tablet chewable *</i>	(pediatric multivitamin)	3	\$0	
<b>FLINTSTONES WITH IRON TAB CHEW 18 MG IRON *</b>		3	\$0	
<i>folic acid 1 mg tablet (rx) *</i>		3	\$0	
<i>folic acid 400 mcg tablet (rx) *</i>		3	\$0	
<i>folic acid 5 mg/ml vial mdv *</i>		3	\$0	
<i>folivane-ob capsule 85-1 mg</i>		1	\$0	
<i>fruit c-500 tablet chewable 500 mg *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>generic prenatal vitamin oral capsule 27-1.25-55-300 mg, 28-1-50-250 mg, 29-1.25-55-325 mg, 30 mg iron-1 mg -50 mg-260 mg, 30 mg iron-1.2 mg-55 mg-265 mg</i>		1	\$0	
<i>generic prenatal vitamin oral combo pack, tablet and cap, dr 29 mg iron-1 mg -50 mg</i>		1	\$0	
<i>generic prenatal vitamin oral tablet 27 mg iron- 1 mg</i>	(pnv, calcium 72-iron-folic acid)	1	\$0	
<i>generic prenatal vitamin oral tablet 90-1-50 mg</i>		1	\$0	
<i>generic prenatal vitamin oral tablet extended release 90 mg iron-1 mg</i>		1	\$0	
<i>generic prenatal vitamin oral tablet, chewable 40 mg iron- 1 mg</i>		1	\$0	
<i>gnp one daily essential tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>gnp vitamin c 500 mg tab chew chewables (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>gummi bear multivit tab chew multivit &amp; minerals (rx) *</i>	(pediatric multivitamin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hair vitamins *</i>	(multivitamin with iron)	3	\$0	
<i>hemocyte tablet 324 mg (106 mg iron) *</i>	(ferrous fumarate)	3	\$0	
<i>high potency multivitamin tab 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>high potency multivitamin tab 9 mg iron-400 mcg *</i>		3	\$0	
<i>honey bears chewable tablet *</i>		3	\$0	
<i>hydroxocobalamin 1,000 mcg/ml *</i>		3	\$0	
ICAPS MV TABLET (RX) 100-1.66-0.83 MCG-MG-MG *		3	\$0	
<i>iferex 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>infant vitamin a-c-d drop 250 mcg-50 mg- 10 mcg/ml *</i>	(Pedia Tri-Vite)	3	\$0	
<i>infant vitamin d 10 mcg/ml drp (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>infant-toddler vit a-c-d drop 250 mcg-50 mg- 10 mcg/ml *</i>	(Pedia Tri-Vite)	3	\$0	
<i>iron 28 mg tablet 256 mg (28 mg iron) *</i>		3	\$0	
<i>iron 65 mg tablet (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>		1	\$0	
<i>little animals child tb chw *</i>	(pediatric multivitamin)	3	\$0	
<i>little animals-iron tab chew *</i>	(pediatric multivitamin-iron)	3	\$0	
<i>marnatal-f capsule 60 mg iron-1 mg</i>		1	\$0	
<i>mega multivit-chelated min tab *</i>	(multivitamin with minerals)	3	\$0	
<i>milltrium senior multivit tab *</i>		3	\$0	
<i>m-natal plus tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>multi-day plus iron tablet 18-400 mg-mcg *</i>		3	\$0	
<i>multiple vitamin with iron tab (rx) *</i>	(Daily Vitamin with Iron)	3	\$0	
<i>multiple vitamin w-minerals tb *</i>	(multivitamin with minerals)	3	\$0	
<i>multiple vitamins tablet one daily *</i>	(multivitamin)	3	\$0	
<i>multi-vitamin daily tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>multivitamin tablet (rx) *</i>	(Daily Multi-Vitamin)	3	\$0	
<i>multivitamin-minerals tablet plf 7.5 mg iron-400 mcg *</i>		3	\$0	
<i>multivitamins tablet (rx) *</i>	(Daily Multi-Vitamin)	3	\$0	
<i>myferon 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>mynatal capsule 65 mg iron- 1 mg</i>		1	\$0	
<i>mynatal plus captab 65 mg iron- 1 mg</i>		1	\$0	
<i>mynatal-z captab 65 mg iron- 1 mg</i>		1	\$0	
<b>NASCOBAL 500 MCG NASAL SPRAY 500 MCG/SPRAY *</b>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>nephplex rx tablet 1-60-300-12.5 mg-mg-mcg-mg *</i>		3	\$0	
<b>NEPHRON FA TABLET 66 MG IRON- 1,000 MCG *</b>		3	\$0	
<i>newgen tablet 32-1,000 mg-mcg</i>		1	\$0	
<i>niacinamide 500 mg tablet (rx) *</i>		3	\$0	
<i>niva-plus tablet 27 mg iron- 1 mg</i>		1	\$0	
<i>nu-iron 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>		1	\$0	
<i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i>		1	\$0	
<i>ocutabs tablet (rx) *</i>		3	\$0	
<i>onccor tablet 200-10-10 mcg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oncovite tablet *</i>	(therapeutic multivitamin)	3	\$0	
<i>one daily complete tablet *</i>	(multivitamin with minerals)	3	\$0	
<i>one daily complete tablet 18-0.4 mg *</i>		3	\$0	
<i>one daily essential tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>one daily for women tablet 18-0.4 mg *</i>		3	\$0	
<i>one daily maximum tablet (rx) 18-0.4 mg *</i>		3	\$0	
<i>one daily multivitamin tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>one daily with minerals tablet (rx) *</i>	(multivitamin with minerals)	3	\$0	
<i>one-a-day essential tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>one-a-day max formula tab *</i>	(multivitamin with minerals)	3	\$0	
<i>one-a-day men's tablet 400-20-300 mcg *</i>		3	\$0	
<i>one-a-day teen advantage tab 9 mg iron-400 mcg *</i>		3	\$0	
<i>one-daily multi-vitamin tab (rx) *</i>	(multivitamin)	3	\$0	
<i>onevite calcium 600 mg-d3 10 mcg (rx) 600 mg-10 mcg (400 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>onevite daily multivitamin tab 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>oysco 500-vit d3 200 tablet 500 mg-5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>oyster shell 500-vit d3 200 tb (rx) 500 mg-5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>oyster shell calcium-vit d tab plf,gluten-free (rx) 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oystercal-d 500 mg-400 unit tb 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>pedia tri-vite drop 250 mcg-50 mg-10 mcg/ml *</i>	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>pediatric fe-vite 15 mg/ml drp 15 mg iron (75 mg)/ml *</i>	(ferrous sulfate)	3	\$0	
<i>pediatric tri-vite drops 750 unit-35 mg -400 unit/ml *</i>	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>pharm choice d3 400 unit/ml (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>pharmacist choice ped tri-vit 750 unit-35 mg -400 unit/ml *</i>	(Pediatric Tri-Vite)	3	\$0	
<i>phytonadione 5 mg tablet *</i>		3	\$0	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>		1	\$0	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>pnv-omega softgel 28-1-300 mg</i>		1	\$0	
<i>polysaccharide iron 150 mg cap (rx) 150 mg iron *</i>	(Ferrex 150)	3	\$0	
<b>POLY-VI-SOL 250 MCG-50 MG/ML DRP 250 MCG-50 MG-10 MCG/ML *</b>		3	\$0	
<b>POLY-VI-SOL WITH IRON DROPS 11 MG IRON/ML *</b>		3	\$0	
<i>pr natal 400 combo pack 29-1-400 mg</i>		1	\$0	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>		1	\$0	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>		1	\$0	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>		1	\$0	
<i>prenal true combo pack 30 mg iron- 1.4 mg-300 mg</i>		1	\$0	
<i>prenatabs fa tablet 29-1 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>		1	\$0	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>		1	\$0	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>		1	\$0	
<i>prenatal one daily tablet 27 mg iron- 800 mcg *</i>		3	\$0	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic)	1	\$0	
<i>prenatal tablet 28 mg iron- 800 mcg *</i>		3	\$0	
<i>prenatal tablet 28 mg iron- 800 mcg *</i>	(Prenatal)	3	\$0	
<i>prenatal vitamins tablet phosphorus free (rx) 28 mg iron- 800 mcg *</i>	(pnv cmb#95-ferrous fumarate-fa)	3	\$0	
<i>prenatal-u capsule 106.5-1 mg</i>		1	\$0	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>		1	\$0	
<i>prosght tablet 5,000-60-30 unit-mg-unit *</i>		3	\$0	
<i>pub multivitamin 50 plus tab *</i>		3	\$0	
<i>ra balanced b-50 tablet natural,plf (rx) *</i>	(vitamin b complex)	3	\$0	
<i>ra b-complex tablet plf (rx) *</i>	(vitamin b complex)	3	\$0	
<i>ra b-complex tablet plf (rx) *</i>	(B-Complex)	3	\$0	
<i>ra calcium 600-vit d3 400 tab (rx) 600 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>ra iron 65 mg tablet plf, dlf (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>ra one daily energy tablet *</i>	(multivitamin with minerals)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra one daily maximum tablet (rx) 18-0.4 mg *</i>		3	\$0	
<i>ra oyster shell 500-vit d3 200 natural,plf (rx) 500 mg-5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>ra vitamin c 500 mg tab chew plf (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>ra vitamin c 500 mg tablet plf (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>		1	\$0	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>		1	\$0	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>		1	\$0	
<i>sm b complex with vit c tablet (rx) *</i>		3	\$0	
<i>sod fer gluc cplx 62.5 mg/5 ml sdv,outer *</i>	(Ferrlecit)	3	\$0	
<i>soothing pureway-c 500 mg tab *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>stress formula tablet (rx) *</i>		3	\$0	
<i>stress formula with iron tab 500 mg-400 mcg- 27 mg iron *</i>		3	\$0	
<i>stress-c with iron tablet 500 mg-400 mcg- 18 mg iron *</i>		3	\$0	
<i>stress-c with zinc tablet 600mg (rx) *</i>		3	\$0	
<i>super b complex tablet plf (rx) 400 mcg *</i>		3	\$0	
<i>super b-50 complex capsule 400 mcg-20 mg- 50 mg *</i>		3	\$0	
<i>super multivitamin tablet *</i>	(multivitamin)	3	\$0	
<i>super quints b-50 tablets *</i>	(vitamin b complex)	3	\$0	
<i>super thera vite m tablet (rx) *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tab-a-vite multivit with iron 18-400 mg-mcg *</i>		3	\$0	
<i>tab-a-vite tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>taron-c dha capsule 35-1-200 mg</i>		1	\$0	
<i>thera m plus tablet 9 mg iron-400 mcg *</i>		3	\$0	
<i>thera tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>thera-d 2000 tablet 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>thera-m caplet caplet (rx) 27-0.4 mg *</i>		3	\$0	
<i>thera-m tablet w/beta carotene 9 mg iron-400 mcg *</i>		3	\$0	
<i>thera-tabs caplet *</i>	(therapeutic multivitamin)	3	\$0	
<i>therems multivitamin tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>triveen-duo dha combo pack 29-1-400 mg</i>		1	\$0	
<b>TRI-VI-SOL DROPS 250 MCG-50 MG- 10 MCG/ML *</b>	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>true folic acid 667 mcg dfe tb (rx) 400 mcg *</i>		3	\$0	
<i>true vitamin b-1 100 mg tablet *</i>	(Vitamin B-1 (mononitrate))	3	\$0	
<i>true vitamin b-12 1,000 mcg tab (rx) *</i>	(Vitamin B-12)	3	\$0	
<i>true vitamin b-12 500 mcg tab *</i>	(B-12 DOTS)	3	\$0	
<i>true vitamin b-6 10 mg tablet *</i>		3	\$0	
<i>true vitamin b-6 100 mg tablet (rx) *</i>	(Vitamin B-6)	3	\$0	
<i>true vitamin c 500 mg tablet (rx) *</i>	(Soothing PureWay-C)	3	\$0	
<i>true vitamin d3 25 mcg capsule (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>true vitamin d3 50 mcg capsule 50 mcg (2,000 unit) *</i> (Vitamin D3)	3	\$0	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	1	\$0	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	1	\$0	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	1	\$0	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	1	\$0	
<i>vision plus lutein vitamin tab *</i>	3	\$0	
<i>vision vitamins (rx) *</i>	3	\$0	
<i>vitafol caplet 65-1 mg *</i>	3	\$0	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	\$0	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	1	\$0	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	\$0	
<i>vitalets tablet chewable child, orange (rx) *</i> (pediatric multivitamin-iron)	3	\$0	
<i>vitamin a 3,000 mcg softgel (rx) *</i>	3	\$0	
<i>vitamin b complex capsule (rx) *</i> (vitamin b complex)	3	\$0	
<i>vitamin b complex tablet (rx) *</i> (B-Complex)	3	\$0	
<i>vitamin b complex tablet n,plf (rx) 0.4 mg *</i> (B Complex 1 (with folic acid))	3	\$0	
<i>vitamin b complex-vit c caplet (rx) *</i>	3	\$0	
<i>vitamin b complex-vitamin c tb (rx) 400 mcg *</i>	3	\$0	
<i>vitamin b-1 100 mg tablet (rx) *</i> (Vitamin B-1)	3	\$0	
<i>vitamin b-12 1,000 mcg tablet (rx) *</i> (Vitamin B-12)	3	\$0	
<i>vitamin b-12 100 mcg tablet (rx) *</i> (Vitamin B-12)	3	\$0	
<i>vitamin b-12 500 mcg tablet *</i> (B-12 DOTS)	3	\$0	
<i>vitamin b-6 100 mg tablet (rx) *</i> (Vitamin B-6)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vitamin b-6 25 mg tablet (rx) *</i>	(pyridoxine (vitamin b6))	3	\$0	
<i>vitamin b-6 50 mg tablet (rx) *</i>	(Vitamin B-6)	3	\$0	
<i>vitamin b-complex &amp; c caplet plf, lactose free 400-500 mcg-mg *</i>		3	\$0	
<i>vitamin c 250 mg tablet (rx) *</i>	(Vitamin C)	3	\$0	
<i>vitamin c 250 mg tablet chew plf (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>vitamin c 500 mg tablet (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>vitamin c 500 mg wafer *</i>	(Acerola C-500)	3	\$0	
<i>vitamin d2 1.25 mg (50,000 unit) softgel *</i>	(Drisdol)	3	\$0	
<i>vitamin d3 1,000 unit softgel softgel (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>vitamin d3 1,000 unit tablet glutenlf, dlf (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>vitamin d3 10 mcg/ml liquid w/dropper (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>vitamin d3 2,000 unit softgel softgel, plf (rx) 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>vitamin d3 2,000 unit softgel softgel, super str (rx) 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>vitamin d3 25 mcg tablet (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>vitamin d3 50 mcg tablet (rx) 50 mcg (2,000 unit) *</i>	(D3 DOTS)	3	\$0	
<i>vitamin k-1 1 mg/0.5 ml ampul suv, outer *</i>	(phytonadione (vitamin k1))	3	\$0	
<i>vitamin k-1 10 mg/ml ampul suv, outer *</i>	(phytonadione (vitamin k1))	3	\$0	
<i>vitamins for hair capsule 400-400 mcg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.





Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vitatrum tablet 18-500-300-250 mg-mcg-mcg-mcg *</i>	3	\$0	
<i>vitrum 50 plus senior tablet 500-300-250 mcg *</i>	3	\$0	
<i>vitrum senior tablet flf,plf (rx) *</i>	3	\$0	
<i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i>	1	\$0	
<i>xyzbac tablet 1-5-50 mg *</i>	3	\$0	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	1	\$0	
<i>zatean-pn plus softgel 28-1-300 mg</i>	1	\$0	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	1	\$0	
<i>zyvit tablet 1-5-50 mg *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit [www.phpcares.org](http://www.phpcares.org). You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



## INDEX

<i>12 hour nasal spray</i> .....	204	<i>acid reducer (famotidine)</i>	.....210, 212, 213	<i>after pill</i> .....	124
1ST TIER UNIFINE		<i>acid reducer (omeprazole)</i> .....	211	<i>aftera</i> .....	124
PENTIPS.....	150	<i>acid-pep</i> .....	211	AIRSUPRA.....	261, 262
1ST TIER UNIFINE		<i>acitretin</i> .....	137	AJOVY AUTOINJECTOR....	74
PENTIPS PLUS.....	150	<i>acne control(benzoyl peroxide)</i>	.....139	AJOVY SYRINGE.....	74
<i>24 hour allergy relief</i> .....	207, 209	<i>acne foaming wash</i> .....	137	AKEEGA.....	27
<i>a and d (lanolin-petrolatum)</i> ..	137	<i>acne medication</i> .....	137	AKYNZEO	
A AND D DIAPER RASH		<i>acne treatment (benzoyl</i>	.....139	(FOSNETUPITANT).....	76
CREAM.....	137	<i>perox)</i> .....	139	AKYNZEO	
<i>a thru z high potency</i> .....	269	<i>acne-clear</i> .....	137	(NETUPITANT).....	76
<i>a thru z select</i> .....	269	ACTEMRA.....	234	<i>ala-cort</i> .....	144
<i>a-25 (vit a palmitate)</i> .....	269	ACTEMRA ACTPEN.....	233	<i>ala-scalp</i> .....	144
<i>abacavir</i> .....	88	ACTHAR.....	230	<i>alavert d-12 allergy-sinus</i> .....	66
<i>abacavir-lamivudine</i> .....	88	ACTHAR SELFJECT.....	230	<i>alaway</i> .....	200
ABELCET.....	61	ACTHIB (PF).....	241	<i>albendazole</i> .....	78
ABILIFY ASIMTUFII.....	82	ACTIMMUNE.....	250	<i>albuterol sulfate</i> .....	262, 263
ABILIFY MAINTENA.....	82	<i>acyclovir</i> .....	95, 137	<i>alcaine</i> .....	201
<i>abiraterone</i> .....	27	<i>acyclovir sodium</i> .....	95	<i>alclometasone</i> .....	144, 145
ABOUTTIME PEN		ADACEL(TDAP		ALCOHOL PREP SWABS...138	
NEEDLE.....	150	ADOLESN/ADULT)(PF)....	241	ALDURAZYME.....	198
ABRAXANE.....	27	ADAKVEO.....	100	ALECENSA.....	27
ABREVA.....	73	<i>adapalene</i> .....	149	<i>alendronate</i> .....	248
ABRYSVO (PF).....	241	<i>addaprin</i> .....	8	<i>aler-cap</i> .....	66
<i>acamprosate</i> .....	14	<i>adefovir</i> .....	95	ALEVAZOL.....	61
<i>acarbose</i> .....	55	ADEMPAS.....	268	<i>alfuzosin</i> .....	225
<i>accutane</i> .....	137	<i>adrucil</i> .....	27	<i>aliskiren</i> .....	117
<i>acebutolol</i> .....	108	<i>adult wal-tussin dm max</i> .....	134	<i>alka-seltzer heartburn chew</i> ....	213
<i>acerola c</i> .....	269	ADVAIR HFA.....	261	<i>all day allergy (cetirizine)</i> ..	68, 71
<i>acetaminophen</i> .....	3	<i>advanced exfoliating cleanser</i> ..139		<i>allerclear</i> .....	66
<i>acetaminophen-codeine</i> .....	3	<i>advanced healing (petrolatum)</i>	.....139	<i>allerclear d-12hr</i> .....	66
<i>acetazolamide</i> .....	254, 255	ADVOCATE PEN NEEDLE	.....151	<i>allerclear d-24hr</i> .....	66
<i>acetazolamide sodium</i> .....	255	ADVOCATE SYRINGES	.....150, 151	<i>aller-cort</i> .....	208
<i>acetic acid</i> .....	205	<i>afirmelle</i> .....	124	<i>aller-ease</i> .....	69, 70
<i>acetylcysteine</i> .....	264			<i>aller-flo</i> .....	208
<i>acid controller</i> .....	210, 211			<i>allergy</i> .....	66
<i>acid gone antacid</i> .....	213			<i>allergy (diphenhydramine)</i> .	68, 71
<i>acid gone antacid e.strength</i> ....	213			<i>allergy medication</i> .....	71
				<i>allergy medicine</i> .....	71

<i>allergy nasal (oxymetazoline)</i>	201	<i>amlodipine</i>	112	APONVIE	76
<i>allergy relief (cetirizine)</i>	69	<i>amlodipine-atorvastatin</i>	114	<i>apraclonidine</i>	201
<i>allergy relief (fexofenadine)</i>	68, 71	<i>amlodipine-benazepril</i>	112	<i>aprepitant</i>	76
.....	68, 71	<i>amlodipine-olmesartan</i>	112	APRETUDE	88
<i>allergy relief (fluticasone)</i>	208, 209	<i>amlodipine-valsartan</i>	112	<i>apri</i>	124
.....	208, 209	<i>amlodipine-valsartan-hcthiamid</i>	112	<i>aprodine</i>	67
<i>allergy relief (levocetirizin)</i>	68	<i>ammonium lactate</i>	138	APTIOM	45
<i>allergy relief (loratadine)</i>	66, 67, 68, 69, 70, 71	<i>amoxapine</i>	52	APTIVUS	88
.....	66, 67, 68, 69, 70, 71	<i>amoxicil-clarithromy-</i>		AQINJECT PEN NEEDLE	151
<b>ALLERGY RELIEF</b>		<i>lansopraz</i>	211	AQUA-E CONCENTRATE	269
<b>(LORATADINE)</b>	72	<i>amoxicillin</i>	23	<i>aquanil hc</i>	145
<i>allergy relief (diphenhydramin)</i>	67, 68, 70, 72	<i>amoxicillin-pot clavulanate</i>	23, 24	<i>aquaphor</i>	138
.....	67, 68, 70, 72	<i>amphotericin b</i>	61	<i>aquaphor baby diaper rash</i>	138
<i>allergy relief, nasal decongest</i>	67	<i>amphotericin b liposome</i>	61	AQUAPHOR HEALING	138
<i>aller-tec</i>	67	<i>ampicillin</i>	24	<i>aquaphor itch relief</i>	145
<i>aller-tec d</i>	67	<i>ampicillin sodium</i>	24	<i>aranelle (28)</i>	124
<i>allopurinol</i>	66	<i>ampicillin-sulbactam</i>	24	ARCALYST	234
<i>alophen (bisacodyl)</i>	218	<i>anagrelide</i>	100	AREXVY (PF)	241
<i>alose tron</i>	247	<i>anastrozole</i>	27	AREXVY ANTIGEN	
<i>alprazolam</i>	16	<i>anecream</i>	13	COMPONENT	242
<i>altamist</i>	201	<i>animal chews</i>	269	<i>aripiprazole</i>	82
<i>altavera (28)</i>	124	ANKTIVA	27	ARISTADA	82, 83
ALTRENO	149	ANORO ELLIPTA	263	ARISTADA INITIO	82
<i>aluminum hydroxide gel</i>	213	<i>antacid (calcium carbonate)</i>	217	<i>armodafinil</i>	267
ALUNBRIG	27	<i>antacid exst (mag carb-al hyd)</i>	213	ARNUITY ELLIPTA	261
ALVAIZ	97	.....	213	<i>arthritis pain relief (acetam)</i>	3
<i>alyacen 1/35 (28)</i>	124	<i>antacid ext str (calcium carb)</i>	214	<i>arthritis pain relief (capsaic)</i>	138
<i>alyacen 7/17 (28)</i>	124	<i>antacid ultra strength</i>	214, 215	<i>artificial eye lubricant</i>	201
<i>alyq</i>	268	<i>anti-diarrheal</i>	214	<i>artificial tears (glycerin-peg)</i>	201, 204
<i>amabelz</i>	227	<i>anti-diarrheal (loperamide)</i>	214, 215, 217	.....	201, 204
<i>amantadine hcl</i>	79	.....	214, 215, 217	<i>artificial tears (pg-hypm-glyc)</i>	201
<i>ambrisentan</i>	268	<i>antifungal (clotrimazole)</i>	61	<i>artificial tears (pvalch-povid)</i>	201
<i>ameriphor</i>	138	<i>antifungal (miconazole)</i>	61	<i>ascomp with codeine</i>	3
<i>amethia</i>	124	<i>antifungal (tolnaftate)</i>	65	<i>ascorbic acid (vitamin c)</i>	281, 283
<i>amiloride</i>	113	<i>antifungal ringworm</i>	65	<i>ascorbic acid-ascorbate sodium</i>	273, 283
<i>amiloride-hydrochlorothiazide</i>	113	<i>anti-itch (hc)</i>	148	.....	273, 283
<i>aminofen</i>	3	<i>anti-itch (hydrocortisone)-aloe</i>	148	<i>asenapine maleate</i>	83
<i>amiodarone</i>	107	<i>antiseptic</i>	142	<i>ashlyna</i>	124
<i>amitriptyline</i>	52	<i>antitussive dm</i>	135	ASPERCREME	
<i>amitriptyline-chlordiazepoxide</i>	52	<i>apomorphine</i>	79	(LIDOCAINE HCL)	13

<i>aspercreme (lidocaine)</i> .....	13	AVEENO MOISTURIZING	138	<i>b-complex with vitamin c</i>	270, 271, 280, 282, 283
<i>aspirin</i> .....	9, 12	<i>aviane</i> .....	125	BD AUTOSHIELD DUO	
<i>aspirin-dipyridamole</i> .....	100	AVONEX .....	119	PEN NEEDLE .....	152
ASSURE ID DUO PRO		AVSOLA .....	234	BD ECLIPSE LUER-LOK...	152
SFTY PEN NDL .....	151	<i>ayr saline</i> .....	201	BD INSULIN SYRINGE .....	153
ASSURE ID DUO-SHIELD	151	AYR SINUS RINSE .....	201	BD INSULIN SYRINGE	
ASSURE ID INSULIN		<i>ayuna</i> .....	125	(HALF UNIT) .....	152
SAFETY .....	152	AYVAKIT .....	28	BD INSULIN SYRINGE	
ASSURE ID PEN NEEDLE	152	<i>azacitidine</i> .....	28	SLIP TIP .....	153
ASSURE ID PRO PEN		<i>azathioprine</i> .....	234	BD INSULIN SYRINGE U-	
NEEDLE .....	152	<i>azathioprine sodium</i> .....	234	500 .....	152
ASTAGRAF XL .....	234	<i>azelastine</i> .....	201	BD INSULIN SYRINGE	
<i>astringent</i> .....	138	<i>azithromycin</i> .....	22	ULTRA-FINE .....	152
<i>atazanavir</i> .....	88	<i>aztreonam</i> .....	23	BD NANO 2ND GEN PEN	
<i>atenolol</i> .....	108	<i>azurette (28)</i> .....	125	NEEDLE .....	153
<i>atenolol-chlorthalidone</i> .....	108	<i>b complex 1 (with folic acid)</i> ..	270	BD SAFETYGLIDE	
<i>athenol</i> .....	8	<i>b complex-vitamin b12</i> .....	270	INSULIN SYRINGE .....	153, 154
<i>athlete's foot</i> .....	62	<i>b complex-vitamin c-folic acid</i>	270, 280, 282	BD SAFETYGLIDE	
<i>athlete's foot (clotrimazole)</i>	62, 63	.....	270, 280, 282	SYRINGE .....	154
<i>athlete's foot (tolnaftate)</i> .....	62	<i>b-12 dots</i> .....	270	BD ULTRA-FINE MICRO	
<i>athletic foot cream</i> .....	65	<i>baby ayr saline</i> .....	201	PEN NEEDLE .....	154
<i>atomoxetine</i> .....	118	<i>bacitracin</i> .....	19, 143, 205	BD ULTRA-FINE MINI	
<i>atorvastatin</i> .....	114	<i>bacitracin zinc</i> .....	143	PEN NEEDLE .....	154
<i>atovaquone</i> .....	78	<i>bacitracin-polymyxin b</i> .....	205	BD ULTRA-FINE NANO	
<i>atovaquone-proguanil</i> .....	79	<i>bacitraycin plus</i> .....	143	PEN NEEDLE .....	154
<i>atropine</i> .....	201	<i>baclofen</i> .....	267	BD ULTRA-FINE ORIG	
ATROVENT HFA .....	263	<i>balance b-100 (folic acid)</i> .....	270	PEN NEEDLE .....	154
<i>aubra eq</i> .....	124	<i>balance b-50 (with folic acid)</i> ..	270	BD ULTRA-FINE SHORT	
AUGTYRO .....	27	<i>balanced b-50</i> .....	279	PEN NEEDLE .....	154
<i>aurovela 1.5/30 (21)</i> .....	124	<i>balmex adult care</i> .....	138	BD VEO INSULIN SYR	
<i>aurovela 1/20 (21)</i> .....	124	<i>balmex complete protection</i> .....	138	(HALF UNIT) .....	154
<i>aurovela 24 fe</i> .....	124	<i>balsalazide</i> .....	247	BD VEO INSULIN	
<i>aurovela fe 1.5/30 (28)</i> .....	125	BALVERSA .....	28	SYRINGE UF .....	154
<i>aurovela fe 1-20 (28)</i> .....	125	<i>balziva (28)</i> .....	125	BELSOMRA .....	267
AUSTEDO .....	118	<i>banophen</i> .....	67	<i>benadryl allergy</i> .....	67
AUSTEDO XR .....	118	<i>bayer low dose aspirin</i> .....	9	<i>benazepril</i> .....	105
AUSTEDO XR TITRATION		<i>baza antifungal</i> .....	62	<i>benazepril-hydrochlorothiazide</i>	
KT(WK1-4) .....	118	BCG VACCINE, LIVE (PF) .....	242	.....	106
AUVELITY .....	52	<i>b-complex</i> .....	279	<i>bendamustine</i> .....	28
<i>aveeno baby</i> .....	138				

BENDAMUSTINE.....	28	<i>bp</i> .....	139	<i>calcitriol</i> .....	248, 249
BENDEKA.....	28	BP WASH.....	139	<i>calcium 500 + d</i> .....	256
BENLYSTA.....	234	BRAFTOVI.....	29	<i>calcium 600</i> .....	260
<i>benzonatate</i> .....	134	BREO ELLIPTA.....	261	<i>calcium 600 + d(3)</i> .....	279
<i>benzoyl peroxide</i> .....	138, 139	<i>breyna</i> .....	261	<i>calcium acetate (phosphat</i>	
<i>benztropine</i> .....	80	BREZTRI AEROSPHERE..	263	<i>bind)</i> .....	223
<i>bepotastine besilate</i> .....	201	<i>briellyn</i> .....	125	<i>calcium antacid</i> .....	214
BESREMI.....	234	BRILINTA.....	100	<i>calcium carbonate</i> ....	214, 217, 256
<i>best fiber</i> .....	218	<i>brimonidine</i> .....	255	<i>calcium carbonate-vitamin d3</i>	
BETADINE.....	139	<i>brimonidine-timolol</i> .....	255	.....	256, 271, 277
<i>beta-hc</i> .....	145	<i>brinzolamide</i> .....	255	<i>calcium chloride</i> .....	256
<i>betaine</i> .....	250	BRIVIACT.....	45	<i>calcium citrate</i> .....	257
<i>betamethasone acet,sod phos</i> ...	228	<i>bromfenac</i> .....	208	<i>calcium citrate-vitamin d3</i>	
<i>betamethasone dipropionate</i> ....	145	<i>bromocriptine</i> .....	80	.....	256, 257, 260
<i>betamethasone valerate</i> .....	145	BRONCHITOL.....	265	<i>calcium polycarbophil</i> .....	218
<i>betamethasone, augmented</i> ....	145	BRUKINSA.....	29	CALDESENE.....	139
BETASERON.....	119	<i>budesonide</i> .....	248, 261	<i>cal-gest antacid</i> .....	214
<i>betatemp</i> .....	3	<i>budesonide-formoterol</i> .....	262	CALMOSEPTINE.....	139
<i>betaxolol</i> .....	108, 255	<i>bumetanide</i> .....	113	CALQUENCE	
<i>bethanechol chloride</i> .....	224	<i>buprenorphine</i> .....	3	(ACALABRUTINIB MAL)...	29
<i>bexarotene</i> .....	28	<i>buprenorphine hcl</i> .....	3, 14	<i>camila</i> .....	125
BEXSERO.....	242	<i>buprenorphine-naloxone</i> .....	14	<i>candesartan</i> .....	104
BEYFORTUS.....	93	<i>bupropion hcl</i> .....	52	<i>candesartan-</i>	
<i>bicalutamide</i> .....	28	<i>bupropion hcl (smoking deter)</i> .	14	<i>hydrochlorothiazid</i> .....	104
BICILLIN L-A.....	24	<i>buserpirone</i> .....	250	CAPLYTA.....	83
BIKTARVY.....	89	<i>butalbital-acetaminop-caf-cod</i> 3, 4		CAPRELSA.....	29
<i>bimatoprost</i> .....	255	<i>butalbital-acetaminophen</i> .....	4	<i>capsaicin</i> .....	139
<i>biofreeze overnight</i> .....	139	<i>butalbital-acetaminophen-caff</i> ... 4		<i>captopril</i> .....	106
<i>biotin</i> .....	270	<i>butalbital-aspirin-caffeine</i> .....	4	<i>captopril-hydrochlorothiazide</i> .	106
<i>bisacodyl</i> .....	218	<i>butorphanol</i> .....	4	CAPZASIN.....	139
<i>bisoprolol fumarate</i> .....	108	<i>c complex</i> .....	270	<i>carbamazepine</i> .....	45, 46
<i>bisoprolol-hydrochlorothiazide</i> 108		CABENUVA.....	89	<i>carbidopa</i> .....	80
<i>bleomycin</i> .....	28	<i>cabergoline</i> .....	80	<i>carbidopa-levodopa</i> .....	80
<i>blisovi 24 fe</i> .....	125	CABLIVI.....	100	<i>carbidopa-levodopa-entacapone</i> 80	
<i>blisovi fe 1.5/30 (28)</i> .....	125	CABOMETYX.....	29	<i>carbinoxamine maleate</i> .....	67
<i>blisovi fe 1/20 (28)</i> .....	125	<i>cabotegravir</i> .....	89	<i>carboplatin</i> .....	29
BOOSTRIX TDAP.....	242	<i>caffeine citrate</i> .....	119	CARBOXYMETHYLCELL	
<i>bortezomib</i> .....	28	<i>calcidol</i> .....	271	UL.SOD.(BULK).....	250
<i>bosentan</i> .....	268	<i>calcipotriene</i> .....	139		
BOSULIF.....	28	<i>calcitonin (salmon)</i> .....	248		

CAREFINE PEN NEEDLE	<i>chest congestion relief dm</i> ..... 134	CIMDUO.....89
..... 154, 155	<i>chest congestion relief pe</i> ..... 134	<i>cimetidine</i> .....211
CARETOUCH INSULIN	<i>chest congestion-cough relief</i> ...134	<i>cimetidine hcl</i> ..... 211
SYRINGE..... 155, 156	<i>child allergy relf(cetirizine)</i>	<i>cinacalcet</i> ..... 249
CARETOUCH PEN	.....68, 69, 70, 72	CINQAIR..... 265
NEEDLE..... 155	<i>children's acetaminophen</i> ..... 4	CINRYZE..... 97
<i>carglumic acid</i> ..... 214	<i>children's alaway</i> ..... 201	<i>ciprofloxacin</i> ..... 25
<i>carteolol</i> ..... 255	<i>children's allergy (diphenhyd)</i>	<i>ciprofloxacin hcl</i> ..... 25, 205
<i>cartia xt</i> ..... 109	..... 68, 69, 70, 71, 72	<i>ciprofloxacin in 5 % dextrose</i> ...25
<i>carvedilol</i> .....108	<i>children's allergy(cetirizine) .....</i> 71	<i>ciprofloxacin-dexamethasone</i> ..205
<i>casprofungin</i> ..... 62	<i>children's aller-tec</i> ..... 68	<i>cialopram</i> .....52
CASTELLANI PAINT..... 139	<i>children's aurophen pain-fever</i> ....4	<i>citracal + d maximum</i> ..... 257
CAYSTON..... 23	<i>children's cetirizine</i> ..... 68	CITRACAL-D3
<i>caziant (28)</i> ..... 125	CHILDREN'S FLONASE	MAXIMUM PLUS.....257
<i>cefaclor</i> ..... 20	ALLERGY RLF.....208	<i>citrate of magnesia</i> ..... 222
<i>cefadroxil</i> .....20	<i>children's ibuprofen</i> ....9, 10, 12, 13	<i>citroma</i> .....218
<i>cefazolin</i> .....20	<i>children's mapap</i> .....4	CITRUCEL SUGAR FREE 218
<i>cefazolin in dextrose (iso-os)</i> ...20	<i>children's multivitamin</i> .....271	<i>cladribine</i> ..... 29
<i>cefdinir</i> ..... 20, 21	<i>children's pain relief</i> .....5	<i>clarispray</i> ..... 208
<i>cefepime</i> .....21	<i>children's profen ib</i> ..... 12	<i>clarithromycin</i> .....22
<i>cefixime</i> ..... 21	<i>children's tylenol</i> ..... 4	CLARITIN..... 68
<i>cefotaxime</i> ..... 21	<i>children's wal-dryl allergy</i> .....68	<i>clear eyes natural tears</i> ..... 201
<i>cefoxitin</i> .....21	<i>children's wal-zyr</i> .....68	<i>clear eyes once daily allergy</i> ....201
<i>cefpodoxime</i> .....21	<i>child's all day allergy(cetir)</i>	<i>clearlax</i> ..... 218
<i>cefprozil</i> ..... 21	..... 69, 70, 72	<i>clemastine</i> ..... 68
<i>ceftazidime</i> .....21	<i>chloramphenicol sod succinate</i> .. 19	CLENPIQ..... 218
<i>ceftriaxone</i> .....21	<i>chlordiazepoxide hcl</i> ..... 16	CLICKFINE PEN NEEDLE156
<i>cefuroxime axetil</i> ..... 21	<i>chlorhexidine gluconate</i> ..... 136	<i>clindamycin hcl</i> .....19
<i>cefuroxime sodium</i> ..... 21	<i>chloroquine phosphate</i> ..... 79	<i>clindamycin in 5 % dextrose</i> .... 19
<i>celecoxib</i> .....9	<i>chlorothiazide sodium</i> ..... 113	<i>clindamycin pediatric</i> .....19
<i>cephalexin</i> ..... 21, 22	<i>chlorpromazine</i> .....83	<i>clindamycin phosphate</i> .19, 73, 143
CERDELGA.....198	<i>chlorthalidone</i> .....113	<i>clindamycin-benzoyl peroxide</i> . 143
CEREZYME.....199	<i>chlorzoxazone</i> ..... 267	CLINIMIX 5%/D15W
<i>certavite senior</i> ..... 271	<i>cholecalciferol (vitamin d3)</i>	SULFITE FREE..... 101
<i>certavite-antioxidant</i> ..... 271	.. 117, 271, 275, 278, 281, 282, 283	CLINIMIX 4.25%/D10W
<i>cetirizine</i> ..... 67	<i>cholestyramine (with sugar)</i> ... 114	SULF FREE..... 101
<i>cetirizine-pseudoephedrine</i> ..... 68	<i>cholestyramine light</i> .....114	CLINIMIX 4.25%/D5W
<i>cevimeline</i> .....136	<i>ciclopirox</i> ..... 62	SULFIT FREE..... 101
<i>chateal eq (28)</i> .....125	<i>cidofovir</i> .....95	CLINIMIX 5%-
<i>chest congestion relief</i> ..... 134	<i>cilostazol</i> ..... 101	D20W(SULFITE-FREE)..... 101

CLINIMIX 6%-D5W (SULFITE-FREE).....	101	<i>colestipol</i> .....	114, 115	<i>cutter lemon eucalyptus</i> .....	139
CLINIMIX 8%- D10W(SULFITE-FREE).....	101	<i>colistin (colistimethate na)</i> .....	19	<i>cyanocobalamin (vitamin b- 12)</i> .....	272, 281, 282
CLINIMIX 8%- D14W(SULFITE-FREE).....	102	COMBIVENT RESPIMAT ..	263	<i>cyclobenzaprine</i> .....	267
CLINIMIX E 2.75%/D5W SULF FREE.....	102	COMETRIQ.....	29	<i>cyclopentolate</i> .....	202
CLINIMIX E 4.25%/D10W SUL FREE.....	102	COMFEEL PLUS CLEAR DRESSING.....	156	<i>cyclophosphamide</i> .....	29, 30
CLINIMIX E 4.25%/D5W SULF FREE.....	102	COMFORT EZ INSULIN SYRINGE.....	156, 157, 158	<i>cyclosporine</i> .....	235
CLINIMIX E 5%/D15W SULFIT FREE.....	102	COMFORT EZ PEN NEEDLES.....	156, 157	<i>cyclosporine modified</i> .....	235
CLINIMIX E 5%/D20W SULFIT FREE.....	102	COMFORT EZ PRO SAFETY PEN NDL.....	157	<i>cyproheptadine</i> .....	68, 69
CLINIMIX E 8%-D10W SULFITEFREE.....	102	COMFORT TOUCH PEN NEEDLE.....	158, 159	CYRAMZA.....	30
CLINIMIX E 8%-D14W SULFITEFREE.....	102	COMPLERA.....	89	<i>cyred eq</i> .....	125
<i>clobazam</i> .....	46	<i>complete allergy</i> .....	71	CYSTADROPS.....	202
<i>clobetasol</i> .....	145	<i>complete allergy medicine</i> .....	72	CYSTARAN.....	202
<i>clobetasol-emollient</i> .....	145, 146	<i>complete lice treatment</i> .....	149	<i>d3 dots</i> .....	272
<i>clomipramine</i> .....	52	<i>compro</i> .....	77	<i>d5 % and 0.9 % sodium chloride</i> .....	257
<i>clonazepam</i> .....	17	<i>constulose</i> .....	214	<i>d5 %-0.45 % sodium chloride</i> ..	257
<i>clonidine</i> .....	103	COPAXONE.....	119	<i>dabigatran etexilate</i> .....	96
<i>clonidine hcl</i> .....	103, 119	COPIKTRA.....	29	<i>daily fiber</i> .....	219
<i>clopidogrel</i> .....	101	CORLANOR.....	111	<i>daily fiber (psyllium-sucrose)</i> .	218
<i>clorazepate dipotassium</i> .....	17	<i>cortisone (hydrocortisone)</i> ....	146	<i>daily multi-vitamin</i> .....	276
<i>clotrimazole</i> .....	62, 63	<i>cortisone with aloe</i> .....	146	<i>daily multivitamin-minerals</i> ....	272
<i>clotrimazole af</i> .....	65	<i>cortizone-10</i> .....	146	<i>daily value</i> .....	272
<i>clotrimazole-7</i> .....	62	<i>cortizone-10 with aloe</i> .....	146	<i>daily vitamin formula</i> .....	272
<i>clotrimazole-betamethasone</i> ....	62	CORTROPHIN GEL.....	230	<i>daily vitamin formula-minerals</i>	272
<i>clozapine</i> .....	83	COSENTYX.....	234, 250	<i>daily vitamin with iron</i> .....	272
COARTEM.....	79	COSENTYX (2 SYRINGES)	234	<i>daily vitesliron</i> .....	272
<i>codeine sulfate</i> .....	4	COSENTYX PEN (2 PENS).	234	<i>daily-vite</i> .....	272
<i>codeine-butalbital-asa-caff</i> .....	4	COSENTYX UNOREADY PEN.....	235	<i>daily-vite (with folic acid)</i> .....	272
COLACE.....	218	COTELLIC.....	29	DAKIN'S SOLUTION.....	140
<i>colchicine</i> .....	66	CREON.....	199	<i>dakin's solution</i> .....	140
<i>colesevelam</i> .....	114	<i>cromolyn</i> .....	201, 214, 265	<i>dalfampridine</i> .....	119
		<i>cryselle (28)</i> .....	125	<i>danazol</i> .....	226
		CURAD GAUZE PAD.....	159	<i>dantrolene</i> .....	267
		CUTINOVA HYDRO DRESSING.....	159	DANYELZA.....	30
				<i>dapsone</i> .....	75
				DAPTACEL (DTAP PEDIATRIC) (PF).....	242
				<i>daptomycin</i> .....	19
				<i>darunavir</i> .....	89

DARZALEX.....	30	<i>desonide</i> .....	146	<i>digoxin</i> .....	111
DARZALEX FASPRO.....	30	<i>desoximetasone</i> .....	146	<i>dihydroergotamine</i> .....	74
<i>dasetta 1/35 (28)</i> .....	125	<i>desvenlafaxine succinate</i> .....	52	DILANTIN.....	46
<i>dasetta 7/7/7 (28)</i> .....	125	<i>dex4 glucose</i> .....	102	<i>diltiazem hcl</i> .....	109, 110
DAURISMO.....	30	<i>dexamethasone</i> .....	228	<i>dilt-xr</i> .....	110
<i>daylogic acne foaming wash</i> ....	140	<i>dexamethasone sodium phos</i>		<i>dimaphen dm</i> .....	134
<i>daylogic acne treatment</i> .....	140	<i>(pf)</i> .....	228	<i>dimenhydrinate</i> .....	77
<i>daylogic advanced healing</i> .....	140	<i>dexamethasone sodium</i>		<i>dimethyl fumarate</i> .....	120
<i>daysee</i> .....	125	<i>phosphate</i> .....	208, 229	DIPENTUM.....	248
<i>deblitane</i> .....	126	<i>dexamethylphenidate</i> .....	119	<i>diphedryl</i> .....	69, 70, 72
<i>debrox</i> .....	205	<i>dextrazoxane hcl</i> .....	250	<i>diphenhist</i> .....	69
<i>decitabine</i> .....	30	<i>dextroamphetamine sulfate</i> ....	119	<i>diphenhydramine hcl</i> .....	69
<i>deep sea nasal</i> .....	202	<i>dextroamphetamine-</i>		<i>diphenoxylate-atropine</i> .....	215
<i>deferasirox</i> .....	225	<i>amphetamine</i> .....	119, 120	<i>dipyridamole</i> .....	101
<i>deferiprone</i> .....	225	<i>dextromethorphan polistirex</i> ...	134	<i>disopyramide phosphate</i> .....	107
<i>deferoxamine</i> .....	225	<i>dextrose 10 % in water (d10w)</i>		<i>disulfiram</i> .....	14
<i>dekas essential</i> .....	272	.....	103	<i>divalproex</i> .....	46
DEKAS ESSENTIAL.....	272	<i>dextrose 5 % in water (d5w)</i> ...	103	<i>docetaxel</i> .....	30
DEKAS PLUS (FOLIC		<i>dhs sal</i> .....	140	<i>docosanol</i> .....	73
ACID).....	272	DHS TAR.....	140	<i>docusate calcium</i> .....	219
DEKAS PLUS LIQUID.....	272	<i>diabetic tussin dm</i> .....	134	<i>docusate sodium</i> .....	219
DELSTRIGO.....	89	<i>diabetic tussin ex</i> .....	134	<i>docusil</i> .....	219
DELSYM 12 HOUR.....	134	DIACOMIT.....	46	<i>dodex</i> .....	272
<i>demeclocycline</i> .....	26	<i>diamode</i> .....	214	<i>dofetilide</i> .....	107
DENGVAXIA (PF).....	242	<i>diaper rash</i> .....	140, 141	<i>dok</i> .....	219
<i>denta 5000 plus</i> .....	136	<i>diazepam</i> .....	17, 46	DOMEBORO.....	140
<i>dentagel</i> .....	136	<i>diazepam intensol</i> .....	17	<i>donepezil</i> .....	51
DEPO-SUBQ PROVERA		<i>diazoxide</i> .....	251	DOPTELET (10 TAB PACK) 97	
104.....	232	<i>diclofenac potassium</i> .....	9	DOPTELET (15 TAB PACK) 98	
<i>dermafungal</i> .....	63	<i>diclofenac sodium</i> .....	9, 10, 208	DOPTELET (30 TAB PACK) 98	
<i>dermaphor</i> .....	140	<i>diclofenac-misoprostol</i> .....	10	<i>dorzolamide</i> .....	255
DESCOVY.....	89	<i>dicloxacillin</i> .....	24	<i>dorzolamide-timolol</i> .....	255
<i>desenex</i> .....	63	<i>dicyclomine</i> .....	214	<i>dotti</i> .....	227
<i>desipramine</i> .....	52	<i>didanosine</i> .....	89	DOVATO.....	89
DESITIN.....	140	DIFICID.....	22	<i>doxazosin</i> .....	104
DESITIN DAILY		<i>diflorasone</i> .....	146	<i>doxepin</i> .....	52, 53
DEFENSE.....	140	<i>diflunisal</i> .....	10	<i>doxercalciferol</i> .....	249
<i>desmopressin</i> .....	230	<i>difluprednate</i> .....	208	<i>doxorubicin</i> .....	30
<i>desog-e.estradiolle.estradiol</i> ....	126	<i>digitek</i> .....	111	<i>doxorubicin, peg-liposomal</i> .....	30
<i>desogestrel-ethinyl estradiol</i> ....	126	<i>digox</i> .....	111	<i>doxy-100</i> .....	26



<i>doxycycline hyclate</i> .....	26	EASY COMFORT		<i>efavirenz-lamivuv-tenofov disop</i>	
<i>doxycycline monohydrate</i> .....	26	INSULIN SYRINGE....	163, 164	.....	89, 90
<i>dramamine less drowsy</i> .....	77	EASY COMFORT PEN		EGRIFTA SV.....	230
<i>driminate</i> .....	77	NEEDLES.....	163, 164	ELAPRASE.....	199
<i>dristan long lasting</i> .....	202	EASY COMFORT SAFETY		ELDERTONIC.....	272
DRIZALMA SPRINKLE.....	53	PEN NEEDLE.....	162	<i>electrolyte-148</i> .....	257
<i>dronabinol</i> .....	77	EASY GLIDE INSULIN		<i>electrolytes-dextrose</i> .....	257
<i>droperidol</i> .....	77	SYRINGE.....	164	ELFABRIO.....	199
DROPLET INSULIN		EASY GLIDE PEN		ELIGARD.....	31
SYR(HALF UNIT).....	159, 160	NEEDLE.....	164	ELIGARD (3 MONTH).....	30
DROPLET INSULIN		EASY TOUCH.....	166	ELIGARD (4 MONTH).....	30
SYRINGE.....	159, 160, 161	EASY TOUCH FLIPLOCK		ELIGARD (6 MONTH).....	30
DROPLET MICRON PEN		INSULIN.....	165, 166	<i>elinest</i> .....	126
NEEDLE.....	161	EASY TOUCH FLIPLOCK		ELIQUIS.....	96
DROPLET PEN NEEDLE...161		SYRINGE.....	165	ELIQUIS DVT-PE TREAT	
DROPSAFE ALCOHOL		EASY TOUCH INSULIN		30D START.....	96
PREP PADS.....	140	SAFETY SYR.....	164, 165	ELITEK.....	199
DROPSAFE INSULIN		EASY TOUCH INSULIN		<i>elixophyllin</i> .....	263
SYRINGE.....	161, 162	SYRINGE.....	164, 165, 167	ELLA.....	126
DROPSAFE PEN NEEDLE	162	EASY TOUCH LUER		ELMIRON.....	251
<i>drospirenone-ethinyl estradiol</i> . 126		LOCK INSULIN.....	166	ELREXFIO.....	31
DROXIA.....	100	EASY TOUCH PEN		<i>eluryng</i> .....	126
<i>droxidopa</i> .....	104	NEEDLE.....	166	EMBRACE PEN NEEDLE. 167	
DUAVEE.....	227	EASY TOUCH SAFETY		EMCYT.....	31
<i>ducodyl (bisacodyl)</i> .....	219	PEN NEEDLE.....	166, 167	EMEND.....	77
DULCOLAX (BISACODYL)		EASY TOUCH		EMGALITY PEN.....	74
.....	219	SHEATHLOCK INSULIN		EMGALITY SYRINGE.....	74
<i>duloxetine</i> .....	53	.....	165, 166	EMSAM.....	53
DUODERM CGF BORDER		EASY TOUCH UNI-SLIP... 167		<i>emtricitabine</i> .....	90
DRESSING.....	162	<i>ec-naproxen</i> .....	10	<i>emtricitabine-tenofov (tdf)</i> ...	90
DUODERM CGF		<i>econazole</i> .....	63	EMTRIVA.....	90
DRESSING.....	162	<i>econtra one-step</i> .....	126	<i>emzahn</i> .....	126
DUPIXENT PEN.....	235	<i>ecotrin</i> .....	10	<i>enalapril maleate</i> .....	106
DUPIXENT SYRINGE.....	235	<i>eczema relief</i> .....	140	<i>enalaprilat</i> .....	106
<i>dutasteride</i> .....	225	<i>edaravone</i> .....	120	<i>enalapril-hydrochlorothiazide</i> . 106	
<i>dutasteride-tamsulosin</i> .....	225	EDARBI.....	104	ENBREL.....	235
<i>d-vi-sol</i> .....	272	EDARBYCLOR.....	104	ENBREL MINI.....	235
<i>ear drops (carbamide</i>		EDURANT.....	89	ENBREL SURECLICK.....	235
<i>peroxide)</i> .....	205, 207	<i>efavirenz</i> .....	89	ENDARI.....	251
		<i>efavirenz-emtricitabin-tenofov</i> .. 89		<i>endocet</i> .....	5

<i>endur-acin</i> .....	115	<i>ery pads</i> .....	144	<i>eye health plus lutein</i> .....	273
<i>enema</i> .....	222	<i>erythromycin</i> .....	22, 205	<i>eye itch relief</i> .....	202
<i>enema disposable</i> .....	218, 219	<i>erythromycin ethylsuccinate</i> .....	22	EYSUVIS.....	208
<i>enemeez</i> .....	219	<i>erythromycin with ethanol</i> .....	144	EZALLOR SPRINKLE.....	115
<i>enemeez plus</i> .....	219	<i>erythromycin-benzoyl peroxide</i> .....	144	<i>ezetimibe</i> .....	115
ENGERIX-B (PF).....	242	<i>escitalopram oxalate</i> .....	53	<i>ezetimibe-simvastatin</i> .....	115
ENGERIX-B PEDIATRIC (PF).....	242	<i>esomeprazole magnesium</i> .....	211	FABRAZYME.....	199
<i>enilloring</i> .....	126	<i>esomeprazole sodium</i> .....	211	<i>falmina (28)</i> .....	127
<i>enoxaparin</i> .....	96	<i>estaylla</i> .....	126	<i>famciclovir</i> .....	95
<i>enpresse</i> .....	126	<i>estazolam</i> .....	17	<i>famotidine</i> .....	211, 212, 213
<i>enskyce</i> .....	126	<i>estradiol</i> .....	227	<i>famotidine (pf)</i> .....	211
ENSPRYNG.....	120	<i>estradiol valerate</i> .....	227	<i>famotidine (pf)-nacl (iso-os)</i> .....	211
<i>entacapone</i> .....	80	<i>estradiol-norethindrone acet...</i>	227	FANAPT.....	83
ENTADFI.....	225	<i>eszopiclone</i> .....	267	FARXIGA.....	56
<i>entecavir</i> .....	95	<i>ethambutol</i> .....	75	FASENRA.....	265
ENTRESTO.....	104	<i>ethosuximide</i> .....	46	FASENRA PEN.....	265
ENTRESTO SPRINKLE.....	104	<i>ethynodiol diac-eth estradiol...</i>	126	<i>febuxostat</i> .....	66
<i>enulose</i> .....	215	<i>etodolac</i> .....	10	<i>felbamate</i> .....	46
EPCLUSA.....	94	<i>etonogestrel-ethinyl estradiol..</i>	126	<i>felodipine</i> .....	112
EPIDIOLEX.....	46	ETOPOPHOS.....	31	FEMRING.....	227
<i>epinastine</i> .....	202	<i>etoposide</i> .....	31	<i>fenofibrate</i> .....	115
<i>epinephrine</i> .....	111	<i>etravirine</i> .....	90	<i>fenofibrate micronized</i> .....	115
<i>epitol</i> .....	46	<i>eucerin eczema relief</i> .....	140	<i>fenofibrate nanocrystallized...</i>	115
EPIVIR HBV.....	90	EUCRISA.....	146	<i>fenofibric acid (choline)</i> .....	115
EPKINLY.....	31	<i>evac-u-gen (sennosides)</i> .....	220	<i>fenoprofen</i> .....	10
<i>eplerenone</i> .....	117	<i>everolimus (antineoplastic)</i> .....	31	<i>fentanyl</i> .....	5
<i>epoprostenol</i> .....	268	<i>everolimus</i> ( <i>immunosuppressive</i> ).....	236	<i>fentanyl citrate</i> .....	5
EPRONTIA.....	46	EVOTAZ.....	90	<i>feosol</i> .....	273
<i>eprosartan</i> .....	104	EVRYSOI.....	251	<i>ferate</i> .....	273
<i>epsom salt (laxative)</i> .....	214, 215	EXCILON.....	251	<i>ferosul</i> .....	273
ERBITUX.....	31	EXEL INSULIN.....	168	<i>ferretts</i> .....	273
<i>ergocalciferol (vitamin d2)</i> .....	273, 283	<i>exemestane</i> .....	31	<i>ferrex 150</i> .....	273
<i>ergoloid</i> .....	51	EXKIVITY.....	32	FERRIPROX.....	226
ERIVEDGE.....	31	EXONDYS-51.....	251	FERRIPROX (2 TIMES A DAY).....	226
ERLEADA.....	31	<i>expectorant</i> .....	135	<i>ferrocite</i> .....	273
<i>erlotinib</i> .....	31	EXTENCILLINE.....	24	<i>ferrous fumarate</i> .....	273
<i>errin</i> .....	126	<i>eye allergy itch relief</i> .....	202, 203	<i>ferrous gluconate</i> .....	271, 273, 275
<i>ertapenem</i> .....	23	<i>eye allergy itch-redness rlf</i> .....	202	<i>ferrous sulfate</i> .....	271, 273
				<i>ferrousul</i> .....	274

<i>fesoterodine</i> .....	224	<i>flucytosine</i> .....	63	<i>fulvestrant</i> .....	32
FETZIMA.....	53	<i>fludrocortisone</i> .....	229	<i>furosemide</i> .....	113
<i>feverall</i> .....	5	<i>flumazenil</i> .....	120	FUZEON.....	90
FEVERALL.....	5	<i>flunisolide</i> .....	208	FYARRO.....	32
<i>fe-vite</i> .....	278	<i>fluocinolone</i> .....	146	<i>fyavolv</i> .....	227
<i>fexofenadine</i> .....	69, 70, 72	<i>fluocinolone acetonide oil</i> .....	208	FYCOMPA.....	47
FIASP FLEXTOUCH U-100		<i>fluocinonide</i> .....	146	FYLNETRA.....	98
INSULIN.....	59	<i>fluocinonide-emollient</i> .....	146	<i>gabapentin</i> .....	47
FIASP PENFILL U-100		<i>fluorometholone</i> .....	209	GALAFOLD.....	199
INSULIN.....	59	<i>fluorouracil</i> .....	32, 140, 141	<i>galantamine</i> .....	51
FIASP U-100 INSULIN.....	59	<i>fluoxetine</i> .....	53	GAMIFANT.....	236
<i>fiber (calcium polycarbophil)</i> ..	220	<i>fluphenazine decanoate</i> .....	83	GAMMAGARD LIQUID...	236
<i>fiber (psyllium husk)</i> .....	223	<i>fluphenazine hcl</i> .....	83, 84	GAMMAGARD S-D (IGA <	
<i>fiber (psyllium husk-sugar)</i>		<i>flurazepam</i> .....	17	1 MCG/ML) .....	236
.....	219, 223	<i>flurbiprofen</i> .....	10	GAMMAPLEX.....	236
<i>fiber laxative (ca polycarbo)</i> ..	218	<i>flurbiprofen sodium</i> .....	209	GAMMAPLEX (WITH	
<i>fiber therapy (m-cellsugar)</i> ...	220	<i>fluticasone propionate</i>		SORBITOL).....	236
<i>fiber therapy (m-cellulose)</i>		.....	146, 208, 209, 262	GAMUNEX-C.....	236
.....	218, 220	<i>fluticasone propion-salmeterol</i>	262	<i>ganciclovir sodium</i> .....	95
<i>fiber-lax</i> .....	220	<i>fluvastatin</i> .....	115	GARDASIL 9 (PF).....	242, 243
<i>finasteride</i> .....	225	<i>fluvoxamine</i> .....	53	<i>gas relief (simethicone)</i> .....	210
<i> fingolimod</i> .....	120	<i>foaming acne face wash</i> .....	140	<i>gas relief 80 (simethicone)</i> .....	210
FINTEPLA.....	47	<i>foaming antacid</i> .....	215	<i>gas relief extra strength</i> .....	210
FIRMAGON KIT W		<i>folic acid</i> .....	274, 281	<i>gas-x extra strength</i> .....	210
DILUENT SYRINGE.....	32	<i>fomepizole</i> .....	251	<i>gatifloxacin</i> .....	205
<i>first aid antiseptic(povidone)</i> ..	140	<i>fondaparinux</i> .....	96, 97	GATTEX 30-VIAL.....	215
<i>flavor chews antacid</i> .....	214	<i>foot and sneaker</i> .....	63	GAUZE PADS &	
<i>flavoxate</i> .....	224	<i>for sty relief</i> .....	202	DRESSINGS - PADS 2 X 2	
FLEBOGAMMA DIF.....	236	<i>fosamprenavir</i> .....	90	.....	154, 159, 168, 172, 183, 198
<i>flecainide</i> .....	107	<i>fosaprepitant</i> .....	77	<i>gavilax</i> .....	220
FLEET BISACODYL.....	220	<i>foscarnet</i> .....	93	<i>gavilyte-c</i> .....	220
<i>flintstones multivitamin</i> .....	274	<i>fosinopril</i> .....	106	<i>gavilyte-g</i> .....	220
FLINTSTONES WITH		<i>fosinopril-hydrochlorothiazide</i>	106	<i>gavilyte-n</i> .....	220
IRON.....	274	<i>fosphenytoin</i> .....	47	GAVRETO.....	32
<i>flintstones/extra c</i> .....	274	FOTIVDA.....	32	<i>gefitinib</i> .....	32
FLONASE ALLERGY		FREESTYLE PRECISION..	168	<i>gelusil antacid and anti-gas</i> .....	215
RELIEF.....	208	<i>freshkote</i> .....	202	<i>gemcitabine</i> .....	32
<i>floxuridine</i> .....	32	<i>fruit c-500</i> .....	274	<i>gemfibrozil</i> .....	115
<i>fluconazole</i> .....	63	FRUZAQLA.....	32		
<i>fluconazole in nacl (iso-osm)</i> ....	63	FULPHILA.....	98		

<i>generic prenatal vitamin</i>		HEMADY.....	229
270, 271, 274, 275, 276, 278, 279, 280, 281, 282, 284		<i>hemocyte</i> .....	275
<i>generlac</i> .....	215	<i>hemorrhoidal(pe-min oil-petro)</i> .....	141
<i>gengraf</i> .....	236	<i>heparin (porcine)</i> .....	97
<i>gentak</i> .....	205	<i>heparin, porcine (pf)</i> .....	97
<i>gentamicin</i> .....	18, 144, 205	HEPLISAV-B (PF).....	243
<i>gentamicin sulfate (ped) (pf)</i> ... 18		<i>her style</i> .....	127
<i>gentamicin sulfate (pf)</i> .....	18	HERCEPTIN HYLECTA.....	33
GENTEAL TEARS		HERZUMA.....	33
MODERATE.....	202	HETLIOZ LQ.....	267
GENTEAL TEARS		HIBERIX (PF).....	243
MODERATE (PF).....	202	<i>high potency multivit (w-iron)</i>	275
GENTEAL TEARS		<i>high potency multivitamin</i> .....	275
SEVERE GEL.....	202	<i>honey bears multivitamin</i> .....	275
<i>gentle laxative (bisacodyl)</i> .....	218	HUMIRA.....	237
<i>gentlelax</i> .....	220	HUMIRA PEN.....	237
GENVOYA.....	90	HUMIRA PEN CROHNS-UC-HS START.....	236
<i>geri-dryl</i> .....	70	HUMIRA PEN PSOR- UVEITS-ADOL HS.....	237
GILENYA.....	120	HUMIRA(CF).....	237
GILOTRIF.....	32	HUMIRA(CF) PEDI CROHNS STARTER.....	237
GIVLAARI.....	100	HUMIRA(CF) PEN.....	237
<i>glatiramer</i> .....	120	HUMIRA(CF) PEN CROHNS-UC-HS.....	237
<i>glatopa</i> .....	120	HUMIRA(CF) PEN PEDIATRIC UC.....	237
GLEOSTINE.....	32	HUMIRA(CF) PEN PSOR-UV-ADOL HS.....	237
<i>glimepiride</i> .....	61	HUMULIN R U-500 (CONC) INSULIN.....	59
<i>glipizide</i> .....	61	HUMULIN R U-500 (CONC) KWIKPEN.....	59
<i>glipizide-metformin</i> .....	61	<i>hydralazine</i> .....	111
<i>glucose</i> .....	102, 103	<i>hydralyte</i> .....	257
<i>glutamine (sickle cell)</i> .....	251	<i>hydrochlorothiazide</i> .....	113
<i>glyburide</i> .....	61	<i>hydrocodone-acetaminophen</i> .....	5
<i>glyburide micronized</i> .....	61	<i>hydrocodone-ibuprofen</i> .....	5
<i>glyburide-metformin</i> .....	61		
<i>glycerin (child)</i> .....	218, 220, 222		
<i>glycopyrrolate</i> .....	215		
<i>glydo</i> .....	13		
GLYXAMBI.....	56		
<i>gonak</i> .....	202		
<i>goniotaire</i> .....	202		
<i>granisetron (pf)</i> .....	77		
<i>granisetron hcl</i> .....	77		
GRANIX.....	98		
<i>griseofulvin microsize</i> .....	63		
<i>griseofulvin ultramicrosize</i> .....	63		
<i>guaifenesin</i> .....	135		
<i>guanfacine</i> .....	104, 120		
<i>gummi bear multivitamin</i> .....	274		
GVOKE.....	251		
GVOKE HYPOPEN 2-PACK.....	251		
GVOKE PFS 1-PACK SYRINGE.....	251		
GVOKE PFS 2-PACK SYRINGE.....	251		
HAEGARDA.....	98		
<i>hailey</i> .....	127		
<i>hailey 24 fe</i> .....	127		
<i>hailey fe 1.5/30 (28)</i> .....	127		
<i>hailey fe 1/20 (28)</i> .....	127		
<i>hair vitamins</i> .....	275		
<i>hair, skin and nails</i> .....	271		
<i>halobetasol propionate</i> .....	147		
<i>haloette</i> .....	127		
<i>haloperidol</i> .....	84		
<i>haloperidol decanoate</i> .....	84		
<i>haloperidol lactate</i> .....	84		
HARVONI.....	94, 95		
HAVRIX (PF).....	243		
<i>h-chlor 12</i> .....	141		
HEALTHWISE INSULIN SYRINGE.....	169		
HEALTHWISE PEN NEEDLE.....	169		
HEALTHY ACCENTS UNIFINE PENTIP.....	169, 170		
<i>healthylax</i> .....	220		
<i>heartburn prevention</i> .....	212		
<i>heartburn relief</i> .....	214		
<i>heartburn relief (famotidine)</i> ..	212		
<i>heather</i> .....	127		

HYDROCOLLOID		ILUMYA.....	238	INSULIN SYR/NDL U100	
DRESSING.....	181	<i>imatinib</i> .....	33	HALF MARK.....	170
<i>hydrocortisone</i> .....	147, 148, 229, 248	IMBRUVICA.....	33	INSULIN SYRINGE.....	153
<i>hydrocortisone acetate</i> .....	147	<i>imipenem-cilastatin</i> .....	23	INSULIN SYRINGE	
<i>hydrocortisone butyrate</i> .....	147	<i>imipramine hcl</i> .....	53	MICROFINE.....	153
HYDROCORTISONE		<i>imipramine pamoate</i> .....	54	INSULIN SYRINGE	
LOTION COMPLETE.....	147	<i>imiquimod</i> .....	141	NEEDLELESS.....	153
<i>hydrocortisone plus</i> .....	148	IMJUDO.....	33	INSULIN SYRINGE-	
<i>hydrocortisone valerate</i> .....	148	IMLYGIC.....	33	NEEDLE U-100	
<i>hydrocortisone-acetic acid</i> .....	205	<i>imodium a-d</i> .....	215	153, 167, 168, 170, 171, 172, 181,	
<i>hydrocortisone-aloe vera</i> .....	146, 148	IMOVAX RABIES		186, 190, 191	
<i>hydrocream</i> .....	148	VACCINE (PF).....	243	INSUPEN PEN NEEDLE....	172
<i>hydrogen peroxide</i> .....	141, 254	IMPAVIDO.....	79	INTELENCE.....	90
<i>hydromorphone</i> .....	6	INBRIJA.....	80	INTRALIPID.....	103
<i>hydromorphone (pf)</i> .....	6	<i>incassia</i> .....	127	INVEGA HAFYERA.....	84
<i>hydroxocobalamin</i> .....	275	INCONTROL PEN		INVEGA SUSTENNA....	84, 85
<i>hydroxychloroquine</i> .....	79	NEEDLE.....	170	INVEGA TRINZA.....	85
<i>hydroxyprogesterone</i>		INCRELEX.....	230	INVELTYS.....	209
<i>cap(ppres)</i> .....	232	<i>indapamide</i> .....	113	INVIRASE.....	90
<i>hydroxyprogesterone caproate</i>	233	<i>indomethacin</i> .....	11	<i>inzo antifungal</i> .....	63
<i>hydroxyurea</i> .....	33	INFANRIX (DTAP) (PF)....	243	IPOLE.....	243
<i>hydroxyzine hcl</i> .....	70	<i>infant fever reducer-pain relf</i> .....	8	<i>ipratropium bromide</i> .....	203, 263
<i>hydroxyzine pamoate</i> .....	251	<i>infant's ibuprofen</i> .....	11	<i>ipratropium-albuterol</i> .....	263
HYQVIA.....	238	<i>infants simethicone</i> .....	210	IQIRVO.....	215
<i>hysept</i> .....	141	INFLECTRA.....	238	<i>irbesartan</i> .....	105
<i>ibandronate</i> .....	249	<i>infliximab</i> .....	238	<i>irbesartan-hydrochlorothiazide</i>	105
IBRANCE.....	33	INGREZZA.....	121	<i>irinotecan</i> .....	34
<i>ibu</i> .....	10	INGREZZA INITIATION		<i>iron</i> .....	275, 279
<i>ibuprofen</i> .....	10, 11	PK(TARDIV).....	121	ISENTRESS.....	90
<i>ibuprofen-famotidine</i> .....	11	INGREZZA SPRINKLE....	121	ISENTRESS HD.....	90
ICAPS MV.....	275	INLYTA.....	34	<i>isibloom</i> .....	127
<i>icatibant</i> .....	111	INPEN (FOR HUMALOG)		ISOLYTE S PH 7.4.....	257
<i>iclevia</i> .....	127	BLUE.....	170	ISOLYTE-P IN 5 %	
ICLUSIG.....	33	INPEN (NOVOLOG OR		DEXTROSE.....	257
<i>icy hot (menthol)</i> .....	141	FIASP) BLUE.....	170	ISOLYTE-S.....	257
IDHIFA.....	33	INQOVI.....	34	<i>isoniazid</i> .....	75
<i>iferex 150</i> .....	275	INREBIC.....	34		
<i>ifosfamide</i> .....	33	<i>insulin asp prt-insulin aspart</i> ....	59		
ILARIS (PF).....	238	<i>insulin aspart u-100</i> .....	59		
ILEVRO.....	209				

ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD ..... 138, 139, 140, 141, 142, 143	<i>junel fe 1/20 (28)</i> ..... 128	KRINTAFEL ..... 79
<i>isopto tears</i> ..... 203	<i>junel fe 24</i> ..... 128	KRYSTEXXA ..... 199
<i>isosorbide dinitrate</i> ..... 117	JUXTAPID ..... 115	<i>kurvelo (28)</i> ..... 128
<i>isosorbide mononitrate</i> ..... 117	JYLAMVO ..... 34	KYNMOBI ..... 80
<i>isosorbide-hydralazine</i> ..... 117	JYNARQUE ..... 113, 114	<i>l norgestle.estradiol-e.estrad...</i> 128
<i>isradipine</i> ..... 112	JYNNEOS (PF) ..... 243	<i>labetalol</i> ..... 108
<i>itch relief (hc)</i> ..... 147	<i>kalliga</i> ..... 128	<i>lacosamide</i> ..... 47
<i>itch relief (hc) with aloe</i> ..... 147	KALYDECO ..... 265	<i>lactulose</i> ..... 215
<i>itraconazole</i> ..... 63	KANJINTI ..... 34	<i>lagevrio (eua)</i> ..... 95
IV3000 FRAME DELIVERY DRESSING ..... 251	KANUMA ..... 199	<i>lamisil af</i> ..... 64
<i>ivabradine</i> ..... 111	<i>kaopectate (bismuth subsalicy)</i> ..... 215	<i>lamivudine</i> ..... 91
<i>ivermectin</i> ..... 79	<i>kariva (28)</i> ..... 128	<i>lamivudine-zidovudine</i> ..... 91
IWILFIN ..... 34	KATERZIA ..... 112	<i>lamotrigine</i> ..... 47, 48
IXCHIQ (PF) ..... 243	<i>kelnor 1/35 (28)</i> ..... 128	<i>lanreotide</i> ..... 231
IXIARO (PF) ..... 243	<i>kelnor 1-50 (28)</i> ..... 128	<i>lansoprazole</i> ..... 211, 212, 213
<i>jaimiess</i> ..... 127	KERENDIA ..... 117	<i>lanthanum</i> ..... 224
JAKAFI ..... 34	KESIMPTA PEN ..... 121	<i>lapatinib</i> ..... 35
<i>jantoven</i> ..... 97	<i>ketoconazole</i> ..... 64	<i>larin 1.5/30 (21)</i> ..... 128
JANUMET ..... 56	<i>ketoprofen</i> ..... 11	<i>larin 1/20 (21)</i> ..... 128
JANUMET XR ..... 56	<i>ketorolac</i> ..... 11, 12, 209	<i>larin 24 fe</i> ..... 128
JANUVIA ..... 56	KEVZARA ..... 238	<i>larin fe 1.5/30 (28)</i> ..... 128
JARDIANCE ..... 56	KEYTRUDA ..... 34	<i>larin fe 1/20 (28)</i> ..... 128
<i>jasmiel (28)</i> ..... 127	KIMMTRAK ..... 34	<i>latanoprost</i> ..... 255
<i>javygtor</i> ..... 199	KINERET ..... 238	<i>laxacin</i> ..... 221
JAYPIRCA ..... 34	KINRIX (PF) ..... 243	<i>laxaclear</i> ..... 221
JEMPERLI ..... 34	<i>kionex (with sorbitol)</i> ..... 215	<i>laxative (bisacodyl)</i> ..... 222
<i>jencycla</i> ..... 127	KISQALI ..... 35	<i>laxative (sennosides)</i> ..... 222
JENTADUETO ..... 56	KISQALI FEMARA CO- PACK ..... 34, 35	<i>laxative peg 3350</i> ..... 222, 223
JENTADUETO XR ..... 56	KLISYRI ..... 141	<i>leflunomide</i> ..... 238
<i>jinteli</i> ..... 227	<i>klor-con m10</i> ..... 257	<i>lenalidomide</i> ..... 35
<i>jock itch (clotrimazole)</i> ..... 63, 65	<i>klor-con m15</i> ..... 258	LENVIMA ..... 35
<i>juleber</i> ..... 127	<i>klor-con m20</i> ..... 258	<i>lessina</i> ..... 128
<i>julie</i> ..... 127	KLOXXADO ..... 15	<i>letrozole</i> ..... 35
JULUCA ..... 91	<i>konsyl (sugar)</i> ..... 220	<i>leucovorin calcium</i> ..... 251, 252
<i>junel 1.5/30 (21)</i> ..... 127	KONSYL SUGAR-FREE ..... 220	LEUKERAN ..... 35
<i>junel 1/20 (21)</i> ..... 127	KOSELUGO ..... 35	LEUKINE ..... 98
<i>junel fe 1.5/30 (28)</i> ..... 127	KOURZEQ ..... 137	<i>leuprolide</i> ..... 35
	KRAZATI ..... 35	<i>leuprolide (3 month)</i> ..... 35
		<i>levetiracetam</i> ..... 48
		<i>levobunolol</i> ..... 255

<i>levocarnitine</i> .....	252	LIVALO.....	115	LUPRON DEPOT (6	
<i>levocarnitine (with sugar)</i> .....	252	<i>lojaimiess</i> .....	129	MONTH).....	36
<i>levocetirizine</i> .....	70, 71	LOKELMA.....	215	LUPRON DEPOT-PED.....	231
<i>levofloxacin</i> .....	25, 203, 206	LONSURF.....	35, 36	LUPRON DEPOT-PED (3	
<i>levofloxacin in d5w</i> .....	25	<i>loperamide</i> .....	215, 216	MONTH).....	231
<i>levoleucovorin calcium</i> .....	252	<i>lopinavir-ritonavir</i> .....	91	<i>lurasidone</i> .....	85
<i>levonest (28)</i> .....	128	LOQTORZI.....	36	<i>lutea (28)</i> .....	129
<i>levonorgest-eth.estradiol-iron</i> ..	129	<i>loradamed</i> .....	71	LYBALVI.....	85
<i>levonorgestrel</i> .....	129	<i>loratadine</i> .....	68, 70, 71, 72	<i>lyleq</i> .....	129
<i>levonorgestrel-ethinyl estrad</i> ...	129	<i>loratadine-d</i> .....	71	<i>lyllana</i> .....	228
<i>levonorg-eth estrad triphasic</i> ...	129	<i>lorazepam</i> .....	17, 18	LYNPARZA.....	36
<i>levora-28</i> .....	129	<i>lorazepam intensol</i> .....	18	LYSODREN.....	36
<i>levothyroxine</i> .....	233	LORBRENA.....	36	LYTGOBI.....	36
LEXIVA.....	91	<i>loryna (28)</i> .....	129	<i>lyza</i> .....	129
LIBERVANT.....	48	<i>losartan</i> .....	105	<i>mag 64</i> .....	258
<i>lice treatment</i> .....	149	<i>losartan-hydrochlorothiazide</i> ..	105	MAGELLAN INSULIN	
<i>lido king</i> .....	13	LOTEMAX.....	209	SAFETY SYRNG.....	174
<i>lidocaine</i> .....	13, 14	LOTEMAX SM.....	209	MAGELLAN SYRINGE.....	173
<i>lidocaine (pf)</i> .....	13, 107	<i>loteprednol etabonate</i> .....	209	MAGNEBIND 300.....	224
<i>lidocaine hcl</i> .....	13, 14	LOTRIMIN AF POWDER....	64	<i>magnesium</i> .....	260
<i>lidocaine viscous</i> .....	14	<i>lovastatin</i> .....	115	<i>magnesium chloride</i> .....	258
<i>lidocaine-prilocaine</i> .....	14	<i>low-ogestrel (28)</i> .....	129	<i>magnesium citrate</i> ... 218, 219, 221	
<i>linezolid</i> .....	19	<i>loxapine succinate</i> .....	85	<i>magnesium oxide</i> .....	216, 261
<i>linezolid in dextrose 5%</i> .....	19	<i>lo-zumandimine (28)</i> .....	129	<i>magnesium sulfate</i> .....	258
<i>lintera</i> .....	141	<i>lubiprostone</i> .....	216	<i>magnesium sulfate in d5w</i> .....	258
LINZESS.....	215	<i>lubricant eye (cmc-glycer) (pf)</i>		<i>magnesium sulfate in water</i> .....	258
<i>liothyronine</i> .....	233	.....	203	<i>malathion</i> .....	149
LIP TREATMENT.....	142	<i>lubricant eye (pg-peg 400) (pf)</i>		<i>mapap (acetaminophen)</i> .....	6
<i>lisinopril</i> .....	106	.....	203	<i>mapap arthritis pain</i> .....	6
<i>lisinopril-hydrochlorothiazide</i> ..	106	<i>lubricant eye drops</i> .....	201, 203	<i>maraviroc</i> .....	91
LITE TOUCH INSULIN		<i>lubrifresh pm</i> .....	203	MARGENZA.....	36
PEN NEEDLES.....	172, 173	LUMAKRAS.....	36	<i>marlissa (28)</i> .....	129
LITE TOUCH INSULIN		LUMIGAN.....	255	MARPLAN.....	54
SYRINGE.....	172, 173	LUNSUMIO.....	36	MATULANE.....	36
<i>lithium carbonate</i> .....	121	LUPRON DEPOT.....	231	<i>matzim la</i> .....	110
<i>lithium citrate</i> .....	121	LUPRON DEPOT (3		MAVENCLAD (10 TABLET	
<i>little animals</i> .....	275	MONTH).....	36, 231	PACK).....	121
<i>little animals-iron</i> .....	275	LUPRON DEPOT (4		MAVENCLAD (4 TABLET	
<i>little remedies saline</i> .....	203	MONTH).....	36	PACK).....	121
<i>little tummys gas relief</i> .....	210				

MAVENCLAD (5 TABLET PACK).....	121	MENQUADFI (PF).....	244	<i>metronidazole</i> .....	19, 73, 144
MAVENCLAD (6 TABLET PACK).....	121	MENVEO A-C-Y-W-135-DIP (PF).....	244	<i>metronidazole in nacl (iso-os)</i> ..	19
MAVENCLAD (7 TABLET PACK).....	121	MEPSEVII.....	199	<i>metryrosine</i> .....	111
MAVENCLAD (8 TABLET PACK).....	121	<i>mercaptapurine</i> .....	37	<i>mexiletine</i> .....	107
MAVENCLAD (9 TABLET PACK).....	121	<i>meropenem</i> .....	23	<i>mgo</i> .....	216
MAVYRET.....	95	<i>merzee</i> .....	129	<i>micatin</i> .....	64
<i>maxallergy kids</i> .....	71	<i>mesalamine</i> .....	248	MICONAZOLE NITRATE...	63
MAXICOMFORT II PEN NEEDLE.....	174	<i>mesna</i> .....	252	<i>miconazole nitrate</i> .....	64
MAXICOMFORT INSULIN SYRINGE.....	174	MESNEX.....	252	<i>miconazole-3</i> .....	64
MAXI-COMFORT INSULIN SYRINGE.....	174	<i>metadate er</i> .....	122	<i>micotrin ac</i> .....	64
MAXICOMFORT SAFETY PEN NEEDLE.....	174	METAMUCIL.....	221	MICRODOT INSULIN PEN NEEDLE.....	174
<i>maxrelief junior</i> .....	6	METAMUCIL (WITH SUGAR).....	221	MICRODOT READYGARD PEN NEEDLE.....	174
MAYZENT.....	122	METAMUCIL FIBER SINGLES.....	221	<i>microgestin fe 1/20 (28)</i> .....	129
MAYZENT STARTER(FOR 1MG MAINT).....	122	<i>metformin</i> .....	56	<i>micro-guard</i> .....	64
MAYZENT STARTER(FOR 2MG MAINT).....	122	<i>methadone</i> .....	6	<i>midazolam</i> .....	18
<i>m-dryl</i> .....	71	<i>methadose</i> .....	6	<i>midodrine</i> .....	104
<i>meclizine</i> .....	77	<i>methazolamide</i> .....	255	<i>mifepristone</i> .....	56
<i>medi-meclizine</i> .....	77	<i>methenamine hippurate</i> .....	19	<i>miglitol</i> .....	57
<i>medroxyprogesterone</i> .....	233	<i>methimazole</i> .....	233	<i>mighlstat</i> .....	199
<i>mefenamic acid</i> .....	12	<i>methocarbamol</i> .....	267	<i>migraine formula</i> .....	9
<i>mefloquine</i> .....	79	<i>methotrexate sodium</i> .....	37	<i>migraine relief</i> .....	9
<i>mega multiplechelated mineral</i> .....	275	<i>methotrexate sodium (pf)</i> .....	37	<i>mili</i> .....	130
<i>megestrol</i> .....	37, 233	<i>methoxsalen</i> .....	141	<i>milk of magnesia</i> .....	220, 221
MEKINIST.....	37	<i>methscopolamine</i> .....	216	<i>milk of magnesia concentrated</i>	221
MEKTOVI.....	37	<i>methsuximide</i> .....	48	<i>milltrium senior</i> .....	275
<i>meloxicam</i> .....	12	<i>methylidopa</i> .....	104	<i>mimvey</i> .....	228
<i>memantine</i> .....	51	<i>methylphenidate hcl</i> .....	122, 123	<i>mineral oil</i> .....	221
MENACTRA (PF).....	244	<i>methylprednisolone</i> .....	229	<i>mineral oil extra heavy</i> .....	222
		<i>methylprednisolone acetate</i> .....	229	<i>mineral oil heavy</i> .....	221
		<i>methylprednisolone sodium succ</i> .....	229	<i>mini enema</i> .....	218
		<i>metoclopramide hcl</i> .....	216	MINI ULTRA-THIN II.....	175
		<i>metolazone</i> .....	114	<i>minocycline</i> .....	26, 27
		<i>metoprolol succinate</i> .....	108	<i>minoxidil</i> .....	117
		<i>metoprolol ta-hydrochlorothiaz</i> .....	108	<i>mintox plus</i> .....	216
		.....	108	MIRALAX.....	221
		<i>metoprolol tartrate</i> .....	108, 109	<i>mirtazapine</i> .....	54
				<i>misoprostol</i> .....	212



<i>mitoxantrone</i> .....	37	<i>mucus relief er</i> .....	134, 135	NATRAPEL.....	141
M-M-R II (PF).....	244	MULTAQ.....	107	<i>natural calcium</i> .....	258
<i>modafinil</i> .....	267, 268	<i>multi-day with iron</i> .....	276	<i>natural daily fiber</i> .....	218
<i>moexipril</i> .....	106	<i>multiple vitamin-minerals</i> .....	276	<i>natural fiber laxative (sugar)</i> ..	220
<i>molindone</i> .....	85	<i>multiple vitamins</i> .....	276	<i>natural tears (pf)</i> .....	201
<i>mometasone</i> .....	148, 209	<i>multivitamin</i> .....	276	<i>natura-lax</i> .....	222
<i>mondoxyne nl</i> .....	27	<i>multivitamin 50 plus</i> .....	279	NAYZILAM.....	48
MONISTAT 7.....	64	<i>multivitamin with iron</i> .....	276	<i>neбиволol</i> .....	109
<i>monistat 7</i> .....	64	<i>multivit-min-iron fum-folic ac</i> ..	276	<i>necon 0.5/35 (28)</i> .....	130
<i>monistat care (hydrocortisone)</i> .....	148	<i>mupirocin</i> .....	144	<i>nefazodone</i> .....	54
MONOJECT INSULIN SAFETY SYRINGE.....	176	<i>murine ear</i> .....	206	<i>neilmed sinus rinse complete</i> ...	203
MONOJECT INSULIN SYRINGE.....	175, 176	<i>muro 128</i> .....	203	<i>neilmed sinus rinse refill</i> .....	203
MONOJECT SYRINGE.....	175	MVASI.....	37	<i>neomycin</i> .....	18
MONOJECT ULTRA COMFORT INSULIN.....	193	<i>my choice</i> .....	130	<i>neomycin-bacitracin-poly-hc</i> ...	206
<i>mono-linyah</i> .....	130	<i>my way</i> .....	130	<i>neomycin-bacitracin-</i> <i>polymyxin</i> .....	206
<i>montelukast</i> .....	262	<i>mycophenolate mofetil</i> .....	238	<i>neomycin-polymyxin b gu</i> .....	144
<i>morphine</i> .....	6	<i>mycophenolate mofetil (hcl)</i> ...	238	<i>neomycin-polymyxin b-</i> <i>dexameth</i> .....	206
MORPHINE.....	6	<i>mycophenolate sodium</i> .....	238	<i>neomycin-polymyxin-</i> <i>gramicidin</i> .....	206
<i>morphine concentrate</i> .....	6	<i>mycozyl ac</i> .....	64	<i>neomycin-polymyxin-hc</i> .....	206
<i>motion sickness (meclizine)</i> .....	77	<i>myferon 150</i> .....	276	<i>neo-polycin</i> .....	207
<i>motion sickness relief(mecliz)</i> ..	77	MYRBETRIQ.....	224	<i>neo-polycin hc</i> .....	206
MOUNJARO.....	57	<i>nabumetone</i> .....	12	NEOSPORIN.....	141
MOVANTIK.....	216	<i>nadolol</i> .....	109	MOISTURIZING.....	141
<i>moxifloxacin</i> .....	25, 206	<i>nafacillin</i> .....	24	<i>neo-tuss</i> .....	135
<i>moxifloxacin-sod.ace,sul-water</i> ..	25	<i>nafacillin in dextrose iso-osm</i> ....	24	<i>nephplex rx</i> .....	276
<i>moxifloxacin-sod.chloride(iso)</i> ..	25	NAGLAZYME.....	199	NEPHRON FA.....	276
MOZOBIL.....	98	<i>naloxone</i> .....	15	NERLYNX.....	37
<i>m-pap</i> .....	7	<i>naltrexone</i> .....	15	NEULASTA ONPRO.....	98
MRESVIA (PF).....	244	NAMZARIC.....	51	NEUPRO.....	81
MUCINEX.....	135	<i>naproxen</i> .....	12	<i>neutrogena talsal</i> .....	141
MUCINEX DM.....	135	<i>naproxen sodium</i> .....	12, 13	<i>nevirapine</i> .....	91
<i>mucinex fast-max chest-</i> <i>congest</i> .....	135	<i>naratriptan</i> .....	74	<i>new day</i> .....	130
<i>mucus dm</i> .....	135	<i>nasal decongestant (pe)</i> .....	104	NEXCARE TEGADERM...	252
<i>mucus relief</i> .....	135	<i>nasal moisturizing</i> .....	202, 205	NEXLETOL.....	116
<i>mucus relief cough</i> .....	136	<i>nasal spray (oxymetazoline)</i> ..	203	NEXLIZET.....	116
		<i>nasal wash</i> .....	201	<i>niacin</i> .....	116
		NASCOBAL.....	276	<i>niacinamide</i> .....	117, 276
		NATACYN.....	206		
		<i>nateglinide</i> .....	57		
		NATPARA.....	249		

<i>niacor</i> .....	116	NOVOFINE PLUS.....	176	ODEFSEY.....	91
<i>nicardipine</i> .....	112	NOVOLIN 70/30 U-100		ODOMZO.....	37
<i>nicotine</i> .....	14, 15, 16	INSULIN.....	59	<i>odor control foot-sneaker</i> .....	65
<i>nicotine (polacrilex)</i> .....	15, 16	NOVOLIN 70-30 FLEXPEN		OFEV.....	265
NICOTROL.....	15	U-100.....	60	<i>ofloxacin</i> .....	207
NICOTROL NS.....	15	NOVOLIN N FLEXPEN.....	60	OGIVRI.....	37
<i>nifedipine</i> .....	113	NOVOLIN N NPH U-100		OGSIVEO.....	37, 38
<i>nikki (28)</i> .....	130	INSULIN.....	60	OJEMDA.....	38
<i>nilutamide</i> .....	37	NOVOLIN R FLEXPEN.....	60	OJJAARA.....	38
NINLARO.....	37	NOVOLIN R REGULAR		<i>olanzapine</i> .....	85, 86
<i>nitazoxanide</i> .....	79	U100 INSULIN.....	60	<i>olmesartan</i> .....	105
<i>nitisinone</i> .....	199	NOVOTWIST.....	176	<i>olmesartan-amlodipin-</i>	
<i>nitrofurantoin macrocrystal</i> .....	19	NOXAFIL.....	64	<i>hcthiazid</i> .....	105
<i>nitrofurantoin monohydlm-</i>		NPLATE.....	98	<i>olmesartan-</i>	
<i>cryst</i> .....	19	NUBEQA.....	37	<i>hydrochlorothiazide</i> .....	105
<i>nitroglycerin</i> .....	118, 252	NUCALA.....	265	<i>olopatadine</i> .....	202, 203, 204
NIVESTYM.....	98	<i>nu-iron</i> .....	276	OLUMIANT.....	239
<i>nizatidine</i> .....	212	NULOJIX.....	239	<i>omega-3 acid ethyl esters</i> .....	116
<i>non-aspirin</i> .....	7	<i>nu-mag</i> .....	258	<i>omeprazole</i> .....	212, 213
<i>non-aspirin pain relief</i> .....	8	NUPLAZID.....	85	<i>omeprazole magnesium</i> ...	212, 213
NON-STICK PAD.....	252	NURTEC ODT.....	74	<i>omeprazole-sodium</i>	
NORDITROPIN FLEXPRO231		NUTRILIPID.....	103	<i>bicarbonate</i> .....	213
<i>norelgestromin-ethin.estradiol</i> .....	130	<i>nyamyc</i> .....	64	OMNIPOD 5 G6 INTRO	
<i>norethindrone (contraceptive)</i> .....	130	<i>nylia 1/35 (28)</i> .....	131	KIT (GEN 5).....	177
<i>norethindrone acetate</i> .....	233	<i>nylia 7/7/7 (28)</i> .....	131	OMNIPOD 5 G6 PODS	
<i>norethindrone ac-eth estradiol</i>		<i>nymyo</i> .....	131	(GEN 5).....	177
.....	130, 228	<i>nystatin</i> .....	64, 65	OMNIPOD 5 G6-G7 INTRO	
<i>norethindrone-e.estradiol-iron</i> .....	130	<i>nystatin-triamcinolone</i> .....	65	KT(GEN5).....	177
<i>norgestimate-ethinyl estradiol</i>		<i>nystop</i> .....	65	OMNIPOD 5 G6-G7 PODS	
.....	130, 131	NYVEPRIA.....	99	(GEN 5).....	177
NORMOSOL-M IN 5 %		<i>obstetrix dha prenatal duo</i> .....	276	OMNIPOD CLASSIC PODS	
DEXTROSE.....	258	OICALIVA.....	216	(GEN 3).....	177
<i>nortrel 0.5/35 (28)</i> .....	131	<i>ocean nasal</i> .....	203	OMNIPOD DASH INTRO	
<i>nortrel 1/35 (21)</i> .....	131	OCREVUS.....	123	KIT (GEN 4).....	177
<i>nortrel 1/35 (28)</i> .....	131	OCTAGAM.....	239	OMNIPOD DASH PDM	
<i>nortrel 7/7/7 (28)</i> .....	131	<i>octreotide acetate</i> .....	231	KIT (GEN 4).....	177
<i>nortriptyline</i> .....	54	OCUSOFT LID SCRUB.....	203	OMNIPOD DASH PODS	
NORVIR.....	91	OCUSOFT LID SCRUB		(GEN 4).....	177
NOVOFINE 30.....	176	PLUS.....	203	OMNIPOD GO PODS.....	178
NOVOFINE 32.....	176	<i>ocutabs</i> .....	276		

OMNIPOD GO PODS 10 UNITS/DAY	177	<i>oralyte</i>	258	PANRETIN	141
OMNIPOD GO PODS 15 UNITS/DAY	177	ORENCIA	239	<i>pantoprazole</i>	213
OMNIPOD GO PODS 20 UNITS/DAY	177	ORENCIA (WITH MALTOSE)	239	<i>paricalcitol</i>	249
OMNIPOD GO PODS 25 UNITS/DAY	178	ORENCIA CLICKJECT	239	<i>paroex oral rinse</i>	137
OMNIPOD GO PODS 30 UNITS/DAY	178	ORFADIN	199	<i>paromomycin</i>	79
OMNIPOD GO PODS 40 UNITS/DAY	178	ORGOVYX	231	<i>paroxetine hcl</i>	54
<i>onccor</i>	276	ORLISSA	231, 232	PAXLOVID	94
<i>oncovite</i>	277	ORKAMBI	265	<i>pazopanib</i>	39
<i>ondansetron</i>	78	ORSERDU	38	<i>p-col rite</i>	222
<i>ondansetron hcl</i>	78	<i>oseltamivir</i>	93	<i>pedia tri-vite</i>	278
<i>ondansetron hcl (pf)</i>	77, 78	OSMOLEX ER	81	PEDIARIX (PF)	244
<i>one daily complete</i>	277	OTEZLA	239	<i>pediatric electrolyte</i>	259, 260
<i>one daily energy</i>	279	OTEZLA STARTER	239	<i>pediatric freezer pops</i>	260
<i>one daily essential</i>	274, 277	<i>overnight lubricating eye</i>	202	<i>pediatric tri-vite</i>	278
<i>one daily for women</i>	277	<i>oxaliplatin</i>	38	PEDVAX HIB (PF)	244
<i>one daily maximum</i>	277, 280	<i>oxandrolone</i>	226	PEGASYS	95
<i>one daily multivitamin</i>	277	<i>oxazepam</i>	18	<i>peg-electrolyte soln</i>	221
<i>one daily plus minerals</i>	277	<i>oxcarbazepine</i>	48	PEMAZYRE	39
<i>one-a-day essential</i>	277	OXLUMO	252	<i>pemetrexed</i>	39
<i>one-a-day maximum formula</i>	277	<i>oxybutynin chloride</i>	224	<i>pemetrexed disodium</i>	39
<i>one-a-day men's multivitamin</i>	277	<i>oxycodone</i>	7	PEMRYDI RTU	39
<i>one-a-day teen advantage</i>	277	<i>oxycodone-acetaminophen</i>	7	PEN NEEDLE	168, 178, 181
<i>onevite daily multivitamin</i>	277	OXYCONTIN	7	PEN NEEDLE, DIABETIC	158, 175, 178, 181
ONGENTYS	81	<i>oxymorphone</i>	7	PEN NEEDLE, DIABETIC, SAFETY	182
ONTRUZANT	38	<i>oysco 500/d</i>	277	PENBRAYA (PF)	244
ONUREG	38	<i>oyster shell calcium</i>	258	PENBRAYA MENACWY COMPONENT (PF)	244
<i>opcicon one-step</i>	131	<i>oyster shell calcium 500</i>	259, 261	PENBRAYA MENB COMPONENT (PF)	244
OPDIVO	38	<i>oyster shell calcium-vit d3</i>	277, 280	<i>penciclovir</i>	141
OPDUALAG	38	<i>oystercal-d</i>	278	<i>penicillamine</i>	226
OPSITE FLEXIGRID DRESSING	252	OZEMPIC	57	<i>penicillin g potassium</i>	24
OPSUMIT	268	<i>pacerone</i>	107	<i>penicillin g procaine</i>	24
<i>option-2</i>	131	<i>paclitaxel</i>	38	<i>penicillin v potassium</i>	24, 25
<i>oralone</i>	137	<i>paclitaxel protein-bound</i>	38	PENTACEL (PF)	245
		<i>pain relief adult</i>	5, 7	<i>pentamidine</i>	79
		<i>pain reliever plus</i>	12	PENTIPS	179
		<i>paliperidone</i>	86	<i>pentoxifylline</i>	101
		PALYNZIQ	200		
		<i>pamidronate</i>	249		
		<i>panoxyl</i>	141		

<i>periguard</i> .....	141	<i>piperacillin-tazobactam</i> .....	25	<i>prednisolone sodium phosphate</i>	
<i>perindopril erbumine</i> .....	106	<b>PIQRAY</b> .....	39	.....	209, 229
<i>perio gard</i> .....	137	<i>pirfenidone</i> .....	266	<i>prednisone</i> .....	229, 230
<i>permethrin</i> .....	149	<i>pirmella</i> .....	131	<i>pregabalin</i> .....	49
<i>perphenazine</i> .....	86	<i>piroxicam</i> .....	12	<b>PREHEVBRIO (PF)</b> .....	245
<i>perphenazine-amitriptyline</i> .....	54	<b>PLASMA-LYTE A</b> .....	259	<b>PREMARIN</b> .....	228
<i>persa-gel</i> .....	142	<b>PLEGRIDY</b> .....	123	<b>PREMPHASE</b> .....	228
<b>PERSERIS</b> .....	86	<i>plerixafor</i> .....	99	<b>PREMPRO</b> .....	228
<i>petrolatum</i> .....	142	<i>pnv cmb#95-ferrous fumarate-</i>		<i>prenatal</i> .....	279
<i>pfizerpen-g</i> .....	25	<i>fa</i> .....	279	<i>prenatal 19 (with docusate)</i> ....	279
<i>pharbedryl</i> .....	71	<i>podofilox</i> .....	142	<i>prenatal one daily</i> .....	279
<i>pharbetol</i> .....	8	<i>polycin</i> .....	207	<i>prenatal vit no.179-iron-folic</i> ...	279
<b>PHAZYME</b> .....	210	<i>polyethylene glycol 3350</i> . 221, 222		<i>preparation h hydrocortisone</i> ..	148
<i>phenelzine</i> .....	54	<i>polymyxin b sulfate</i> .....	20	<b>PRETOMANID</b> .....	76
<i>phenobarbital</i> .....	48	<i>polymyxin b sulf-trimethoprim</i>	207	<i>prevalite</i> .....	116
<i>phenylephrine hcl</i> .....	104	<i>polysaccharide iron complex</i> ...	278	<b>PREVENT DROPSAFE</b>	
<i>phenytoin</i> .....	48	<b>POLYSKIN II</b> .....	252	<b>PEN NEEDLE</b> .....	179
<i>phenytoin sodium</i> .....	49	<i>polyvinyl alcohol</i> .....	204	<b>PREVYMIS</b> .....	94
<i>phenytoin sodium extended</i> .....	49	<b>POLY-VI-SOL</b> .....	278	<b>PREZCOBIX</b> .....	91
<i>philith</i> .....	131	<b>POLY-VI-SOL WITH IRON</b>	278	<b>PREZISTA</b> .....	91
<i>phillips</i> .....	216	<b>POMALYST</b> .....	39	<b>PRIFTIN</b> .....	76
<i>phillips' liqui-gels</i> .....	221	<i>portia 28</i> .....	131	<b>PRIMAQUINE</b> .....	79
<b>PHILLIPS MILK OF</b>		<i>posaconazole</i> .....	65	<i>primidone</i> .....	49
<b>MAGNESIA</b> .....	221	<i>potassium chloride</i> .....	259	<b>PRIORIX (PF)</b> .....	245
<b>PHOS-FLUR</b> .....	137	<i>potassium chloride-0.45 % nacl</i>		<b>PRIVIGEN</b> .....	239
<b>PHOSLYRA</b> .....	224	.....	260	<b>PRO COMFORT INSULIN</b>	
<i>phospha 250 neutral</i> .....	259	<i>potassium citrate</i> .....	260	<b>SYRINGE</b> .....	179, 180
<i>phosphorous</i> .....	259	<i>potassium citrate-citric acid</i> ...	260	<b>PRO COMFORT PEN</b>	
<i>phospho-trin 250 neutral</i> .....	259	<i>povidone-iodine</i> .....	142	<b>NEEDLE</b> .....	180
<i>phytonadione (vitamin k1)</i> .....	278	<i>powderlax</i> .....	222	<b>PROAIR RESPICLICK</b> .....	263
<b>PIFELTRO</b> .....	91	<b>PRALUENT PEN</b> .....	116	<i>probenecid</i> .....	66
<i>pilocarpine hcl</i> .....	137, 255	<i>pramipexole</i> .....	81	<i>probenecid-colchicine</i> .....	66
<i>pimecrolimus</i> .....	148	<i>prasugrel</i> .....	101	<i>procainamide</i> .....	107
<i>pimozide</i> .....	86	<i>pravastatin</i> .....	116	<i>prochlorperazine</i> .....	78
<i>pimtrea (28)</i> .....	131	<i>prazosin</i> .....	104	<i>prochlorperazine edisylate</i> ...78, 86	
<i>pindolol</i> .....	109	<i>prednicarbate</i> .....	148	<i>prochlorperazine maleate</i> .....	78
<i>pink bismuth</i> .....	216	<i>prednisolone</i> .....	229	<i>proctosol hc</i> .....	148
<i>pioglitazone</i> .....	57	<i>prednisolone acetate</i> .....	209	<i>proctozone-hc</i> .....	148
<i>pioglitazone-metformin</i> .....	57			<b>PRODIGY INSULIN</b>	
<b>PIP PEN NEEDLE</b> .....	179			<b>SYRINGE</b> .....	180

<i>progesterone</i> .....	233	<i>quinapril-hydrochlorothiazide</i> .	106	REPATHA PUSHTRONEX	116
<i>progesterone micronized</i> .....	233	<i>quinidine gluconate</i> .....	108	REPATHA SURECLICK....	116
PROGRAF.....	239	<i>quinidine sulfate</i> .....	108	REPATHA SYRINGE.....	116
PROLASTIN-C.....	266	<i>quinine sulfate</i> .....	79	<i>repelemon eucalyptus</i> .....	142
PROLIA.....	249	<i>quit 2</i> .....	15	REPLICARE THIN.....	181
PROMACTA.....	99	<i>quit 4</i> .....	15, 16	RESTASIS.....	210
<i>promethazine</i> .....	71, 78	QULIPTA.....	74	RESTASIS MULTIDOSE....	210
<i>promethegan</i> .....	78	RABAVERT (PF).....	245	RESTORE EXTRA THIN	
<i>promolaxin</i> .....	222	<i>rabeprazole</i> .....	213	DRESSING.....	181
<i>propafenone</i> .....	107	RADICAVA.....	123	RETACRIT.....	99
<i>proparacaine</i> .....	204	<i>raloxifene</i> .....	228	RETEVMO.....	39
<i>propranolol</i> .....	109	<i>ramipril</i> .....	107	RETROVIR.....	92
<i>propranolol-hydrochlorothiazid</i>		<i>ranolazine</i> .....	111, 112	REVCOVI.....	200
.....	109	<i>rasagiline</i> .....	81	<i>revonto</i> .....	267
<i>propylthiouracil</i> .....	233	RASUVO (PF).....	239	REXULTI.....	86
PROQUAD (PF).....	245	RAVICTI.....	217	REYATAZ.....	92
<i>prosght</i> .....	279	RAYALDEE.....	249	REZLIDHIA.....	39
PROSOL 20 %.....	103	<i>reclipsen (28)</i> .....	131	REZUROCK.....	240
<i>protamine</i> .....	100	RECOMBIVAX HB (PF)....	245	RHOPRESSA.....	255
<i>protective ointment</i> .....	142	<i>redutemp</i> .....	8	RIABNI.....	39
<i>protriptyline</i> .....	54	<i>refenesen</i> .....	135	<i>ribavirin</i> .....	95
<i>provil</i> .....	12	REFRESH CLASSIC (PF)...	204	RIDAURA.....	240
<i>pseudoephedrine hcl</i> .....	135	REFRESH LACRI-LUBE...	204	<i>rifabutin</i> .....	76
<i>psyllium husk</i> .....	222	REFRESH LIQUIGEL.....	204	<i>rifampin</i> .....	76
PULMOZYME.....	200	REFRESH OPTIVE MEGA-		<i>rilpivirine</i> .....	92
PURE COMFORT PEN		3 (PF).....	207	<i>riluzole</i> .....	123
NEEDLE.....	180	REFRESH P.M.....	204	<i>rimantadine</i> .....	94
PURE COMFORT SAFETY		REFRESH TEARS.....	204	RINVOQ.....	240
PEN NEEDLE.....	180	REGRANEX.....	142	<i>risedronate</i> .....	249
<i>purelax</i> .....	219	<i>reguloid (psyllium husk)</i> .....	222	<i>risperidone</i> .....	86, 87
PURIXAN.....	39	REGULOID (PSYLLIUM		<i>risperidone microspheres</i> .....	86
<i>pyrazinamide</i> .....	76	HUSK-SUCRO).....	222	<i>ritonavir</i> .....	92
<i>pyridostigmine bromide</i> ...	252, 253	RELENZA DISKHALER.....	94	RITUXAN HYCELA.....	39
<i>pyridoxine (vitamin b6)</i>		RELEUKO.....	99	<i>rivastigmine</i> .....	52
.....	281, 282, 283	RELION NEEDLES.....	181	<i>rivastigmine tartrate</i> .....	52
<i>pyrimethamine</i> .....	79	RELION PEN NEEDLES....	181	RIVFLOZA.....	253
QINLOCK.....	39	RELISTOR.....	217	<i>rizatriptan</i> .....	74
QUADRACEL (PF).....	245	RENFLEXIS.....	239	<i>robafen</i> .....	135
<i>quetiapine</i> .....	86	<i>repaglinide</i> .....	57	<i>robafen cf (phenylephrine)</i> .....	135
<i>quinapril</i> .....	106	<i>repaglinide-metformin</i> .....	57	<i>robafen dm peak cold</i> .....	135

<i>robitussin cough and cold cf</i> ....	136	<i>selegiline hcl</i> .....	81	SIRTURO.....	76
<i>robitussin cough-chest cong dm</i> .....	136	<i>selenium sulfide</i> .....	144	<i>skin treatment</i> .....	140
ROBITUSSIN COUGH- SORE THROAT.....	136	<i>selsun blue (salicylic acid)</i> .....	142	SKY SAFETY PEN NEEDLE.....	182
ROCKLATAN.....	255	SELZENTRY.....	92	SKYRIZI.....	240
<i>roflumilast</i> .....	266	SEMGLEE(INSULIN GLARGINE-YFGN).....	60	SLYND.....	132
ROLVEDON.....	99	SEMGLEE(INSULIN GLARG-YFGN)PEN.....	60	<i>smoothlax</i> .....	223
<i>ropinirole</i> .....	81	<i>senexon-s</i> .....	222	<i>sodium bicarbonate</i> .....	217
<i>rosadan</i> .....	144	<i>senna</i> .....	223	<i>sodium chloride</i> .....	202, 204, 260
<i>rosuvastatin</i> .....	116, 117	<i>senna lax</i> .....	222	<i>sodium chloride 0.45 %</i> .....	260
ROTARIX.....	246	<i>senna laxative</i> .....	220	<i>sodium chloride 0.9 %</i> .....	260
ROTATEQ VACCINE.....	246	<i>senna plus</i> .....	219	<i>sodium citrate-citric acid</i> .....	260
ROZLYTREK.....	40	<i>senno</i> .....	223	<i>sodium ferric gluconat-sucrose</i>	280
RUBRACA.....	40	<i>sennosides</i> .....	223	<i>sodium fluoride</i> .....	137
<i>rufinamide</i> .....	49	<i>sennosides-docusate sodium</i> ....	223	<i>sodium fluoride-pot nitrate</i> .....	137
RUKOBIA.....	92	<i>senokot-s</i> .....	223	<i>sodium oxybate</i> .....	268
RUXIENCE.....	40	SEREVENT DISKUS.....	264	<i>sodium phenylbutyrate</i> .....	217
RYBELSUS.....	57	SEROSTIM.....	232	<i>sodium polystyrene sulfonate</i> ..	217
RYBREVANT.....	40	<i>sertraline</i> .....	54	<i>sodium,potassium,mag sulfates</i>	223
RYDAPT.....	40	<i>setlakin</i> .....	131	<i>solifenacin</i> .....	224
SAFESNAP INSULIN SYRINGE.....	182	<i>sevelamer carbonate</i> .....	224	SOLIQUA 100/33.....	60
SAFETY PEN NEEDLE.....	182	<i>sevelamer hcl</i> .....	224	SOLTAMOX.....	40
<i>sajazir</i> .....	112	SEZABY.....	49	SOLU-CORTEF ACT-O- VIAL (PF).....	230
<i>saline nasal</i> .....	202	<i>sf 5000 plus</i> .....	137	SOMATULINE DEPOT.....	232
<i>saline nasal mist</i> .....	202	<i>sharobel</i> .....	131	SOMAVERT.....	232
<i>saline nose</i> .....	204	SHINGRIX (PF).....	246	<i>soothing pureway-c</i> .....	280
<i>saline wound wash</i> .....	141	SIGNIFOR.....	232	<i>sorafenib</i> .....	40
SANTYL.....	142	<i>sildenafil (pulm.hypertension)</i>	268	<i>sorine</i> .....	109
<i>sapropterin</i> .....	200	<i>silver sulfadiazine</i> .....	144	<i>sotalol</i> .....	109
SAVELLA.....	123	SIMBRINZA.....	256	<i>sotalol af</i> .....	109
SCSEMBLIX.....	40	<i>simethicone</i> .....	210	SPIRIVA RESPIMAT.....	264
<i>scopolamine base</i> .....	78	<i>simliya (28)</i> .....	131	SPIRIVA WITH HANDIHALER.....	264
<i>scot-tussin expectorant</i> .....	136	<i>simpesse</i> .....	132	<i>spironolactone</i> .....	114, 117
SECUADO.....	87	<i>simvastatin</i> .....	117	<i>spironolacton-hydrochlorothiaz</i> .....	114
SECURESAFE INSULIN SYRINGE.....	182	<i>sinus pressure-cong relief pe</i> ....	104	SPRAVATO.....	55
SECURESAFE PEN NEEDLE.....	182	<i>sinus rinse</i> .....	204	<i>sprintec (28)</i> .....	132
		<i>sinus rinse starter</i> .....	204	SPRITAM.....	49
		<i>sinus wash</i> .....	204		
		<i>sirolimus</i> .....	240		

SPRYCEL.....	40	<i>sunitinib malate</i> .....	40	SYSTANE (PROPYLENE	
<i>sps (with sorbitol)</i> .....	217	SUNLENCA.....	92	GLYCOL).....	204
<i>sronyx</i> .....	132	SUNOSI.....	268	SYSTANE BALANCE.....	204
<i>ssd</i> .....	144	<i>super b-50 complex</i> .....	280	SYSTANE GEL.....	204
<i>st joseph aspirin</i> .....	13	<i>super calcium</i> .....	260	SYSTANE NIGHTTIME.....	205
<i>st. joseph aspirin</i> .....	13	<i>super multivitamin</i> .....	280	<i>tab-a-vite</i> .....	281
<i>stavudine</i> .....	92	<i>super quintis b-50</i> .....	280	<i>tab-a-vite multivitamin w-iron</i> .....	281
STELARA.....	240	<i>super thera vite m</i> .....	280	TABLOID.....	40
STIMUFEND.....	99	<i>suphedrin</i> .....	136	TABRECTA.....	41
<i>stimulant laxative plus</i> .....	223	<i>suphedrine 12 hour</i> .....	135	<i>tacrolimus</i> .....	148, 240
STIOLTO RESPIMAT.....	264	SUPPRELIN LA.....	232	<i>tadalafil</i> .....	268
STIVARGA.....	40	SURE COMFORT INS.		<i>tadalafil (pulm. hypertension)</i> .....	268
<i>stomach relief</i> .....	217	SYR. U-100.....	183	TAFINLAR.....	41
<i>stool softener</i> .....	220, 223	SURE COMFORT		<i>tafluprost (pf)</i> .....	256
<i>stop smoking aid</i> .....	15	INSULIN SYRINGE.....	183	TAGRISSO.....	41
STRENSIQ.....	200	SURE COMFORT PEN		<i>take action</i> .....	132
<i>streptomycin</i> .....	18	NEEDLE.....	183, 184	TAKHZYRO.....	253
<i>stress formula</i> .....	280	SURE COMFORT SAFETY		TALTZ AUTOINJECTOR..	240
<i>stress formula with iron</i> .....	280	PEN NEEDLE.....	183	TALTZ SYRINGE.....	241
<i>stress formula with iron(sulf)</i> .....	280	SURE-FINE PEN		TALVEY.....	41
<i>stress formula with zinc</i> .....	280	NEEDLES.....	184	TALZENNA.....	41
STRIBILD.....	92	SURE-JECT INSULIN		<i>tamoxifen</i> .....	41
STRIVERDI RESPIMAT....	264	SYRINGE.....	184	<i>tamsulosin</i> .....	225
SUBLOCADE.....	16	SURESITE MATRIX.....	253	<i>tarina 24 fe</i> .....	132
<i>subvenite</i> .....	49	SUTAB.....	223	<i>tarina fe 1-20 eq (28)</i> .....	132
<i>sucralfate</i> .....	213	<i>syeda</i> .....	132	TASCENSO ODT.....	123
<i>sudogest</i> .....	136	SYMDEKO.....	266	TASIGNA.....	41
<i>sudogest cold and allergy</i> .....	72	SYMJEPI.....	112	<i>tasimelteon</i> .....	268
<i>sulfacetamide sodium</i> .....	207	SYMLINPEN 120.....	57	TAVALISSE.....	100
<i>sulfacetamide sodium (acne)</i> ..	144	SYMLINPEN 60.....	57	<i>tazarotene</i> .....	149
<i>sulfacetamide-prednisolone</i> ....	207	SYMPAZAN.....	49	TAZORAC.....	149
<i>sulfadiazine</i> .....	25	SYMTUZA.....	92	<i>taztia xt</i> .....	110
<i>sulfamethoxazole-trimethoprim</i>		SYNAGIS.....	94	TAZVERIK.....	41
.....	25, 26	SYNAREL.....	232	TDVAX.....	246
<i>sulfasalazine</i> .....	248	SYNJARDY.....	58	TECENTRIQ.....	41
<i>sulindac</i> .....	13	SYNJARDY XR.....	58	TECHLITE INSULIN	
<i>sumatriptan</i> .....	75	SYNRIBO.....	40	SYRINGE.....	185
<i>sumatriptan succinate</i> .....	74, 75	SYRINGE WITH NEEDLE,		TECHLITE INSULN	
<i>sumatriptan-naproxen</i> .....	75	SAFETY.....	182	SYR(HALF UNIT).....	184, 185
<i>sunburn relief cooling</i> .....	13				





<i>triamcinolone acetonide</i>	TRUE COMFORT PEN	ULTICARE PEN NEEDLE
..... 137, 149, 210, 230	NEEDLE..... 188	..... 190, 191
<i>triamterene-hydrochlorothiazid</i>	TRUE COMFORT PRO INS	ULTICARE SAFETY PEN
..... 114	SYRINGE..... 187, 188	NEEDLE..... 191
<i>triazolam</i> ..... 18	TRUE COMFORT SAFETY	ULTIGUARD SAFEPACK-
<i>tricitrates</i> ..... 260	PEN NEEDLE..... 187	INSULIN SYR..... 191, 192
<i>tridacaine</i> ..... 14	<i>trueplus glucose</i> ..... 103	ULTIGUARD SAFEPACK-
<i>trientine</i> ..... 226	TRUEPLUS INSULIN . 189, 190	PEN NEEDLE..... 191, 192
<i>tri-estarylla</i> ..... 132	TRUEPLUS PEN NEEDLE 189	ULTILET INSULIN
<i>trifluoperazine</i> ..... 87	TRULICITY..... 58	SYRINGE..... 171, 192
<i>trifluridine</i> ..... 207	TRUMENBA..... 246	ULTILET PEN NEEDLE.... 192
<i>trihexyphenidyl</i> ..... 81	TRUQAP..... 42	ULTRA CMFT INS SYR
TRIJARDY XR..... 58	TRUXIMA..... 42	(HALF UNIT)..... 168, 182
TRIKAFTA..... 266	TUKYSA..... 42	ULTRA COMFORT
<i>tri-legest fe</i> ..... 132	<i>tulana</i> ..... 133	INSULIN SYRINGE
<i>tri-linyah</i> ..... 132	TURALIO..... 42	..... 162, 169, 192, 193
<i>tri-lo-estarylla</i> ..... 132	<i>turqoz (28)</i> ..... 133	ULTRA FLO INSUL
<i>tri-lo-marzia</i> ..... 132	<i>tussin</i> ..... 134	SYR(HALF UNIT)..... 193
<i>tri-lo-mili</i> ..... 132	<i>tussin cough-chest congestion</i> .. 135	ULTRA FLO INSULIN
<i>tri-lo-sprintec</i> ..... 132	<i>tussin dm</i> ..... 135	SYRINGE..... 193
<i>trimethoprim</i> ..... 20	<i>tussin dm max</i> ..... 135	ULTRA FLO PEN NEEDLE
<i>tri-mili</i> ..... 132	TWINRIX (PF)..... 246	..... 193
<i>trimipramine</i> ..... 55	<i>tyblume</i> ..... 133	<i>ultra strength antacid</i> ..... 213
TRINTELLIX..... 55	TYBOST..... 253	ULTRA THIN PEN
<i>tri-nymyo</i> ..... 132	TYMLOS..... 250	NEEDLE..... 193
<i>triple antibiotic</i> ..... 144	TYPHIM VI..... 247	ULTRACARE INSULIN
TRIPTODUR..... 232	TYSABRI..... 241	SYRINGE..... 194
<i>tri-sprintec (28)</i> ..... 132	TYVASO..... 269	ULTRACARE PEN
TRIUMEQ..... 93	UBRELVY..... 75	NEEDLE..... 194
TRIUMEQ PD..... 93	UDENYCA..... 100	ULTRA-THIN II (SHORT)
TRI-VI-SOL..... 281	UDENYCA	INS SYR..... 195
<i>trivora (28)</i> ..... 133	AUTOINJECTOR..... 99	ULTRA-THIN II (SHORT)
<i>tri-vylibra</i> ..... 133	UDENYCA ONBODY..... 100	PEN NDL..... 195
<i>tri-vylibra lo</i> ..... 133	ULTICARE..... 190, 191	ULTRA-THIN II INS PEN
TRIZIVIR..... 93	ULTICARE INSULIN	NEEDLES..... 195
TROGARZO..... 93	SYRINGE..... 190	ULTRA-THIN II INSULIN
TROPHAMINE 10 %..... 103	ULTICARE INSULN	SYRINGE..... 195
<i>tropium</i> ..... 225	SYR(HALF UNIT)..... 190	UNIFINE PEN NEEDLE.... 195
TRUE COMFORT		
INSULIN SYRINGE.... 187, 188		

UNIFINE PENTIPS	<i>vaseline white petroleum</i> .....	143	<i>vinorelbine</i> .....	43
.....	VEGZELMA.....	42	<i>viorele (28)</i> .....	133
UNIFINE PENTIPS	VEKLURY.....	96	VIRACEPT.....	93
MAXFLOW.....	VELCADE.....	42	VIREAD.....	93
UNIFINE PENTIPS PLUS..	<i>velivet triphasic regimen (28)</i> .	133	<i>vision</i> .....	282
UNIFINE PENTIPS PLUS	VELPHORO.....	224	<i>vision plus lutein</i> .....	282
MAXFLOW.....	VELTASSA.....	217	VISTOGARD.....	254
UNIFINE PROTECT.....	VEMLIDY.....	93	<i>vit a palmitate-vit c-vit d3</i> 275, 278	
UNIFINE SAFECONTROL	VENCLEXTA.....	42, 43	<i>vitafol</i> .....	282
.....	VENCLEXTA STARTING		<i>vitalets</i> .....	282
UNIFINE SAFECONTROL	PACK.....	43	<i>vitamin a</i> .....	282
PEN NEEDLE.....	<i>venlafaxine</i> .....	55	<i>vitamin b complex</i> ....	269, 279, 282
UNIFINE ULTRA PEN	<i>venlafaxine besylate</i> .....	55	<i>vitamin b complex-folic acid</i> ...	282
NEEDLE.....	<i>verapamil</i> .....	110, 111	<i>vitamin b-1</i> .....	271
UPTRAVI.....	VERIFINE INSULIN		<i>vitamin b-12</i> .....	270
<i>ursodiol</i> .....	SYRINGE.....	197, 198	<i>vitamin b-6</i> .....	283
UZEDY.....	VERIFINE PEN NEEDLE		<i>vitamin c</i> .....	274, 280, 283
VAGINAL	.....	197, 198	<i>vitamin c with rose hips</i> .....	271
CONTRACEPTIVE FILM..	VERIFINE PLUS PEN		<i>vitamin d3</i> .....	283
<i>valacyclovir</i> .....	NEEDLE.....	198	<i>vitamin k</i> .....	283
VALCHLOR.....	VERIFINE PLUS PEN		<i>vitamin k1</i> .....	283
<i>valganciclovir</i> .....	NEEDLE-SHARP.....	198	<i>vitamins b complex</i> .....	270, 282
<i>valproate sodium</i> .....	VERQUVO.....	112	<i>vitatrum</i> .....	284
<i>valproic acid</i> .....	VERSACLOZ.....	87	VITRAKVI.....	43
<i>valproic acid (as sodium salt)</i> ...	<i>verticalm</i> .....	78	<i>vitrum senior</i> .....	284
<i>valsartan</i> .....	VERZENIO.....	43	<i>vits a and d-white pet-lanolin</i> ...	142
<i>valsartan-hydrochlorothiazide</i> .	<i>vestura (28)</i> .....	133	VIZIMPRO.....	43
VALTOCO.....	V-GO 20.....	198	VOCABRIA.....	93
VANATAB DM.....	V-GO 30.....	198	<i>volnea (28)</i> .....	133
<i>vancomycin</i> .....	V-GO 40.....	198	VONJO.....	43
VANFLYTA.....	<i>vicks sinex ultra fine mist 12</i> ...	205	<i>voriconazole</i> .....	65, 66
<i>vanicream hc</i> .....	<i>vienna</i> .....	133	VOSEVI.....	95
VANISHPOINT INSULIN	<i>vigabatrin</i> .....	50	<i>votriza-al</i> .....	66
SYRINGE.....	<i>vigadrone</i> .....	50	VOWST.....	254
VANISHPOINT SYRINGE.	<i>vigpoder</i> .....	50	VPRIV.....	200
VAQTA (PF).....	<i>vilazodone</i> .....	55	VRAYLAR.....	88
<i>varenicline</i> .....	VIMIZIM.....	200	VUMERITY.....	124
VARIVAX (PF).....	<i>vinblastine</i> .....	43	<i>vyfemla (28)</i> .....	133
VASCEPA.....	<i>vincasar pfs</i> .....	43	<i>vylibra</i> .....	133
VASELINE.....	<i>vincristine</i> .....	43		

VYZULTA.....	256	XARELTO DVT-PE TREAT		ZEGALOGUE	
<i>wal-act d cold and allergy</i> .....	72	30D START.....	97	AUTOINJECTOR.....	254
<i>wal-dram 2</i> .....	78	XATMEP.....	44	ZEGALOGUE SYRINGE...	254
<i>wal-dryl allergy</i> .....	72	XCOPRI.....	50	ZEJULA.....	44
<i>wal-fex allergy</i> .....	72, 73	XCOPRI MAINTENANCE		ZELBORAF.....	44
<i>wal-finate-d</i> .....	73	PACK.....	50	<i>zenatane</i> .....	143
<i>walgreens dry skin treatment</i> ..	140	XCOPRI TITRATION		ZENPEP.....	200
<i>wal-itin</i> .....	68, 73	PACK.....	51	<i>zidovudine</i> .....	93
<i>wal-itin d</i> .....	73	XELJANZ.....	241	ZIEXTENZO.....	100
<i>wal-itin d 12 hour</i> .....	73	XELJANZ XR.....	241	<i>zinc oxide</i> .....	142, 143
WAL-MUCIL FIBER		XERMELO.....	217	<i>zinc oxide diaper cream</i> .....	139
(ASPARTAME).....	223	XGEVA.....	250	<i>ziprasidone hcl</i> .....	88
WAL-MUCIL FIBER		XHANCE.....	210	<i>ziprasidone mesylate</i> .....	88
(SUGAR).....	223	XIFAXAN.....	20	ZIRABEV.....	45
<i>wal-phed</i> .....	73, 136	XIGDUO XR.....	58	ZIRGAN.....	207
<i>wal-phed d</i> .....	136	XIIDRA.....	210	ZOLADEX.....	45
<i>wal-phed pe</i> .....	104	XOFLUZA.....	94	<i>zoledronic acid</i> .....	250
<i>wal-profen</i> .....	13	XOLAIR.....	266	<i>zoledronic acid-mannitol-water</i>	
<i>wal-proxen</i> .....	13	XOSPATA.....	44	.....	250
<i>wal-tussin</i> .....	136	XPOVIO.....	44	ZOLINZA.....	45
<i>wal-tussin dm clear</i> .....	136	XTAMPZA ER.....	8	<i>zolmitriptan</i> .....	75
<i>wal-zyr (cetirizine)</i> .....	73	XTANDI.....	44	<i>zolpidem</i> .....	268
<i>wal-zyr (ketotifen)</i> .....	205	<i>xulane</i> .....	133	ZONISADE.....	51
<i>wal-zyr d</i> .....	73	XULTOPHY 100/3.6.....	61	<i>zonisamide</i> .....	51
<i>warfarin</i> .....	97	XYOSTED.....	227	<i>zostrix-hp</i> .....	143
WELIREG.....	43	<i>xyzbac</i> .....	284	<i>zostrix-hp foot</i> .....	143
<i>wera (28)</i> .....	133	<i>yargesa</i> .....	200	<i>zovia I-35 (28)</i> .....	134
WHITE PETROLATUM		YERVOY.....	44	ZTALMY.....	51
.....	140, 143	YF-VAX (PF).....	247	ZTLIDO.....	14
WHITE PETROLATUM		YONSA.....	44	<i>zumandimine (28)</i> .....	134
(BULK).....	142	<i>yuvaferm</i> .....	228	ZURZUVAE.....	55
WHITE PETROLEUM		<i>zafemy</i> .....	133	ZYDELIG.....	45
JELLY.....	143	<i>zafirlukast</i> .....	262	ZYKADIA.....	45
WINREVAIR.....	266	<i>zaleplon</i> .....	268	ZYLET.....	207
<i>wixela inhub</i> .....	262	<i>zantac-360 (famotidine)</i> .....	213	ZYMFENTRA.....	254
<i>wound wash saline</i> .....	140	<i>zarah</i> .....	134	ZYNLONTA.....	45
XADAGO.....	81	ZARXIO.....	100	ZYNYZ.....	45
XALKORI.....	43, 44	<i>zeasorb af</i> .....	66	ZYPREXA RELPREVV.....	88
XARELTO.....	97	<i>zebutal</i> .....	8	ZYRTEC.....	73
				<i>zyvit</i> .....	284