



Your Plan YOUR WAY

PHP Care Complete FIDA-IDD
(Medicare - Medicaid Plan)

2025 FORMULARY

(LIST OF COVERED DRUGS)

Updated on 06/27/2025

Important Information About What You Pay for Vaccines: Some vaccines are considered medical benefits. Other vaccines are considered Part drugs. Our plan covers most Part D vaccines at no cost to you. For more recent information or other questions, contact us at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week, or visit www.phpcares.org.

PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) | 2025 List of Covered Drugs (Formulary)

Introduction

This document is called the *List of Covered Drugs* (also known as the *Drug List*). It tells you which prescription drugs over-the-counter drugs and items are covered by PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan). The *Drug List* also tells you if there are any special rules or restrictions on any drugs covered by PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan). Key terms and their definitions appear in the last chapter of the *Participant Handbook*.

Table of Contents

A. Disclaimers.....	4
B. Frequently Asked Questions (FAQ)	4
B1. What prescription drugs are on the <i>List of Covered Drugs</i> ? (We call the <i>List of Covered Drugs</i> the “ <i>Drug List</i> ” for short.)	4
B2. Does the <i>Drug List</i> ever change?	5
B3. What happens when there is a change to the <i>Drug List</i> ?	6
B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?	7
B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?.....	8
B6. What happens if PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?	8
B7. How can I find a drug on the <i>Drug List</i> ?.....	8
B8. What if the drug I want to take is not on the <i>Drug List</i> ?	9
B9. What if I am a new PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) Participant and can’t find my drug on the <i>Drug List</i> or have a problem getting my drug?	9
B10. Can I ask for an exception to cover my drug?	10
B11. How can I ask for an exception?	10
B12. How long does it take to get an exception?	10

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



B13. What are generic drugs?.....	10
B14. What are original biological products and how are they related to biosimilars?	11
B15. What are OTC drugs?.....	11
B16. Does PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) cover non-drug OTC products?	11
B17. What is my copay?.....	11
B18. What are drug tiers?	11
C. Overview of the <i>List of Covered Drugs</i>	12
C1. Drugs Grouped by Medical Condition.....	12
D. Index of Covered Drugs	15

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



A. Disclaimers

This is a list of drugs that Participants can get in PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan).

- ❖ Partners Health Plan is a managed care plan that contracts with Medicare and the New York State Department of Health (Medicaid) to provide benefits to Participants through the Fully Integrated Duals Advantage for individuals with Intellectual and Developmental Disabilities (FIDA-IDD) Demonstration.
- ❖ You can get this document for free in other formats, such as large print, braille, or audio. Call 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free.
- ❖ We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter just call us at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM seven days a week. Someone that speaks Spanish, Chinese, Tagalog, French, Vietnamese, German, Korean, Russian, Arabic, Italian, Portuguese, French Creole, Polish, Hindi, or Japanese can help you. This is a free service.
- ❖ This document is available for free in Spanish.
- ❖ If you would like to make or change a standing request for a preferred language or format, call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week and we will keep this on file for future mailings and communications. If we do not receive a request for a preferred language or format, we will provide you with your materials in English.
- ❖ The State of New York has created a Participant ombudsman program called the Independent Consumer Advocacy Network (ICAN) to provide Participants free, confidential assistance on any services offered by PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan). ICAN may be reached toll-free at 1-844-614-8800 (TTY users call 711, then follow the prompts to dial 844-614-8800) or online at icannys.org.

B. Frequently Asked Questions (FAQ)

Find answers here to questions you have about this *List of Covered Drugs*. You can read all of the FAQ to learn more or look for a question and answer.

B1. What prescription drugs are on the *List of Covered Drugs*? (We call the *List of Covered Drugs* the “*Drug List*” for short.)

The drugs on the *List of Covered Drugs* in section 1 are the drugs covered by PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan). These drugs are available at pharmacies

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) will cover all drugs on the *Drug List* if:
 - your doctor or other prescriber says you need them to get better or stay healthy,
 - the drug is medically necessary for your condition, **and**
 - you fill the prescription at a PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) network pharmacy.
- PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) may have additional steps to access certain drugs (refer to question B4 below). In some cases, you may have to do something before you can get a drug, like try other drugs first.

You can also find an up-to-date list of drugs that we cover on our website at www.phpcares.org or call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.

B2. Does the *Drug List* ever change?

Yes, and PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) must follow Medicare and Medicaid rules when making changes. We may add or remove drugs on the *Drug List* during the year.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior approval (PA) for a drug. (PA is permission from PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) or your Interdisciplinary Team (IDT) before you can get a drug.)
- Add or change the amount of a drug you can get (called quantity limits).
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we will cover another drug.)

For more information on these drug rules, refer to question B4.

If you are taking a drug that was covered at the **beginning** of the year, we will generally not remove or change coverage of that drug **during the rest of the year** unless:

- a new, cheaper drug comes on the market that works as well as a drug on the *Drug List* now, **or**

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



- we learn that a drug is not safe, **or**
- a drug is removed from the market.

Questions B3 and B6 below have more information on what happens when the *Drug List* changes.

- You can always check PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan)'s up to date *Drug List* online at www.phpcares.org. Updates to the *Drug List* are posted on the website monthly.
- You can also call Participant Services to check the current *Drug List* at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.

B3. What happens when there is a change to the *Drug List*?

Some changes to the *Drug List* will happen **immediately**. For example:

- **Substitutions of certain new version of drugs.** We may immediately remove the drugs from the *Drug List* if we replace them with certain new versions of that drug but your cost for the new drug will stay the same. When we add a new version of a drug, we may also decide to keep the brand name drug or original biological product on the list but change its coverage rules or limits.
 - We may not tell you before we make this change, but we will send you information about the specific change we made once it happens.
 - We can make these changes only if the drug we are adding:
 - Is a new generic version of a brand name drug, or
 - Is a certain new biosimilar version of original biological products on the *Drug List* (for example, adding an interchangeable biosimilar that can be substituted for an original biological product without a new prescription).

Some of these drug types may be new to you. For more information, refer to Section B14.

- You or your provider can ask for an exception from these changes. We will send you a notice with the steps you can take to ask for an exception. Please refer to question B10 for more information on exceptions.
- **A drug is taken off the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not safe or effective or the drug's manufacturer takes a drug off the market, we may immediately take it off the *Drug List*. If you are taking the drug, we will also send you a letter and call you to tell you that the unsafe drug was

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



taken off the *Drug List*. If you receive a letter, please review with your prescriber and/or your Care Manager for next steps.

We may make other changes that affect the drugs you take. We will tell you in advance about these other changes to the *Drug List*. These changes might happen if:

- The FDA provides new guidance or there are new clinical guidelines about a drug.
- We add a generic drug and replace a brand name drug currently on the *Drug List*, or
- We add a new biosimilar to replace an original biological product currently on the *Drug List*, or
- We change the coverage rules or limits for the brand name drug.

When these changes happen, we will:

- Tell you at least 30 days before we make the change to the *Drug List* **or**
- Let you know and give you a 30-day supply of the drug after you ask for a refill.

This will give you time to talk to your doctor or other prescriber. They can help you decide:

- If there is a similar drug on the *Drug List* you can take instead **or**
- Whether to ask for an exception from these changes. To learn more about exceptions, refer to question B10.

B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior authorization (PA) or approval:** For some drugs, you or your doctor or other prescriber must get PA from PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) or your IDT before you fill your prescription. PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) may not cover the drug if you do not get approval.
- **Quantity limits:** Sometimes PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) limits the amount of a drug you can get.
- **Step therapy:** Sometimes PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



before we will cover another drug. If your doctor thinks the first drug doesn't work for you, then we will cover the second.

You can find out if your drug has any additional requirements or limits by looking in the tables in section C1. You can also get more information by visiting our website at www.phpcares.org. We have posted online documents that explain our PA and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an exception from these limits. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the *Drug List* you can take instead or whether to ask for an exception. Please refer to questions B10-B12 for more information about exceptions.

B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?

The table of drugs in section C1 has a column labeled "Necessary actions, restrictions, or limits on use."

B6. What happens if PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?

In some cases, we will tell you in advance if we add or change PA, quantity limits, and/or step therapy restrictions on a drug. Refer to question B3 for more information about this advance notice and situations where we may not be able to tell you in advance when our rules about drugs on the *Drug List* change.

B7. How can I find a drug on the *Drug List*?

There are two ways to find a drug:

- You can search alphabetically by the drug's name, **or**
- You can search by medical condition.

To search **alphabetically**, refer to the Index of Covered Drugs section. Then look for the name of your drug in the list.

To search **by medical condition**, find the section labeled "Drugs Grouped by Medical Condition" in section C1. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Angiotensin-Converting Enzyme (ACE) Inhibitors. That is where you will find drugs that treat heart conditions.

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



B8. What if the drug I want to take is not on the *Drug List*?

If you don't find your drug on the *Drug List*, call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week and ask about it. If you learn that PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) will not cover the drug, you can do one of these things:

- Ask Participant Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. They can prescribe a drug on the *Drug List* that is like the one you want to take. **Or**
- You can ask the plan or your IDT to make an exception to cover your drug. Please refer to questions B10-B12 for more information about exceptions.

B9. What if I am a new PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) Participant and can't find my drug on the *Drug List* or have a problem getting my drug?

We can help. We must cover a temporary 30-day supply of your drug, as needed, during the first 90 days you are a Participant of PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan). This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the *Drug List* you can take instead or whether to ask for an exception.

If your prescription is written for fewer days, we will allow multiple refills to provide up to a maximum of 30 days of medication.

We will cover a 30-day supply of your drug if:

- you are taking a drug that is not on our *Drug List*, **or**
- health plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires PA by PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) or your IDT, **or**
- you are taking a drug that is part of a step therapy restriction.

If you are in an intermediate care facility (ICF) or other long-term care (LTC) facility and need a drug that is not on the *Drug List* or if you cannot easily get the drug you need, we can help. If you have been in the plan for more than 90 days, live in a LTC facility, and need a supply right away:

- We will cover one 31-day supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) Participant.
- This is in addition to the temporary supply during the first 90 days you are a Participant of PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan).

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



B10. Can I ask for an exception to cover my drug?

Yes. You can ask PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) or your IDT to make an exception to cover a drug that is not on the *Drug List*.

You can also ask PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) or your IDT to change the rules on your drug.

- For example, PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) may limit the amount of a drug we will cover. If your drug has a limit, you can ask us or your IDT to change the limit and cover more.
- Other examples: You can ask us or your IDT to drop step therapy restrictions or PA requirements.

B11. How can I ask for an exception?

To ask for an exception, call your Care Manager. Your Care Manager will work with you and your provider to help you ask for an exception. You can also read Chapter 9, Section F, of the *Participant Handbook* to learn more about exceptions.

B12. How long does it take to get an exception?

After we get a statement from your prescriber supporting your request for an exception, we will give you a decision within 72 hours. To file an exception, please contact us by mail at: 10181 SCRIPPS GATEWAY COURT, SAN DIEGO, CA 92131; by phone at 1-888-648-6759; or by fax at 1-858-790-7100.

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, you will get a decision within 24 hours of getting your prescriber's supporting statement.

B13. What are generic drugs?

Generic drugs are made up of the same active ingredients as brand name drugs. They usually cost less than the brand name drug and generally work just as well. They usually don't have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA). There are generic drugs available for many brand name drugs. Generic drugs usually can be substituted for brand name drugs at the pharmacy without a new prescription—depending on state laws.

PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) covers both brand name drugs and generic drugs.

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



B14. What are original biological products and how are they related to biosimilars?

When we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have forms that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilars alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

For more information on drug types, refer to Chapter 5 of the *Participant Handbook*.

B15. What are OTC drugs?

OTC stands for “over-the-counter”. PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) covers some OTC drugs when they are written as prescriptions by your provider.

You can read the PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) *Drug List* to find what OTC drugs are covered.

B16. Does PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) cover non-drug OTC products?

PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) covers some non-drug OTC products when they are written as prescriptions by your provider.

You can read the PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) *Drug List* to find what non-drug OTC products are covered.

B17. What is my copay?

As a PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) Participant, you have no copays for prescription and OTC drugs as long as you follow PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan)’s rules.

B18. What are drug tiers?

Tiers are groups of drugs on our *Drug List*.

- Tier 1 drugs are generic drugs.
- Tier 2 drugs are brand name drugs.
- Tier 3 are Medicaid-covered drugs and Medicaid-covered Over-the-Counter Drugs.

All tiers have no copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



C. Overview of the *List of Covered Drugs*

The following list of covered drugs gives you information about the drugs covered by PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan). If you have trouble finding your drug in the list, turn to the Index of Covered Drugs that begins in section D. The index alphabetically lists all drugs covered by PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan).

The first column of the chart lists the name of the drug. Brand name drugs are capitalized (e.g., PAXIL or LAMISIL) and generic drugs are listed in lower-case italics (e.g., *ibuprofen*).

The information in the necessary actions, restrictions, or limits on use column tells you if PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) has any rules for covering your drug.

Note: The * next to a drug means the drug is not a “Part D drug.” These drugs have different rules for appeals.

- An appeal is a formal way of asking for a review of and change to a coverage decision if you think there was a mistake. For example, PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) or your IDT might decide that a drug that you want is not covered or is no longer covered by Medicare or Medicaid.
- If you or your doctor or other prescriber disagrees with the decision, you can appeal. To ask for instructions on how to appeal:
 - Call Participant Services at 1-855-747-5483.
 - Contact ICAN toll-free at 1-844-614-8800 (TTY users call 711, then follow the prompts to dial 844-614-8800) or online at [icannys.org](https://www.icannys.org).
 - Read Chapter 9, Section F, of the *Participant Handbook* to learn how to appeal a decision.

C1. Drugs Grouped by Medical Condition

The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Angiotensin-Converting Enzyme (ACE) Inhibitors. That is where you will find drugs that treat heart conditions.

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



Here are the meanings of the codes used in the “Necessary actions, restrictions, or limits on use” column:

PA = Prior authorization (approval): you must have approval from the plan before you can get this drug.

PA NSO = Prior authorization (approval): you must have approval from the plan before you can get this drug – New Starts Only.

PA BvD = Prior authorization (approval): you must have approval from the plan before you can get this drug – Part D vs. Part B coverage determination applies.

ST = Step therapy: you must try another drug before you can get this one.

QL = Quantity limit: limit to the amount of a drug you can get.

NM = Not available through Mail Order.

* = Not a Part D Drug.

PA-HRM = This drug has been deemed by CMS to be potentially harmful and therefore, a High-Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from the plan before you fill your prescription for this drug. Without prior approval, the plan may not cover this drug.

NDS = Those drugs that are limited to a 30-day supply.

LA = This prescription may be available only at certain pharmacies.

AGE: AGE (Max 64 years), age is older than X.

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



<Therapeutic Category> –

Name of drug	Tier level	What the drug will cost you	Necessary actions, restrictions, or limits on use
<Therapeutic Class Name 1> – [Optional: <Plain Language Description>]			
<Drug Name 1>	<Tier Level>	\$0	<Util. Mgmt.>
<Drug Name 2>	<Tier Level>	\$0	<Util. Mgmt.>
<Therapeutic Class Name 2> – [Optional: <Plain Language Description>]			
<Drug Name 1>	<Tier Level>	\$0	<Util. Mgmt.>
<Drug Name 2>	<Tier Level>	\$0	<Util. Mgmt.>

If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



D. Index of Covered Drugs



If you have questions, please call PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

Table of Contents

Analgesics	3
Anesthetics	13
Anti-Addiction/Substance Abuse Treatment Agents	14
Antianxiety Agents	16
Antibacterials	18
Anticancer Agents	27
Anticonvulsants	47
Antidementia Agents	53
Antidepressants	54
Antidiabetic Agents	58
Antifungals	64
Antigout Agents	69
Antihistamines	69
Anti-Infectives (Skin And Mucous Membrane)	76
Antimigraine Agents	76
Antimycobacterials	78
Antinausea Agents	78
Antiparasite Agents	80
Antiparkinsonian Agents	81
Antipsychotic Agents	83
Antivirals (Systemic)	91
Blood Products/Modifiers/Volume Expanders	98
Caloric Agents	102
Cardiovascular Agents	104
Central Nervous System Agents	117
Contraceptives	123
Cough And Cold Products	135
Dental And Oral Agents	138
Dermatological Agents	139
Devices	151
Enzyme Cofactors/Chaperones	201
Enzyme Replacement/Modifiers	201
Eye, Ear, Nose, Throat Agents	203

Gastrointestinal Agents	212
Genitourinary Agents	227
Heavy Metal Antagonists	228
Hormonal Agents, Stimulant/Replacement/Modifying	229
Immunological Agents	236
Inflammatory Bowel Disease Agents	250
Metabolic Bone Disease Agents	251
Miscellaneous Therapeutic Agents	253
Mouthwashes And Gargles	256
Ophthalmic Agents	256
Replacement Preparations	258
Respiratory Tract Agents	263
Skeletal Muscle Relaxants	268
Sleep Disorder Agents	269
Vasodilating Agents	269
Vitamins And Minerals	270

Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Analgesics				
Analgesics, Miscellaneous				
<i>8hr arthritis pain er 650 mg *</i>	(acetaminophen)	3	\$0	
<i>acetaminophen 120 mg suppos outer *</i>	(Feverall)	3	\$0	
<i>acetaminophen 325 mg tablet *</i>	(Aminofen)	3	\$0	
<i>acetaminophen 500 mg tablet *</i>	(Non-Aspirin Pain Relief)	3	\$0	
<i>acetaminophen 650 mg suppos *</i>	(Feverall)	3	\$0	
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>		1	\$0	QL (4500 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>		1	\$0	QL (360 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-60 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>aminofen 325 mg tablet *</i>	(acetaminophen)	3	\$0	
<i>arthritis pain er 650 mg caplt *</i>	(acetaminophen)	3	\$0	
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	(codeine-butalbital-asa-caff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>betatemp 160 mg/5 ml susp *</i>	(acetaminophen)	3	\$0	
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	(Butrans)	1	\$0	QL (4 per 28 days); NDS
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i>	(Fioricet with Codeine)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>		1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	(Tencon)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>	1	\$0	QL (5 per 28 days); NDS
<i>child acetaminophen 80 mg chew fruit *</i> (acetaminophen)	3	\$0	
<i>child tylenol 160 mg tab chew *</i> (acetaminophen)	3	\$0	
<i>children's mapap 80 mg tab chw *</i> (acetaminophen)	3	\$0	
<i>child's mapap 160 mg tab chew *</i> (acetaminophen)	3	\$0	
<i>chld acetaminophen 160 mg/5 ml gluten/f, cherry *</i> (acetaminophen)	3	\$0	
<i>codeine sulfate oral tablet 15 mg, 60 mg</i>	2	\$0	QL (180 per 30 days); NDS
<i>codeine sulfate oral tablet 30 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>codeine-bitalbital-asa-caff oral capsule 30-50-325-40 mg</i> (Ascomp with Codeine)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>cvs 8hr arthrit pain er 650 mg *</i> (acetaminophen)	3	\$0	
<i>cvs 8hr muscle aches er 650 mg *</i> (acetaminophen)	3	\$0	
<i>cvs acetaminophen 500 mg/15 ml *</i> (Mapap (acetaminophen))	3	\$0	
<i>cvs arthrit pain rlf er 650 mg *</i> (acetaminophen)	3	\$0	
<i>cvs child pain relief 160 mg *</i> (acetaminophen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs child pain rlf 160 mg/5 ml children's *</i>	(acetaminophen)	3	\$0	
<i>cvs tension headache gelcap 500-65 mg *</i>		3	\$0	
<i>endocet oral tablet 10-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (180 per 30 days); NDS
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (360 per 30 days); NDS
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (240 per 30 days); NDS
<i>eq pain relief 500 mg/15 ml lq *</i>	(acetaminophen)	3	\$0	
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>		1	\$0	PA; QL (120 per 30 days); NDS
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>		1	\$0	QL (10 per 30 days); NDS
<i>feverall 120 mg suppository children's, outer *</i>	(acetaminophen)	3	\$0	
<i>feverall 325 mg suppository junior str, outer *</i>	(acetaminophen)	3	\$0	
<i>feverall 650 mg suppository adult, inner *</i>	(acetaminophen)	3	\$0	
FEVERALL 80 MG SUPPOSITORY INFANT'S, OUTER *		3	\$0	
<i>fioricet oral capsule 50-300-40 mg</i>	(butalbital-acetaminophen-caff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>gnp 8hr acetaminophen er 650 mg *</i>	(acetaminophen)	3	\$0	
<i>gnp child pain relief 160 mg *</i>	(acetaminophen)	3	\$0	
<i>gnp infant pain-fever 160 mg/5 w/syringe, grape 160 mg/5 ml *</i>	(acetaminophen)	3	\$0	
<i>hm pain relief er 650 mg cplt *</i>	(acetaminophen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>	1	\$0	QL (2700 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 5-300 mg, 5-325 mg</i>	1	\$0	QL (240 per 30 days); NDS
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	1	\$0	QL (150 per 30 days); NDS
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	1	\$0	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	1	\$0	QL (1200 per 30 days); NDS
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	\$0	QL (180 per 30 days); NDS
<i>mapap 500 mg capsule *</i> (acetaminophen)	3	\$0	
<i>mapap 500 mg/15 ml liquid *</i> (acetaminophen)	3	\$0	
<i>methadone oral solution 10 mg/5 ml</i>	1	\$0	QL (600 per 30 days); NDS
<i>methadone oral solution 5 mg/5 ml</i>	1	\$0	QL (1200 per 30 days); NDS
<i>methadone oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>methadone oral tablet 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	\$0	PA; QL (180 per 30 days); NDS
<i>morphine oral solution 10 mg/5 ml</i>	1	\$0	QL (700 per 30 days); NDS
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	\$0	QL (300 per 30 days); NDS
MORPHINE ORAL TABLET 15 MG	2	\$0	QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MORPHINE ORAL TABLET 30 MG	2	\$0	QL (120 per 30 days); NDS
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	1	\$0	QL (60 per 30 days); NDS
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	\$0	QL (90 per 30 days); NDS
<i>morphine oral tablet extended release 60 mg</i> (MS Contin)	1	\$0	QL (60 per 30 days); NDS
<i>m-pap 160 mg/5 ml liquid *</i> (acetaminophen)	3	\$0	
<i>non-aspirin 80 mg tab chew children's *</i> (acetaminophen)	3	\$0	
<i>oxycodone oral capsule 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone oral concentrate 20 mg/ml</i>	1	\$0	PA; QL (120 per 30 days); NDS
<i>oxycodone oral solution 5 mg/5 ml</i>	1	\$0	QL (1300 per 30 days); NDS
<i>oxycodone oral tablet 10 mg, 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	1	\$0	QL (120 per 30 days); NDS
<i>oxycodone oral tablet 20 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	1	\$0	QL (360 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	1	\$0	QL (240 per 30 days); NDS
<i>oxymorphone oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>oxymorphone oral tablet 5 mg</i>	1	\$0	QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>		1	\$0	QL (60 per 30 days); NDS
<i>pain relief adult 500 mg/15 ml *</i>	(acetaminophen)	3	\$0	
<i>pharbetol 325 mg tablet regular strength *</i>	(acetaminophen)	3	\$0	
<i>pharbetol 500 mg tablet extra strength *</i>	(acetaminophen)	3	\$0	
<i>qc acetaminophen 8-hr 650 mg caplet *</i>	(8 Hour Pain Reliever)	3	\$0	
<i>qc non-aspirin 500 mg gelcap gelcap, ex-str *</i>	(acetaminophen)	3	\$0	
<i>qc non-aspirin 500 mg tablet extra strength *</i>	(acetaminophen)	3	\$0	
<i>ra arthritis pain er 650 mg caplet *</i>	(acetaminophen)	3	\$0	
<i>ra athenol 325 mg tablet *</i>	(acetaminophen)	3	\$0	
<i>ra fever reducer-pain 160 mg/5 infant w/syr,d/f 160 mg/5 ml *</i>	(acetaminophen)	3	\$0	
<i>ra non-aspirin 160 mg/5 ml children's,cherry *</i>	(acetaminophen)	3	\$0	
<i>ra tension headache pain cplt 500-65 mg *</i>		3	\$0	
<i>redutemp 500 mg/15 ml liquid *</i>	(acetaminophen)	3	\$0	
<i>shake that ache 500 mg caplet *</i>	(acetaminophen)	3	\$0	
<i>tencon oral tablet 50-325 mg</i>	(butalbital-acetaminophen)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>tension headache caplet 500-65 mg *</i>		3	\$0	
<i>tension headache relief oral tablet 500-65 mg *</i>		3	\$0	
<i>tramadol oral tablet 50 mg</i>		1	\$0	QL (240 per 30 days); NDS
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>		1	\$0	QL (300 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>zebutal oral capsule 50-325-40 mg</i>	(butalbital-acetaminophen-caff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
Nonsteroidal Anti-Inflammatory Agents				
<i>addaprin 200 mg tablet *</i>	(ibuprofen)	3	\$0	
<i>aspirin 300 mg suppository *</i>		3	\$0	
<i>aspirin 325 mg tablet *</i>	(Bayer Aspirin)	3	\$0	
<i>aspirin 81 mg chewable tablet *</i>	(St Joseph Aspirin)	3	\$0	
<i>aspirin ec 325 mg tablet *</i>	(Ecotrin)	3	\$0	
<i>aspirin ec 81 mg tablet *</i>	(Bayer Low Dose Aspirin)	3	\$0	
<i>bayer low dose ec 81 mg tab *</i>	(aspirin)	3	\$0	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	(Celebrex)	1	\$0	QL (60 per 30 days)
<i>child ibuprofen 200 mg/10 ml cup outer 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>children ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>children ibuprofen 100 mg/5 ml berry flavor *</i>	(ibuprofen)	3	\$0	
<i>children ibuprofen 100 mg/5 ml gluten-free *</i>	(ibuprofen)	3	\$0	
<i>cvs chld ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>cvs migraine 250-250-65 mg cpt coated caplet *</i>	(aspirin-acetaminophen-caffeine)	3	\$0	
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i>	(Flector)	2	\$0	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>		1	\$0	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>		1	\$0	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	1	\$0	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	1	\$0	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	1	\$0	QL (300 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	1	\$0	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	1	\$0	PA; QL (224 per 28 days); NDS
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	\$0	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	\$0	
<i>diflunisal oral tablet 500 mg</i>	1	\$0	
<i>ec-naproxen dr 375 mg tablet</i> (naproxen)	1	\$0	
<i>ec-naproxen dr 500 mg tablet</i> (naproxen)	1	\$0	
<i>ecotrin ec 325 mg tablet safety coated *</i> (aspirin)	3	\$0	
<i>eq child ibuprofen 100 mg/5 ml berry *</i> (ibuprofen)	3	\$0	
<i>eq child ibuprofen 100 mg/5 ml d/f, berry, child *</i> (ibuprofen)	3	\$0	
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	\$0	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	\$0	
<i>etodolac oral tablet 500 mg</i>	1	\$0	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	1	\$0	
<i>flurbiprofen oral tablet 100 mg</i> (Lurbipr)	1	\$0	
<i>ft child ibuprofen 100 mg/5 ml *</i> (ibuprofen)	3	\$0	
<i>gs child ibuprofen 100 mg/5 ml *</i> (ibuprofen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hm child ibuprofen 100 mg/5 ml berry *</i>	(ibuprofen)	3	\$0	
<i>ibu oral tablet 400 mg</i>	(ibuprofen)	1	\$0	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i>	(ibuprofen)	1	\$0	
<i>ibuprofen 100 mg/5 ml susp (otc) *</i>	(Children's Ibuprofen)	3	\$0	
<i>ibuprofen 200 mg softgel *</i>	(Wal-Profen)	3	\$0	
<i>ibuprofen 200 mg tablet *</i>	(Addaprin)	3	\$0	
<i>ibuprofen 200 mg/10 ml suspension cup u-d (otc) 100 mg/5 ml *</i>	(Children's Ibuprofen)	3	\$0	
<i>ibuprofen oral suspension 100 mg/5 ml</i>	(Children's Ibuprofen)	1	\$0	
<i>ibuprofen oral tablet 400 mg</i>	(IBU)	1	\$0	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i>	(IBU)	1	\$0	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>		1	\$0	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg, 50 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>		1	\$0	
<i>infant ibuprofen 50 mg/1.25 ml berry *</i>	(ibuprofen)	3	\$0	
<i>i-prin 200 mg tablet *</i>	(ibuprofen)	3	\$0	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>		1	\$0	
<i>ketorolac oral tablet 10 mg</i>		1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>		1	\$0	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>		1	\$0	
<i>nabumetone oral tablet 500 mg, 750 mg</i>		1	\$0	
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	1	\$0	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i>	(EC-Naprosyn)	1	\$0	
<i>naproxen sodium 220 mg tablet *</i>	(Wal-Proxen)	3	\$0	
<i>pain reliever pls 250-250-65 mg *</i>	(aspirin-acetaminophen-caffeine)	3	\$0	
<i>piroxicam oral capsule 10 mg</i>		1	\$0	
<i>piroxicam oral capsule 20 mg</i>	(Feldene)	1	\$0	
<i>pub children's profen ib susp berry flavor 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>pub children's profenib susp bubble gum flavor 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>qc child ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>ra aspirin 325 mg tablet *</i>	(Bayer Aspirin)	3	\$0	
<i>ra aspirin ec 325 mg tablet regular strength *</i>	(Ecotrin)	3	\$0	
<i>ra aspirin ec 81 mg tablet *</i>	(Bayer Low Dose Aspirin)	3	\$0	
<i>ra child ibuprofen 100 mg/5 ml d/f, berry flavor *</i>	(ibuprofen)	3	\$0	
<i>ra naproxen sod 220 mg tablet caplet *</i>	(Wal-Proxen)	3	\$0	
<i>ra naproxen sodium 220 mg cap liquidgel *</i>	(Aleve)	3	\$0	
<i>sm child ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>st. joseph aspirin 81 mg chew *</i>	(aspirin)	3	\$0	
<i>st. joseph aspirin ec 81 mg tb *</i>	(aspirin)	3	\$0	
<i>sulindac oral tablet 150 mg, 200 mg</i>		1	\$0	
<i>venngel one topical kit 1 %</i>		1	\$0	QL (1000 per 30 days)
<i>wal-profen 200 mg caplet f/c, caplet *</i>	(ibuprofen)	3	\$0	
<i>wal-profen 200 mg softgel softgel *</i>	(ibuprofen)	3	\$0	
<i>wal-profen 200 mg tablet f/c *</i>	(ibuprofen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
wal-proxen 220 mg tablet *	(naproxen sodium)	3	\$0	
Anesthetics				
Local Anesthetics				
anecream 4% cream *	(lidocaine)	3	\$0	
ASPERCREME LIDOCAINE 4% CREAM *	(lidocaine hcl)	3	\$0	
aspercreme lidocaine 4% patch outer *	(lidocaine)	3	\$0	
cvs lidocaine hcl 4% cream *	(Aspercreme (lidocaine HCl))	3	\$0	
cvs lidocaine pain rlf 4% ptch *	(Aspercreme (lidocaine))	3	\$0	
cvs pain relief 4% cream *	(lidocaine hcl)	3	\$0	
cvs pain relief(lido) 4% patch *	(lidocaine)	3	\$0	
cvs sunburn relief cool gel 0.5 % *	(lidocaine-aloe vera)	3	\$0	
dermacinrx lidocan 5% patch outer	(lidocaine)	1	\$0	PA; QL (90 per 30 days)
glydo mucous membrane jelly in applicator 2 %	(lidocaine hcl)	1	\$0	QL (30 per 30 days)
lido king 4% patch *	(lidocaine)	3	\$0	
lidocaine 4% cream *	(Anecream)	3	\$0	
lidocaine hcl mucous membrane jelly in applicator 2 %	(Glydo)	1	\$0	QL (30 per 30 days)
lidocaine hcl mucous membrane solution 4 % (40 mg/ml)		1	\$0	PA
lidocaine topical adhesive patch,medicated 5 %	(DermacinRx Lidocan)	1	\$0	PA; QL (90 per 30 days)
lidocaine topical ointment 5 %		1	\$0	PA; QL (240 per 30 days)
lidocaine viscous mucous membrane solution 2 %	(lidocaine hcl)	1	\$0	
lidocaine-prilocaine topical cream 2.5-2.5 %		1	\$0	PA; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lidocan iii topical adhesive patch,medicated 5 %</i> (lidocaine)	1	\$0	PA; QL (90 per 30 days)
<i>relevea 4% patch *</i> (lidocaine)	3	\$0	
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	2	\$0	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents			
Anti-Addiction/Substance Abuse Treatment Agents			
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	1	\$0	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	\$0	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	1	\$0	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	1	\$0	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	\$0	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	\$0	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>eq nicotine 7 mg/24hr patch clear, step 3 (otc) *</i> (Nicoderm CQ)	3	\$0	
<i>eq1 nicotine 2 mg lozenge *</i> (Quit 2)	3	\$0	
<i>eq1 nicotine 4 mg lozenge *</i> (Quit 4)	3	\$0	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	2	\$0	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>	1	\$0	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	1	\$0	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	1	\$0	
<i>nicotine 14 mg/24hr patch step 2 (otc) *</i> (Nicoderm CQ)	3	\$0	
<i>nicotine 2 mg chewing gum outer *</i> (Quit 2)	3	\$0	
<i>nicotine 2 mg lozenge mint, 3 quittube *</i> (Quit 2)	3	\$0	
<i>nicotine 21 mg/24hr patch outer (otc) *</i> (Nicoderm CQ)	3	\$0	
<i>nicotine 4 mg chewing gum outer *</i> (Quit 4)	3	\$0	
<i>nicotine 4 mg lozenge mint, 3 quittube *</i> (Quit 4)	3	\$0	
<i>nicotine 7 mg/24hr patch step 3 (otc) *</i> (Nicoderm CQ)	3	\$0	
NICOTROL INHALATION CARTRIDGE 10 MG	2	\$0	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	2	\$0	QL (240 per 180 days)
<i>pub stop smoking aid 2 mg lozg *</i> (nicotine (polacrilex))	3	\$0	
<i>pub stop smoking aid 4 mg lozg *</i> (nicotine (polacrilex))	3	\$0	
<i>quit 2 mg chewing gum *</i> (nicotine (polacrilex))	3	\$0	
<i>quit 2 mg lozenge mint *</i> (nicotine (polacrilex))	3	\$0	
<i>quit 4 mg chewing gum *</i> (nicotine (polacrilex))	3	\$0	
<i>quit 4 mg lozenge mint *</i> (nicotine (polacrilex))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra nicotine 2 mg lozenge mint,4 quittube *</i>	(Quit 2)	3	\$0	
<i>ra nicotine 2 mg mini lozenge mini,mint,3 quittube *</i>	(Nicorette)	3	\$0	
<i>ra nicotine 21 mg/24hr patch step 1 (otc) *</i>	(Nicoderm CQ)	3	\$0	
<i>ra nicotine 4 mg mini lozenge mini,mint,4 quittube *</i>	(Nicorette)	3	\$0	
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i>	(Chantix)	1	\$0	QL (336 per 365 days)
<i>varenicline tartrate oral tablet 1 mg (56 pack)</i>		1	\$0	QL (336 per 365 days)
<i>varenicline tartrate oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i>	(Chantix Starting Month Box)	1	\$0	
Antianxiety Agents				
Benzodiazepines				
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	(Xanax)	1	\$0	QL (120 per 30 days); NDS
<i>alprazolam oral tablet 2 mg</i>	(Xanax)	1	\$0	QL (150 per 30 days); NDS
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i>	(Xanax XR)	1	\$0	QL (120 per 30 days); NDS
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	(Xanax XR)	1	\$0	QL (90 per 30 days); NDS
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>		1	\$0	QL (120 per 30 days); NDS
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	(Klonopin)	1	\$0	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	(Klonopin)	1	\$0	QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>		1	\$0	QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>		1	\$0	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>		1	\$0	QL (180 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diazepam injection solution 5 mg/ml</i>	1	\$0	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	1	\$0	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	1	\$0	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	\$0	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	\$0	QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	1	\$0	QL (60 per 30 days); NDS
<i>estazolam oral tablet 2 mg</i>	1	\$0	QL (30 per 30 days); NDS
<i>flurazepam oral capsule 15 mg</i>	1	\$0	QL (60 per 30 days); NDS
<i>flurazepam oral capsule 30 mg</i>	1	\$0	QL (30 per 30 days); NDS
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	1	\$0	QL (150 per 30 days); NDS
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	\$0	
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	\$0	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	2	\$0	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	\$0	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	1	\$0	QL (150 per 30 days); NDS
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	\$0	QL (90 per 30 days); NDS
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	\$0	QL (150 per 30 days); NDS
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg</i> (Restoril)	1	\$0	QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	1	\$0	QL (120 per 30 days); NDS
<i>triazolam oral tablet 0.125 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	1	\$0	QL (60 per 30 days); NDS
Antibacterials			
Aminoglycosides			
<i>amikacin injection solution 500 mg/2 ml</i>	1	\$0	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	2	\$0	PA; QL (235.2 per 28 days); NDS
<i>gentamicin injection solution 40 mg/ml</i>	1	\$0	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	\$0	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	1	\$0	
<i>neomycin oral tablet 500 mg</i>	1	\$0	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	\$0	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	2	\$0	QL (224 per 28 days); NDS
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	1	\$0	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	1	\$0	PA BvD; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	1	\$0	
Antibacterials, Miscellaneous			
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	1	\$0	
<i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>	1	\$0	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	1	\$0	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	1	\$0	NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	1	\$0	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	1	\$0	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	1	\$0	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	\$0	
<i>methenamine hippurate oral tablet 1 gram</i>	1	\$0	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	\$0	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	1	\$0	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	1	\$0	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	\$0	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	2	\$0	NDS
<i>trimethoprim oral tablet 100 mg</i>	1	\$0	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	1	\$0	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	1	\$0	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	1	\$0	
XIFAXAN ORAL TABLET 200 MG	2	\$0	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	2	\$0	PA; QL (90 per 30 days); NDS
Cephalosporins			
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	1	\$0	
<i>cefadroxil oral capsule 500 mg</i>	1	\$0	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	\$0	
<i>cefadroxil oral tablet 1 gram</i>	1	\$0	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	\$0	
<i>cefdinir oral capsule 300 mg</i>	1	\$0	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	\$0	
<i>cefixime oral capsule 400 mg</i>	1	\$0	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	1	\$0	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	\$0	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cefepodoxime oral tablet 100 mg, 200 mg</i>	1	\$0	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	1	\$0	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	\$0	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	\$0	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	\$0	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>	1	\$0	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)	1	\$0	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	2	\$0	NDS
Macrolides			
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	\$0	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	\$0	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	\$0	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	\$0	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	2	\$0	QL (136 per 10 days); NDS
DIFICID ORAL TABLET 200 MG	2	\$0	QL (20 per 10 days); NDS
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	\$0	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	\$0	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	\$0	
Miscellaneous B-Lactam Antibiotics			
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	\$0	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	2	\$0	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	1	\$0	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	\$0	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>meropenem intravenous recon soln</i> <i>1 gram, 500 mg</i>	1	\$0	
Penicillins			
<i>amoxicillin oral capsule 250 mg,</i> <i>500 mg</i>	1	\$0	
<i>amoxicillin oral suspension for</i> <i>reconstitution 125 mg/5 ml, 200</i> <i>mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	\$0	
<i>amoxicillin oral tablet 500 mg, 875</i> <i>mg</i>	1	\$0	
<i>amoxicillin oral tablet, chewable 125</i> <i>mg, 250 mg</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral</i> <i>suspension for reconstitution 200-</i> <i>28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral</i> <i>suspension for reconstitution 250-</i> <i>62.5 mg/5 ml</i> (Augmentin)	1	\$0	
<i>amoxicillin-pot clavulanate oral</i> <i>suspension for reconstitution 600-</i> <i>42.9 mg/5 ml</i> (Augmentin ES-600)	1	\$0	
<i>amoxicillin-pot clavulanate oral</i> <i>tablet 250-125 mg, 875-125 mg</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral</i> <i>tablet 500-125 mg</i> (Augmentin)	1	\$0	
<i>amoxicillin-pot clavulanate oral</i> <i>tablet extended release 12 hr 1,000-</i> <i>62.5 mg</i> (Augmentin XR)	1	\$0	
<i>amoxicillin-pot clavulanate oral</i> <i>tablet, chewable 200-28.5 mg, 400-</i> <i>57 mg</i>	1	\$0	
<i>ampicillin oral capsule 500 mg</i>	1	\$0	
<i>ampicillin sodium injection recon</i> <i>soln 1 gram, 10 gram, 125 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	1	\$0	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	2	\$0	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	\$0	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	2	\$0	
LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	2	\$0	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	1	\$0	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	1	\$0	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	\$0	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	1	\$0	
Quinolones			
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	\$0	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	\$0	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	\$0	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	\$0	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	\$0	
<i>moxifloxacin 400 mg/250 ml bag suv, p/f, outer</i>	1	\$0	
<i>moxifloxacin oral tablet 400 mg</i>	1	\$0	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	1	\$0	
Sulfonamides			
<i>sulfadiazine oral tablet 500 mg</i>	1	\$0	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	\$0	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	\$0	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	\$0	
Tetracyclines			
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	\$0	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	1	\$0	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	\$0	
<i>doxycycline hyclate oral capsule 100 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	1	\$0	
<i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>	1	\$0	
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	1	\$0	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i>	1	\$0	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)	1	\$0	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	1	\$0	
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	\$0	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i>	1	\$0	
<i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxyne NL)	1	\$0	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	1	\$0	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	\$0	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	1	\$0	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	\$0	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	1	\$0	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	1	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Anticancer Agents			
Anticancer Agents			
<i>abiraterone oral tablet 250 mg</i> (Abirtega)	1	\$0	PA NSO; QL (120 per 30 days); NDS
<i>abiraterone oral tablet 500 mg</i> (Zytiga)	1	\$0	PA NSO; QL (120 per 30 days); NDS
<i>abirtega oral tablet 250 mg</i> (abiraterone)	1	\$0	PA NSO; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	1	\$0	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
ALECENSA ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ALUNBRIG ORAL TABLET 30 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	2	\$0	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	\$0	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	2	\$0	PA NSO; QL (1.6 per 28 days); NDS
AUGTYRO ORAL CAPSULE 160 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
AUGTYRO ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
AVMAPKI ORAL CAPSULE 0.8 MG	2	\$0	PA NSO; QL (24 per 28 days); NDS
AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG	2	\$0	PA NSO; QL (66 per 28 days); NDS
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	\$0	NDS
BALVERSA ORAL TABLET 3 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
BALVERSA ORAL TABLET 4 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
BALVERSA ORAL TABLET 5 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	1	\$0	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	2	\$0	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	2	\$0	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	\$0	PA NSO; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	1	\$0	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	\$0	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	2	\$0	PA NSO; QL (75 per 28 days); NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	\$0	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	2	\$0	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	2	\$0	PA NSO
BORUZU INJECTION SOLUTION 2.5 MG/ML	2	\$0	PA NSO
BOSULIF ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BOSULIF ORAL CAPSULE 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
BOSULIF ORAL TABLET 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BOSULIF ORAL TABLET 400 MG, 500 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
BRAFTOVI ORAL CAPSULE 75 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BRUKINSA ORAL CAPSULE 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
CABOMETYX ORAL TABLET 20 MG, 60 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
CABOMETYX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CALQUENCE ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 100 MG (vandetanib)	2	\$0	PA NSO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 300 MG (vandetanib)	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	1	\$0	
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	\$0	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	2	\$0	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	2	\$0	PA NSO; QL (112 per 28 days); NDS
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
COTELLIC ORAL TABLET 20 MG	2	\$0	PA NSO; LA; QL (63 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	\$0	PA BvD; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	2	\$0	PA BvD; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)	2	\$0	PA BvD; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	1	\$0	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	2	\$0	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	2	\$0	PA NSO; QL (120 per 28 days); NDS
DANZITEN ORAL TABLET 71 MG, 95 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	2	\$0	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	2	\$0	PA NSO; LA; NDS
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	1	\$0	PA NSO; QL (30 per 30 days); NDS
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	1	\$0	PA NSO; QL (90 per 30 days); NDS
DATROWAY INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA NSO; NDS
DAURISMO ORAL TABLET 100 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
DAURISMO ORAL TABLET 25 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
<i>decitabine intravenous recon soln 50 mg</i>	1	\$0	NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	1	\$0	PA BvD; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	2	\$0	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	2	\$0	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	2	\$0	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	2	\$0	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	2	\$0	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	2	\$0	PA NSO; QL (9.5 per 28 days); NDS
EMCYT ORAL CAPSULE 140 MG	2	\$0	NDS
EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG	2	\$0	PA NSO; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	2	\$0	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	2	\$0	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
ERLEADA ORAL TABLET 240 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ERLEADA ORAL TABLET 60 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
<i>erlotinib oral tablet 100 mg, 25 mg</i>	1	\$0	PA NSO; QL (60 per 30 days); NDS
<i>erlotinib oral tablet 150 mg</i>	1	\$0	PA NSO; QL (90 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	2	\$0	
<i>etoposide intravenous solution 20 mg/ml</i>	1	\$0	
EULEXIN ORAL CAPSULE 125 MG (flutamide)	2	\$0	NDS
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	1	\$0	PA NSO; QL (56 per 28 days); NDS
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	1	\$0	PA NSO; QL (28 per 28 days); NDS
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	1	\$0	PA NSO; QL (112 per 28 days); NDS
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	\$0	
FAKZYNJA ORAL TABLET 200 MG	2	\$0	PA NSO; QL (42 per 28 days); NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	2	\$0	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	2	\$0	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	1	\$0	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	\$0	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	1	\$0	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
FRUZAQLA ORAL CAPSULE 1 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
FRUZAQLA ORAL CAPSULE 5 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	1	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	2	\$0	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
<i>gefitinib oral tablet 250 mg</i> (Iressa)	1	\$0	PA NSO; QL (60 per 30 days); NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	\$0	PA BvD
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	1	\$0	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
GLEOSTINE ORAL CAPSULE 10 MG (lomustine)	2	\$0	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG (lomustine)	2	\$0	NDS
GOMEKLI ORAL CAPSULE 1 MG	2	\$0	PA NSO; QL (224 per 28 days); NDS
GOMEKLI ORAL CAPSULE 2 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	2	\$0	PA NSO; QL (224 per 28 days); NDS
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	2	\$0	PA NSO; QL (5 per 21 days); NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	\$0	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
IDHIFA ORAL TABLET 100 MG, 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	1	\$0	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	\$0	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	\$0	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	\$0	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
IMBRUVICA ORAL CAPSULE 70 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
IMBRUVICA ORAL SUSPENSION 70 MG/ML	2	\$0	PA NSO; QL (216 per 30 days); NDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	2	\$0	PA NSO; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	2	\$0	PA NSO; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	2	\$0	PA NSO; QL (280 per 28 days); NDS
INLYTA ORAL TABLET 1 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
INLYTA ORAL TABLET 5 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
INQOVI ORAL TABLET 35-100 MG	2	\$0	PA NSO; QL (5 per 28 days); NDS
INREBIC ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	1	\$0	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	\$0	
ITOVEBI ORAL TABLET 3 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
ITOVEBI ORAL TABLET 9 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
IWILFIN ORAL TABLET 192 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
JAYPIRCA ORAL TABLET 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
JAYPIRCA ORAL TABLET 50 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	2	\$0	PA BvD; ST
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	2	\$0	PA NSO; QL (49 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	2	\$0	PA NSO; QL (70 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	2	\$0	PA NSO; QL (91 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	2	\$0	PA NSO; QL (21 per 28 days); NDS
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	2	\$0	PA NSO; QL (42 per 28 days); NDS
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	2	\$0	PA NSO; QL (63 per 28 days); NDS
KOSELUGO ORAL CAPSULE 10 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
KOSELUGO ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
KRAZATI ORAL TABLET 200 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	\$0	PA NSO; NDS
LAZCLUZE ORAL TABLET 240 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
LAZCLUZE ORAL TABLET 80 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	1	\$0	PA NSO; QL (28 per 28 days); NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	2	\$0	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	\$0	
LEUKERAN ORAL TABLET 2 MG	2	\$0	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))	2	\$0	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	\$0	PA NSO

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LONSURF ORAL TABLET 15-6.14 MG	2	\$0	PA NSO; QL (100 per 28 days); NDS
LONSURF ORAL TABLET 20-8.19 MG	2	\$0	PA NSO; QL (80 per 28 days); NDS
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	2	\$0	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
LORBRENA ORAL TABLET 25 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
LUMAKRAS ORAL TABLET 120 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
LUMAKRAS ORAL TABLET 240 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
LUMAKRAS ORAL TABLET 320 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	2	\$0	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	2	\$0	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
LYSODREN ORAL TABLET 500 MG	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	2	\$0	PA NSO; QL (140 per 28 days); NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	2	\$0	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	2	\$0	PA NSO; QL (1260 per 30 days); NDS
MEKINIST ORAL TABLET 0.5 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
MEKINIST ORAL TABLET 2 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
MEKTOVI ORAL TABLET 15 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	1	\$0	NDS
<i>mercaptopurine oral tablet 50 mg</i>	1	\$0	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	\$0	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	\$0	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	\$0	
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	\$0	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	\$0	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	\$0	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	2	\$0	PA NSO; QL (3 per 28 days); NDS
NUBEQA ORAL TABLET 300 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ODOMZO ORAL CAPSULE 200 MG	2	\$0	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
OGSIVEO ORAL TABLET 50 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	2	\$0	PA NSO; QL (96 per 28 days); NDS
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	2	\$0	PA NSO; QL (24 per 28 days); NDS
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	2	\$0	PA NSO; QL (14 per 28 days); NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	2	\$0	PA NSO; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	2	\$0	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ORSERDU ORAL TABLET 345 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ORSERDU ORAL TABLET 86 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	\$0	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	1	\$0	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	\$0	PA BvD
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	2	\$0	PA BvD; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	1	\$0	PA NSO; QL (120 per 30 days); NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	1	\$0	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	2	\$0	NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	1	\$0	NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	2	\$0	PA NSO; QL (28 per 28 days); NDS
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	2	\$0	PA NSO; QL (56 per 28 days); NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
QINLOCK ORAL TABLET 50 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RETEVMO ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
RETEVMO ORAL CAPSULE 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
RETEVMO ORAL TABLET 120 MG, 160 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
RETEVMO ORAL TABLET 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
RETEVMO ORAL TABLET 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
REVUFORJ ORAL TABLET 110 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
REVUFORJ ORAL TABLET 160 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
REVUFORJ ORAL TABLET 25 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
REZLIDHIA ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	2	\$0	PA NSO; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	2	\$0	PA NSO; QL (8 per 28 days); NDS
ROZLYTREK ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
ROZLYTREK ORAL CAPSULE 200 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (224 per 28 days); NDS
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	2	\$0	PA NSO; NDS
SCSEMBLIX ORAL TABLET 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
SCSEMBLIX ORAL TABLET 20 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
SCSEMBLIX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	2	\$0	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	1	\$0	PA NSO; QL (120 per 30 days); NDS
STIVARGA ORAL TABLET 40 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	1	\$0	PA NSO; QL (28 per 28 days); NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	2	\$0	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	2	\$0	
TABRECTA ORAL TABLET 150 MG, 200 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	2	\$0	PA NSO; QL (900 per 30 days); NDS
TAGRISSO ORAL TABLET 40 MG, 80 MG	2	\$0	PA NSO; LA; QL (30 per 30 days); NDS
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	2	\$0	PA NSO; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	\$0	
TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)	2	\$0	PA NSO; QL (112 per 28 days); NDS
TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)	2	\$0	PA NSO; QL (120 per 30 days); NDS
TAZVERIK ORAL TABLET 200 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1,875 MG-30,000 UNIT/15 ML	2	\$0	PA NSO; NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	2	\$0	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	2	\$0	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
TIBSOVO ORAL TABLET 250 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	2	\$0	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	2	\$0	PA NSO; QL (5 per 21 days); NDS
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	1	\$0	
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	\$0	NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	2	\$0	PA NSO; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	2	\$0	PA NSO; QL (30 per 30 days); NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	2	\$0	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	\$0	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	2	\$0	PA NSO; QL (64 per 28 days); NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TUKYSA ORAL TABLET 50 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
TURALIO ORAL CAPSULE 125 MG, 200 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	2	\$0	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	2	\$0	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	2	\$0	PA NSO; LA; QL (180 per 30 days); NDS
VENCLEXTA ORAL TABLET 50 MG	2	\$0	PA NSO; LA; QL (30 per 30 days); NDS
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	2	\$0	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vinblastine intravenous solution 1 mg/ml</i>	1	\$0	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	1	\$0	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	1	\$0	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	1	\$0	
VITRAKVI ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
VITRAKVI ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
VITRAKVI ORAL SOLUTION 20 MG/ML	2	\$0	PA NSO; QL (300 per 30 days); NDS
VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	2	\$0	PA NSO; NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
VONJO ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
VORANIGO ORAL TABLET 10 MG, 40 MG	2	\$0	PA NSO; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG	2	\$0	PA NSO; NDS
WELIREG ORAL TABLET 40 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XALKORI ORAL PELLET 150 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
XALKORI ORAL PELLET 20 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
XALKORI ORAL PELLET 50 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XATMEP ORAL SOLUTION 2.5 MG/ML	2	\$0	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	2	\$0	PA NSO; QL (8 per 28 days); NDS
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	2	\$0	PA NSO; QL (16 per 28 days); NDS
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2), 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	2	\$0	PA NSO; QL (4 per 28 days); NDS
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	2	\$0	PA NSO; QL (24 per 28 days); NDS
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	2	\$0	PA NSO; QL (32 per 28 days); NDS
XTANDI ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XTANDI ORAL TABLET 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XTANDI ORAL TABLET 80 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	2	\$0	PA NSO; NDS
YONSA ORAL TABLET 125 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ZEJULA ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ZELBORAF ORAL TABLET 240 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	2	\$0	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
ZOLADEx SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	2	\$0	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	2	\$0	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
ZYKADIA ORAL TABLET 150 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	2	\$0	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	2	\$0	PA NSO; QL (20 per 28 days); NDS
Anticonvulsants			
Anticonvulsants			
APTOM ORAL TABLET 200 MG, 400 MG (eslicarbazepine)	2	\$0	ST; QL (30 per 30 days); NDS
APTOM ORAL TABLET 600 MG, 800 MG (eslicarbazepine)	2	\$0	ST; QL (60 per 30 days); NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	2	\$0	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	2	\$0	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	2	\$0	QL (60 per 30 days)
carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg (Carbatrol)	1	\$0	
carbamazepine oral suspension 100 mg/5 ml (Tegretol)	1	\$0	
carbamazepine oral tablet 200 mg (Epitol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	\$0	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>	1	\$0	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	\$0	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	\$0	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
DIACOMIT ORAL CAPSULE 500 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
DIACOMIT ORAL POWDER IN PACKET 250 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
DIACOMIT ORAL POWDER IN PACKET 500 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	2	\$0	
DILANTIN ORAL CAPSULE 30 MG	2	\$0	
<i>divalproex oral capsule, delayed release 125 mg</i> (Depakote Sprinkles)	1	\$0	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	\$0	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	\$0	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	2	\$0	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	1	\$0	
EPRONTIA ORAL SOLUTION 25 MG/ML	2	\$0	ST
<i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)	1	\$0	ST; QL (30 per 30 days); NDS
<i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)	1	\$0	ST; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	\$0	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	\$0	
<i>felbamate oral suspension 600 mg/5 ml</i>	1	\$0	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	\$0	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	2	\$0	PA NSO; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	1	\$0	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	2	\$0	ST; QL (720 per 30 days); NDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	2	\$0	ST; QL (30 per 30 days); NDS
FYCOMPA ORAL TABLET 2 MG	2	\$0	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	2	\$0	ST; QL (60 per 30 days); NDS
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	\$0	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	\$0	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	\$0	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	1	\$0	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	1	\$0	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	1	\$0	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	1	\$0	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	1	\$0	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)	(Lamictal ODT Starter (Blue))	1	\$0	
lamotrigine oral tablet disintegrating, dose pk 25 mg(14)- 50 mg (14)-100 mg (7)	(Lamictal ODT Starter (Orange))	1	\$0	
lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)	(Lamictal ODT Starter (Green))	1	\$0	
lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg	(Lamictal XR)	1	\$0	
lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg	(Lamictal)	1	\$0	
lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg	(Lamictal ODT)	1	\$0	
levetiracetam intravenous solution 500 mg/5 ml	(Keppra)	1	\$0	
levetiracetam oral solution 100 mg/ml	(Keppra)	1	\$0	
levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg	(Keppra)	1	\$0	
levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg	(Keppra XR)	1	\$0	
levetiracetam oral tablet for suspension 250 mg	(Spritam)	1	\$0	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG		2	\$0	QL (10 per 30 days)
methsuximide oral capsule 300 mg	(Celontin)	1	\$0	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)		2	\$0	QL (10 per 30 days)
oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)	(Trileptal)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	\$0	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)	2	\$0	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	\$0	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	\$0	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	\$0	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	\$0	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	\$0	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	\$0	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	1	\$0	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	1	\$0	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	\$0	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	1	\$0	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	\$0	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	1	\$0	ST; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	1	\$0	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	1	\$0	ST; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	2	\$0	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	2	\$0	ST
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg (lamotrigine)	1	\$0	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg	1	\$0	
topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)	1	\$0	
topiramate oral capsule, sprinkle 50 mg	1	\$0	
topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)	1	\$0	
valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)	1	\$0	
valproic acid (as sodium salt) oral solution 250 mg/5 ml	1	\$0	
valproic acid oral capsule 250 mg	1	\$0	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	2	\$0	QL (10 per 30 days); NDS
vigabatrin oral powder in packet 500 mg (Vigadrone)	1	\$0	PA NSO; QL (180 per 30 days); NDS
vigabatrin oral tablet 500 mg (Vigadrone)	1	\$0	PA NSO; QL (180 per 30 days); NDS
vigadrone oral powder in packet 500 mg (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
vigadrone oral tablet 500 mg (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	2	\$0	QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	2	\$0	QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	2	\$0	QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	2	\$0	
ZONISADE ORAL SUSPENSION 100 MG/5 ML	2	\$0	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	\$0	
<i>zonisamide oral capsule 50 mg</i>	1	\$0	
ZTALMY ORAL SUSPENSION 50 MG/ML	2	\$0	PA NSO; QL (1080 per 30 days); NDS
Antidementia Agents			
Antidementia Agents			
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	\$0	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg</i>	1	\$0	
<i>donepezil oral tablet,disintegrating 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	\$0	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	1	\$0	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	\$0	QL (200 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	\$0	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg</i>	1	\$0	ST; QL (30 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 7 mg</i> (Namenda XR)	1	\$0	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	\$0	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	1	\$0	QL (60 per 30 days)
<i>memantine-donepezil oral capsule, sprinkle, er 24hr 14-10 mg, 21-10 mg, 28-10 mg</i> (Namzaric)	1	\$0	ST; QL (30 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	\$0	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 7-10 MG	2	\$0	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	\$0	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	1	\$0	QL (30 per 30 days)
Antidepressants			
Antidepressants			
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	\$0	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	\$0	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	\$0	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	2	\$0	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	\$0	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	\$0	
<i>citalopram oral solution 10 mg/5 ml</i>	1	\$0	
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	\$0	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	\$0	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	1	\$0	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	\$0	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	\$0	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	\$0	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	\$0	
<i>doxepin oral concentrate 10 mg/ml</i>	1	\$0	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	2	\$0	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	2	\$0	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	\$0	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	1	\$0	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	2	\$0	ST; QL (30 per 30 days); NDS
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	\$0	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	2	\$0	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	2	\$0	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	\$0	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	\$0	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	\$0	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	\$0	
MARPLAN ORAL TABLET 10 MG	2	\$0	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	\$0	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	\$0	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	\$0	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	\$0	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	\$0	
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	\$0	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	1	\$0	PA NSO-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	1	\$0	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	\$0	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	\$0	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	\$0	
RALDESY ORAL SOLUTION 10 MG/ML	2	\$0	PA NSO; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	\$0	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	\$0	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	2	\$0	PA NSO; NDS
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	1	\$0	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	\$0	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	\$0	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	\$0	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	2	\$0	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	\$0	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	\$0	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	1	\$0	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	1	\$0	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	1	\$0	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	2	\$0	PA NSO; QL (28 per 14 days); NDS
ZURZUVAE ORAL CAPSULE 30 MG	2	\$0	PA NSO; QL (14 per 14 days); NDS
Antidiabetic Agents			
Antidiabetic Agents, Miscellaneous			
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	\$0	
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	2	\$0	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	\$0	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	2	\$0	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	2	\$0	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	2	\$0	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	\$0	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	\$0	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	\$0	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	\$0	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	1	\$0	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	\$0	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	\$0	QL (150 per 30 days)
<i>metformin oral tablet 750 mg</i>	1	\$0	QL (60 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	\$0	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	\$0	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	\$0	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	1	\$0	PA; QL (112 per 28 days); NDS
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	1	\$0	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	2	\$0	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	\$0	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG (2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	2	\$0	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	1	\$0	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	1	\$0	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	1	\$0	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	1	\$0	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	2	\$0	PA; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	\$0	PA; QL (10.8 per 28 days); NDS
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	\$0	PA; QL (10.8 per 28 days); NDS
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	\$0	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	\$0	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	\$0	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	2	\$0	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	2	\$0	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	2	\$0	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	2	\$0	PA; QL (2 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG	(dapaglifloz propaned-metformin)	2	\$0	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG		2	\$0	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG		2	\$0	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	(dapaglifloz propaned-metformin)	2	\$0	QL (60 per 30 days)
Insulins				
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)		2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		2	\$0	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML		2	\$0	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)		2	\$0	max \$35 copay per month supply; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70-30FlexPen U-100)	1	\$0	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U-100 Insuln)	1	\$0	max \$35 copay per month supply; QL (40 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	1	\$0	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U-100 Insulin)	1	\$0	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	1	\$0	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	2	\$0	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	2	\$0	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		2	\$0	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		2	\$0	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		2	\$0	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		2	\$0	max \$35 copay per month supply; QL (40 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	2	\$0	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine-yfgn)	2	\$0	max \$35 copay per month supply
SOLQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	\$0	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) (insulin glargine u-300 conc)	2	\$0	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) (insulin glargine u-300 conc)	2	\$0	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin degludec)	2	\$0	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) (insulin degludec)	2	\$0	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin degludec)	2	\$0	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	\$0	max \$35 copay per month supply; QL (15 per 28 days)
Sulfonylureas			
glimepiride oral tablet 1 mg, 2 mg	1	\$0	QL (30 per 30 days)
glimepiride oral tablet 4 mg	1	\$0	QL (60 per 30 days)
glipizide oral tablet 10 mg	1	\$0	QL (120 per 30 days)
glipizide oral tablet 2.5 mg	1	\$0	QL (60 per 30 days)
glipizide oral tablet 5 mg	1	\$0	QL (240 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	\$0	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	\$0	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
Antifungals			
Antifungals			
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	2	\$0	PA BvD
ALEVAZOL 1% OINTMENT *	3	\$0	
<i>amphotericin b injection recon soln 50 mg</i>	1	\$0	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	1	\$0	PA BvD; NDS
<i>antifungal (tolnaftate) topical powder 1 % *</i> (tolnaftate)	3	\$0	
<i>antifungal 1% topical cream *</i> (clotrimazole)	3	\$0	
<i>antifungal 2% powder *</i> (miconazole nitrate)	3	\$0	
<i>athlete's foot 1% cream *</i> (clotrimazole)	3	\$0	
<i>athlete's foot 1% powder spray *</i> (tolnaftate)	3	\$0	
<i>athlete's foot 1% solution *</i> (clotrimazole)	3	\$0	
<i>athlete's foot 2% powder *</i> (miconazole nitrate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>athlete's foot 2% powder spray *</i>	(miconazole nitrate)	3	\$0	
<i>baza antifungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>ciclopirox topical cream 0.77 %</i>	(Ciclodan)	1	\$0	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>		1	\$0	
<i>ciclopirox topical shampoo 1 %</i>		1	\$0	
<i>ciclopirox topical solution 8 %</i>	(Ciclodan)	1	\$0	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i>	(Loprox (as olamine))	1	\$0	QL (180 per 30 days)
<i>clotrimazole 1% solution (otc) *</i>	(Athlete's Foot (clotrimazole))	3	\$0	
<i>clotrimazole 1% topical cream (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>clotrimazole 1% topical cream foot care (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>clotrimazole 1% vaginal cream *</i>	(Clotrimazole-7)	3	\$0	
<i>clotrimazole mucous membrane troche 10 mg</i>		1	\$0	
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	1	\$0	
<i>clotrimazole topical solution 1 %</i>	(Athlete's Foot (clotrimazole))	1	\$0	
<i>clotrimazole-7 vaginal cream 1 % *</i>	(clotrimazole)	3	\$0	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		1	\$0	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>		1	\$0	
<i>cvs athlete's foot 1% cream *</i>	(tolnaftate)	3	\$0	
<i>cvs athlete's foot 2% liq spray *</i>	(miconazole nitrate)	3	\$0	
<i>cvs clotrimazole 1% top cream (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>cvs foot & sneaker spray pwd 1 % *</i>	(tolnaftate)	3	\$0	
<i>cvs ringworm 1% cream *</i>	(clotrimazole)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dermafungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>desenex 2% powder *</i>	(miconazole nitrate)	3	\$0	
<i>desenex 2% topical cream *</i>	(miconazole nitrate)	3	\$0	
<i>econazole nitrate topical cream 1 %</i>		1	\$0	QL (170 per 30 days)
<i>eq athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	
<i>eq jock itch 1% cream *</i>	(clotrimazole)	3	\$0	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>		1	\$0	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>		1	\$0	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	(Diflucan)	1	\$0	
<i>fluconazole oral tablet 100 mg</i>	(Diflucan)	1	\$0	
<i>fluconazole oral tablet 150 mg, 200 mg, 50 mg</i>		1	\$0	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	1	\$0	NDS
<i>gnp athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	
GNP MICONAZOLE 2% SPRAY POWDER *	(Athlete's Foot)	3	\$0	
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		1	\$0	
<i>griseofulvin microsize oral tablet 500 mg</i>		1	\$0	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>		1	\$0	
<i>inzo antifungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	1	\$0	
<i>itraconazole oral solution 10 mg/ml</i>	(Sporanox)	1	\$0	PA; NDS
<i>jock itch relief 1% cream *</i>	(clotrimazole)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ketoconazole oral tablet 200 mg</i>	1	\$0	
<i>ketoconazole topical cream 2 %</i>	1	\$0	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	1	\$0	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	1	\$0	QL (360 per 30 days)
<i>lamisil af defens 1% spray pwd *</i> (tolnaftate)	3	\$0	
<i>micafungin intravenous recon soln 100 mg, 50 mg</i> (Mycamine)	1	\$0	
<i>micatin 2% antifungal cream *</i> (miconazole nitrate)	3	\$0	
<i>miconazole 2% topical cream *</i> (Baza Antifungal)	3	\$0	
<i>miconazole 2% vaginal cream *</i> (Monistat 7)	3	\$0	
<i>miconazole 3 combo pack 3 supp w/9gm cream 200 mg- 2 % (9 gram) *</i> (miconazole nitrate)	3	\$0	
<i>miconazole 7 100 mg vag supp *</i>	3	\$0	
<i>miconazole-3 vaginal suppository 200 mg</i>	1	\$0	
<i>micotrin ac 1% topical cream *</i> (clotrimazole)	3	\$0	
<i>micro-guard 2% powder 12's, antifungal *</i> (miconazole nitrate)	3	\$0	
MONISTAT 7 CREAM 2 % * (miconazole nitrate)	3	\$0	
<i>monistat 7 cream 7 applicators 2 % *</i> (miconazole nitrate)	3	\$0	
<i>mycozyl ac 1% topical cream *</i> (clotrimazole)	3	\$0	
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	2	\$0	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	1	\$0	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	1	\$0	
<i>nystatin oral tablet 500,000 unit</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>nystatin topical cream 100,000 unit/gram</i>	1	\$0	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	1	\$0	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	1	\$0	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	1	\$0	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	1	\$0	
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	1	\$0	QL (60 per 30 days)
<i>odor ctrl foot-sneaker 1% powd *</i> (tolnaftate)	3	\$0	
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	1	\$0	PA; NDS
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	1	\$0	PA; NDS
<i>pub athletic foot 1% cream *</i> (clotrimazole)	3	\$0	
<i>qc athlete's foot 2% liq spry *</i> (miconazole nitrate)	3	\$0	
<i>qc tolinaftate 1% cream *</i> (Athlete's Foot (tolnaftate))	3	\$0	
<i>ra antifungal 1% liquid spray liquid spray *</i> (tolnaftate)	3	\$0	
<i>ra antifungal ringworm 1% crm *</i> (clotrimazole)	3	\$0	
<i>ra clotrimazole 1% top cream *</i> (clotrimazole)	3	\$0	
<i>ra jock itch 1% powder spray powder spray *</i> (tolnaftate)	3	\$0	
<i>ra jock itch cream 1 % *</i> (clotrimazole)	3	\$0	
<i>sm antifungal 1% topical cream *</i> (clotrimazole)	3	\$0	
<i>terbinafine 1% cream *</i> (Antifungal (terbinafine))	3	\$0	
<i>terbinafine hcl oral tablet 250 mg</i>	1	\$0	
<i>TINACTIN 1% LIQUID SPRAY *</i> (tolnaftate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tolnaftate 1% cream *</i>	(Athlete's Foot (tolnaftate))	3	\$0	
<i>tolnaftate 1% powder *</i>	(Tinactin)	3	\$0	
<i>tolnaftate 1% spray powder *</i>	(Athlete's Foot (tolnaftate))	3	\$0	
<i>trimazole 1% topical cream *</i>	(clotrimazole)	3	\$0	
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	1	\$0	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	1	\$0	PA; NDS
<i>voriconazole oral tablet 200 mg</i>		1	\$0	
<i>voriconazole oral tablet 50 mg</i>	(Vfend)	1	\$0	
<i>votriza-al 1% lotion *</i>		3	\$0	
<i>zeasorb af 2% powder *</i>	(miconazole nitrate)	3	\$0	

Antigout Agents

Antigout Agents, Other

<i>allopurinol oral tablet 100 mg</i>	(Zyloprim)	1	\$0	
<i>allopurinol oral tablet 300 mg</i>		1	\$0	
<i>colchicine oral capsule 0.6 mg</i>	(Mitigare)	1	\$0	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i>	(Colcrys)	1	\$0	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	(Uloric)	1	\$0	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>		1	\$0	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>		1	\$0	

Antihistamines

Antihistamines

<i>alavert d-12 allergy-sinus tab 5-120 mg *</i>		3	\$0	
<i>aler-caps 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>allerclear d-12hr tablet 5-120 mg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>allerclear d-24hr er tablet 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0	
<i>allergy relief 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>allergy relief 25 mg/10 ml 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>allergy relief-nasal decong tb 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0	
<i>aller-tec 10 mg tablet *</i>	(cetirizine)	3	\$0	
<i>aller-tec d 5-120 mg tablet *</i>	(cetirizine-pseudoephedrine)	3	\$0	
<i>aprodine tablet 2.5-60 mg *</i>	(triprolidine-pseudoephedrine)	3	\$0	
<i>banophen 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>banophen 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>banophen 50 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>benadryl allergy 25 mg ultratb *</i>	(diphenhydramine hcl)	3	\$0	
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cetirizine hcl 1 mg/ml soln children, grape (otc) *</i>	(Allergy Relief (cetirizine))	3	\$0	
<i>cetirizine hcl 1 mg/ml soln children's (otc) *</i>	(Allergy Relief (cetirizine))	3	\$0	
<i>cetirizine hcl 10 mg tablet indoor & outdoor *</i>	(Aller-Tec)	3	\$0	
<i>cetirizine hcl 5 mg chew tab children's, outer, u-d *</i>	(Children's Cetirizine)	3	\$0	
<i>cetirizine hcl 5 mg tablet indoor & outdoor *</i>	(Allergy Relief (cetirizine))	3	\$0	
<i>cetirizine hcl 5 mg/5 ml solution cup outer *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cetirizine-pse er 5-120 mg tab *</i>	(Aller-Tec D)	3	\$0	
<i>child all day allergy 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child allergy relief 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child allergy rlf 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>child cetirizine 10 mg chew tb chewable, allergy *</i>	(cetirizine)	3	\$0	
<i>child cetirizine hcl 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child dimetapp 12.5 mg tb chew *</i>	(diphenhydramine hcl)	3	\$0	
<i>child loratadine 5 mg/5 ml sol *</i>	(Wal-itin)	3	\$0	
<i>child wal-itin 5 mg/5 ml soln *</i>	(loratadine)	3	\$0	
<i>child wal-zyr 1 mg/ml solution grape *</i>	(cetirizine)	3	\$0	
<i>child's aller-tec 1 mg/ml soln *</i>	(cetirizine)	3	\$0	
<i>child's wal-dryl 12.5 mg/5 ml children, cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>child's wal-zyr 10 mg chew tab *</i>	(cetirizine)	3	\$0	
CLARITIN 10 MG TABLET (OTC) *	(loratadine)	3	\$0	
<i>clemastine oral tablet 2.68 mg</i>	(Clemasz)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>clemasz oral tablet 2.68 mg</i>	(clemastine)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cvs allergy (diphen) 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy (fexo) 60 mg tab *</i>	(fexofenadine)	3	\$0	
<i>cvs allergy 50 mg/20 ml liq maximum strength 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy relief 180 mg tab indoor/outdoor *</i>	(fexofenadine)	3	\$0	
<i>cvs allergy relief 5 mg tablet *</i>	(levocetirizine)	3	\$0	
<i>cvs child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs child allergy relf 1 mg/ml *</i>	(cetirizine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cyproheptadine oral syrup 2 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine 12.5 mg/5 ml elixir *</i>	(diphenhydramine hcl)	3	\$0	
<i>diphenhydramine 12.5 mg/5 ml *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 12.5 mg/5 ml cup inner *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 25 mg tablet *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 25 mg/10 ml cup inner 12.5 mg/5 ml *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 50 mg capsule (otc) *</i>	(Banophen)	3	\$0	
<i>eq allergy relief 1 mg/ml soln *</i>	(cetirizine)	3	\$0	
<i>eq child allergy 12.5 mg/5 ml children, cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>eq child allergy relief 1 mg/ml d/f *</i>	(cetirizine)	3	\$0	
<i>eq child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>eq child all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>fexofenadine hcl 180 mg tablet (otc) *</i>	(Aller-Ease)	3	\$0	
<i>fexofenadine hcl 60 mg tablet (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>fexofenadine hcl 60 mg tablet allergy (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>ft child all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ft child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>ft child allergy rlf 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>geri-dryl 12.5 mg/5 ml liquid *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp allergy relief 50 mg/20 ml 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp diphedryl 12.5 mg/5 ml elx *</i>	(diphenhydramine hcl)	3	\$0	
<i>gs aller-ease 180 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>gs child all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>gs child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>hm child all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>hm child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>hm fexofenadine hcl 180 mg tab 24 hour, gluten-free (otc) *</i>	(Aller-Ease)	3	\$0	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>		1	\$0	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		1	\$0	
<i>levocetirizine 5 mg tablet (otc) *</i>	(Allergy Relief (levocetirizin))	3	\$0	
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	(Xyzal)	1	\$0	
<i>levocetirizine oral tablet 5 mg</i>	(Allergy Relief (levocetirizin))	1	\$0	
<i>loradamed 10 mg tablet outer *</i>	(loratadine)	3	\$0	
<i>loratadine-d 12 hour tablet 5-120 mg *</i>		3	\$0	
<i>maxallergy kids 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>m-dryl 12.5 mg/5 ml solution *</i>	(diphenhydramine hcl)	3	\$0	
<i>promethazine oral syrup 6.25 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>pub allergy 12.5 mg/5 ml liq cherry flavor *</i>	(diphenhydramine hcl)	3	\$0	
<i>pub children's allergy 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>qc child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>qc children's allergy 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>qc complete allergy 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0	
<i>qc complete allergy 25 mg cplt caplet *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra all day allergy 10 mg sftgl *</i>		3	\$0	
<i>ra allergy 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy med 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy med 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy med capsule 25 mg *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy relief 180 mg tab *</i>	(fexofenadine)	3	\$0	
<i>ra allergy relief 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra allergy-congestion 12hr tab non-drowsy 5-120 mg *</i>		3	\$0	
<i>ra child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra child allergy 12.5 mg/5 ml cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>ra child allergy relf 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>ra complete allergy 25 mg cplt coated caplet *</i>	(diphenhydramine hcl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra diphedryl 12.5 mg/5 ml elix *</i>	(diphenhydramine hcl)	3	\$0	
<i>sm allergy (fexo) 60 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>sm allergy relief 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>sm child all day aller 1 mg/ml grape *</i>	(cetirizine)	3	\$0	
<i>sm child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>sudogest cold and allergy tab 4-60 mg *</i>		3	\$0	
<i>total allergy 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-act d cold & allergy tab 2.5-60 mg *</i>	(triprolidine-pseudoephedrine)	3	\$0	
<i>wal-dryl allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-dryl allergy 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-dryl allergy 25 mg minitab minitab, coated *</i>	(diphenhydramine hcl)	3	\$0	
<i>wal-fex allergy 180 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>wal-fex allergy 60 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>wal-finat-d tablet 4-60 mg *</i>		3	\$0	
<i>wal-itin 10 mg tablet non-drowsy *</i>	(loratadine)	3	\$0	
<i>wal-itin 5 mg/5 ml syrup children's, grape *</i>	(loratadine)	3	\$0	
<i>wal-itin d 12 hour tablet 5-120 mg *</i>		3	\$0	
<i>wal-itin d 24 hour tablet 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0	
<i>wal-phed sinus and allergy tab 4-60 mg *</i>		3	\$0	
<i>wal-zyr 10 mg softgel *</i>		3	\$0	
<i>wal-zyr 10 mg tablet *</i>	(cetirizine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
wal-zyr d tablet 12 hr relief 5-120 mg *	(cetirizine-pseudoephedrine)	3	\$0	
ZYRTEC 10 MG LIQUID GELS *		3	\$0	
Anti-Infectives (Skin And Mucous Membrane)				
Anti-Infectives (Skin And Mucous Membrane)				
clindamycin phosphate vaginal cream 2 %	(Cleocin)	1	\$0	
metronidazole vaginal gel 0.75 % (37.5mg/5 gram)	(Vandazole)	1	\$0	
terconazole vaginal cream 0.4 %, 0.8 %		1	\$0	
terconazole vaginal suppository 80 mg		1	\$0	
Antivirals (Skin And Mucous Membrane)				
ABREVA 10% CREAM *	(docosanol)	3	\$0	
docosanol 10% cream *	(Abreva)	3	\$0	
Antimigraine Agents				
Antimigraine Agents				
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML		2	\$0	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML		2	\$0	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML		2	\$0	PA; QL (1.5 per 30 days)
dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)	(Migranal)	1	\$0	ST; QL (8 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	2	\$0	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	2	\$0	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	2	\$0	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	1	\$0	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	2	\$0	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	2	\$0	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	\$0	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	\$0	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	1	\$0	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	1	\$0	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, sub</i> (Imitrex STATdose Pen)	1	\$0	QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	1	\$0	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	\$0	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	\$0	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	\$0	QL (4 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	1	\$0	QL (5 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	1	\$0	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	2	\$0	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	1	\$0	QL (12 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	1	\$0	QL (12 per 30 days)
Antimycobacterials			
Antimycobacterials			
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	\$0	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	1	\$0	
<i>isoniazid oral solution 50 mg/5 ml</i>	1	\$0	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	\$0	
PRIFTIN ORAL TABLET 150 MG	2	\$0	
<i>pyrazinamide oral tablet 500 mg</i>	1	\$0	
<i>rifabutin oral capsule 150 mg</i>	1	\$0	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	\$0	
<i>rifampin oral capsule 150 mg, 300 mg</i>	1	\$0	
SIRTURO ORAL TABLET 100 MG, 20 MG	2	\$0	PA; NDS
TRECTOR ORAL TABLET 250 MG	2	\$0	
Antinausea Agents			
Antinausea Agents			
<i>aprepitant oral capsule 125 mg</i>	1	\$0	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	1	\$0	PA BvD; QL (1 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>aprepitant oral capsule 80 mg</i>	(Emend)	1	\$0	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	(Emend)	1	\$0	PA BvD
<i>compro rectal suppository 25 mg</i>	(prochlorperazine)	1	\$0	
<i>cvs motion sickness 25 mg tab *</i>	(meclizine)	3	\$0	
<i>dramamine less drowsy 25 mg tb *</i>	(meclizine)	3	\$0	
<i>driminate 50 mg tablet *</i>	(dimenhydrinate)	3	\$0	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	(Marinol)	1	\$0	PA; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)		2	\$0	PA BvD; QL (6 per 28 days)
<i>ft motion sickness 25 mg tab *</i>	(meclizine)	3	\$0	
<i>granisetron hcl oral tablet 1 mg</i>		1	\$0	PA BvD
<i>meclizine 12.5 mg caplet (otc) *</i>		3	\$0	
<i>meclizine 12.5 mg caplet caplet (otc) *</i>		3	\$0	
<i>meclizine 25 mg tablet (otc) *</i>	(Dramamine Less Drowsy)	3	\$0	
<i>meclizine oral tablet 12.5 mg</i>		1	\$0	
<i>meclizine oral tablet 25 mg</i>	(Dramamine Less Drowsy)	1	\$0	
<i>medi-meclizine 25 mg tablet outer, f/c *</i>	(meclizine)	3	\$0	
<i>motion sickness rlf 25 mg tab *</i>	(meclizine)	3	\$0	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>		1	\$0	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>		1	\$0	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>		1	\$0	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	(Compazine)	1	\$0	
<i>prochlorperazine rectal suppository 25 mg</i>	(Compro)	1	\$0	
<i>promethazine injection solution 25 mg/ml</i>	(Phenergan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(Promethegan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(promethazine)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	(Transderm-Scop)	1	\$0	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<i>sm motion sickness 25 mg tab *</i>	(meclizine)	3	\$0	
<i>travel-ease 25 mg tablet *</i>	(meclizine)	3	\$0	
<i>verticalm 25 mg tablet *</i>	(meclizine)	3	\$0	
<i>wal-dram-2 25 mg tablet *</i>	(meclizine)	3	\$0	

Antiparasite Agents

Antiparasite Agents

<i>albendazole oral tablet 200 mg</i>		1	\$0	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	(Mepron)	1	\$0	
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	(Malarone)	1	\$0	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	(Malarone Pediatric)	1	\$0	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>		1	\$0	
COARTEM ORAL TABLET 20-120 MG		2	\$0	
<i>hydroxychloroquine oral tablet 100 mg</i>		1	\$0	QL (180 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	\$0	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)	1	\$0	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	1	\$0	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	2	\$0	PA; QL (84 per 28 days); NDS
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	\$0	
<i>ivermectin oral tablet 6 mg</i>	1	\$0	
<i>mefloquine oral tablet 250 mg</i>	1	\$0	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	1	\$0	QL (60 per 30 days); NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	1	\$0	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	1	\$0	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	1	\$0	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	1	\$0	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	2	\$0	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	1	\$0	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	1	\$0	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	1	\$0	

Antiparkinsonian Agents

Antiparkinsonian Agents

<i>amantadine hcl oral capsule 100 mg</i>	1	\$0	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	\$0	
<i>amantadine hcl oral tablet 100 mg</i>	1	\$0	
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	1	\$0	PA; QL (60 per 30 days); NDS
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bromocriptine oral capsule 5 mg</i>	1	\$0	
<i>bromocriptine oral tablet 2.5 mg</i>	1	\$0	
<i>cabergoline oral tablet 0.5 mg</i>	1	\$0	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	\$0	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	1	\$0	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	1	\$0	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	\$0	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	\$0	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	1	\$0	
<i>entacapone oral tablet 200 mg</i>	1	\$0	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	2	\$0	PA; QL (300 per 30 days); NDS
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	\$0	PA; QL (150 per 30 days); NDS
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	2	\$0	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	\$0	ST; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	2	\$0	PA; QL (30 per 30 days); NDS
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	2	\$0	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG, 322 MG/DAY(129 MG X1-193MG X1)	2	\$0	ST
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	\$0	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	\$0	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	\$0	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	1	\$0	
<i>selegiline hcl oral capsule 5 mg</i>	1	\$0	
<i>selegiline hcl oral tablet 5 mg</i>	1	\$0	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	\$0	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	\$0	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	2	\$0	PA; QL (560 per 28 days); NDS
Antipsychotic Agents			
Antipsychotic Agents			
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	2	\$0	QL (2.4 per 42 days); NDS
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	2	\$0	QL (3.2 per 42 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	2	\$0	QL (2 per 28 days); NDS
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	2	\$0	QL (2 per 28 days); NDS
<i>aripiprazole oral solution 1 mg/ml</i>	1	\$0	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	\$0	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	1	\$0	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	1	\$0	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	2	\$0	QL (4.8 per 365 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	2	\$0	QL (3.9 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	2	\$0	QL (1.6 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	2	\$0	QL (2.4 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	2	\$0	QL (3.2 per 14 days); NDS
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	1	\$0	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	2	\$0	ST; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>chlorpromazine injection solution</i> 25 mg/ml	1	\$0	
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	1	\$0	
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	1	\$0	
<i>clozapine oral tablet</i> 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)	1	\$0	
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	1	\$0	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	1	\$0	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	1	\$0	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG	2	\$0	ST; QL (60 per 30 days); NDS
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	2	\$0	ST; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	\$0	QL (0.75 per 21 days); NDS
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	2	\$0	QL (1 per 21 days); NDS
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	\$0	QL (1.5 per 21 days); NDS
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	2	\$0	QL (2.25 per 21 days); NDS
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	\$0	QL (0.25 per 21 days); NDS
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	\$0	QL (0.5 per 21 days); NDS
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	\$0	ST; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	2	\$0	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	\$0	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	\$0	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	\$0	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	\$0	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	1	\$0	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	1	\$0	
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	\$0	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	\$0	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	\$0	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	\$0	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	2	\$0	QL (3.5 per 166 days); NDS
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	2	\$0	QL (5 per 166 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	\$0	QL (0.75 per 21 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	2	\$0	QL (1 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	\$0	QL (1.5 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	\$0	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	\$0	QL (0.5 per 21 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	2	\$0	QL (0.88 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	2	\$0	QL (1.32 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	2	\$0	QL (1.75 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	2	\$0	QL (2.63 per 70 days); NDS
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	\$0	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	1	\$0	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	1	\$0	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>molindone oral tablet 10 mg</i>	1	\$0	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	\$0	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	\$0	QL (120 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NUPLAZID ORAL CAPSULE 34 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
NUPLAZID ORAL TABLET 10 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>olanzapine intramuscular recon soln 10 mg</i>	1	\$0	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 7.5 mg</i>	1	\$0	
<i>olanzapine oral tablet 2.5 mg, 20 mg, 5 mg</i> (Zyprexa)	1	\$0	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	1	\$0	
OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG	2	\$0	ST; NDS
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	1	\$0	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	1	\$0	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	\$0	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	\$0	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	2	\$0	QL (1 per 30 days); NDS
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	\$0	
<i>prochlorperazine 10 mg/2 ml vial 10 mg/2 ml (5 mg/ml)</i>	1	\$0	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	1	\$0	
<i>quetiapine oral tablet 150 mg</i>	1	\$0	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	2	\$0	QL (30 per 30 days); NDS
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)	1	\$0	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml</i> (Rykindo)	1	\$0	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo)	1	\$0	QL (2 per 28 days); NDS
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	\$0	
<i>risperidone oral tablet 0.25 mg</i>	1	\$0	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	\$0	
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	1	\$0	
RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	2	\$0	QL (2 per 28 days); NDS
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	2	\$0	ST; QL (30 per 30 days); NDS
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	2	\$0	QL (0.28 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	2	\$0	QL (0.35 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	2	\$0	QL (0.42 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	2	\$0	QL (0.56 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	2	\$0	QL (0.7 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	2	\$0	QL (0.14 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	2	\$0	QL (0.21 per 28 days); NDS
VERSACLOZ ORAL SUSPENSION 50 MG/ML	2	\$0	ST; QL (540 per 30 days); NDS
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	2	\$0	ST; QL (30 per 30 days); NDS
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	2	\$0	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	\$0	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	1	\$0	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	2	\$0	QL (2 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	2	\$0	QL (2 per 28 days); NDS
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	2	\$0	QL (1 per 28 days); NDS
Antivirals (Systemic)			
Antiretrovirals			
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	\$0	
<i>abacavir oral tablet 300 mg</i>	1	\$0	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	1	\$0	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	2	\$0	QL (24 per 365 days); NDS
APTIVUS ORAL CAPSULE 250 MG	2	\$0	NDS
<i>atazanavir oral capsule 150 mg</i>	1	\$0	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	1	\$0	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	2	\$0	QL (30 per 30 days); NDS
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	2	\$0	NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	2	\$0	QL (24 per 365 days); NDS
<i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	2	\$0	QL (24 per 365 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CIMDUO ORAL TABLET 300-300 MG	2	\$0	NDS
COMPLERA ORAL TABLET 200-25-300 MG (emtricitabine- rilpivirine-tenofovir df)	2	\$0	NDS
darunavir oral tablet 600 mg, 800 mg (Prezista)	1	\$0	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	2	\$0	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	2	\$0	NDS
didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg	1	\$0	
DOVATO ORAL TABLET 50-300 MG	2	\$0	NDS
EDURANT ORAL TABLET 25 MG	2	\$0	NDS
EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG	2	\$0	NDS
efavirenz oral capsule 200 mg, 50 mg	1	\$0	
efavirenz oral tablet 600 mg	1	\$0	
efavirenz-emtricitabine-tenofovir oral tablet 600-200-300 mg	1	\$0	NDS
efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg (Symfi Lo)	1	\$0	NDS
efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg (Symfi)	1	\$0	NDS
emtricitabine oral capsule 200 mg (Emtriva)	1	\$0	
emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg (Truvada)	1	\$0	NDS
emtricitabine-tenofovir (tdf) oral tablet 200-300 mg (Truvada)	1	\$0	
EMTRIVA ORAL SOLUTION 10 MG/ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	2	\$0	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	1	\$0	NDS
EVOTAZ ORAL TABLET 300-150 MG	2	\$0	NDS
<i>fosamprenavir oral tablet 700 mg</i>	1	\$0	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	2	\$0	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	2	\$0	NDS
INTELENCE ORAL TABLET 25 MG	2	\$0	
ISENTRESS HD ORAL TABLET 600 MG	2	\$0	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	2	\$0	NDS
ISENTRESS ORAL TABLET 400 MG	2	\$0	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	2	\$0	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	2	\$0	
JULUCA ORAL TABLET 50-25 MG	2	\$0	NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	\$0	
<i>lamivudine oral tablet 100 mg</i>	1	\$0	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	\$0	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	1	\$0	
LEXIVA ORAL SUSPENSION 50 MG/ML	2	\$0	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	\$0	QL (480 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	1	\$0	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	1	\$0	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	1	\$0	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	1	\$0	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	1	\$0	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	1	\$0	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	1	\$0	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	2	\$0	
NORVIR ORAL SOLUTION 80 MG/ML	2	\$0	
ODEFSEY ORAL TABLET 200-25-25 MG	2	\$0	NDS
PIFELTRO ORAL TABLET 100 MG	2	\$0	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	2	\$0	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	2	\$0	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	2	\$0	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	
REYATAZ ORAL POWDER IN PACKET 50 MG	2	\$0	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	\$0	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	2	\$0	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	2	\$0	NDS
SELZENTRY ORAL TABLET 25 MG	2	\$0	
SELZENTRY ORAL TABLET 75 MG	2	\$0	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	\$0	
STRIBILD ORAL TABLET 150-150-200-300 MG	2	\$0	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	2	\$0	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	2	\$0	PA BvD; NDS
SYMITUZA ORAL TABLET 800-150-200-10 MG	2	\$0	NDS
TEMIXYS ORAL TABLET 300-300 MG	2	\$0	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	\$0	
TIVICAY ORAL TABLET 10 MG	2	\$0	
TIVICAY ORAL TABLET 25 MG, 50 MG	2	\$0	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	2	\$0	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	2	\$0	QL (30 per 30 days); NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	2	\$0	
TRIZIVIR ORAL TABLET 300-150-300 MG	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	2	\$0	NDS
VEMLIDY ORAL TABLET 25 MG	2	\$0	ST; QL (30 per 30 days); NDS
VIRACEPT ORAL TABLET 250 MG, 625 MG	2	\$0	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	2	\$0	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	\$0	NDS
VOCABRIA ORAL TABLET 30 MG	2	\$0	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	\$0	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	\$0	
<i>zidovudine oral tablet 300 mg</i>	1	\$0	
Antivirals, Miscellaneous			
LIVTENCITY ORAL TABLET 200 MG	2	\$0	PA; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	\$0	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	\$0	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	\$0	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	\$0	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	1	\$0	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)	1	\$0	QL (11 per 28 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	1	\$0	QL (30 per 5 days)
PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG	2	\$0	PA; QL (120 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PREVYMIS ORAL TABLET 240 MG, 480 MG	2	\$0	PA; QL (28 per 28 days); NDS
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	\$0	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	\$0	
Hcv Antivirals			
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	2	\$0	PA; QL (28 per 28 days); NDS
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	2	\$0	PA; QL (56 per 28 days); NDS
EPCLUSA ORAL TABLET 200-50 MG	2	\$0	PA; QL (28 per 28 days); NDS
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL PELLETS IN PACKET 45-200 MG	2	\$0	PA; QL (56 per 28 days); NDS
HARVONI ORAL TABLET 45-200 MG	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	2	\$0	PA; QL (28 per 28 days); NDS
MAVYRET ORAL TABLET 100-40 MG	2	\$0	PA; QL (84 per 28 days); NDS
VOSEVI ORAL TABLET 400-100-100 MG	2	\$0	PA; QL (28 per 28 days); NDS
Interferons			
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	2	\$0	NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	2	\$0	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Nucleosides And Nucleotides			
<i>acyclovir oral capsule 200 mg</i>	1	\$0	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	\$0	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	\$0	
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	\$0	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	\$0	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	\$0	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	\$0	
<i>lagevrio (eua) oral capsule 200 mg</i>	2	\$0	QL (40 per 5 days)
<i>ribavirin oral capsule 200 mg</i>	1	\$0	
<i>ribavirin oral tablet 200 mg</i>	1	\$0	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	\$0	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	1	\$0	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	\$0	
Blood Products/Modifiers/Volume Expanders			
Anticoagulants			
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	1	\$0	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	\$0	
ELIQUIS ORAL TABLET 2.5 MG	2	\$0	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	2	\$0	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	1	\$0	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	1	\$0	QL (48 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	1	\$0	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	1	\$0	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	1	\$0	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	1	\$0	QL (24 per 30 days); NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	1	\$0	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	1	\$0	QL (12 per 30 days); NDS
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	1	\$0	QL (18 per 30 days); NDS
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	\$0	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	\$0	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	\$0	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	\$0	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	2	\$0	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	2	\$0	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG	2	\$0	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	2	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Blood Formation Modifiers			
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	2	\$0	PA; QL (60 per 30 days); NDS
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	2	\$0	PA; NDS
DOPTelet (10 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
DOPTelet (15 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
DOPTelet (30 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	2	\$0	PA; QL (30 per 30 days); NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	2	\$0	PA; QL (20 per 30 days); NDS
LEUKINE INJECTION RECON SOLN 250 MCG	2	\$0	PA; NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG (eltrombopag olamine)	2	\$0	PA; QL (90 per 30 days); NDS
PROMACTA ORAL POWDER IN PACKET 25 MG (eltrombopag olamine)	2	\$0	PA; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PROMACTA ORAL TABLET 12.5 MG (eltrombopag olamine)	2	\$0	PA; QL (90 per 30 days); NDS
PROMACTA ORAL TABLET 25 MG (eltrombopag olamine)	2	\$0	PA; QL (30 per 30 days); NDS
PROMACTA ORAL TABLET 50 MG, 75 MG (eltrombopag olamine)	2	\$0	PA; QL (60 per 30 days); NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	\$0	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	\$0	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	2	\$0	PA; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
Hematologic Agents, Miscellaneous			
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	\$0	
<i>anagrelide oral capsule 1 mg</i>	1	\$0	
CABLIVI INJECTION KIT 11 MG	2	\$0	PA; QL (30 per 30 days); NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	2	\$0	
TAVALISSE ORAL TABLET 100 MG, 150 MG	2	\$0	PA; QL (60 per 30 days); NDS
<i>tranexamic acid oral tablet 650 mg</i>	1	\$0	
Platelet-Aggregation Inhibitors			
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	1	\$0	
BRILINTA ORAL TABLET 60 MG, 90 MG (ticagrelor)	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	\$0	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	\$0	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	\$0	
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	1	\$0	QL (30 per 30 days)

Caloric Agents

Caloric Agents

CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	2	\$0	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	\$0	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	\$0	PA BvD
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	\$0	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	\$0	PA BvD
<i>cvs glucose 4 gram tablet chew orange, gluten-free (rx) *</i> (Dex4 Glucose)	3	\$0	
<i>dex4 glucose 4 gm tablet chew grape flavor (rx) 4 gram *</i> (glucose)	3	\$0	
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	\$0	
<i>glucose 3.75 gram tablet chew *</i> (TRUEplus Glucose)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	2	\$0	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	2	\$0	PA BvD
<i>ra trueplus glucose 4 g tb chw 4 gram *</i> (glucose)	3	\$0	
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	\$0	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	\$0	PA BvD
<i>trueplus glucose 3.75 g tb chw 3.75 gram *</i> (glucose)	3	\$0	
Cardiovascular Agents			
Alpha-Adrenergic Agents			
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	\$0	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	\$0	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	\$0	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	\$0	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	\$0	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	1	\$0	PA; QL (180 per 30 days); NDS
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	\$0	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>nasal decongestant pe 10 mg tb non-drowsy, mx-str *</i> (phenylephrine hcl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>		1	\$0	
<i>ra nasal decong pe 10 mg tab pseudoephedrine free *</i>	(phenylephrine hcl)	3	\$0	
<i>ra sinus pres-cng rlf pe 10 mg *</i>	(phenylephrine hcl)	3	\$0	
<i>wal-phed pe 10 mg tablet non-drowsy *</i>	(phenylephrine hcl)	3	\$0	
Angiotensin II Receptor Antagonists				
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	(Atacand)	1	\$0	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	(Atacand HCT)	1	\$0	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	(sacubitril-valsartan)	2	\$0	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG		2	\$0	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	(Avapro)	1	\$0	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	(Avalide)	1	\$0	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	(Cozaar)	1	\$0	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	(Hyzaar)	1	\$0	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	(Benicar)	1	\$0	
<i>olmesartan-amlodipin-hcthiacid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	(Tribenzor)	1	\$0	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	(Benicar HCT)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>telmisartan oral tablet 20 mg</i>	1	\$0	
<i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)	1	\$0	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	1	\$0	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	\$0	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	\$0	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	\$0	
Angiotensin-Converting Enzyme Inhibitors			
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	\$0	
<i>benazepril oral tablet 5 mg</i>	1	\$0	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	\$0	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	\$0	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	\$0	
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	1	\$0	ST; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	\$0	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	\$0	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	\$0	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	\$0	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	\$0	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	\$0	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	\$0	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	\$0	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	\$0	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	\$0	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	\$0	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	\$0	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	1	\$0	
Antiarrhythmic Agents			
<i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)	1	\$0	
<i>amiodarone oral tablet 400 mg</i>	1	\$0	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	\$0	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	\$0	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MULTAQ ORAL TABLET 400 MG	2	\$0	
<i>pacrone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	1	\$0	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	1	\$0	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	\$0	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	\$0	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	\$0	
Beta-Adrenergic Blocking Agents			
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	\$0	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	\$0	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	\$0	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	\$0	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	\$0	
<i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	\$0	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	\$0	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	\$0	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	1	\$0	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	\$0	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	\$0	
<i>nadolol oral tablet 20 mg, 40 mg</i>	1	\$0	
<i>nadolol oral tablet 80 mg</i> (Corgard)	1	\$0	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	1	\$0	
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	\$0	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	\$0	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	\$0	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	1	\$0	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	1	\$0	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	1	\$0	
<i>sotalol oral tablet 240 mg</i> (Betapace)	1	\$0	
<i>timolol maleate oral tablet 10 mg</i>	1	\$0	
<i>timolol maleate oral tablet 20 mg, 5 mg</i>	1	\$0	
Calcium-Channel Blocking Agents			
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	1	\$0	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)	1	\$0	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	\$0	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	\$0	
<i>diltiazem hcl oral tablet 90 mg</i>	1	\$0	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	1	\$0	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	1	\$0	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	1	\$0	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	\$0	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	1	\$0	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	\$0	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	1	\$0	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	1	\$0	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	2	\$0	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	\$0	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Cardiovascular Agents, Miscellaneous			
CORLANOR ORAL SOLUTION 5 MG/5 ML	2	\$0	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	\$0	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	1	\$0	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	1	\$0	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)	2	\$0	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	\$0	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	2	\$0	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	1	\$0	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	1	\$0	PA; QL (18 per 30 days); NDS
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	2	\$0	QL (60 per 30 days)
<i>metirosine oral capsule 250 mg</i> (Demser)	1	\$0	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	1	\$0	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	1	\$0	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	1	\$0	PA; QL (18 per 30 days); NDS
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	2	\$0	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	2	\$0	PA; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Dihydropyridines			
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	\$0	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	\$0	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	\$0	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	\$0	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	\$0	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	\$0	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	\$0	
KATERZIA ORAL SUSPENSION 1 MG/ML	2	\$0	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	\$0	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	1	\$0	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	\$0	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	1	\$0	
Diuretics			
<i>amiloride oral tablet 5 mg</i>	1	\$0	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>		1	\$0	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>		1	\$0	
<i>furosemide injection solution 10 mg/ml</i>		1	\$0	
<i>furosemide injection syringe 10 mg/ml</i>		1	\$0	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>		1	\$0	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)		1	\$0	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>		1	\$0	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>		1	\$0	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>		1	\$0	
JYNARQUE ORAL TABLET 15 MG, 30 MG (tolvaptan (polycyst kidney dis))		2	\$0	PA; QL (120 per 30 days); NDS
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) (tolvaptan (polycyst kidney dis))		2	\$0	PA; QL (56 per 28 days); NDS
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>		1	\$0	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)		1	\$0	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tolvaptan (polycystic kidney disease) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque)	2	\$0	PA; QL (56 per 28 days); NDS
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	\$0	
<i>triamterene-hydrochlorothiazide oral capsule 37.5-25 mg</i>	1	\$0	
<i>triamterene-hydrochlorothiazide oral tablet 37.5-25 mg, 75-50 mg</i>	1	\$0	
Dyslipidemics			
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	1	\$0	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	\$0	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	\$0	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	\$0	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	\$0	
<i>cholestyramine light oral powder in packet 4 gram</i>	1	\$0	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	1	\$0	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	1	\$0	
<i>colestipol oral packet 5 gram</i>	1	\$0	
<i>colestipol oral tablet 1 gram</i> (Colestid)	1	\$0	
<i>endur-acin er 500 mg tablet *</i> (niacin)	3	\$0	
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	2	\$0	ST; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	1	\$0	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	1	\$0	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	\$0	
<i>fenofibrate oral tablet 120 mg, 160 mg, 40 mg, 54 mg</i>	1	\$0	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	1	\$0	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	1	\$0	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	1	\$0	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	\$0	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	1	\$0	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	1	\$0	QL (120 per 30 days)
JUXTAPID ORAL CAPSULE 10 MG, 5 MG	2	\$0	PA; QL (28 per 28 days); NDS
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	2	\$0	PA; QL (56 per 28 days); NDS
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	\$0	
NEXLETOL ORAL TABLET 180 MG	2	\$0	ST; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NEXLIZET ORAL TABLET 180-10 MG	2	\$0	ST; QL (30 per 30 days)
<i>niacin 500 mg capsule sa (rx) *</i>	3	\$0	
<i>niacin 500 mg tablet (rx) *</i> (Niacor)	3	\$0	
<i>niacin oral tablet 500 mg</i> (Niacor)	1	\$0	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	1	\$0	
<i>niacin tr 500 mg tablet (rx) *</i> (Endur-Acin)	3	\$0	
<i>niacor oral tablet 500 mg</i> (niacin)	1	\$0	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	\$0	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	1	\$0	QL (30 per 30 days)
<i>plain niacin 500 mg tablet (rx) *</i> (Niacor)	3	\$0	
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	\$0	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	\$0	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	1	\$0	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	2	\$0	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	2	\$0	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	2	\$0	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	\$0	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	\$0	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	\$0	QL (30 per 30 days)
<i>true vitamin b3 250 mg tablet *</i>	3	\$0	
<i>true vitamin b3 50 mg tablet *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Renin-Angiotensin-Aldosterone System Inhibitors			
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	1	\$0	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	\$0	
KERENDIA ORAL TABLET 10 MG, 20 MG	2	\$0	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	1	\$0	ST; QL (600 per 30 days)
Vasodilators			
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	\$0	
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	1	\$0	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	1	\$0	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	\$0	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	\$0	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	1	\$0	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	1	\$0	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	\$0	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	\$0	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	1	\$0	
Central Nervous System Agents			
Central Nervous System Agents			
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	1	\$0	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	2	\$0	PA; QL (120 per 30 days); NDS
AUSTEDO ORAL TABLET 6 MG	2	\$0	PA; QL (60 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	2	\$0	PA; QL (90 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	2	\$0	PA; QL (60 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	2	\$0	PA; QL (30 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	2	\$0	PA; QL (210 per 30 days); NDS
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	2	\$0	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
AVONEX PEN 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	2	\$0	PA; QL (15 per 30 days); NDS
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	1	\$0	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	\$0	PA; QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i> (Dexedrine Spansule)	1	\$0	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 15 mg, 5 mg</i>	1	\$0	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	1	\$0	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zenzedi)	1	\$0	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	1	\$0	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	\$0	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> (Tecfidera)	1	\$0	PA; QL (14 per 7 days); NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	1	\$0	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)	1	\$0	PA; QL (60 per 30 days); NDS
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	2	\$0	PA; NDS
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	1	\$0	PA; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	2	\$0	PA; QL (30 per 30 days); NDS
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)	2	\$0	PA; QL (12 per 28 days); NDS
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	2	\$0	PA; QL (30 per 30 days); NDS
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	2	\$0	PA; QL (12 per 28 days); NDS
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	\$0	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	2	\$0	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	2	\$0	PA; QL (30 per 30 days); NDS
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	2	\$0	PA; QL (30 per 30 days); NDS
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	2	\$0	PA; QL (1.2 per 28 days); NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	\$0	
<i>lithium carbonate oral tablet 300 mg</i>	1	\$0	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	\$0	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	\$0	
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	\$0	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	2	\$0	PA; QL (112 per 28 days); NDS
MAYZENT ORAL TABLET 1 MG, 2 MG	2	\$0	PA; QL (30 per 30 days); NDS
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	2	\$0	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	2	\$0	PA; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	\$0	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	1	\$0	QL (30 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	2	\$0	PA; QL (20 per 180 days); NDS
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	2	\$0	PA; QL (23 per 180 days); NDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML-94 MCG/0.5 ML	2	\$0	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML		2	\$0	PA; NDS
<i>riluzole oral tablet 50 mg</i>	(Rilutek)	1	\$0	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG		2	\$0	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)		2	\$0	
<i>teriflunomide oral tablet 14 mg, 7 mg</i>	(Aubagio)	1	\$0	PA; QL (30 per 30 days); NDS
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>	(Xenazine)	1	\$0	PA; QL (112 per 28 days); NDS
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG		2	\$0	PA; QL (120 per 30 days); NDS
Contraceptives				
Contraceptives				
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>after pill 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>aftera 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	\$0	QL (91 per 84 days)
<i>amethyst (28) oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		1	\$0	
<i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	1	\$0	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	1	\$0	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	1	\$0	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estradiol)	1	\$0	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	\$0	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	1	\$0	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	1	\$0	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	1	\$0	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	1	\$0	
<i>econtra one-step 1.5 mg tablet outer *</i>	(levonorgestrel)	3	\$0	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>estarylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	\$0	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	1	\$0	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	1	\$0	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>her style 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>iclevia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>jaimiess oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	\$0	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>jolessa oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>julie 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>kariva</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>kelnor</i> 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	1	\$0	
<i>kelnor</i> 1/50 (28) oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	1	\$0	
<i>kurvelo</i> (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	\$0	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		2	\$0	
<i>l norgest/e.estradiol-e.estradiol</i> oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	(Camrese Lo)	1	\$0	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol</i> oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg	(Rivelsa)	1	\$0	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(Amethia)	1	\$0	QL (91 per 84 days)
<i>larin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	1	\$0	
<i>larin</i> 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	1	\$0	
<i>larin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larin</i> fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larin</i> fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larissia</i> oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>lessina</i> oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	1	\$0	
<i>levonorgestrel 1.5 mg tablet (otc) *</i>	(After Pill)	3	\$0	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	1	\$0	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	1	\$0	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	1	\$0	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	1	\$0	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	1	\$0	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		2	\$0	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>luteru (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>mili oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		2	\$0	
<i>mono-lynyah oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>my choice 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>my way 1.5 mg tablet (otc) *</i>	(levonorgestrel)	3	\$0	
<i>new day 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
NEXPLANON SUBDERMAL IMPLANT 68 MG		2	\$0	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	1	\$0	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	1	\$0	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	1	\$0	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Gemmily)	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tilia Fe)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Tri-Lo-Estarylla)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Tri-Estarylla)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>	(Estarylla)	1	\$0	
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		1	\$0	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>opcicon one-step 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>option 2 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>philith oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>		1	\$0	
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	\$0	QL (91 per 84 days)
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG		2	\$0	
SLYND ORAL TABLET 4 MG (28)		2	\$0	
<i>sprintec (28) oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>take action 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>valtya oral tablet 1-50 mg-mcg</i>	(ethynodiol diaceth estradiol)	1	\$0	
VCF CONTRACEPTIVE FILM 28 % *		3	\$0	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		1	\$0	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>vylibra oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	1	\$0	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	1	\$0	QL (3 per 28 days)
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diaceth estradiol)	1	\$0	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diaceth estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
zumandimine (28) oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	1	\$0	
Cough And Cold Products				
Cough And Cold Products				
adult wal-tussin dm max liq cherry menthol 10-200 mg/5 ml *	(dextromethorphan-guaifenesin)	3	\$0	
benzonatate 100 mg capsule *		3	\$0	
benzonatate 150 mg capsule *		3	\$0	
benzonatate 200 mg capsule *		3	\$0	
chest cong rlf pe 400-10 mg tb 10-400 mg *	(phenylephrine-guaifenesin)	3	\$0	
chest congest rlf 400 mg tab *	(guaifenesin)	3	\$0	
chest congestion relief dm syr 10-100 mg/5 ml *	(dextromethorphan-guaifenesin)	3	\$0	
chest congestion relief soln 100 mg/5 ml *	(guaifenesin)	3	\$0	
chest congst-cough relief tab 20-400 mg *	(dextromethorphan-guaifenesin)	3	\$0	
child robitussin elderberry dm 5-100 mg/5 ml *	(dextromethorphan-guaifenesin)	3	\$0	
cvs chest congest relief dm tb 20-400 mg *	(dextromethorphan-guaifenesin)	3	\$0	
cvs chest congestion rlf tab 400 mg *	(guaifenesin)	3	\$0	
cvs child chest congest-cough 5-100 mg/5 ml *	(dextromethorphan-guaifenesin)	3	\$0	
cvs child cough dm er 30 mg/5 30 mg/5 ml *	(dextromethorphan polistirex)	3	\$0	
cvs mucus er 1,200 mg tablet *	(guaifenesin)	3	\$0	
cvs tussin 100 mg/5 ml liquid *	(guaifenesin)	3	\$0	
day multi-symp flu-severe cold 10-20-500 mg *		3	\$0	
DELSYM 30 MG/5 ML SUSPENSION FOR ADULT *	(dextromethorphan polistirex)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dextromethorphan er 30 mg/5 ml *</i>	(Children's Cough DM ER)	3	\$0	
<i>diabetic tussin dm max-str liq 10-200 mg/5 ml *</i>	(dextromethorphan -guaifenesin)	3	\$0	
<i>endacof-dm liquid 1-2.5-5 mg/5 ml *</i>		3	\$0	
<i>eq chld cough dm er 30 mg/5 ml *</i>	(dextromethorphan polistirex)	3	\$0	
<i>expectorant 100 mg/5 ml syrup *</i>	(guaifenesin)	3	\$0	
<i>expectorant 200 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>gnp tussin dm clear syrup d/f 10-100 mg/5 ml *</i>	(dextromethorphan -guaifenesin)	3	\$0	
<i>guaifenesin 200 mg tablet (otc) *</i>	(Expectorant)	3	\$0	
MUCINEX DM ER 1,200-60 MG TAB BI-LAYER, MAX-STR 60-1,200 MG *	(dextromethorphan -guaifenesin)	3	\$0	
MUCINEX ER 600 MG TABLET *	(guaifenesin)	3	\$0	
<i>mucus relief er 600 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>mucus rlf dm er 600-30 mg tab outer 30-600 mg *</i>	(dextromethorphan -guaifenesin)	3	\$0	
<i>neo-tuss liquid 30-200 mg/5 ml *</i>		3	\$0	
<i>pseudoephedrine 30 mg tablet *</i>	(Sudogest)	3	\$0	
<i>pseudoephedrine er 120 mg tab *</i>	(Sinus 12 Hour)	3	\$0	
<i>ra anti-tussive dm syrup 10-100 mg/5 ml *</i>	(dextromethorphan -guaifenesin)	3	\$0	
<i>ra cough dm er 30 mg/5 ml susp 12hr,orange *</i>	(dextromethorphan polistirex)	3	\$0	
<i>ra expectorant cough syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>ra sinus congestion 12hr 120 mg *</i>	(pseudoephedrine hcl)	3	\$0	
<i>ra suphedrine 12hr 120 mg cplt caplet,mx-str *</i>	(pseudoephedrine hcl)	3	\$0	
<i>ra suphedrine 30 mg tablet *</i>	(pseudoephedrine hcl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra tussin cough liquid d/f 10-100 mg/5 ml *</i>	(dextromethorphan -guaifenesin)	3	\$0	
<i>ra tussin dm max liquid 10-200 mg/5 ml *</i>	(dextromethorphan -guaifenesin)	3	\$0	
<i>ra tussin dm syrup 10-100 mg/5 ml *</i>	(dextromethorphan -guaifenesin)	3	\$0	
<i>refenesen 400 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>robafen cf liquid multi-cld symptm 5-10-100 mg/5 ml *</i>		3	\$0	
<i>robitussin cough-chest dm liq 5-100 mg/5 ml *</i>	(dextromethorphan -guaifenesin)	3	\$0	
<i>robitussin cough-cold cf liq 2.5-5-50 mg/5 ml *</i>		3	\$0	
ROBITUSSIN SEVERE COUGH-SORE THROAT LIQUID 325-10 MG/10 ML *		3	\$0	
<i>scot-tussin expectorant liquid 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>sudogest 12 hour 120 mg caplet *</i>	(pseudoephedrine hcl)	3	\$0	
<i>sudogest 30 mg tablet boxed *</i>	(pseudoephedrine hcl)	3	\$0	
<i>suphedrin liquid 15 mg/5 ml *</i>		3	\$0	
<i>suphedrine sinus cong 30 mg tb *</i>	(pseudoephedrine hcl)	3	\$0	
THERAFLU FLU RELIEF DAYTIME PK 1,000-30 MG *		3	\$0	
THERAFLU MS SEVERE COLD PCKT 10-20-500 MG *		3	\$0	
THERAFLU SVR COLD DAY(DM) PKT 500-20 MG, 650-20 MG *		3	\$0	
<i>theraflu-d flu relief day liq 60-30-1,000 mg/30 ml *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
THERAFLU-D FLU RELIEF NIGHT LQ 4-60-30-1000 MG/30 ML *		3	\$0	
VANATAB DM CAPLET 5-9-198 MG *		3	\$0	
wal-phed 30 mg tablet maxium strength *	(pseudoephedrine hcl)	3	\$0	
wal-phed 30 mg tablet non-drowsy *	(pseudoephedrine hcl)	3	\$0	
wal-phed d er 120 mg tablet *	(pseudoephedrine hcl)	3	\$0	
wal-tussin dm clear syrup 10-100 mg/5 ml *	(dextromethorphan -guaifenesin)	3	\$0	
wal-tussin syrup 100 mg/5 ml *	(guaifenesin)	3	\$0	
zephrex-d 30 mg tablet *		3	\$0	
Dental And Oral Agents				
Dental And Oral Agents				
cevimeline oral capsule 30 mg	(Evoxac)	1	\$0	
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	(Periogard)	1	\$0	
denta 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	\$0	
dentagel dental gel 1.1 %	(fluoride (sodium))	1	\$0	
periogard mucous membrane mouthwash 0.12 %	(chlorhexidine gluconate)	1	\$0	
PHOS-FLUR ORAL RINSE 6'S,10ML DOSAGE CUP 0.02 % (0.044 % SOD. FLUORIDE) *		3	\$0	
pilocarpine hcl oral tablet 5 mg, 7.5 mg	(Salagen (pilocarpine))	1	\$0	
sf 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	\$0	
sodium fluoride dental solution 0.2 %	(PreviDent)	1	\$0	
sodium fluoride-pot nitrate dental paste 1.1-5 %	(Denta 5000 Plus Sensitive)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	1	\$0	
Dermatological Agents				
Dermatological Agents, Other				
<i>a and d ointment *</i>	(vits a and d-white pet-lanolin)	3	\$0	
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	1	\$0	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		1	\$0	
<i>acne foaming 10% wash *</i>	(benzoyl peroxide)	3	\$0	
<i>acne medication 10% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>acne medication 5% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>acneclear gel 10 % *</i>	(benzoyl peroxide)	3	\$0	
<i>acyclovir topical cream 5 %</i>	(Zovirax)	1	\$0	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	1	\$0	QL (30 per 30 days)
<i>ameriphor moist ointment *</i>		3	\$0	
<i>amlactin 12% lotion (rx) *</i>	(ammonium lactate)	3	\$0	
<i>ammonium lactate 12% cream (otc) *</i>		3	\$0	
<i>ammonium lactate 12% cream (rx) *</i>		3	\$0	
<i>ammonium lactate 12% cream fragrance free (otc) *</i>		3	\$0	
<i>ammonium lactate 12% lotion (otc) *</i>	(AmLactin)	3	\$0	
<i>ammonium lactate 12% lotion fragrance free (rx) *</i>	(AmLactin)	3	\$0	
<i>ammonium lactate topical cream 12 %</i>		1	\$0	
<i>ammonium lactate topical lotion 12 %</i>	(AmLactin)	1	\$0	
AQUAPHOR 41% HEALING OINTMENT *		3	\$0	
<i>aquaphor baby diaper rash 40% *</i>	(zinc oxide)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>arthritis pain relief 0.1% crm high potency str *</i> (capsaicin)	3	\$0	
<i>arthritis pain rlf 0.075% crm *</i> (capsaicin)	3	\$0	
<i>astringent solution powder pkt 952-1,347 mg *</i>	3	\$0	
<i>aveeno baby cream 1 % *</i>	3	\$0	
AVEENO ECZEMA THERAPY 1% CREAM *	3	\$0	
<i>balmex adult care 11.3% cream *</i>	3	\$0	
<i>balmex cmplt protect 11.3% crm *</i>	3	\$0	
<i>benzoyl peroxide 10% gel (otc) *</i> (Acne Medication)	3	\$0	
<i>benzoyl peroxide 10% gel maximum strength (otc) *</i> (Acne Medication)	3	\$0	
<i>benzoyl peroxide 10% wash (otc) *</i> (Acne Control(benzoyl peroxide))	3	\$0	
<i>benzoyl peroxide 5% wash (otc) *</i> (Advanced Exfoliating Cleanser)	3	\$0	
BETADINE 5% SPRAY *	3	\$0	
<i>biofreeze 5% overnight patch inner *</i>	3	\$0	
<i>bp 10% gel *</i> (benzoyl peroxide)	3	\$0	
BP WASH 10% LIQUID * (benzoyl peroxide)	3	\$0	
<i>calcipotriene scalp solution 0.005 %</i>	1	\$0	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	1	\$0	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	1	\$0	QL (120 per 30 days)
CALDESENE MEDICATED 15-81% PWD *	3	\$0	
CALMOSEPTINE OINTMENT 0.44-20.6 % * (menthol-zinc oxide)	3	\$0	
<i>capsaicin 0.1% cream *</i> (Arthritis Pain Relief(capsaicin))	3	\$0	
CAPZASIN 0.15% LIQUID * (capsaicin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CASTELLANI PAINT 1.5% COLORLESS, MODIFIED *	3	\$0	
<i>cutter lemon eucalyptus spray 30 % *</i>	3	\$0	
<i>cvs acne control 10 % cleanser *</i> (benzoyl peroxide)	3	\$0	
<i>cvs acne treatment 10% gel *</i> (benzoyl peroxide)	3	\$0	
<i>cvs adv exfoliating 5% cleansr *</i> (benzoyl peroxide)	3	\$0	
<i>cvs advanced healing 41% oint *</i>	3	\$0	
<i>cvs capsaicin 0.1% cream *</i> (Arthritis Pain Relief(capsaic))	3	\$0	
<i>cvs diaper cream 1-10 % *</i>	3	\$0	
<i>cvs eczema relief 1% cream *</i>	3	\$0	
<i>cvs foaming acne face 10% wash *</i> (benzoyl peroxide)	3	\$0	
CVS PETROLEUM JELLY * (Lip Treatment)	3	\$0	
<i>cvs skin treatment body lotion 12 % *</i> (ammonium lactate)	3	\$0	
<i>cvs wound wash saline spray 0.9 % *</i>	3	\$0	
DAKIN'S 0.125% SOLUTION *	3	\$0	
<i>dakin's 0.25% solution *</i>	3	\$0	
<i>daylogic acne foaming 10% wash *</i> (benzoyl peroxide)	3	\$0	
<i>daylogic acne treatmnt 10% gel *</i> (benzoyl peroxide)	3	\$0	
<i>daylogic advanced healing oint 41 % *</i>	3	\$0	
<i>dermaphor ointment *</i>	3	\$0	
DESITIN 40% PASTE *	3	\$0	
DESITIN DAILY DEFENSE 13% CRM *	3	\$0	
<i>dhs sal 3% shampoo *</i>	3	\$0	
DHS TAR 0.5% SHAMPOO *	3	\$0	
<i>diaper rash 13% cream *</i>	3	\$0	
<i>diaper rash 40% ointment *</i> (zinc oxide)	3	\$0	
<i>diaper rash 40% paste *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DOMEBORO POWDER PACKET 952-1,347 MG *	3	\$0	
<i>dry skin treatment 41 % *</i>	3	\$0	
<i>eq first aid antiseptic soln 10 % *</i> (povidone-iodine)	3	\$0	
<i>eucerin eczema relief 1% cream *</i>	3	\$0	
<i>fluorouracil topical cream 0.5 %</i> (Carac)	2	\$0	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	\$0	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	\$0	
<i>gnp saline wound wash spray 0.9 % *</i>	3	\$0	
<i>gs diaper rash 40% paste *</i> (zinc oxide)	3	\$0	
<i>h-chlor 12 0.125% solution *</i>	3	\$0	
<i>hemorrhoidal ointment 0.25-14-74.9 % *</i>	3	\$0	
<i>hysept 0.25% solution *</i>	3	\$0	
<i>icy hot medicated patch extra strength 5 % *</i>	3	\$0	
<i>imiquimod topical cream in packet 5 %</i>	1	\$0	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	\$0	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	2	\$0	QL (5 per 5 days)
<i>lintera 10% wash *</i> (benzoyl peroxide)	3	\$0	
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	1	\$0	NDS
NATRAPEL 20% SPRAY *	3	\$0	
<i>neutrogena t-sal 3% shampoo *</i>	3	\$0	
<i>nizoral psoriasis 3% shampoo *</i>	3	\$0	
OCUSOFT LID SCRUB ALLERGY PADS *	3	\$0	
<i>panoxyl 10% acne foaming wash *</i> (benzoyl peroxide)	3	\$0	
PANRETIN TOPICAL GEL 0.1 %	2	\$0	QL (60 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>penciclovir topical cream 1 %</i> (Denavir)	1	\$0	
<i>periguard ointment *</i>	3	\$0	
<i>persa-gel 10% 12's,max-strength *</i> (benzoyl peroxide)	3	\$0	
<i>petrolatum base ointment *</i>	3	\$0	
PETROLATUM JELLY WHITE (RX) 100 % *	3	\$0	
PETROLEUM JELLY LIP TREATMENT * (white petrolatum)	3	\$0	
<i>podofilox topical solution 0.5 %</i>	1	\$0	
<i>povidone-iodine 10% solution *</i>	3	\$0	
<i>povidone-iodine 10% solution *</i> (Antiseptic)	3	\$0	
<i>protective ointment w/vitamins a&d *</i> (white petrolatum)	3	\$0	
<i>ra antiseptic 10% solution *</i> (povidone-iodine)	3	\$0	
<i>ra vitamin a and d ointment *</i> (A and D (lanolin-petrolatum))	3	\$0	
<i>ra zinc oxide ointment *</i>	3	\$0	
REGNANEX TOPICAL GEL 0.01 %	2	\$0	PA; QL (30 per 30 days); NDS
<i>repel lemon eucalyptus 30% spr *</i>	3	\$0	
<i>safe wash soln 0.9 % *</i> (sodium chloride)	3	\$0	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	2	\$0	QL (180 per 30 days)
<i>selsun blue deep clean shampoo 3 % *</i>	3	\$0	
<i>sm anti-dandruff 0.5% shampoo *</i>	3	\$0	
<i>thera-gel 0.5% shampoo *</i>	3	\$0	
<i>therapeutic t+plus shampoo 3 % *</i>	3	\$0	
<i>t-plus 0.5% therapeutic shmpoo *</i>	3	\$0	
VALCHLOR TOPICAL GEL 0.016 %	2	\$0	PA NSO; NDS
VASELINE PETROLEUM JELLY 12'S * (white petrolatum)	3	\$0	
VASELINE WHITE PETROLEUM JELLY * (white petrolatum)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
WHITE PETROLEUM JELLY * (Lip Treatment)		3	\$0	
WHITE PETROLEUM JELLY 144'S * (white petrolatum)		3	\$0	
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin)		1	\$0	
zinc oxide 20% ointment (otc) * (Endit (zinc oxide))		3	\$0	
zostrix hp 0.1% cream * (capsaicin)		3	\$0	
zostrix hp 0.1% foot cream * (capsaicin)		3	\$0	
Dermatological Antibacterials				
bacitracin 500 unit/gm ointmnt 500 unit/gram * (Bacitraycin Plus)		3	\$0	
bacitracin zn 500 unit/gm oint 500 unit/gram * (Antibiotic (bacitracin zinc))		3	\$0	
bacitraycin plus 500 unit/gm 500 unit/gram * (bacitracin)		3	\$0	
clindamycin phosphate topical foam 1 % (Clindacin)		1	\$0	QL (100 per 30 days)
clindamycin phosphate topical solution 1 %		1	\$0	QL (180 per 30 days)
clindamycin phosphate topical swab 1 % (Clindacin ETZ)		1	\$0	
clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 % (Neuac)		1	\$0	
clindamycin-benzoyl peroxide topical gel 1-5 %		1	\$0	
ery pads topical swab 2 % (erythromycin with ethanol)		1	\$0	
erythromycin with ethanol topical gel 2 % (Erygel)		1	\$0	
erythromycin with ethanol topical solution 2 %		1	\$0	
erythromycin-benzoyl peroxide topical gel 3-5 % (Benzamycin)		1	\$0	
gentamicin topical cream 0.1 %		1	\$0	QL (90 per 30 days)
gentamicin topical ointment 0.1 %		1	\$0	QL (120 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>metronidazole topical cream 0.75 %</i>	(Rosadan)	1	\$0	
<i>metronidazole topical gel 0.75 %</i>	(Rosadan)	1	\$0	
<i>metronidazole topical gel 1 %</i>	(Metrogel)	1	\$0	
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	1	\$0	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	\$0	QL (220 per 30 days)
<i>neuc topical gel 1.2 %(1 % base) - 5 %</i>	(clindamycin-benzoyl peroxide)	1	\$0	
<i>rosadan topical cream 0.75 %</i>	(metronidazole)	1	\$0	
<i>selenium sulfide topical lotion 2.5 %</i>		1	\$0	
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	1	\$0	
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	2	\$0	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	1	\$0	
<i>triple antibiotic ointment 3.5mg-400 unit- 5,000 unit/gram *</i>	(neomycin-bacitraczn-polymyxnb)	3	\$0	
Dermatological Anti-Inflammatory Agents				
<i>ala-cort topical cream 1 %</i>	(hydrocortisone)	1	\$0	
<i>ala-scalp topical lotion 2 %</i>	(hydrocortisone)	1	\$0	
<i>alclometasone topical cream 0.05 %</i>		1	\$0	
<i>alclometasone topical ointment 0.05 %</i>		1	\$0	
<i>aquanil hc 1% lotion *</i>	(hydrocortisone)	3	\$0	
<i>aquaphor itch relief 1% oint *</i>	(hydrocortisone)	3	\$0	
<i>beta hc 1% lotion *</i>	(hydrocortisone)	3	\$0	
<i>betamethasone dipropionate topical cream 0.05 %</i>		1	\$0	
<i>betamethasone dipropionate topical lotion 0.05 %</i>		1	\$0	
<i>betamethasone dipropionate topical ointment 0.05 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>betamethasone valerate topical cream 0.1 %</i>		1	\$0	
<i>betamethasone valerate topical foam 0.12 %</i>	(Luxiq)	1	\$0	
<i>betamethasone valerate topical lotion 0.1 %</i>		1	\$0	
<i>betamethasone valerate topical ointment 0.1 %</i>		1	\$0	
<i>betamethasone, augmented topical cream 0.05 %</i>		1	\$0	
<i>betamethasone, augmented topical gel 0.05 %</i>		1	\$0	
<i>betamethasone, augmented topical lotion 0.05 %</i>		1	\$0	
<i>betamethasone, augmented topical ointment 0.05 %</i>	(Diprolene (augmented))	1	\$0	
<i>clobetasol scalp solution 0.05 %</i>		1	\$0	
<i>clobetasol topical cream 0.05 %</i>		1	\$0	
<i>clobetasol topical foam 0.05 %</i>	(Olux)	1	\$0	
<i>clobetasol topical gel 0.05 %</i>		1	\$0	
<i>clobetasol topical lotion 0.05 %</i>	(Clobex)	1	\$0	
<i>clobetasol topical ointment 0.05 %</i>		1	\$0	
<i>clobetasol topical shampoo 0.05 %</i>	(Clobex)	1	\$0	
<i>clobetasol-emollient topical cream 0.05 %</i>		1	\$0	
<i>clobetasol-emollient topical foam 0.05 %</i>	(Olux-E)	1	\$0	
<i>cortaid topical cream 1 % *</i>	(hydrocortisone)	3	\$0	
<i>cortizone-10 1% ointment *</i>	(hydrocortisone)	3	\$0	
<i>cortizone-10 with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>cvs cortisone 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>cvs cortisone with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>desonide topical cream 0.05 %</i>	(DesOwen)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>desonide topical lotion 0.05 %</i>	1	\$0	
<i>desonide topical ointment 0.05 %</i>	1	\$0	
<i>desoximetasone topical cream 0.05 %</i> , 0.25 % (Topicort)	1	\$0	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	1	\$0	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %</i> , 0.25 % (Topicort)	1	\$0	
<i>diflorasone topical ointment 0.05 %</i>	1	\$0	QL (180 per 30 days)
<i>eq hydrocortisone 1% cream (otc) *</i> (Ala-Cort)	3	\$0	
<i>eq hydrocortisone-aloe 1% crm *</i> (Anti-Itch(hydrocortisone)-Aloe)	3	\$0	
EUCRISA TOPICAL OINTMENT 2 %	2	\$0	
<i>fluocinolone topical cream 0.01 %</i>	1	\$0	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	\$0	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	\$0	
<i>fluocinonide topical cream 0.05 %</i>	1	\$0	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	1	\$0	
<i>fluocinonide topical gel 0.05 %</i>	1	\$0	
<i>fluocinonide topical ointment 0.05 %</i>	1	\$0	
<i>fluocinonide topical solution 0.05 %</i>	1	\$0	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	1	\$0	
<i>fluticasone propionate topical cream 0.05 %</i>	1	\$0	
<i>fluticasone propionate topical ointment 0.005 %</i>	1	\$0	
<i>ft itch relief 1% ointment *</i> (hydrocortisone)	3	\$0	
<i>ft itch rlf with aloe 1% cream *</i> (hydrocortisone-aloe vera)	3	\$0	
<i>gs anti-itch 1% cream *</i> (hydrocortisone)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>halobetasol propionate topical cream 0.05 %</i>	1	\$0	
<i>halobetasol propionate topical ointment 0.05 %</i>	1	\$0	
<i>hm hydrocortisone 1% cream (otc) *</i> (Ala-Cort)	3	\$0	
<i>hydrocortisone 0.5% ointment *</i>	3	\$0	
<i>hydrocortisone 1% cream (otc) *</i> (Ala-Cort)	3	\$0	
<i>hydrocortisone 1% cream *</i> (Vanicaream HC)	3	\$0	
<i>hydrocortisone 1% cream maximum strength (otc) *</i> (Ala-Cort)	3	\$0	
<i>hydrocortisone 1% lotion (otc) *</i> (Aquanil HC)	3	\$0	
<i>hydrocortisone 1% ointment *</i>	3	\$0	
<i>hydrocortisone 1% ointment maximum strength (otc) *</i> (Anti-Itch (HC))	3	\$0	
<i>hydrocortisone 2.5% cream</i>	1	\$0	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	1	\$0	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	1	\$0	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	1	\$0	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	1	\$0	QL (120 per 30 days)
HYDROCORTISONE LOTION CMPLT KT 2 %	1	\$0	
<i>hydrocortisone plus 1% cream max-str,w/aloe *</i> (hydrocortisone-aloe vera)	3	\$0	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	\$0	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	\$0	
HYDROCORTISONE TOPICAL LOTION 2 % (Ala-Scalp)	1	\$0	
<i>hydrocortisone topical lotion 2.5 %</i>	1	\$0	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydrocortisone topical ointment 2.5 %</i>		1	\$0	
<i>hydrocortisone valerate topical cream 0.2 %</i>		1	\$0	
<i>hydrocortisone valerate topical ointment 0.2 %</i>		1	\$0	
<i>hydrocortisone-aloe 1% cream *</i>	(Anti-Itch(hydrocortisone)-Aloe)	3	\$0	
<i>mometasone topical cream 0.1 %</i>		1	\$0	
<i>mometasone topical ointment 0.1 %</i>		1	\$0	
<i>mometasone topical solution 0.1 %</i>		1	\$0	
<i>monistat care 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>pimecrolimus topical cream 1 %</i>	(Elidel)	1	\$0	QL (100 per 30 days)
<i>preparation h hc 1% cream *</i>	(hydrocortisone)	3	\$0	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	1	\$0	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	1	\$0	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	1	\$0	
<i>pub hydrocream 1% *</i>	(hydrocortisone)	3	\$0	
<i>qc anti-itch with aloe 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>ra anti-itch 1% cream maximum strength *</i>	(hydrocortisone)	3	\$0	
<i>ra anti-itch 1% ointment maximum strength *</i>	(hydrocortisone)	3	\$0	
<i>sm hydrocortisone 1% ointment maximum strength (otc) *</i>	(Anti-Itch (HC))	3	\$0	
<i>sm hydrocortisone plus 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>sm hydrocortisone-aloe 1% crm *</i>	(Anti-Itch(hydrocortisone)-Aloe)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	1	\$0	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>	1	\$0	
<i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)	1	\$0	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	\$0	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	\$0	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	1	\$0	
<i>vanicream hc 1% cream *</i> (hydrocortisone acetate)	3	\$0	
Dermatological Retinoids			
<i>adapalene topical cream 0.1 %</i> (Differin)	1	\$0	
ALTRENO TOPICAL LOTION 0.05 %	2	\$0	PA
<i>tazarotene topical cream 0.05 %, 0.1 %</i> (Tazorac)	1	\$0	
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	\$0	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	\$0	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	\$0	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	\$0	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	\$0	PA
Scabicides And Pediculicides			
<i>cvs lice killing shampoo maximum strength 0.33-4 % *</i>	3	\$0	
<i>eq lice killing shampoo maximum strength 0.33-4 % *</i>	3	\$0	
<i>gnp lice treatment shampoo 1 nit comb included 0.33-4 % *</i>	3	\$0	
<i>lice treatment 1% creme rinse 1 nit removal comb *</i> (permethrin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>malathion topical lotion 0.5 %</i>	(Ovide)	1	\$0	
<i>permethrin topical cream 5 %</i>	(Elimite)	1	\$0	QL (60 per 30 days)
Devices				
Devices				
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	PA; ST
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ADVOCATE INS 1 ML 31GX5/16" (insulin syringe-needle u-100) 1 ML 31 GAUGE X 5/16	1	\$0	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
ALCOHOL 70% SWABS (Alcohol Pads)	1	\$0	PA; ST
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED (alcohol swabs)	1	\$0	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	\$0	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	1	\$0	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	1	\$0	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	1	\$0	PA; ST
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	\$0	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	\$0	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	\$0	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	1	\$0	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	1	\$0	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
BD INS SYR UF 0.3 ML 12.7MMX30G 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD INS SYRNG UF 0.3 ML 8MMX31G 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD INS SYRNG UF 0.5 ML 8MMX31G 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	1	\$0	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	1	\$0	PA; ST
BD INSULIN SYR 1 ML 27GX12.7MM 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML (insulin syringe needleless)	1	\$0	PA; ST
BD INSULIN SYRINGE U-500 SYRINGE 1/2 ML 31 GAUGE X 15/64" (insulin u-500 syringe-needle)	1	\$0	PA; ST
BD LUER-LOK SYRINGE 1 ML (Easy Touch Luer Lock Insulin)	1	\$0	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
BD SINGLE USE SWAB (alcohol swabs)	1	\$0	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64" (insulin syringe- needle u-100)	1	\$0	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 " (gauze bandage)	1	\$0	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	\$0	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	1	\$0	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"	1	\$0	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
COMFEEL PLUS CLEAR DRESSING 6 X 8 " * (hydrocolloid dressing)	3	\$0	
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	1	\$0	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"	1	\$0	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32" (pen needle, diabetic, safety)	1	\$0	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	\$0	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 4MM 31 GAUGE X 5/32"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	1	\$0	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	1	\$0	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	\$0	PA; ST
CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs)	1	\$0	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	\$0	PA; ST
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage)	1	\$0	PA; ST
CUTINOVA HYDRO 6"X8" DRESSING 6 X 8 " * (hydrocolloid dressing)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage)	1	\$0	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	\$0	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	\$0	PA; ST
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	1	\$0	PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
DROPLET INS 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPLET INS 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	1	\$0	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	1	\$0	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 1 ML 30G 8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	1	\$0	PA; ST
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	1	\$0	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"	1	\$0	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	\$0	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	\$0	PA; ST
DROPSAFE PEN NEEDLE (pen needle, 31GX3/16" 31 GAUGE X 3/16" diabetic, safety)	1	\$0	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	\$0	PA; ST
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 (insulin syringe- ML 30 GAUGE X 5/16", 0.5 ML 31 needle u-100) GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	1	\$0	PA; ST
DUODERM CGF 2.5"X2.5" DRESSING 2 1/2 X 2 1/2 " *	3	\$0	
DUODERM CGF 6"X8" (hydrocolloid DRESSING REF#187643 6 X 8 " * dressing)	3	\$0	
EASY CMFT SFTY PEN NDL 31G (pen needle, 5MM 31 GAUGE X 3/16" diabetic, safety)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		1	\$0	PA; ST
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		1	\$0	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		1	\$0	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	\$0	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	PA; ST
EASY COMFORT PEN NDL 29G 4MM 29 GAUGE X 5/32"		1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY COMFORT PEN NDL 29G 5MM 29 GAUGE X 3/16"	1	\$0	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 " (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16	1	\$0	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	\$0	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	1	\$0	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)	1	\$0	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	1	\$0	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	1	\$0	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	\$0	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	1	\$0	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe needleless)	1	\$0	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	1	\$0	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	1	\$0	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	1	\$0	PA; ST
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	1	\$0	PA; ST
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	1	\$0	PA; ST
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE		1	\$0	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	PA; ST
GAUZE PADS & DRESSINGS - PADS 2 X 2 TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe- needle u-100)	1	\$0	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	1	\$0	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16" (insulin syringe- needle u-100)	1	\$0	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe- needle u-100)	1	\$0	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe- needle u-100)	1	\$0	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe- needle u-100)	1	\$0	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"	1	\$0	PA; ST
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	\$0	PA; ST
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	2	\$0	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	2	\$0	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (Droplet Insulin Syr(half unit))	1	\$0	PA; ST
INSULIN SYRIN 0.5 ML 28GX1/2" (OTC) 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	PA; ST
INSULIN SYRINGE 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	1	\$0	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	1	\$0	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Droplet Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		1	\$0	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(BD SafetyGlide Syringe)	1	\$0	PA; ST
INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16 (Advocate Syringes)	1	\$0	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Droplet Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)	1	\$0	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD TOPICAL PADS, MEDICATED (alcohol swabs)	1	\$0	PA; ST
IV ANTISEPTIC WIPES (alcohol swabs)	1	\$0	PA; ST
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LISCO SPONGES 100/BAG 2 X 2 "		1	\$0	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	\$0	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		1	\$0	PA; ST
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	1	\$0	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	1	\$0	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	1	\$0	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	1	\$0	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (1st Tier Unifine Pentips)	1	\$0	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle)	1	\$0	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (CareFine Pen Needle)	1	\$0	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles)	1	\$0	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (Advocate Pen Needle)	1	\$0	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" (Comfort EZ Pen Needles)	1	\$0	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" (Comfort EZ Pen Needles)	1	\$0	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	1	\$0	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		1	\$0	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
NOVOFINE 30 NEEDLE	1	\$0	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	1	\$0	PA; ST
NOVOTWIST NEEDLE 32 GAUGE X 1/5"	1	\$0	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)	2	\$0	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	2	\$0	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	1	\$0	PA; ST
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	1	\$0	PA; ST
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	1	\$0	PA; ST
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	PA; ST
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	1	\$0	PA; ST
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	\$0	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	\$0	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	\$0	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	\$0	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	\$0	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	\$0	PA; ST
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	\$0	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	1	\$0	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)	1	\$0	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	1	\$0	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	1	\$0	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	1	\$0	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	1	\$0	PA; ST
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Ultilet Insulin Syringe)	1	\$0	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	1	\$0	PA; ST
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
REPLICARE THIN 6"X8" DRESSING (RX) 6 X 8 " * (hydrocolloid dressing)	3	\$0	
RESTORE EX THIN 6"X8" DRESSING HYDROCOLLOID,STERILE 6 X 8 " * (hydrocolloid dressing)	3	\$0	
RESTORE HYDROCOLLOID 6"X8" FOAM BACKING 6 X 8 " * (Comfeel Plus Clear Dressing)	3	\$0	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	1	\$0	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SAFETY PEN NEEDLE 31G 4MM (Comfort EZ PRO Safety Pen Ndl) 31 GAUGE X 5/32"	1	\$0	PA; ST
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, safety) 31G 31 GAUGE X 3/16"	1	\$0	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	1	\$0	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	1	\$0	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	1	\$0	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	\$0	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	\$0	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	\$0	PA; ST
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)	1	\$0	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	\$0	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	\$0	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	1	\$0	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	1	\$0	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		1	\$0	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		1	\$0	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	1	\$0	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		1	\$0	PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		1	\$0	PA; ST
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		1	\$0	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"		1	\$0	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"		1	\$0	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	1	\$0	PA; ST
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	\$0	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	1	\$0	PA; ST
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUEPLUS SYR 1 ML 28GX1/2" (insulin syringe-needle u-100) 1 ML 28 GAUGE X 1/2"	1	\$0	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" (insulin syringe-needle u-100) 1 ML 29 GAUGE X 1/2"	1	\$0	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" (insulin syringe-needle u-100) 1 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" (insulin syringe-needle u-100) 1 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	1	\$0	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	\$0	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" (Advocate Syringes)	1	\$0	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16" (Advocate Syringes)	1	\$0	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	1	\$0	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	1	\$0	PA; ST
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	1	\$0	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	1	\$0	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	1	\$0	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	1	\$0	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTIGUARD SAFEPAK 31G 5MM 31 GAUGE X 3/16"	1	\$0	PA; ST
ULTIGUARD SAFEPAK 31G 6MM 31 GAUGE X 1/4"	1	\$0	PA; ST
ULTIGUARD SAFEPAK 31G 8MM 31 GAUGE X 5/16"	1	\$0	PA; ST
ULTIGUARD SAFEPAK 32G 4MM 32 GAUGE X 5/32"	1	\$0	PA; ST
ULTIGUARD SAFEPAK 32G 6MM 32 GAUGE X 1/4"	1	\$0	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	1	\$0	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	1	\$0	PA; ST
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	\$0	PA; ST
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 (insulin syringe- ML 30 GAUGE X 5/16", 0.3 ML 31 needle u-100) GAUGE X 5/16"	1	\$0	PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 (insulin syringe- ML 30 GAUGE X 5/16", 0.5 ML 31 needle u-100) GAUGE X 5/16"	1	\$0	PA; ST
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML (insulin syringe- 30 GAUGE X 5/16, 1 ML 31 needle u-100) GAUGE X 5/16"	1	\$0	PA; ST
ULTILET PEN NEEDLE 29 GAUGE	1	\$0	PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X (insulin syringe- 5/16" needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	1	\$0	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	1	\$0	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	\$0	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	\$0	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE OTC PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	1	\$0	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	1	\$0	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	1	\$0	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	1	\$0	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	1	\$0	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	1	\$0	PA; ST
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	\$0	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	1	\$0	PA; ST
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	1	\$0	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		1	\$0	PA; ST
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	PA; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		1	\$0	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	\$0	PA; ST
V-GO 20 DEVICE		2	\$0	QL (30 per 30 days)
V-GO 30 DEVICE		2	\$0	QL (30 per 30 days)
V-GO 40 DEVICE		2	\$0	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	\$0	PA; ST
Enzyme				
Cofactors/Chaperones				
Enzyme Cofactors/Chaperones				
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG		2	\$0	PA; QL (90 per 30 days); NDS
Enzyme				
Replacement/Modifiers				
Enzyme Replacement/Modifiers				
CERDELGA ORAL CAPSULE 84 MG		2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CREON ORAL CAPSULE, DELAYED RELEASE (DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	\$0	
GALAFOLD ORAL CAPSULE 123 MG	2	\$0	PA; QL (14 per 28 days); NDS
<i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)	1	\$0	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	1	\$0	PA; QL (90 per 30 days); NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	1	\$0	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	2	\$0	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	2	\$0	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	2	\$0	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	2	\$0	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	1	\$0	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	2	\$0	PA; LA; NDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	1	\$0	PA; QL (90 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	2	\$0	
Eye, Ear, Nose, Throat Agents			
Eye, Ear, Nose, Throat Agents, Miscellaneous			
<i>alaway 0.025% eye drops 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	
<i>altamist 0.65% nose spray *</i> (sodium chloride)	3	\$0	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>artificial eye lub 15-83% oint 83-15 % *</i>	3	\$0	
<i>artificial tears drops 0.5-0.6 % *</i>	3	\$0	
<i>artificial tears drops 1-0.2-0.2 % *</i>	3	\$0	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	\$0	
<i>ayr saline 0.65% nose spray *</i> (sodium chloride)	3	\$0	
AYR SALINE NASAL RINSE KIT 50 PKTS & 1 APP BTL *	3	\$0	
<i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>	1	\$0	QL (60 per 30 days)
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	1	\$0	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	\$0	
<i>baby ayr saline 0.65% drops *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i>	(Bepreve)	1	\$0	ST
<i>child's alaway 0.025% eye drop 0.025 % (0.035 %) *</i>	(ketotifen fumarate)	3	\$0	
<i>clear eyes natural tears drop 0.5-0.6 % *</i>		3	\$0	
<i>clear eyes once daily 0.2% drp *</i>	(olopatadine)	3	\$0	
<i>cromolyn ophthalmic (eye) drops 4 %</i>		1	\$0	
<i>cvs allergy nasal mist 0.05% *</i>		3	\$0	
<i>cvs artificial tears drops 1-0.3 % *</i>		3	\$0	
<i>cvs nasal wash squeeze bottle *</i>		3	\$0	
<i>cvs natural tears drop 0.1-0.3 % *</i>		3	\$0	
<i>cvs olopatadine 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>cvs overnight lubricating eye 94-3 % *</i>		3	\$0	
<i>cvs saline 0.65% nasal spray *</i>	(sodium chloride)	3	\$0	
<i>cvs saline 3% nasal mist *</i>		3	\$0	
<i>cvs saline 3% nasal mist *</i>		3	\$0	
<i>cvs sodium chloride 5% eye drp *</i>	(Muro 128)	3	\$0	
<i>cvs sodium chloride 5% eye ont *</i>	(Muro 128)	3	\$0	
<i>deep sea 0.65% nose spray *</i>	(sodium chloride)	3	\$0	
<i>dristan 0.05% nasal spray *</i>	(oxymetazoline)	3	\$0	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>		1	\$0	
<i>eye allergy itch rlf 0.2% drop *</i>	(olopatadine)	3	\$0	
<i>eye allergy itch-red 0.1% drop *</i>	(olopatadine)	3	\$0	
<i>eye itch relief 0.025% drops 0.025 % (0.035 %) *</i>	(ketotifen fumarate)	3	\$0	
<i>eyes alive lub 0.5% eye drops *</i>	(carboxymethylcellulose sodium)	3	\$0	
<i>for sty relief eye ointment *</i>		3	\$0	
<i>freshkote eye drop 2.7-2 % *</i>		3	\$0	
<i>ft eye allergy itch rlf 0.2% *</i>	(olopatadine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ft eye allergy itch-red 0.1% *</i>	(olopatadine)	3	\$0	
GENTEAL TEARS 0.1%-0.2%-0.3% 0.1-0.3-0.2 % *	(artificial tear(dxtrn-hpm-gly))	3	\$0	
GENTEAL TEARS 0.1%-0.3% DROP 0.1-0.3 % *		3	\$0	
GENTEAL TEARS SEVERE 0.3% GEL *		3	\$0	
<i>goniotaire 2.5% eye drop *</i>	(hypromellose)	3	\$0	
<i>gs nasal moist 0.65% spray *</i>	(sodium chloride)	3	\$0	
<i>gs nasal spray 0.05% *</i>	(oxymetazoline)	3	\$0	
<i>hm eye allergy itch rlf 0.2% *</i>	(olopatadine)	3	\$0	
<i>hm eye allergy itch-red 0.1% *</i>	(olopatadine)	3	\$0	
<i>hm sinus nasal spray 0.05% *</i>	(oxymetazoline)	3	\$0	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>		1	\$0	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>		1	\$0	QL (15 per 10 days)
<i>isopto tears ophthalmic (eye) drops 0.5 % *</i>		3	\$0	
<i>little remedies saline spray 0.65 % *</i>	(sodium chloride)	3	\$0	
<i>lubricant 0.5-0.9% eye drops *</i>		3	\$0	
<i>lubricant pm eye ointment 57.3-42.5 % *</i>		3	\$0	
<i>lubrifresh pm eye ointment 83-15 % *</i>		3	\$0	
MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %		2	\$0	QL (12 per 28 days)
<i>muro-128 2% eye drops *</i>		3	\$0	
<i>muro-128 5% eye drops *</i>	(sodium chloride)	3	\$0	
<i>muro-128 5% eye ointment *</i>	(sodium chloride)	3	\$0	
<i>nasal relief 0.05% spray *</i>		3	\$0	
<i>neilmed sinus rinse kit *</i>		3	\$0	
<i>neilmed sinus rinse kit refill *</i>		3	\$0	
<i>nostrilla 0.05% nasal spray *</i>	(oxymetazoline)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OCUSOFT LID SCRUB PADS *		3	\$0	
OCUSOFT LID SCRUB PLUS PADS *		3	\$0	
<i>olopatadine hcl 0.1% eye drops (otc) *</i>	(Eye Allergy Itch-Redness Rlf)	3	\$0	
<i>olopatadine hcl 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>olopatadine nasal spray,non-aerosol 0.6 %</i>		1	\$0	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Rlf)	1	\$0	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Eye Allergy Itch Relief)	1	\$0	
<i>polyvinyl alcohol 1.4% eyedrop *</i>	(Artificial Tears (polyvin alc))	3	\$0	
<i>qc olopatadine 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>ra artificial tears drops dry eye formula 1-0.3 % *</i>		3	\$0	
<i>ra nasal rlf sinus wash refill *</i>		3	\$0	
REFRESH CLASSIC EYE DROPS U-D,P/F,30X.4ML 1.4-0.6 % *		3	\$0	
REFRESH LACRI-LUBE OINTMENT 56.8-42.5 % *		3	\$0	
REFRESH LIQUIGEL 1% EYE DROP *	(carboxymethylcellulose sodium)	3	\$0	
REFRESH TEARS 0.5% EYE DROP *	(carboxymethylcellulose sodium)	3	\$0	
<i>retaine allergy 0.2 % eye drop *</i>	(olopatadine)	3	\$0	
<i>sinus rinse premixed packet p/f *</i>		3	\$0	
<i>sinus rinse starter kit *</i>		3	\$0	
<i>sm olopatadine 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>sodium chloride 5% eye drop *</i>	(Muro 128)	3	\$0	
SYSTANE 0.3% EYE GEL *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SYSTANE 0.4-0.3% EYE DROP *	3	\$0	
SYSTANE BALANCE 0.6% EYE DROP CLINICAL STRENGTH *	3	\$0	
SYSTANE GEL EYE DROPS 0.4-0.3 % *	3	\$0	
SYSTANE NIGHTTIME EYE OINTMENT 94-3 % *	3	\$0	
THERA TEARS 0.25% EYE DROPS *	3	\$0	
vicks sinex 12 hour mist 0.05 % *	3	\$0	
wal-zyr 0.025% eye drops 0.025 % (0.035 %) * (ketotifen fumarate)	3	\$0	
Eye, Ear, Nose, Throat Anti-Infectives Agents			
acetic acid otic (ear) solution 2 %	1	\$0	
bacitracin ophthalmic (eye) ointment 500 unit/gram	1	\$0	
bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram (Polycin)	1	\$0	
ciprofloxacin hcl ophthalmic (eye) drops 0.3 %	1	\$0	
ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %	1	\$0	QL (7.5 per 7 days)
debrox 6.5% ear drops * (carbamide peroxide)	3	\$0	
ear drops 6.5% * (carbamide peroxide)	3	\$0	
erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)	1	\$0	QL (3.5 per 4 days)
gatifloxacin ophthalmic (eye) drops 0.5 %	1	\$0	
gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	\$0	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	1	\$0	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	1	\$0	
<i>murine 6.5% ear drops *</i> (carbamide peroxide)	3	\$0	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	2	\$0	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	1	\$0	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	1	\$0	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	1	\$0	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	1	\$0	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	\$0	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	\$0	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	\$0	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	1	\$0	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	1	\$0	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	1	\$0	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	\$0	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)	1	\$0	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	\$0	
<i>ra ear drops 6.5% *</i> (carbamide peroxide)	3	\$0	
REFRESH OPTIVE MEGA-3 DROPS 0.5-1-0.5 % *	3	\$0	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	1	\$0	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	\$0	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	\$0	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	\$0	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	1	\$0	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	\$0	
XDEM VY OPHTHALMIC (EYE) DROPS 0.25 %	2	\$0	PA; QL (10 per 42 days); NDS
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %		2	\$0	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents				
24 hour allergy 50 mcg spray 50 mcg/actuation *	(fluticasone propionate)	3	\$0	
aller-cort 55 mcg nasal spray inner *	(triamcinolone acetonide)	3	\$0	
aller-flo 50 mcg spray 50 mcg/actuation *	(fluticasone propionate)	3	\$0	
aller-flo 50 mcg spray inner 50 mcg/actuation *	(fluticasone propionate)	3	\$0	
allergy relief 50 mcg spray 50 mcg/actuation *	(fluticasone propionate)	3	\$0	
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	(loteprednol etabonate)	2	\$0	ST
bromfenac ophthalmic (eye) drops 0.07 %	(Prolensa)	1	\$0	
bromfenac ophthalmic (eye) drops 0.075 %	(BromSite)	1	\$0	
bromfenac ophthalmic (eye) drops 0.09 %		1	\$0	
CHILD FLONASE ALLER RLF 50 MCG 50 MCG/ACTUATION *	(fluticasone propionate)	3	\$0	
clarispray 50 mcg nasal spray 50 mcg/actuation *	(fluticasone propionate)	3	\$0	
cvs nasal allergy 24hr spray 55 mcg *	(triamcinolone acetonide)	3	\$0	
cyclosporine ophthalmic (eye) dropperette 0.05 %	(Restasis)	1	\$0	QL (60 per 30 days)
dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %		1	\$0	
diclofenac sodium ophthalmic (eye) drops 0.1 %		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>difluprednate ophthalmic (eye) drops 0.05 %</i>	(Durezol)	1	\$0	
<i>eq allergy relief 50 mcg spray 50 mcg/actuation *</i>	(fluticasone propionate)	3	\$0	
<i>eq1 fluticasone prop 50 mcg sp (otc) 50 mcg/actuation *</i>	(24 Hour Allergy Relief)	3	\$0	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %		2	\$0	QL (8.3 per 14 days)
FLONASE ALLERGY RLF 50 MCG SPR 50 MCG/ACTUATION *	(fluticasone propionate)	3	\$0	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>		1	\$0	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	(DermOtic Oil)	1	\$0	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	(FML Liquifilm)	2	\$0	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>		1	\$0	
<i>fluticasone prop 50 mcg spray (otc) 50 mcg/actuation *</i>	(24 Hour Allergy Relief)	3	\$0	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	(24 Hour Allergy Relief)	1	\$0	QL (16 per 30 days)
<i>ft allergy relief 50 mcg spray 50 mcg/actuation *</i>	(fluticasone propionate)	3	\$0	
<i>gnp fluticasone prop 50 mcg sp (otc) 50 mcg/actuation *</i>	(24 Hour Allergy Relief)	3	\$0	
<i>gs 24 hour allergy 50 mcg spry 50 mcg/actuation *</i>	(fluticasone propionate)	3	\$0	
<i>hm allergy relief 50 mcg spray 50 mcg/actuation *</i>	(fluticasone propionate)	3	\$0	
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %		2	\$0	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %		2	\$0	QL (5.6 per 14 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	(Acular)	1	\$0	QL (10 per 25 days)
<i>kro 24hr allergy rlf 50 mcg spr 50 mcg/actuation *</i>	(fluticasone propionate)	3	\$0	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %		2	\$0	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %		2	\$0	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	(Lotemax)	1	\$0	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i>	(Alrex)	1	\$0	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>		1	\$0	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	(Allergy Nasal (mometasone))	1	\$0	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	(Pred Forte)	2	\$0	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>		1	\$0	
<i>qc allergy relief 50 mcg spray 50 mcg/actuation *</i>	(fluticasone propionate)	3	\$0	
<i>sm allergy relief 50 mcg spray 50 mcg/actuation *</i>	(fluticasone propionate)	3	\$0	
<i>triamcinolone 55 mcg nasal spr (otc) *</i>	(Aller-Cort)	3	\$0	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %		2	\$0	QL (60 per 30 days)
Gastrointestinal Agents				
Antiflatulents				
<i>cvs anti-gas 180 mg softgel ultra str, softgel *</i>	(simethicone)	3	\$0	
<i>gas relief 125 mg softgel *</i>	(simethicone)	3	\$0	
<i>gas relief max str 250 mg sfgl *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>gas-x extra strength softgel softgel, ex-strength 125 mg *</i> (simethicone)	3	\$0	
<i>gas-x max strength 250 mg sfgl *</i>	3	\$0	
<i>gnp gas rlf(simeth) 80 mg chew *</i> (simethicone)	3	\$0	
<i>infants' simethicone drops 40 mg/0.6 ml *</i> (simethicone)	3	\$0	
<i>little remedies gas relief drp 40 mg/0.6 ml *</i> (simethicone)	3	\$0	
PHAZYME 250 MG SOFTGEL MAX-STRENGTH,SOFTGEL *	3	\$0	
<i>qc anti-gas 180 mg softgel ultra str, softgel *</i> (simethicone)	3	\$0	
<i>simethicone 125 mg tab chew *</i> (Gas Relief (simethicone))	3	\$0	
Antiulcer Agents And Acid Suppressants			
<i>acid controller 20 mg tablet maximum strength *</i> (famotidine)	3	\$0	
<i>acid controller 20 mg tablet outer *</i> (famotidine)	3	\$0	
<i>acid reducer 20 mg tablet maximum strength *</i> (famotidine)	3	\$0	
<i>acid reducer dr 20 mg cap *</i> (omeprazole magnesium)	3	\$0	
<i>acid-pep 20 mg tablet *</i> (famotidine)	3	\$0	
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	1	\$0	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	\$0	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	1	\$0	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	1	\$0	
<i>cvs acid controller 20 mg tab *</i> (famotidine)	3	\$0	
<i>cvs lansoprazole dr 15 mg cap (otc) *</i> (Acid Reducer (lansoprazole))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>eq famotidine 20 mg tablet (otc) *</i>	(Acid Controller)	3	\$0	
<i>eq lansoprazole dr 15 mg cap outer (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i>	(Acid Reducer (esomeprazole))	1	\$0	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i>	(Nexium)	1	\$0	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	(Nexium Packet)	1	\$0	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i>	(Nexium Packet)	1	\$0	ST; QL (60 per 30 days)
<i>famotidine 20 mg tablet (otc) *</i>	(Acid Controller)	3	\$0	
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>		1	\$0	
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	\$0	
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	\$0	
<i>gnp lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>gnp omeprazole mag dr 20 mg cp *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>gs acid reducer 20 mg tablet *</i>	(famotidine)	3	\$0	
<i>gs lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>heartburn relief 10 mg tablet *</i>	(famotidine)	3	\$0	
<i>heartburn relief 20 mg tablet *</i>	(famotidine)	3	\$0	
<i>kro heartburn preven 20 mg tab *</i>	(famotidine)	3	\$0	
<i>lansoprazole dr 15 mg capsule (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i>	(Acid Reducer (lansoprazole))	1	\$0	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i>	(Prevacid)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	1	\$0	
<i>nizatidine oral capsule 150 mg, 300 mg</i>		1	\$0	
<i>nizatidine oral solution 150 mg/10 ml</i>		1	\$0	
<i>omeprazole dr 20 mg tablet *</i>		3	\$0	
<i>omeprazole mag dr 20.6 mg cap 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>omeprazole mag dr 20.6 mg cap two 14-day course 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>		1	\$0	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i>	(Zegerid OTC)	2	\$0	ST; QL (30 per 30 days); NDS
<i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>		1	\$0	ST; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i>	(Protonix)	1	\$0	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i>	(Protonix)	1	\$0	QL (60 per 30 days)
<i>pub famotidine 20 mg tablet max strength (otc) *</i>	(Acid Controller)	3	\$0	
<i>qc acid controller 10 mg tab *</i>	(famotidine)	3	\$0	
<i>qc lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>qc omeprazole mag dr 20.6 mg 14-day course 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>ra acid reducer 20 mg tablet maximum strength *</i>	(famotidine)	3	\$0	
<i>ra lansoprazole dr 15 mg cap 14capsx3 bottles (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>ra omeprazole dr 20 mg tablet delayed release *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i>	(AcipHex)	1	\$0	QL (30 per 30 days)
<i>sm acid reducer 20 mg tablet maximum strength *</i>	(famotidine)	3	\$0	
<i>sm lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	1	\$0	
<i>zantac-360(famotidine) 20 mg tb *</i>	(famotidine)	3	\$0	
Gastrointestinal Agents, Other				
<i>acid gone antacid liquid 95-358 mg/15 ml *</i>		3	\$0	
<i>acid gone tablet chew 160-105 mg *</i>		3	\$0	
<i>alka-seltzer heartburn chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>aluminum hydroxide gel 320 mg/5 ml *</i>		3	\$0	
<i>antacid ex-str tablet chew 160-105 mg *</i>		3	\$0	
<i>antacid ultra tablet chew 400 mg calcium (1,000 mg) *</i>	(calcium carbonate)	3	\$0	
<i>antacid xtra strength chew tab extra strength 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>anti-diarrheal 2 mg caplet caplet *</i>	(loperamide)	3	\$0	
<i>anti-diarrheal 2 mg softgel *</i>	(loperamide)	3	\$0	
<i>anti-diarrheal 2 mg softgel softgel *</i>	(loperamide)	3	\$0	
<i>calcium 500 mg chewable tablet tab chew, p/f (rx) 500 mg calcium (1,250 mg) *</i>	(Calcium 500)	3	\$0	
<i>calcium antacid 500 mg chw tab assorted fruit 200 mg calcium (500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cal-gest 500 mg tablet chew 200 mg calcium (500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	1	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	1	\$0	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	1	\$0	
<i>cvs antacid ex-str 750 mg chew 300 mg (750 mg) *</i> (calcium carbonate)	3	\$0	
<i>cvs anti-diarrheal 2 mg sftgel *</i> (loperamide)	3	\$0	
<i>cvs anti-diarrheal suspension 262 mg/15 ml *</i> (bismuth subsalicylate)	3	\$0	
<i>cvs flavor chew antacid 750 mg 300 mg (750 mg) *</i> (calcium carbonate)	3	\$0	
<i>cvs heartburn relief chew tab 160-105 mg *</i>	3	\$0	
<i>cvs magnesium 500 mg caplet (rx) 500 mg magnesium *</i> (Phillips)	3	\$0	
<i>diamode 2 mg caplet inner *</i> (loperamide)	3	\$0	
<i>dicyclomine oral capsule 10 mg</i>	1	\$0	
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	\$0	
<i>dicyclomine oral tablet 20 mg</i>	1	\$0	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	1	\$0	
<i>epsom salt granules 495 mg/5 gram *</i>	3	\$0	
<i>eq anti-diarrheal 2 mg sftgel *</i> (loperamide)	3	\$0	
<i>foaming antacid liquid 95-358 mg/15 ml *</i>	3	\$0	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	2	\$0	PA; NDS
<i>gelusil 200-200-25 mg chew tab cool mint *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)		1	\$0	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)		1	\$0	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)		1	\$0	
<i>hm antacid ex-str 750 mg chew 300 mg (750 mg) *</i> (calcium carbonate)		3	\$0	
<i>hm loperamide 1 mg/7.5 ml liq *</i> (Anti-Diarrheal (loperamide))		3	\$0	
<i>imodium a-d 2 mg softgel *</i> (loperamide)		3	\$0	
IQIRVO ORAL TABLET 80 MG		2	\$0	PA; QL (30 per 30 days); NDS
<i>kaopectate 262 mg/15 ml susp *</i> (bismuth subsalicylate)		3	\$0	
<i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>		1	\$0	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)		1	\$0	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		2	\$0	QL (30 per 30 days)
LIVDELZI ORAL CAPSULE 10 MG		2	\$0	PA; QL (30 per 30 days); NDS
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM		2	\$0	
<i>loperamide 1 mg/7.5 ml soln *</i> (Anti-Diarrheal (loperamide))		3	\$0	
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))		1	\$0	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)		1	\$0	QL (60 per 30 days)
<i>magnesium 400 mg tablet gluten-free 400 mg magnesium *</i>		3	\$0	
<i>magnesium oxide 400 mg tablet (rx) 400 mg (241.3 mg magnesium) *</i> (MgO)		3	\$0	
<i>magnesium oxide 420 mg tablet (rx) *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>magnesium oxide 500 mg tablet p/f, lactose-free (rx) 500 mg magnesium *</i> (Phillips)	3	\$0	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	\$0	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	\$0	
<i>mgo-400 tablet 400 mg (241.3 mg magnesium) *</i> (magnesium oxide)	3	\$0	
<i>mintox plus tablet chewable 200-200-25 mg *</i>	3	\$0	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	2	\$0	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	2	\$0	PA; QL (30 per 30 days); NDS
<i>phillips 500 mg caplet 500 mg magnesium *</i> (magnesium oxide)	3	\$0	
<i>pink bismuth 262 mg tab chew *</i> (bismuth subsalicylate)	3	\$0	
<i>pub calcium carb 1,000 mg tab 400 mg calcium (1,000 mg) *</i> (Ultra Strength Antacid)	3	\$0	
<i>qc anti-diarrheal 2 mg softgel *</i> (loperamide)	3	\$0	
<i>ra antacid 500 mg chewable tab 215 mg calcium (500 mg) *</i>	3	\$0	
<i>ra anti-diarrheal 2 mg caplet caplet *</i> (loperamide)	3	\$0	
<i>ra stomach relief 262 mg/15 ml reg strength *</i> (bismuth subsalicylate)	3	\$0	
RAVICTI ORAL LIQUID 1.1 GRAM/ML	2	\$0	PA; NDS
RELISTOR ORAL TABLET 150 MG	2	\$0	PA; QL (90 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	2	\$0	PA; QL (16.8 per 28 days); NDS
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	2	\$0	PA; QL (16.8 per 28 days); NDS
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	2	\$0	PA; QL (11.2 per 28 days); NDS
<i>sm anti-diarrheal 2 mg softgel *</i> (loperamide)	3	\$0	
<i>sodium bicarb 650 mg tablet *</i>	3	\$0	
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	1	\$0	PA; NDS
<i>sodium polystyrene sulfonate oral powder</i>	1	\$0	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	\$0	
<i>stomach rlf 525 mg/30 ml susp 262 mg/15 ml *</i> (bismuth subsalicylate)	3	\$0	
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	1	\$0	NDS
<i>ursodiol oral capsule 300 mg</i>	1	\$0	
<i>ursodiol oral tablet 250 mg</i>	1	\$0	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	\$0	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	2	\$0	
<i>vitamin b complex softgel (rx) *</i> (Vitamins B Complex)	3	\$0	
<i>well magnesium oxide 400 mg tb (rx) 400 mg (241.3 mg magnesium) *</i> (MgO)	3	\$0	
XERMELO ORAL TABLET 250 MG	2	\$0	PA; QL (84 per 28 days); NDS
Laxatives			
<i>alophen pills 5 mg *</i> (bisacodyl)	3	\$0	
<i>best fiber powder 3 gram/3.5 gram *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bisacodyl 10 mg suppository *</i>	(Dulcolax (bisacodyl))	3	\$0	
<i>bisacodyl ec 5 mg tablet *</i>	(Alophen (bisacodyl))	3	\$0	
<i>citroma solution *</i>	(magnesium citrate)	3	\$0	
CITRUCEL POWDER S-F *		3	\$0	
<i>clearlax powder packet 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML		2	\$0	
COLACE 100 MG CAPSULE *	(docusate sodium)	3	\$0	
<i>cvs enema disposable 19-7 gram/118 ml *</i>		3	\$0	
<i>cvs fiber laxative 625 mg cplt caplet *</i>	(calcium polycarbophil)	3	\$0	
<i>cvs fiber therapy 500 mg caplt *</i>		3	\$0	
<i>cvs fiber therapy 500 mg caplt soluble, caplet *</i>		3	\$0	
<i>cvs gentle laxative 10 mg supp *</i>	(bisacodyl)	3	\$0	
<i>cvs gentle laxative ec 5 mg tb comfort coated *</i>	(bisacodyl)	3	\$0	
<i>cvs magnesium citrate solution *</i>	(Citrate of Magnesia)	3	\$0	
<i>cvs milk of magnesia susp stimulant free 400 mg/5 ml *</i>	(magnesium hydroxide)	3	\$0	
<i>cvs mineral oil *</i>	(Mineral Oil Extra Heavy)	3	\$0	
<i>cvs mini enema 283-20 mg/5 ml *</i>		3	\$0	
<i>cvs natural daily fiber powder 3.4 gram/5.8 gram *</i>		3	\$0	
<i>cvs natural daily fiber powder 3.4 gram/7 gram *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs purelax powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>cvs senna plus tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>daily fiber capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
<i>docusate cal 240 mg capsule *</i>	(Kaopectate (docusate calcium))	3	\$0	
<i>docusate sod 100 mg/10 ml cup outer 50 mg/5 ml *</i>	(OneLAX Docusate Sodium)	3	\$0	
<i>docusate sod 60 mg/15 ml syrp *</i>	(Stool Softener)	3	\$0	
<i>docusate sodium 100 mg softgel softgel *</i>	(Colace)	3	\$0	
<i>docusate sodium 50 mg/5 ml liq *</i>	(OneLAX Docusate Sodium)	3	\$0	
<i>docusate sodium mini enema 283 mg/5 ml *</i>	(Enemeez)	3	\$0	
<i>dok 100 mg tablet *</i>	(docusate sodium)	3	\$0	
DULCOLAX 10 MG SUPPOSITORY *	(bisacodyl)	3	\$0	
<i>enemeez mini enema 5cc tubes, outer 283 mg/5 ml *</i>	(docusate sodium)	3	\$0	
<i>enemeez plus mini enema outer 283-20 mg/5 ml *</i>		3	\$0	
<i>eq magnesium citrate solution cherry *</i>	(Citrate of Magnesia)	3	\$0	
<i>eq mineral oil odorless *</i>	(Mineral Oil Extra Heavy)	3	\$0	
<i>eq fiber therapy powder 3.4 gram/7 gram *</i>		3	\$0	
<i>evac-u-gen 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>fiber tablet unboxed 625 mg *</i>	(calcium polycarbophil)	3	\$0	
<i>fiber therapy 500 mg caplet caplet *</i>		3	\$0	
<i>fiber therapy powder 2 gram/19 gram *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fiber-lax 625 mg tablet 500mg polycarbophil *</i>	(calcium polycarbophil)	3	\$0	
FLEET BISACODYL 10 MG ENEMA 10 MG/30 ML *		3	\$0	
<i>fleet enema 19-7 gram/118 ml *</i>		3	\$0	
<i>fleet laxative (bisacodyl) oral tablet, delayed release (dr/ec) 5 mg *</i>	(bisacodyl)	3	\$0	
FT FIBER SUPPLEMENT CAPSULE 0.4 GRAM *	(psyllium husk)	3	\$0	
<i>gavilax 8.5 gram powder packet *</i>	(polyethylene glycol 3350)	3	\$0	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	(peg 3350-electrolytes)	1	\$0	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	(peg 3350-electrolytes)	1	\$0	
<i>gavilyte-n oral recon soln 420 gram</i>	(peg-electrolyte soln)	1	\$0	
<i>gentlelax powder 30 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>geri-kot 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>glycerin pediatric suppository infants & children *</i>		3	\$0	
<i>glycerin suppository child size *</i>		3	\$0	
<i>gnp clearlax powder packet 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>gnp stool softener 250 mg sfgl *</i>	(docusate sodium)	3	\$0	
<i>healthylax powder packet outer 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
KONSYL 6 GM PACKET GLUTEN-F, OUTER (OTC) 6 GRAM *		3	\$0	
<i>konsyl psyllium fiber packet orange, gluten free 3.4 gram *</i>		3	\$0	
<i>laxacin tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>laxaclear powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>magic bullet 10 mg suppos *</i>	(bisacodyl)	3	\$0	
<i>magnesium citrate solution *</i>	(Citrate of Magnesia)	3	\$0	
METAMUCIL CAPSULE 0.4 GRAM *	(psyllium husk)	3	\$0	
METAMUCIL FIBER SINGLES PACKET 3.4 GRAM *		3	\$0	
METAMUCIL POWDER 3.4 GRAM/7 GRAM *		3	\$0	
<i>milk of magnesia concentrated 2,400 mg/10 ml cup outer *</i>	(magnesium hydroxide)	3	\$0	
<i>milk of magnesia suspension 400 mg/5 ml *</i>	(magnesium hydroxide)	3	\$0	
<i>mineral oil *</i>	(Mineral Oil Extra Heavy)	3	\$0	
<i>mineral oil enema *</i>	(Fleet Mineral Oil)	3	\$0	
<i>mineral oil heavy heavy (otc) *</i>	(mineral oil)	3	\$0	
<i>mineral oil, heavy usp, heavy (rx) *</i>	(mineral oil)	3	\$0	
MIRALAX POWDER 7 DAY (OTC) 17 GRAM/DOSE *	(polyethylene glycol 3350)	3	\$0	
MIRALAX POWDER PACKET (OTC) 17 GRAM *	(polyethylene glycol 3350)	3	\$0	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i>	(GaviLyte-G)	1	\$0	
<i>peg-3350 8.5 gram powder cup *</i>	(Gavilax)	3	\$0	
<i>peg-3350 4 gram powder packet *</i>		3	\$0	
<i>peg-3350 4.25 gram powder pkt *</i>		3	\$0	
<i>peg-electrolyte soln oral recon soln 420 gram</i>	(GaviLyte-N)	1	\$0	
<i>phillips' lax liqui-gels 100 mg *</i>	(docusate sodium)	3	\$0	
PHILLIPS' MILK OF MAGNESIA 400 MG/5 ML *	(magnesium hydroxide)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>polyethylene glycol 3350 powd (otc) 17 gram/dose *</i> (GentleLax)	3	\$0	
<i>polyethylene glycol 3350 powd 17 grams pkts,outer (otc) *</i> (ClearLax)	3	\$0	
<i>polyethylene glycol 3350 powd 30 once-daily doses (otc) 17 gram/dose *</i> (GentleLax)	3	\$0	
POLYETHYLENE GLYCOL 3350 POWD NF, PEG-75 (RX) *	3	\$0	
<i>polyethylene glycol 3350 powd outer (otc) 17 gram *</i> (ClearLax)	3	\$0	
<i>powderlax 17 g powder packet 17 gram *</i> (polyethylene glycol 3350)	3	\$0	
<i>powderlax powder 17 gram/dose *</i> (polyethylene glycol 3350)	3	\$0	
<i>promolaxin 100 mg tablet *</i> (docusate sodium)	3	\$0	
<i>psyllium fiber capsule 0.4 gram *</i> (Daily Fiber)	3	\$0	
<i>qc natura-lax 17 gm powder 17 gram/dose *</i> (polyethylene glycol 3350)	3	\$0	
<i>ra citrate of magnesia soln *</i> (magnesium citrate)	3	\$0	
<i>ra enema twin pack 2 x 4.5oz, rtu 19-7 gram/118 ml *</i>	3	\$0	
<i>ra fast relief lax 10 mg supp *</i> (bisacodyl)	3	\$0	
<i>ra glycerin pediatric supp *</i>	3	\$0	
<i>ra laxative 25 mg pill *</i>	3	\$0	
<i>ra laxative peg 3350 powder 30 once-daily doses 17 gram/dose *</i> (polyethylene glycol 3350)	3	\$0	
<i>ra mineral oil extra-heavy extra-heavy *</i> (mineral oil)	3	\$0	
<i>ra p-col rite tablet 8.6-50 mg *</i> (sennosides-docusate sodium)	3	\$0	
<i>ra senna-lax 8.6 mg tablet *</i> (sennosides)	3	\$0	
<i>reguloid capsule 0.4 gram *</i> (psyllium husk)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
REGULOID POWDER 3 GRAM/12 GRAM *		3	\$0	
<i>senexon-s 50-8.6 mg tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>senna 17.6 mg/10 ml syrup cup 8.8 mg/5 ml *</i>	(OneLAX Senna)	3	\$0	
<i>senna-time 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>sennosides-docusate sodium tab 8.6-50 mg *</i>	(Laxacin)	3	\$0	
<i>senokot-s tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>sm fiber capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
<i>sm fiber powder (rx) 3.4 gram/12 gram *</i>		3	\$0	
<i>smoothlax powder 14 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>smoothlax powder 50 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>smoothlax powder packet 10 daily doses 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>smoothlax powder packet 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i>	(Suprep Bowel Prep Kit)	2	\$0	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>		1	\$0	
SOFLAX ORAL CAPSULE 100 MG *	(docusate sodium)	3	\$0	
<i>stimulant laxative plus tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>stool softener 100 mg tablet *</i>	(docusate sodium)	3	\$0	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM		2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>true laxative peg 3350 powder 17 gram/dose *</i> (polyethylene glycol 3350)	3	\$0	
WAL-MUCIL 100% NATURAL FIBER 114 DOSES, ORANGE 3.4 GRAM/5.8 GRAM *	3	\$0	
WAL-MUCIL 100% NATURAL FIBER 3.4 GRAM/7 GRAM *	3	\$0	
<i>women's laxative (bisacodyl) oral tablet, delayed release (dr/ec) 5 mg *</i> (bisacodyl)	3	\$0	
Phosphate Binders			
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	1	\$0	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	1	\$0	
<i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	1	\$0	NDS
MAGNEBIND 300 TABLET 250-300 MG *	3	\$0	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	1	\$0	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	\$0	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	1	\$0	
Genitourinary Agents			
Antispasmodics, Urinary			
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	1	\$0	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	1	\$0	
<i>flavoxate oral tablet 100 mg</i>	1	\$0	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	\$0	
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	1	\$0	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	\$0	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	1	\$0	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	1	\$0	
<i>tropium oral capsule, extended release 24hr 60 mg</i>	1	\$0	
<i>tropium oral tablet 20 mg</i>	1	\$0	
Genitourinary Agents, Miscellaneous			
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	\$0	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	\$0	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	1	\$0	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	\$0	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	\$0	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	1	\$0	NDS
Heavy Metal Antagonists			
Heavy Metal Antagonists			
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	1	\$0	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	1	\$0	PA
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	1	\$0	PA

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Feriprox)	1	\$0	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	2	\$0	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	1	\$0	PA; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	1	\$0	PA; QL (240 per 30 days); NDS
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	\$0	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	1	\$0	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	1	\$0	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	\$0	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	\$0	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	1	\$0	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	1	\$0	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	1	\$0	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	1	\$0	PA; QL (180 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		2	\$0	PA; QL (2 per 28 days)
Estrogens And Antiestrogens				
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		2	\$0	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	1	\$0	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	1	\$0	
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvaferm)	1	\$0	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml</i>	(Delestrogen)	1	\$0	
<i>estradiol valerate intramuscular oil 40 mg/ml</i>		1	\$0	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i>	(Mimvey)	1	\$0	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		2	\$0	QL (1 per 84 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	(estradiol-norethindrone acet)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(Fyavolv)	1	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG		2	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG	(conjugated estrogens)	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		2	\$0	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)		2	\$0	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG		2	\$0	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i>	(Evista)	1	\$0	
<i>yuvafem vaginal tablet 10 mcg</i>	(estradiol)	1	\$0	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids				
<i>dexamethasone oral solution 0.5 mg/5 ml</i>		1	\$0	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>		1	\$0	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>		1	\$0	
<i>fludrocortisone oral tablet 0.1 mg</i>		1	\$0	
HEMADY ORAL TABLET 20 MG		2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
hydrocortisone oral tablet 10 mg, 20 mg, 5 mg (Cortef)	1	\$0	
methylprednisolone acetate injection suspension 40 mg/ml (Depo-Medrol)	1	\$0	
methylprednisolone oral tablet 16 mg, 4 mg, 8 mg (Medrol)	1	\$0	
methylprednisolone oral tablet 32 mg	1	\$0	
methylprednisolone oral tablets,dose pack 4 mg (Medrol (Pak))	1	\$0	
prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)	1	\$0	PA BvD
prednisolone oral solution 15 mg/5 ml	1	\$0	PA BvD
prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)	1	\$0	PA BvD
prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml) (Pediapred)	1	\$0	PA BvD
prednisone oral solution 5 mg/5 ml	1	\$0	PA BvD
prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg	1	\$0	PA BvD
prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)	1	\$0	
triamcinolone acetonide injection suspension 40 mg/ml (Kenalog)	1	\$0	
Pituitary			
ACTHAR INJECTION GEL 80 UNIT/ML	2	\$0	PA; QL (35 per 28 days); NDS
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	2	\$0	PA; QL (15 per 30 days); NDS
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	2	\$0	PA; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	2	\$0	PA; QL (35 per 28 days); NDS
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 40 UNIT/0.5 ML	2	\$0	PA; QL (15 per 30 days); NDS
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 80 UNIT/ML	2	\$0	PA; QL (30 per 30 days); NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	\$0	
<i>desmopressin nasal spray, non- aerosol 10 mcg/spray (0.1 ml)</i>	1	\$0	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	\$0	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	2	\$0	PA; QL (30 per 30 days); NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	2	\$0	PA; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	2	\$0	PA NSO; QL (0.5 per 28 days); NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	2	\$0	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	2	\$0	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LUTRATE DEPOT (3 MONTH) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG (leuprolide (3 month))	2	\$0	PA NSO
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	\$0	PA; NDS
octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml	1	\$0	
octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml (Sandostatin)	1	\$0	
ORGOVYX ORAL TABLET 120 MG	2	\$0	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	2	\$0	PA; QL (28 per 28 days); NDS
ORILISSA ORAL TABLET 200 MG	2	\$0	PA; QL (56 per 28 days); NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	2	\$0	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	2	\$0	PA; QL (60 per 30 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML (lanreotide)	2	\$0	PA NSO; QL (0.2 per 28 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML (lanreotide)	2	\$0	PA NSO; QL (0.3 per 28 days); NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	2	\$0	PA; NDS
Progestins			
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	2	\$0	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	1	\$0	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	\$0	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	\$0	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	\$0	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	1	\$0	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	\$0	
Thyroid And Antithyroid Agents			
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	\$0	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	\$0	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	\$0	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>propylthiouracil oral tablet 50 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Immunological Agents			
Immunological Agents			
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	2	\$0	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	\$0	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	\$0	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	2	\$0	PA; NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE (tacrolimus) 24HR 0.5 MG, 1 MG	2	\$0	PA BvD
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE (tacrolimus) 24HR 5 MG	2	\$0	PA BvD; NDS
<i>auranofin oral capsule 3 mg</i> (Ridaura)	1	\$0	NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	\$0	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	\$0	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	2	\$0	PA; QL (8 per 28 days); NDS
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	2	\$0	PA; QL (8 per 28 days); NDS
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	2	\$0	PA NSO; QL (2 per 28 days); NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	2	\$0	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	2	\$0	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	\$0	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	2	\$0	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	2	\$0	PA; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	1	\$0	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	1	\$0	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	1	\$0	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	1	\$0	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	1	\$0	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	2	\$0	PA; NDS
CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	2	\$0	PA; NDS
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	2	\$0	PA; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	2	\$0	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	2	\$0	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	2	\$0	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	2	\$0	PA; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> (Zortress)	1	\$0	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	2	\$0	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	2	\$0	PA BvD; NDS
<i>gengraf</i> oral capsule 100 mg, 25 mg (cyclosporine modified)	1	\$0	PA BvD
<i>gengraf</i> oral solution 100 mg/ml (cyclosporine modified)	1	\$0	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	2	\$0	PA; Only NDCs starting with 00074; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	2	\$0	PA; Only NDCs starting with 00074; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	2	\$0	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	2	\$0	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	2	\$0	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	\$0	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	\$0	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	\$0	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	\$0	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	\$0	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	1	\$0	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	2	\$0	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	2	\$0	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	2	\$0	PA; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	2	\$0	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	2	\$0	PA; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	2	\$0	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	2	\$0	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	\$0	ST
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
REZUROCK ORAL TABLET 200 MG	2	\$0	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG (auranofin)	2	\$0	NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	2	\$0	PA; QL (360 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG		2	\$0	PA; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML		2	\$0	PA; NDS
SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	(ustekinumab- aekn)	2	\$0	PA
SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML	(ustekinumab- aekn)	2	\$0	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i>		1	\$0	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>		1	\$0	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML		2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML		2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML		2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)		2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)		2	\$0	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	(ustekinumab)	2	\$0	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	(ustekinumab)	2	\$0	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	(ustekinumab)	2	\$0	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	(Prograf)	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TAVNEOS ORAL CAPSULE 10 MG	2	\$0	PA; QL (180 per 30 days); NDS
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	2	\$0	PA; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	2	\$0	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	\$0	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	2	\$0	PA; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	2	\$0	PA; NDS
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	\$0	PA; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	\$0	PA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	2	\$0	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	2	\$0	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	2	\$0	PA; NDS
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	2	\$0	PA; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	2	\$0	PA
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	2	\$0	PA

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML	2	\$0	PA; NDS
YUFLYMA(CF) AI CROHN'S-UC-HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML (adalimumab-aaty)	2	\$0	PA; NDS
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML (adalimumab-aaty)	2	\$0	PA; NDS
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML (adalimumab-aaty)	2	\$0	PA; NDS
Vaccines			
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	2	\$0	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	\$0	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	\$0	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	\$0	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	2	\$0	\$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	2	\$0	\$0 copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	\$0	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	\$0	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	2	\$0	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	\$0	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	2	\$0	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	2	\$0	QL (3 per 365 days)
ENGRIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	\$0	PA BvD; \$0 copay
ENGRIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	\$0	PA BvD; \$0 copay
ENGRIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	\$0	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	\$0	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	\$0	\$0 copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	2	\$0	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	2	\$0	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	2	\$0	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	\$0	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	\$0	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	\$0	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	2	\$0	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	2	\$0	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	\$0	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	2	\$0	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	\$0	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	\$0	\$0 copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	2	\$0	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	\$0	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	\$0	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	2	\$0	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	2	\$0	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	\$0	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	2	\$0	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	2	\$0	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	\$0	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-20MCG-5LF- 62 DU/0.5 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	2	\$0	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	2	\$0	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	2	\$0	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	\$0	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	\$0	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	\$0	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	\$0	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	\$0	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	2	\$0	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	\$0	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	\$0	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	2	\$0	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	\$0	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5- 2 LF UNIT/0.5 ML	2	\$0	\$0 copay
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	\$0	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	2	\$0	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	2	\$0	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	\$0	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	\$0	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	\$0	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	2	\$0	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	2	\$0	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	2	\$0	\$0 copay

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	2	\$0	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	2	\$0	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	\$0	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	2	\$0	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	2	\$0	\$0 copay
VIVOTIF ORAL CAPSULE, DELAYED RELEASE (DR/EC) 2 BILLION UNIT	2	\$0	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML (2.5 ML IN 1 VIAL)	2	\$0	\$0 copay

Inflammatory Bowel Disease Agents

Inflammatory Bowel Disease Agents

<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	1	\$0	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	\$0	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	1	\$0	
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	1	\$0	
DIPENTUM ORAL CAPSULE 250 MG	2	\$0	ST; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	1	\$0	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	(Delzicol)	1	\$0	
<i>mesalamine oral capsule, extended release 500 mg</i>	(Pentasa)	1	\$0	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i>	(Apriso)	1	\$0	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i>	(Lialda)	1	\$0	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>		1	\$0	
<i>mesalamine rectal enema 4 gram/60 ml</i>	(Rowasa)	1	\$0	
<i>mesalamine rectal suppository 1,000 mg</i>	(Canasa)	1	\$0	
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	1	\$0	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	(Azulfidine EN-tabs)	2	\$0	

Metabolic Bone Disease

Agents

Metabolic Bone Disease Agents

<i>alendronate oral solution 70 mg/75 ml</i>		1	\$0	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>		1	\$0	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>		1	\$0	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i>	(Fosamax)	1	\$0	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>		1	\$0	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>		1	\$0	
<i>calcitriol oral solution 1 mcg/ml</i>	(Rocaltrol)	1	\$0	
<i>cinacalcet oral tablet 30 mg, 60 mg</i>	(Sensipar)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	1	\$0	QL (120 per 30 days); NDS
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	1	\$0	
<i>ibandronate oral tablet 150 mg</i>	1	\$0	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	2	\$0	PA; QL (2 per 28 days); NDS
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	\$0	
<i>paricalcitol oral capsule 4 mcg</i>	1	\$0	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	\$0	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	2	\$0	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	1	\$0	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	1	\$0	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	\$0	QL (4 per 28 days)
<i>risedronate oral tablet,delayed release (dr/ec) 35 mg</i> (Atelvia)	1	\$0	QL (4 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	2	\$0	PA; QL (2.48 per 28 days); NDS
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	2	\$0	PA; QL (1.56 per 30 days); NDS
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Miscellaneous Therapeutic Agents			
Miscellaneous Therapeutic Agents			
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	2	\$0	PA; NDS
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	2	\$0	
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	1	\$0	PA; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	\$0	
CARBOXYMETHYL SOD GRANULE MEDIUM VISCOSITY, USP (RX) *	3	\$0	
CARBOXYMETHYL SOD GRANULE USP, MED VISCOSITY (RX) *	3	\$0	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA; NDS
CVS TRANSPARENT DRESSING (IV3000 Frame 4X4 3/4" 4 X 4 3/4 " * Delivery Dressing)	3	\$0	
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	1	\$0	
ELMIRON ORAL CAPSULE 100 MG	2	\$0	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	2	\$0	PA; NDS
EVRYSDI ORAL TABLET 5 MG	2	\$0	PA; NDS
EXCILON DRESSING SPONGE 4 X 3 " *	3	\$0	
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	1	\$0	PA; QL (180 per 30 days); NDS
<i>gs hydrogen peroxide 3% soln (otc) *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	\$0	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	2	\$0	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	2	\$0	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	2	\$0	
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	1	\$0	
IV3000 FRAME DELIVERY 4X4 3/4" 4 X 4 3/4 " * (transparent dressings)	3	\$0	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	\$0	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	\$0	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	\$0	
<i>levocarnitine sf 1 g/10 ml sol 100 mg/ml</i> (Carnitor (sugar-free))	1	\$0	
<i>mesna oral tablet 400 mg</i> (Mesnex)	1	\$0	NDS
NEXCARE TEGADERM DRESSING 4 X 4 3/4 " * (transparent dressings)	3	\$0	
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	1	\$0	QL (30 per 30 days)
NON-STICK PAD 3"X4" 4 X 3 " *	3	\$0	
OPSITE FLEXIGRID DRESSING 4 X 4 3/4 " * (transparent dressings)	3	\$0	
OPSITE FLEXIGRID DRESSING 6 X 8 " *	3	\$0	
POLYSKIN II TRANSPRNT DRESS 4'S, 6"X8", STERILE 6 X 8 " *	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
POLYSKIN II TRANSPRNT DRESS 4'S,4"X4-3/4",STRL 4 X 4 3/4 " * (transparent dressings)	3	\$0	
pyridostigmine bromide oral syrup 60 mg/5 ml (Mestinon)	1	\$0	
pyridostigmine bromide oral tablet 30 mg	1	\$0	
pyridostigmine bromide oral tablet 60 mg (Mestinon)	1	\$0	
pyridostigmine bromide oral tablet extended release 180 mg (Mestinon Timespan)	1	\$0	
RELIAMED TRANSPRNT I.V. DRESS 4 X 4 3/4 " * (IV3000 Frame Delivery Dressing)	3	\$0	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	2	\$0	PA; NDS
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	2	\$0	PA; NDS
SURESITE MATRIX TRANSPRNT DRES 6 X 8 " *	3	\$0	
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	\$0	PA; QL (4 per 28 days); NDS
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	2	\$0	PA; QL (2 per 28 days); NDS
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	2	\$0	PA; QL (4 per 28 days); NDS
TELF A NON-ADHERENT DRESSING 50/CTN 1'S 4 X 3 " *	3	\$0	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
TRIAD WOUND DRESSING PASTE 12'S *	3	\$0	
TYBOST ORAL TABLET 150 MG	2	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VEOZAH ORAL TABLET 45 MG	2	\$0	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	2	\$0	PA; QL (12 per 30 days); NDS
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	2	\$0	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	2	\$0	
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	2	\$0	PA; NDS
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	2	\$0	PA; NDS
Mouthwashes And Gargles			
Mouthwashes And Gargles			
<i>cvs hydrogen peroxide 3% soln (otc)</i> *	3	\$0	
<i>hm hydrogen peroxide 3% soln (otc)</i> *	3	\$0	
<i>hydrogen peroxide 3% solution (otc)</i> *	3	\$0	
<i>hydrogen peroxide 3% solution usp (rx) *</i>	3	\$0	
<i>qc hydrogen peroxide 3% soln (otc)</i> *	3	\$0	
<i>sm hydrogen peroxide 3% soln (otc)</i> *	3	\$0	
Ophthalmic Agents			
Antiglaucoma Agents			
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	\$0	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	\$0	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	\$0	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	1	\$0	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	\$0	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	1	\$0	
<i>brinzolamide ophthalmic (eye) drops, suspension 1 %</i> (Azopt)	1	\$0	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	\$0	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	1	\$0	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	\$0	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	\$0	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	\$0	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	\$0	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	\$0	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	1	\$0	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	\$0	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	2	\$0	QL (2.5 per 25 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	\$0	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	1	\$0	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	\$0	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	1	\$0	
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	1	\$0	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	1	\$0	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	2	\$0	QL (5 per 30 days)
Replacement Preparations			
Replacement Preparations			
<i>calcium 500 mg tablet 500mg elemental ca (rx) 500 mg calcium (1,250 mg) *</i> (Oyster Shell Calcium)	3	\$0	
<i>calcium 500-vit d3 10 mcg chew 500 mg-10 mcg (400 unit) *</i> (Calcium 500 + D)	3	\$0	
<i>calcium 500-vit d3 125 caplet 500 mg-3.125 mcg (125 unit) *</i>	3	\$0	
<i>calcium 500-vit d3 400 chew tb 500 mg-10 mcg (400 unit) *</i> (calcium carbonate-vitamin d3)	3	\$0	
<i>calcium 600 mg tablet (rx) 600 mg calcium (1,500 mg) *</i> (Calcium 600)	3	\$0	
<i>calcium carb 1,250 mg/5 ml sus n (otc) 500 mg/5 ml (1,250 mg/5 ml) *</i>	3	\$0	
<i>calcium carbonate 648 mg tab 260 mg calcium (648 mg) *</i>	3	\$0	
<i>calcium cit 315-vit d3 250 cpt (rx) 315 mg-6.25 mcg (250 unit) *</i> (Citracal + D Maximum)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>calcium citrate - vit d caplet caplet, coated (rx) 315 mg-5 mcg (200 unit) *</i>	(Calcium Citrate + D)	3	\$0	
<i>calcium citrate 200 mg tablet (rx) 200 mg (950 mg) *</i>		3	\$0	
<i>calcium citrate-vit d3 caplet p/f (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>citracal + d maximum caplet (rx) 315 mg-6.25 mcg (250 unit) *</i>	(calcium citrate-vitamin d3)	3	\$0	
CITRACAL-D3 MAXIMUM PLUS CAPLT 325 MG-12.5 MCG -2.75 MG *	(calcium-d3-zinc-copper-mangan)	3	\$0	
<i>cvs cal cit 315 mg-d3 6.25 mcg (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>cvs pediatric electrolyte pops 16's, freezer pops (rx) *</i>	(electrolytes-dextrose)	3	\$0	
<i>cvs pediatric electrolyte soln (rx) *</i>	(electrolytes-dextrose)	3	\$0	
<i>cvs pediatric electrolyte soln dye/free, strawberry (rx) *</i>	(electrolytes-dextrose)	3	\$0	
<i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i>	(d5 % and 0.9 % sodium chloride)	1	\$0	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	(D5 % (d-glucose)-0.9 % sodchlr)	1	\$0	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>		1	\$0	
<i>gnp electrolyte solution (rx) *</i>	(Hydralyte)	3	\$0	
<i>hydralyte electrolyte soln *</i>	(electrolytes-dextrose)	3	\$0	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE		2	\$0	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION		2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %		2	\$0	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	(potassium chloride)	1	\$0	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	(potassium chloride)	1	\$0	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	(potassium chloride)	1	\$0	
<i>mag64 dr 64 mg tablet (rx) *</i>	(magnesium chloride)	3	\$0	
<i>magnesium chloride 64 mg tab 64 mg magnesium *</i>		3	\$0	
<i>magnesium chloride ec 64 mg tb (rx) *</i>	(Mag 64)	3	\$0	
<i>magnesium chloride ec 70 mg tb *</i>		3	\$0	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>		2	\$0	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>		1	\$0	
<i>natural calcium oral tablet 500 mg calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0	
<i>nu-mag 71.5 mg tablet *</i>		3	\$0	
<i>oralyte solution *</i>	(electrolytes-dextrose)	3	\$0	
<i>oyster shell calcium 500 mg tb (rx) 500 mg calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0	
<i>oyster shell calcium 500 mg tb (rx) 500 mg calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0	
<i>oyster shell calcium 500 mg tb 500mg elemental ca (rx) 500 mg calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0	
<i>pediatric electrolyte solution apple, 4x237ml (rx) *</i>	(electrolytes-dextrose)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>phospha 250 neutral tablet 250 mg *</i>	(sod phos di, mono-k phos mono)	3	\$0	
<i>phosphorous 250 mg tablet *</i>	(sod phos di, mono-k phos mono)	3	\$0	
<i>phospho-trin 250 neutral tab 250 mg *</i>	(sod phos di, mono-k phos mono)	3	\$0	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	(electrolyte-a)	2	\$0	
<i>potassium chloride intravenous solution 2 meq/ml</i>		1	\$0	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>		1	\$0	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>		1	\$0	
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	1	\$0	
<i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>		1	\$0	
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	1	\$0	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	(Klor-Con M10)	1	\$0	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	(Klor-Con M15)	1	\$0	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	(Klor-Con M20)	1	\$0	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>		1	\$0	
<i>potassium cit-citric acid soln 1,100-334 mg/5 ml *</i>	(Cytra-K)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	\$0	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	\$0	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	1	\$0	
<i>ra calcium 600 mg tablet p/f (rx) 600 mg calcium (1,500 mg) *</i> (calcium carbonate)	3	\$0	
<i>ra calcium citrate - vit d tab p/f, d/f (rx) 315 mg-6.25 mcg (250 unit) *</i> (Citracal + D Maximum)	3	\$0	
<i>ra magnesium 250 mg tablet (rx) *</i>	3	\$0	
<i>ra pediatric electrolyte soln (rx) *</i> (electrolytes-dextrose)	3	\$0	
<i>ra pediatric freezer pops *</i> (electrolytes-dextrose)	3	\$0	
<i>sm cal cit 315 mg-d3 250 unit caplet, gluten-free (rx) 315 mg-6.25 mcg (250 unit) *</i> (Citracal + D Maximum)	3	\$0	
<i>sm pediatric electrolyte soln (rx) *</i> (electrolytes-dextrose)	3	\$0	
<i>sod citrate-citric acid soln (rx) 500-334 mg/5 ml *</i> (Cytra-2)	3	\$0	
<i>sod citrate-citric acid solution 1.5-1 gm/15 ml cup inner (rx) 500-334 mg/5 ml *</i> (Cytra-2)	3	\$0	
<i>sod citrate-citric acid solution 3-2 gm/30 ml cup inner (rx) 500-334 mg/5 ml *</i> (Cytra-2)	3	\$0	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	\$0	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	\$0	
<i>sodium chloride 0.9% solution mini-bag, single use</i>	1	\$0	
<i>sodium chloride 1 gm tablet (otc) *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sodium chloride 1,000 mg tab outer (rx) *</i>		3	\$0	
<i>super calcium 600 mg tablet 600 mg calcium (1,500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>tricitrates oral solution 550-500-334 mg/5 ml *</i>	(pot,sodium citrate-citric acid)	3	\$0	
Respiratory Tract Agents				
Anti-Inflammatories, Inhaled Corticosteroids				
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	2	\$0	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION		2	\$0	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		2	\$0	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	2	\$0	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		2	\$0	QL (60 per 30 days)
<i>breynd inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(budesonide-formoterol)	1	\$0	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	(Pulmicort)	1	\$0	PA BvD; QL (120 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Breyna)	1	\$0	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>	1	\$0	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>	1	\$0	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>	1	\$0	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	1	\$0	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	1	\$0	QL (60 per 30 days)
Antileukotrienes			
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	\$0	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	\$0	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	1	\$0	
Bronchodilators			
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	2	\$0	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	1	\$0	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	1	\$0	QL (13.4 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	1	\$0	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	1	\$0	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	\$0	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	\$0	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)	2	\$0	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	\$0	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	2	\$0	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	\$0	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	\$0	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	\$0	PA BvD; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	\$0	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	2	\$0	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	\$0	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	\$0	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>theophylline oral solution 80 mg/15 ml</i>	1	\$0	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	1	\$0	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	\$0	
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva with HandiHaler)	1	\$0	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	2	\$0	QL (60 per 30 days)
Respiratory Tract Agents, Other			
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	1	\$0	PA BvD
ALYFTREK ORAL TABLET 10- 50-125 MG	2	\$0	PA; QL (60 per 30 days); NDS
ALYFTREK ORAL TABLET 4-20- 50 MG	2	\$0	PA; QL (90 per 30 days); NDS
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	2	\$0	QL (560 per 28 days); NDS
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	\$0	PA BvD
<i>cromolyn sodium nasal spray 5.2 mg/spray (4 %) *</i> (Nasalcrom)	3	\$0	
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	2	\$0	PA; QL (1 per 28 days); NDS
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	2	\$0	PA; QL (1 per 28 days); NDS
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	2	\$0	PA; QL (56 per 28 days); NDS
KALYDECO ORAL TABLET 150 MG	2	\$0	PA; QL (56 per 28 days); NDS
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	2	\$0	PA; LA; QL (0.4 per 28 days); NDS
OFEV ORAL CAPSULE 100 MG, 150 MG	2	\$0	PA; QL (60 per 30 days); NDS
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	2	\$0	PA; QL (56 per 28 days); NDS
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	2	\$0	PA; QL (112 per 28 days); NDS
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	1	\$0	PA; QL (270 per 30 days); NDS
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	1	\$0	PA; QL (270 per 30 days); NDS
<i>pirfenidone oral tablet 534 mg</i>	1	\$0	PA; QL (90 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	1	\$0	PA; QL (90 per 30 days); NDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	1	\$0	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	1	\$0	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	2	\$0	PA; QL (56 per 28 days); NDS
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	2	\$0	PA; QL (56 per 28 days); NDS
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	2	\$0	PA; QL (84 per 28 days); NDS
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	2	\$0	PA; QL (1 per 21 days); NDS
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	2	\$0	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	2	\$0	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	2	\$0	PA; NDS
Skeletal Muscle Relaxants			
Skeletal Muscle Relaxants			
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	1	\$0	
<i>chlorzoxazone oral tablet 500 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dantrolene oral capsule 100 mg, 50 mg</i>	1	\$0	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	1	\$0	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>tizanidine oral tablet 2 mg</i>	1	\$0	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	\$0	
Sleep Disorder Agents			
Sleep Disorder Agents			
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	\$0	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	2	\$0	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	\$0	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	2	\$0	PA; QL (150 per 30 days); NDS
<i>modafinil oral tablet 100 mg</i> (Provigil)	1	\$0	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	1	\$0	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	2	\$0	PA; LA; QL (540 per 30 days); NDS
<i>tasimelteon oral capsule 20 mg</i> (Hetlioz)	1	\$0	PA; QL (30 per 30 days); NDS
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	\$0	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	\$0	QL (30 per 30 days)
Vasodilating Agents			
Vasodilating Agents			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	2	\$0	PA; QL (90 per 30 days); NDS
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	1	\$0	PA; QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	1	\$0	PA; QL (30 per 30 days); NDS
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	1	\$0	PA; LA; QL (60 per 30 days); NDS
OPSUMIT ORAL TABLET 10 MG	2	\$0	PA; QL (30 per 30 days); NDS
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	\$0	PA; QL (360 per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	1	\$0	PA
<i>tadalafil oral tablet 5 mg</i> (Cialis)	1	\$0	PA
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	1	\$0	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	2	\$0	PA; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	2	\$0	PA; QL (60 per 30 days); NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	2	\$0	PA; QL (60 per 30 days); NDS
UPTRAVI ORAL TABLET 200 MCG	2	\$0	PA; QL (240 per 30 days); NDS
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	2	\$0	PA; NDS
Vitamins And Minerals			
Vitamins And Minerals			
<i>a thru z advanced formula tab new formula (rx) *</i>	3	\$0	
<i>a thru z select tablet new formulation (rx) *</i>	3	\$0	
<i>a-25 7,500 mcg capsule *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>acerola c 500 mg tablet chew *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>animal chews tablet *</i>	(pediatric multivitamin)	3	\$0	
AQUA-E CONCENTRATE 75 UNIT/ML *		3	\$0	
<i>b complex capsule (rx) *</i>	(Vitamins B Complex)	3	\$0	
<i>b complex number 1 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>b complex tablet *</i>	(vitamin b complex)	3	\$0	
<i>b-12 500 mcg tablet (rx) *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>b-12 dots 500 mcg tablet *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>balance b-100 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balance b-50 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balance b-50 tablet outer,p/f,gluten/f 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balanced b-complex caplet p/f,no-lactose (rx) 400 mcg *</i>		3	\$0	
<i>bal-care dha combo pack 27-1-430 mg</i>		1	\$0	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>		1	\$0	
<i>b-complex plus vitamin c cplt (rx) 400 mcg *</i>		3	\$0	
<i>b-complex with b12 tablet (rx) *</i>	(vitamin b complex)	3	\$0	
<i>b-complex with c tablet (rx) *</i>		3	\$0	
<i>b-complex with vit c caplet (rx) 400 mcg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>b-complex w-vitamin c caplet caplet,p/f (rx) *</i>		3	\$0	
<i>biotin 5,000 mcg capsule mx-str (rx) 5 mg *</i>	(Meribin)	3	\$0	
<i>calcidol drops 200 mcg/ml (8,000 unit/ml) *</i>	(ergocalciferol (vitamin d2))	3	\$0	
<i>calcium 500 mg-vit d3 5 mcg tb (rx) 500 mg-5 mcg (200 unit) *</i>	(Oysco 500/D)	3	\$0	
<i>calcium 500-vit d3 600 tablet 500 mg-15 mcg (600 unit) *</i>	(Os-Cal 500 + D3)	3	\$0	
<i>calcium 600 mg-vit d3 10 mcg tb (rx) 600 mg-10 mcg (400 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>calcium 600 mg-vit d3 5 mcg tb (rx) 600 mg-5 mcg (200 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>calcium 600-vit d3 800 tablet p/f (rx) 600 mg-20 mcg (800 unit) *</i>	(Caltrate with Vitamin D3)	3	\$0	
<i>certavite senior tablet 0.4 mg-300 mcg- 250 mcg *</i>		3	\$0	
<i>certavite-antioxidant tablet (rx) 18-400 mg-mcg *</i>		3	\$0	
<i>children multivitamin chew tab *</i>		3	\$0	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>		1	\$0	
<i>completenate tablet chew 29 mg iron- 1 mg</i>		1	\$0	
<i>cvs b-1 100 mg tablet p/f,gluten-free (rx) *</i>	(thiamine hcl (vitamin b1))	3	\$0	
<i>cvs b-complex-vit c caplet caplet (rx) *</i>		3	\$0	
<i>cvs calcium 600-vit d3 800 tab p/f,gluten-free (rx) 600 mg-20 mcg (800 unit) *</i>	(Caltrate with Vitamin D3)	3	\$0	
<i>cvs hair, skin and nails cplt (rx) *</i>	(multivitamin with minerals)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs iron 27 mg tablet (rx) 240 mg (27 mg iron) *</i>	(Ferate)	3	\$0	
<i>cvs iron 65 mg tablet (rx) 325 mg (65 mg iron) *</i>	(Feosol)	3	\$0	
<i>cvs one daily essential tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>cvs vit c-rose hip 500 mg chew *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>cvs vit c-rose hip 500 mg cplt (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>cvs vit c-rose hips 500 mg tab (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>cvs vitamin d3 25 mcg softgel (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>cyanocobalamin 1,000 mcg/ml vl outer,mdv *</i>	(Dodex)	3	\$0	
<i>cyanocobalamin 500 mcg spray inner 500 mcg/spray *</i>	(Nascobal)	3	\$0	
<i>d3 dots 2,000 unit tablet p/f (rx) 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>daily multivitamin with d3 tab 0.4 mg *</i>	(Omnicap)	3	\$0	
<i>daily multivit-minerals tab (rx) *</i>	(multivitamin with minerals)	3	\$0	
<i>daily value multivitamin tab *</i>	(multivitamin)	3	\$0	
<i>daily vitamin + iron tablet (rx) *</i>	(multivitamin with iron)	3	\$0	
<i>daily vitamin formula tablet *</i>	(multivitamin)	3	\$0	
<i>daily vitamin formula tablet *</i>	(multivitamin with minerals)	3	\$0	
<i>daily vite tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>daily vite with iron tablet *</i>	(multivitamin with iron)	3	\$0	
<i>daily-vite tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dekas essential capsule 600 mcg-50 mcg- 101 mg-1,000mcg *</i>	3	\$0	
DEKAS ESSENTIAL LIQUID 2,000 UNIT- 2,000 MCG/ML *	3	\$0	
DEKAS PLUS CHEWABLE TABLET 200 MCG-1,000 MCG-10 MG *	3	\$0	
DEKAS PLUS LIQUID 500 MCG/ML *	3	\$0	
DEKAS PLUS SOFTGEL 200 MCG-1,000 MCG-10 MG *	3	\$0	
<i>dodex 10,000 mcg/10 ml vial muv *</i> (cyanocobalamin (vitamin b-12))	3	\$0	
<i>d-vi-sol 10 mcg/ml drop (rx) 10 mcg/ml (400 unit/ml) *</i> (cholecalciferol (vitamin d3))	3	\$0	
ELDERTONIC LIQUID 3.6 MG-0.75 MG /15 ML *	3	\$0	
<i>eq complete mv adlt 50 plus tb 0.4 mg-300 mcg- 250 mcg *</i>	3	\$0	
<i>eq eye health plus lutein tab 300 mcg-200 mg-27 mg-2 mg *</i>	3	\$0	
<i>eq vitamin c gummies 94 mg *</i>	3	\$0	
<i>ergocalciferol 200 mcg/ml drop (rx) 200 mcg/ml (8,000 unit/ml) *</i> (Calcitol)	3	\$0	
<i>feosol 65 mg tablet (rx) 325 mg (65 mg iron) *</i> (ferrous sulfate)	3	\$0	
<i>ferate 27 mg tablet 240 mg (27 mg iron) *</i> (ferrous gluconate)	3	\$0	
<i>ferosul 325 mg tablet (rx) 325 mg (65 mg iron) *</i> (ferrous sulfate)	3	\$0	
<i>ferretts 325 mg tablet 325 mg (106 mg iron) *</i>	3	\$0	
<i>ferrex 150 capsule outer, u-d 150 mg iron *</i> (polysaccharide iron complex)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ferrocite tablet 324 mg (106 mg iron) *</i> (ferrous fumarate)	3	\$0	
<i>ferrous fumarate 324 mg tablet 324 mg (106 mg iron) *</i> (Ferrocite)	3	\$0	
<i>ferrous gluconate 240 mg tab 240mg=27mg elemental (rx) 240 mg (27 mg iron) *</i> (Ferate)	3	\$0	
<i>ferrous gluconate 324 mg tab (rx) 324 mg (38 mg iron) *</i>	3	\$0	
<i>ferrous sul 15 mg iron/ml enfit (rx) 15 mg iron (75 mg)/ml *</i> (Fe-Vite)	3	\$0	
<i>ferrous sulf 15 mg iron/ml drp (rx) 15 mg iron (75 mg)/ml *</i> (Fe-Vite)	3	\$0	
<i>ferrous sulf 220 mg/5 ml elix (rx) 220 mg (44 mg iron)/5 ml *</i>	3	\$0	
<i>ferrous sulf ec 324 mg tablet 324 mg (65 mg iron) *</i>	3	\$0	
<i>ferrous sulf ec 325 mg tablet (rx) 325 mg (65 mg iron) *</i>	3	\$0	
<i>ferrous sulfate 300 mg/5 ml cup 100's, u-d 300 mg (60 mg iron)/5 ml *</i>	3	\$0	
<i>ferrous sulfate 325 mg tablet (rx) 325 mg (65 mg iron) *</i> (Feosol)	3	\$0	
<i>flintstones extra c tab chew (rx) *</i> (pediatric multivitamin)	3	\$0	
<i>flintstones tablet chewable *</i> (pediatric multivitamin)	3	\$0	
FLINTSTONES WITH IRON TAB CHEW 18 MG IRON *	3	\$0	
<i>folic acid 1 mg tablet (rx) *</i>	3	\$0	
<i>folic acid 400 mcg tablet (rx) *</i>	3	\$0	
<i>folic acid 5 mg/ml vial mdv *</i>	3	\$0	
<i>folivane-ob capsule 85-1 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fruit c-500 tablet chewable 500 mg *</i> (ascorbic acid (vitamin c))	3	\$0	
<i>ft b complex plus vit c tablet (rx) *</i>	3	\$0	
<i>generic prenatal vitamin oral capsule 27-1.25-55-300 mg, 28-1-300 mg, 28-1-50-250 mg, 29-1.25-55-325 mg, 30 mg iron-1 mg -50 mg-260 mg, 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	\$0	
<i>generic prenatal vitamin oral combo pack 29-1-400 mg</i>	1	\$0	
<i>generic prenatal vitamin oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	1	\$0	
<i>generic prenatal vitamin oral tablet 15 mg iron- 1,000 mcg, 29 mg iron-1 mg, 29-1 mg, 90-1-50 mg</i>	1	\$0	
<i>generic prenatal vitamin oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	\$0	
<i>generic prenatal vitamin oral tablet extended release 90 mg iron-1 mg</i>	1	\$0	
<i>gnp one daily essential tablet (rx) *</i> (multivitamin)	3	\$0	
<i>gnp vitamin c 500 mg tab chew chewables (rx) *</i> (ascorbic acid (vitamin c))	3	\$0	
<i>gummi bear multivit tab chew multivit & minerals (rx) *</i> (pediatric multivitamin)	3	\$0	
<i>hair vitamins *</i> (multivitamin with iron)	3	\$0	
<i>hemocyte tablet 324 mg (106 mg iron) *</i> (ferrous fumarate)	3	\$0	
<i>high potency multivitamin tab 400 mcg *</i> (multivitamin with folic acid)	3	\$0	
<i>honey bears chewable tablet *</i>	3	\$0	
<i>hydroxocobalamin 1,000 mcg/ml *</i>	3	\$0	
ICAPS MV TABLET (RX) 100-1.66-0.83 MCG-MG-MG *	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>iferex 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>infant vitamin a-c-d drop 250 mcg-50 mg- 10 mcg/ml *</i>	(Pedia Tri-Vite)	3	\$0	
<i>infant vitamin d 10 mcg/ml drp (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>infant-toddler vit a-c-d drop 250 mcg-50 mg- 10 mcg/ml *</i>	(Pedia Tri-Vite)	3	\$0	
<i>iron 28 mg tablet 256 mg (28 mg iron) *</i>		3	\$0	
<i>iron 65 mg tablet (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>		1	\$0	
<i>little animals child tb chw *</i>	(pediatric multivitamin)	3	\$0	
<i>little animals-iron tab chew *</i>	(pediatric multivitamin-iron)	3	\$0	
<i>marnatal-f capsule 60 mg iron-1 mg</i>		1	\$0	
<i>mega multivit-chelated min tab *</i>	(multivitamin with minerals)	3	\$0	
<i>milltrium senior multivit tab *</i>		3	\$0	
<i>m-natal plus tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>multi-day plus iron tablet 18-400 mg-mcg *</i>		3	\$0	
<i>multiple vitamin with iron tab (rx) *</i>	(Daily Vitamin with Iron)	3	\$0	
<i>multiple vitamin w-minerals tb *</i>	(multivitamin with minerals)	3	\$0	
<i>multiple vitamins tablet one daily *</i>	(multivitamin)	3	\$0	
<i>multi-vitamin daily tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>multivitamin tablet (rx) *</i>	(Daily Multi-Vitamin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>multivitamin-minerals tablet p/f 7.5 mg iron-400 mcg *</i>		3	\$0	
<i>multivitamins tablet (rx) *</i>	(Daily Multi-Vitamin)	3	\$0	
<i>myferon 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>mynatal capsule 65 mg iron- 1 mg</i>		1	\$0	
<i>mynatal plus captab 65 mg iron- 1 mg</i>		1	\$0	
<i>mynatal-z captab 65 mg iron- 1 mg</i>		1	\$0	
NASCOBAL 500 MCG NASAL SPRAY 500 MCG/SPRAY *	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>nephplex rx tablet 1-60-300-12.5 mg-mg-mcg-mg *</i>		3	\$0	
NEPHRON FA TABLET 66 MG IRON- 1,000 MCG *		3	\$0	
<i>newgen tablet 32-1,000 mg-mcg</i>		1	\$0	
<i>niacinamide 500 mg tablet (rx) *</i>		3	\$0	
<i>niva-plus tablet 27 mg iron- 1 mg</i>		1	\$0	
<i>nu-iron 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>		1	\$0	
<i>ocutabs tablet (rx) *</i>		3	\$0	
<i>onccor tablet 200-10-10 mcg *</i>		3	\$0	
<i>oncovite tablet *</i>	(therapeutic multivitamin)	3	\$0	
<i>one daily complete tablet *</i>	(multivitamin with minerals)	3	\$0	
<i>one daily complete tablet 18-0.4 mg *</i>		3	\$0	
<i>one daily for women tablet 18-0.4 mg *</i>		3	\$0	
<i>one daily maximum tablet (rx) 18-0.4 mg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>one daily multivitamin tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>one daily with minerals tablet (rx) *</i>	(multivitamin with minerals)	3	\$0	
<i>one-a-day essential tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>one-a-day max formula tab *</i>	(multivitamin with minerals)	3	\$0	
ONE-A-DAY MEN'S TABLET 400-20-300 MCG *		3	\$0	
<i>one-a-day teen advantage tab 9 mg iron-400 mcg *</i>		3	\$0	
<i>one-daily multi-vitamin tab (rx) *</i>	(multivitamin)	3	\$0	
<i>onevite calcium 600 mg-d3 10 mcg (rx) 600 mg-10 mcg (400 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>onevite daily multivitamin tab 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>oysco 500-vit d3 200 tablet 500 mg-5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>oyster shell 500-vit d3 200 tb (rx) 500 mg-5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>oyster shell calcium-vit d tab p/f,gluten-free (rx) 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>oystercal-d 500 mg-400 unit tb 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>pedia tri-vite drop 250 mcg-50 mg-10 mcg/ml *</i>	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>pediatric d-vite 10 mcg/ml liq 10 mcg/ml (400 unit/ml) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>pediatric fe-vite 15 mg/ml drp 15 mg iron (75 mg)/ml *</i>	(ferrous sulfate)	3	\$0	
<i>pediatric tri-vite drops 750 unit-35 mg -400 unit/ml *</i>	(vit a palmitate-vit c-vit d3)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pharm choice d3 400 unit/ml (rx) 10 mcg/ml (400 unit/ml) *</i> (D-Vi-Sol)	3	\$0	
<i>pharmacist choice ped tri-vit 750 unit-35 mg -400 unit/ml *</i> (Pediatric Tri-Vite)	3	\$0	
<i>phytonadione 5 mg tablet *</i>	3	\$0	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	\$0	
<i>pnv-omega softgel 28-1-300 mg</i>	1	\$0	
<i>polysaccharide iron 150 mg cap (rx) 150 mg iron *</i> (Ferrex 150)	3	\$0	
POLY-VI-SOL 0.5 ML ENFIT SYRNG 125 MCG-25 MG- 5 MCG/0.5 ML *	3	\$0	
POLY-VI-SOL 1 ML ORAL SYRINGE 250 MCG-50 MG- 10 MCG/ML *	3	\$0	
POLY-VI-SOL 250 MCG-50 MG/ML DRP 250 MCG-50 MG- 10 MCG/ML *	3	\$0	
POLY-VI-SOL WITH IRON DROPS 11 MG IRON/ML *	3	\$0	
<i>pr natal 400 combo pack 29-1-400 mg</i>	1	\$0	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	1	\$0	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	1	\$0	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	1	\$0	
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	1	\$0	
<i>prenatabs fa tablet 29-1 mg</i>	1	\$0	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>		1	\$0	
<i>prenatal one daily tablet 27 mg iron- 800 mcg *</i>		3	\$0	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic)	1	\$0	
<i>prenatal tablet 28 mg iron- 800 mcg *</i>		3	\$0	
<i>prenatal tablet 28 mg iron- 800 mcg *</i>	(Prenatal)	3	\$0	
<i>prenatal vitamins tablet phosphorus free (rx) 28 mg iron- 800 mcg *</i>	(pnv cmb#95-ferrous fumarate-fa)	3	\$0	
<i>prenatal vitamins tablet w/ folic acid (rx) 28 mg iron- 800 mcg *</i>	(pnv cmb#95-ferrous fumarate-fa)	3	\$0	
<i>prenatal-u capsule 106.5-1 mg</i>		1	\$0	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>proslight tablet 5,000-60-30 unit-mg-unit *</i>		3	\$0	
<i>pub multivitamin 50 plus tab *</i>		3	\$0	
<i>ra balanced b-50 tablet natural,p/f (rx) *</i>	(vitamin b complex)	3	\$0	
<i>ra b-complex tablet p/f (rx) *</i>	(vitamin b complex)	3	\$0	
<i>ra b-complex tablet p/f (rx) *</i>	(B-Complex)	3	\$0	
<i>ra calcium 600-vit d3 400 tab (rx) 600 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>ra iron 65 mg tablet p/f, d/f (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>ra one daily energy tablet *</i>	(multivitamin with minerals)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra one daily maximum tablet (rx)</i> <i>18-0.4 mg *</i>		3	\$0	
<i>ra oyster shell 500-vit d3 200</i> <i>natural,p/f (rx) 500 mg-5 mcg (200</i> <i>unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>ra vitamin c 500 mg tab chew p/f</i> <i>(rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>ra vitamin c 500 mg tablet p/f (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>ra vitamin c 500 mg tablet</i> <i>p/f,natural (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>r-natal ob softgel 20 mg iron- 1 mg-</i> <i>320 mg</i>		1	\$0	
<i>select-ob chewable caplet 29 mg</i> <i>iron- 1 mg</i>		1	\$0	
<i>se-natal 19 chewable tablet 29 mg</i> <i>iron- 1 mg</i>		1	\$0	
<i>sm b complex with vit c tablet (rx) *</i>		3	\$0	
<i>sod fer gluc cplx 62.5 mg/5 ml</i> <i>sdv,outer *</i>	(Ferrlecit)	3	\$0	
<i>soothing pureway-c 500 mg tab *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>stress formula tablet (rx) *</i>		3	\$0	
<i>stress formula with iron tab 500 mg-</i> <i>400 mcg- 27 mg iron *</i>		3	\$0	
<i>stress-c with iron tablet 500 mg-400</i> <i>mcg- 18 mg iron *</i>		3	\$0	
<i>stress-c with zinc tablet 600mg (rx)</i> <i>*</i>		3	\$0	
<i>super b complex tablet p/f (rx) 400</i> <i>mcg *</i>		3	\$0	
<i>super b-50 complex capsule 400</i> <i>mcg-20 mg- 50 mg *</i>		3	\$0	
<i>super multivitamin tablet *</i>	(multivitamin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>super quints b-50 tablets *</i>	(vitamin b complex)	3	\$0	
<i>super thera vite m tablet (rx) *</i>		3	\$0	
<i>tab-a-vite multivit with iron 18-400 mg-mcg *</i>		3	\$0	
<i>tab-a-vite tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>taron-c dha capsule 35-1-200 mg</i>		1	\$0	
<i>thera tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>thera-d 2000 tablet 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>thera-m caplet caplet (rx) 27-0.4 mg *</i>		3	\$0	
<i>thera-tabs caplet *</i>	(therapeutic multivitamin)	3	\$0	
<i>therems multivitamin tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
TRI-VI-SOL DROPS 250 MCG-50 MG- 10 MCG/ML *	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>true vitamin b-6 10 mg tablet *</i>		3	\$0	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>		1	\$0	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>		1	\$0	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>		1	\$0	
<i>vision plus lutein vitamin tab *</i>		3	\$0	
<i>vision vitamins (rx) *</i>		3	\$0	
<i>vit c-rose hips tr 500 mg cplt caplet,p/f (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>vitafol caplet 65-1 mg *</i>		3	\$0	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>		1	\$0	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vitafof-ob+dha combo pack 65-1-250 mg</i>		1	\$0	
<i>vitalets tablet chewable child, orange (rx) *</i>	(pediatric multivitamin-iron)	3	\$0	
<i>vitamin a 3,000 mcg softgel (rx) *</i>		3	\$0	
<i>vitamin b complex capsule (rx) *</i>	(vitamin b complex)	3	\$0	
<i>vitamin b complex tablet (rx) *</i>	(B-Complex)	3	\$0	
<i>vitamin b complex tablet n,p/f (rx) 0.4 mg *</i>	(B Complex 1 (with folic acid))	3	\$0	
<i>vitamin b complex-vit c caplet (rx) *</i>		3	\$0	
<i>vitamin b complex-vitamin c tb (rx) 400 mcg *</i>		3	\$0	
<i>vitamin b-1 100 mg tablet (rx) *</i>	(Vitamin B-1)	3	\$0	
<i>vitamin b-12 1,000 mcg tablet (rx) *</i>	(Vitamin B-12)	3	\$0	
<i>vitamin b-12 100 mcg tablet (rx) *</i>	(Vitamin B-12)	3	\$0	
<i>vitamin b-12 500 mcg tablet *</i>	(B-12 DOTS)	3	\$0	
<i>vitamin b-6 100 mg tablet (rx) *</i>	(Vitamin B-6)	3	\$0	
<i>vitamin b-6 25 mg tablet (rx) *</i>	(pyridoxine (vitamin b6))	3	\$0	
<i>vitamin b-6 50 mg tablet (rx) *</i>	(Vitamin B-6)	3	\$0	
<i>vitamin b-complex & c caplet p/f,lactose free 400-500 mcg-mg *</i>		3	\$0	
<i>vitamin c 250 mg tablet (rx) *</i>	(Vitamin C)	3	\$0	
<i>vitamin c 250 mg tablet chew p/f (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>vitamin c 500 mg tablet (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>vitamin c 500 mg wafer *</i>	(Acerola C-500)	3	\$0	
<i>vitamin d2 1.25 mg(50,000 unit) softgel *</i>	(Vitamin D2)	3	\$0	
<i>vitamin d3 10 mcg/ml liquid w/dropper (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
vitamin d3 2,000 unit softgel softgel, p/f (rx) 50 mcg (2,000 unit) *	(cholecalciferol (vitamin d3))	3	\$0	
vitamin d3 25 mcg tablet (rx) 25 mcg (1,000 unit) *	(Vitamin D3)	3	\$0	
vitamin d3 50 mcg tablet (rx) 50 mcg (2,000 unit) *	(D3 DOTS)	3	\$0	
vitamin k-1 1 mg/0.5 ml ampul suv, outer *	(phytonadione (vitamin k1))	3	\$0	
vitamin k-1 10 mg/ml ampul suv, outer *	(phytonadione (vitamin k1))	3	\$0	
vitamins for hair capsule 400-400 mcg *		3	\$0	
vitatrum tablet 18-500-300-250 mg-mcg-mcg-mcg *		3	\$0	
vitrum 50 plus senior tablet 500-300-250 mcg *		3	\$0	
vitrum senior tablet f/f,p/f (rx) *		3	\$0	
vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg		1	\$0	
well vitamin c 500 mg tablet (rx) *	(Soothing PureWay-C)	3	\$0	
well vitamin d3 25 mcg softgel (rx) 25 mcg (1,000 unit) *	(Vitamin D3)	3	\$0	
well vitamin d3 50 mcg softgel 50 mcg (2,000 unit) *	(Vitamin D3)	3	\$0	
xyzbac tablet 1-5-50 mg *		3	\$0	
zatean-pn dha capsule 27 mg iron-1 mg -300 mg		1	\$0	
zatean-pn plus softgel 28-1-300 mg		1	\$0	
zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg		1	\$0	
zyvit tablet 1-5-50 mg *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 13.

07/01/2025



INDEX

1ST TIER UNIFINE PENTIPS 151	<i>acne control(benzoyl peroxide)</i> 141	<i>albuterol sulfate</i> 264, 265
1ST TIER UNIFINE PENTIPS PLUS.....151	<i>acne foaming wash</i> 139	<i>alclometasone</i> 145
24 hour allergy relief 210, 211, 212	<i>acne medication</i> 139	ALCOHOL PREP SWABS..... 152
8 hour pain reliever..... 3, 4, 5	<i>acne treatment (benzoyl perox)</i> .141	ALECENSA..... 27
8hr muscle aches-pain..... 4	<i>acne-clear</i> 139	<i>alendronate</i> 251
<i>a and d (lanolin-petrolatum)</i> 139	ACTEMRA.....236	<i>aler-cap</i>69
<i>a thru z high potency</i>270	ACTEMRA ACTPEN..... 236	ALEVAZOL..... 64
<i>a thru z select</i>270	ACTHAR.....232	<i>alfuzosin</i>228
<i>a-25 (vit a palmitate)</i> 270	ACTHAR SELFJECT..... 232	<i>aliskiren</i> 117
<i>abacavir</i> 91	ACTHIB (PF)..... 244	<i>alka-seltzer heartburn chew</i>216
<i>abacavir-lamivudine</i> 91	ACTIMMUNE.....253	<i>all day allergy (cetirizine)</i>71, 74
ABELCET..... 64	<i>acyclovir</i>98, 139	<i>allerclear d-12hr</i>69
ABILIFY ASIMTUFI..... 83	<i>acyclovir sodium</i> 98	<i>allerclear d-24hr</i> 70
ABILIFY MAINTENA..... 84	ADACEL(TDAP	<i>aller-cort</i> 210
<i>abiraterone</i> 27	ADOLESN/ADULT)(PF).....244	<i>aller-ease</i> 73
<i>abirtega</i>27	<i>adapalene</i>150	<i>aller-flo</i> 210
ABOUTTIME PEN NEEDLE..151	<i>addaprin</i>9	<i>allergy (diphenhydramine)</i> ... 71, 74
ABREVA.....76	<i>adefovir</i> 98	<i>allergy and congestion relief</i> 74
ABRYSVO (PF)..... 244	ADEMPAS..... 269	<i>allergy medication</i> 74
<i>acamprosate</i> 14	<i>adrucil</i>27	<i>allergy medicine</i>74
<i>acarbose</i>58	<i>adult wal-tussin dm max</i> 135	<i>allergy nasal (oxymetazoline)</i> ...204
<i>accutane</i> 139	ADVAIR HFA.....263	<i>allergy relief (cetirizine)</i> 72
<i>acebutolol</i> 108	<i>advanced exfoliating cleanser</i> .. 141	<i>allergy relief (fexofenadine)</i>
<i>acerola c</i> 271	<i>advanced healing (petrolatum)</i> . 141	71, 74, 75
<i>acetaminophen</i>3, 4, 8	ADVOCATE PEN NEEDLE... 152	<i>allergy relief (fluticasone)</i>
<i>acetaminophen-codeine</i> 3	ADVOCATE SYRINGES 151, 152	210, 211, 212
<i>acetazolamide</i> 256	<i>afirmelle</i> 123	<i>allergy relief (levocetirizin)</i> 71
<i>acetazolamide sodium</i>257	<i>after pill</i> 123	<i>allergy relief(diphenhydramin)</i>
<i>acetic acid</i>207	<i>aftera</i>123	70, 71, 73, 74, 75
<i>acetylcysteine</i>266	AIMOVIG AUTOINJECTOR....76	<i>allergy relief,nasal decongest</i> 70
<i>acid controller</i> 213, 215	AIRSUPRA.....263, 264	<i>aller-tec</i>70
<i>acid gone antacid</i>216	AJOVY AUTOINJECTOR..... 76	<i>aller-tec d</i>70
<i>acid gone antacid e.strength</i>216	AJOVY SYRINGE.....76	<i>allopurinol</i> 69
<i>acid reducer (famotidine)</i>	AKEEGA.....27	<i>alophen (bisacodyl)</i>220
.....213, 214, 215, 216	<i>ala-cort</i> 145	<i>alosetron</i> 250
<i>acid reducer (omeprazole)</i>213	<i>ala-scalp</i> 145	<i>alprazolam</i> 16
<i>acid-pep</i> 213	<i>alavert d-12 allergy-sinus</i>69	ALREX..... 210
<i>acitretin</i> 139	<i>alaway</i>203	<i>altamist</i> 203
	<i>albendazole</i> 80	<i>altavera (28)</i> 123

ALTRENO.....	150	ANKTIVA.....	27	ARISTADA INITIO.....	84
<i>aluminum hydroxide gel</i>	216	ANORO ELLIPTA.....	265	<i>armodafinil</i>	269
ALUNBRIG.....	27	<i>antacid (calcium carbonate)</i>	219	ARNUITY ELLIPTA.....	263
ALVAIZ.....	100	<i>antacid exst (mag carb-al hyd)</i> ..	216	<i>arthritis pain relief (acetam)</i> 3, 4, 8	
<i>alyacen 1/35 (28)</i>	123	<i>antacid ext str (calcium carb)</i>		<i>arthritis pain relief(capsaic)</i>	140
<i>alyacen 7/7/7 (28)</i>	123		217, 218	<i>artificial eye lubricant</i>	203
ALYFTREK.....	266	<i>antacid extra-strength</i>	216	<i>artificial tears(glycerin-peg)</i>	
<i>alyq</i>	269	<i>anti-dandruff (coal tar)</i>	143		204, 206
<i>amabelz</i>	230	<i>anti-diarrheal</i>	217	<i>artificial tears(pg-hypm-glyc)</i> ...203	
<i>amantadine hcl</i>	81	<i>anti-diarrheal (loperamide)</i>		<i>artificial tears(pvalch-povid)</i>203	
<i>ambrisentan</i>	270		216, 217, 219, 220	<i>ascomp with codeine</i>	3
<i>ameriphor</i>	139	<i>antifungal (clotrimazole)</i>	64, 68	<i>ascorbic acid (vitamin c)</i> ..	284, 285
<i>amethia</i>	123	<i>antifungal (miconazole)</i>	64	<i>ascorbic acid-ascorbate sodium</i>	
<i>amethyst (28)</i>	123	<i>antifungal (tolnaftate)</i>	64, 68		274, 284
<i>amikacin</i>	18	<i>antifungal ringworm</i>	68	<i>asenapine maleate</i>	84
<i>amiloride</i>	112	<i>anti-gas ultra strength</i>	212, 213	<i>ashlyna</i>	124
<i>amiloride-hydrochlorothiazide</i> ..	112	<i>anti-itch (hc)</i>	147, 149	ASPERCREME (LIDOCAINE	
<i>aminofen</i>	3	<i>anti-itch(hydrocortisone)-aloe</i> ..	149	HCL).....	13
<i>amiodarone</i>	107	<i>antiseptic</i>	143	<i>aspercreme (lidocaine)</i>	13
<i>amitriptyline</i>	54	<i>antitussive dm</i>	136	<i>aspirin</i>	9, 12
<i>amitriptyline-chlordiazepoxide</i> ..	54	<i>apomorphine</i>	81	<i>aspirin-dipyridamole</i>	101
<i>amlactin</i>	139	<i>apraclonidine</i>	203	ASSURE ID DUO PRO SFTY	
<i>amlodipine</i>	112	<i>aprepitant</i>	78, 79	PEN NDL.....	152
<i>amlodipine-atorvastatin</i>	114	APRETUDE.....	91	ASSURE ID DUO-SHIELD.....	152
<i>amlodipine-benazepril</i>	112	<i>apri</i>	123	ASSURE ID INSULIN	
<i>amlodipine-olmesartan</i>	112	<i>aprodine</i>	70	SAFETY.....	153
<i>amlodipine-valsartan</i>	112	APTIOM.....	47	ASSURE ID PEN NEEDLE.....	153
<i>amlodipine-valsartan-hcthiazid</i> ..	112	APTIVUS.....	91	ASSURE ID PRO PEN	
<i>ammonium lactate</i>	139	AQINJECT PEN NEEDLE.....	152	NEEDLE.....	153
<i>amoxapine</i>	54	AQUA-E CONCENTRATE.....	271	ASTAGRAF XL.....	236
<i>amoxicil-clarithromy-lansopraz</i> ..	213	<i>aquanil hc</i>	145	<i>astringent</i>	140
<i>amoxicillin</i>	23	<i>aquaphor baby diaper rash</i>	139	<i>atazanavir</i>	91
<i>amoxicillin-pot clavulanate</i>	23	AQUAPHOR HEALING.....	139	<i>atenolol</i>	108
<i>amphotericin b</i>	64	<i>aquaphor itch relief</i>	145	<i>atenolol-chlorthalidone</i>	108
<i>amphotericin b liposome</i>	64	<i>aranelle (28)</i>	124	<i>athenol</i>	8
<i>ampicillin</i>	23	ARCALYST.....	236	<i>athlete's foot</i>	64, 65, 68
<i>ampicillin sodium</i>	23	AREXVY (PF).....	244	<i>athlete's foot (clotrimazole)</i> ..	64, 66
<i>ampicillin-sulbactam</i>	24	AREXVY ANTIGEN		<i>athlete's foot (tolnaftate)</i>	64, 65
<i>anagrelide</i>	101	COMPONENT.....	244	<i>athletic foot cream</i>	68
<i>anastrozole</i>	27	ARIKAYCE.....	18	<i>atomoxetine</i>	117, 118
<i>anecream</i>	13	<i>aripiprazole</i>	84	<i>atorvastatin</i>	114
<i>animal chews</i>	271	ARISTADA.....	84	<i>atovaquone</i>	80

<i>atovaquone-proguanil</i>	80	<i>baby ayr saline</i>	203	BD ULTRA-FINE MINI PEN	
<i>atropine</i>	203	<i>bacitracin</i>	144, 207	NEEDLE.....	155
ATROVENT HFA.....	265	<i>bacitracin zinc</i>	144	BD ULTRA-FINE NANO PEN	
<i>aubra eq</i>	124	<i>bacitracin-polymyxin b</i>	207	NEEDLE.....	155
AUGTYRO.....	27	<i>bacitraycin plus</i>	144	BD ULTRA-FINE ORIG PEN	
<i>auranofin</i>	236	<i>baclofen</i>	268	NEEDLE.....	155
<i>aurovela 1.5/30 (21)</i>	124	<i>balance b-100 (folic acid)</i>	271	BD ULTRA-FINE SHORT	
<i>aurovela 1/20 (21)</i>	124	<i>balance b-50 (with folic acid)</i> ...	271	PEN NEEDLE.....	155
<i>aurovela 24 fe</i>	124	<i>balanced b-50</i>	281	BD VEO INSULIN SYR	
<i>aurovela fe 1.5/30 (28)</i>	124	<i>balmex adult care</i>	140	(HALF UNIT).....	155
<i>aurovela fe 1-20 (28)</i>	124	<i>balmex complete protection</i>	140	BD VEO INSULIN SYRINGE	
AUSTEDO.....	118	<i>balsalazide</i>	250	UF.....	155, 156
AUSTEDO XR.....	118	BALVERSA.....	28	BELSOMRA.....	269
AUSTEDO XR TITRATION		<i>balziva (28)</i>	124	<i>benadryl allergy</i>	70
KT(WK1-4).....	118	<i>banophen</i>	70	<i>benazepril</i>	106
AUTOSHIELD DUO PEN		BAQSIMI.....	253	<i>benazepril-hydrochlorothiazide</i>	106
NEEDLE.....	153	<i>bayer low dose aspirin</i>	9	<i>bendamustine</i>	28
AUVELITY.....	54	<i>baza antifungal</i>	65	BENDAMUSTINE.....	28
<i>aveeno baby</i>	140	BCG VACCINE, LIVE (PF)....	245	BENDEKA.....	28
AVEENO MOISTURIZING ...	140	<i>b-complex</i>	281	BENLYSTA.....	236
<i>aviane</i>	124	<i>b-complex with vitamin c</i>		<i>benzonatate</i>	135
AVMAPKI.....	27	271, 272, 276, 282, 284		<i>benzoyl peroxide</i>	140
AVMAPKI-FAKZYNJA.....	27	BD AUTOSHIELD DUO PEN		<i>benztropine</i>	81
AVONEX.....	118	NEEDLE.....	153	<i>bepotastine besilate</i>	204
AVSOLA.....	236	BD ECLIPSE LUER-LOK.....	153	BESREMI.....	236
AXTLE.....	27	BD INSULIN SYRINGE.....	154	<i>best fiber</i>	220
<i>ayr saline</i>	203	BD INSULIN SYRINGE		BETADINE.....	140
AYR SINUS RINSE.....	203	(HALF UNIT).....	153	<i>beta-hc</i>	145
<i>ayuna</i>	124	BD INSULIN SYRINGE SLIP		<i>betaine</i>	253
AYVAKIT.....	28	TIP.....	154	<i>betamethasone dipropionate</i>	145
<i>azacitidine</i>	28	BD INSULIN SYRINGE U-500		<i>betamethasone valerate</i>	146
<i>azathioprine</i>	236		154	<i>betamethasone, augmented</i>	146
<i>azathioprine sodium</i>	236	BD INSULIN SYRINGE		BETASERON.....	118
<i>azelastine</i>	203	ULTRA-FINE.....	153, 154	<i>betatemp</i>	3
<i>azithromycin</i>	21, 22	BD NANO 2ND GEN PEN		<i>betaxolol</i>	108, 257
<i>aztreonam</i>	22	NEEDLE.....	154	<i>bethanechol chloride</i>	227
<i>azurette (28)</i>	124	BD SAFETYGLIDE INSULIN		<i>bexarotene</i>	28
<i>b complex 1 (with folic acid)</i>	271	SYRINGE.....	154, 155	BEXSERO.....	245
<i>b complex-vitamin b12</i>	271	BD SAFETYGLIDE SYRINGE		<i>bicalutamide</i>	28
<i>b complex-vitamin c-folic acid</i>			155	BICILLIN L-A.....	24
.....271, 282, 284		BD ULTRA-FINE MICRO		BIKTARVY.....	91
<i>b-12 dots</i>	271	PEN NEEDLE.....	155	<i>bimatoprost</i>	257

<i>biofreeze overnight</i>	140	<i>butalbital-acetaminophen-caff</i>	4	<i>carbinoxamine maleate</i>	70
<i>biotin</i>	272	<i>butalbital-aspirin-caffeine</i>	4	<i>carboplatin</i>	29
<i>bisacodyl</i>	221	<i>butorphanol</i>	4	CARBOXYMETHYLCELLUL	
<i>bisoprolol fumarate</i>	108	CABENUVA.....	91	.SOD.(BULK).....	253
<i>bisoprolol-hydrochlorothiazide</i>	108	<i>cabergoline</i>	82	CAREFINE PEN NEEDLE.....	156
BIZENGRI.....	28	CABLIVI.....	101	CARETOUCH INSULIN	
<i>bleomycin</i>	28	CABOMETYX.....	29	SYRINGE.....	156, 157
<i>blisovi 24 fe</i>	124	<i>cabotegravir</i>	91	CARETOUCH PEN NEEDLE.....	156
<i>blisovi fe 1.5/30 (28)</i>	124	<i>calcidol</i>	272	<i>carglumic acid</i>	216
<i>blisovi fe 1/20 (28)</i>	124	<i>calcipotriene</i>	140	<i>carteolol</i>	257
BOOSTRIX TDAP.....	245	<i>calcitonin (salmon)</i>	251	<i>cartia xt</i>	109
<i>bortezomib</i>	28	<i>calcitriol</i>	251	<i>carvedilol</i>	108
BORUZU.....	28	<i>calcium 500 + d</i>	258	CASTELLANI PAINT.....	141
<i>bosentan</i>	270	<i>calcium 600</i>	262	CAYSTON.....	22
BOSULIF.....	28, 29	<i>calcium 600 + d(3)</i>	281	<i>cefaclor</i>	20
<i>bp</i>	140	<i>calcium acetate(phosphat bind)</i>	227	<i>cefadroxil</i>	20
BP WASH.....	140	<i>calcium antacid</i>	216	<i>cefazolin</i>	20
BRAFTOVI.....	29	<i>calcium carbonate</i>	216, 219, 258	<i>cefdinir</i>	20
BREO ELLIPTA.....	263	<i>calcium carbonate-vitamin d3</i>		<i>cefepime</i>	20
<i>breyna</i>	263		258, 272, 279	<i>cefixime</i>	20
BREZTRI AEROSPHERE.....	265	<i>calcium citrate</i>	259	<i>cefoxitin</i>	20
<i>briellyn</i>	124	<i>calcium citrate-vitamin d3</i>		<i>cefpodoxime</i>	20, 21
BRILINTA.....	101		258, 259, 262	<i>cefprozil</i>	21
<i>brimonidine</i>	257	CALDESENE.....	140	<i>ceftazidime</i>	21
<i>brimonidine-timolol</i>	257	<i>cal-gest antacid</i>	216	<i>ceftriaxone</i>	21
<i>brinzolamide</i>	257	CALMOSEPTINE.....	140	<i>cefuroxime axetil</i>	21
BRIVIACT.....	47	CALQUENCE.....	29	<i>cefuroxime sodium</i>	21
<i>bromfenac</i>	210	CALQUENCE		<i>celecoxib</i>	9
<i>bromocriptine</i>	82	(ACALABRUTINIB MAL).....	29	<i>cephalexin</i>	21
BRONCHITOL.....	266	<i>camila</i>	124	CERDELGA.....	201
BRUKINSA.....	29	<i>candesartan</i>	105	<i>certavite senior</i>	272
<i>budesonide</i>	250, 263	<i>candesartan-hydrochlorothiazid</i>		<i>certavite-antioxidant</i>	272
<i>budesonide-formoterol</i>	264		105	<i>cetirizine</i>	70
<i>bumetanide</i>	113	CAPLYTA.....	84	<i>cetirizine-pseudoephedrine</i>	71
<i>buprenorphine</i>	3	CAPRELSA.....	29	<i>cevimeline</i>	138
<i>buprenorphine hcl</i>	14	<i>capsaicin</i>	140, 141	<i>chateal eq (28)</i>	125
<i>buprenorphine-naloxone</i>	14	<i>captopril</i>	106	<i>chest congestion relief</i>	135
<i>bupropion hcl</i>	54, 55	CAPZASIN.....	140	<i>chest congestion relief dm</i>	135
<i>bupropion hcl (smoking deter)</i> ...	14	<i>carbamazepine</i>	47, 48	<i>chest congestion relief pe</i>	135
<i>buspirone</i>	253	<i>carbidopa</i>	82	<i>chest congestion-cough relief...</i>	135
<i>butalbital-acetaminop-caf-cod</i>	3	<i>carbidopa-levodopa</i>	82		
<i>butalbital-acetaminophen</i>	3	<i>carbidopa-levodopa-entacapone</i>	82		

<i>child allergy relf(cetirizine)</i>71, 72, 73, 74	CIMZIA POWDER FOR RECONST 236	CLINIMIX 8%- D14W(SULFITE-FREE)..... 102
<i>child chest congestion-cough</i> 135	<i>cinacalcet</i> 251, 252	CLINIMIX E 2.75%/D5W SULF FREE..... 103
<i>child dimetapp cough-allergy</i> 71	CINQAIR..... 266	CLINIMIX E 4.25%/D10W SUL FREE..... 103
<i>child robitussin elderberry dm</i> .. 135	CINRYZE..... 100	CLINIMIX E 4.25%/D5W SULF FREE..... 103
<i>children's acetaminophen</i> 4	<i>ciprofloxacin hcl</i> 24, 25, 207	CLINIMIX E 5%/D15W SULFIT FREE..... 103
<i>children's alaway</i> 204	<i>ciprofloxacin in 5 % dextrose</i> 25	CLINIMIX E 5%/D20W SULFIT FREE..... 103
<i>children's allergy (diphenhyd)</i> 71, 72, 73, 74, 75	<i>ciprofloxacin-dexamethasone</i> ... 207	CLINIMIX E 8%-D10W SULFITEFREE..... 103
<i>children's allergy(cetirizine)</i> 74	<i>citalopram</i> 55	<i>clobazam</i> 48
<i>children's aller-tec</i> 71	<i>citracal + d maximum</i> 259	<i>clobetasol</i> 146
<i>children's cetirizine</i> 71	CITRACAL-D3 MAXIMUM PLUS..... 259	<i>clobetasol-emollient</i> 146
<i>children's cough dm er</i> 135, 136	<i>citrate of magnesia</i> 225	<i>clomipramine</i> 55
CHILDREN'S FLONASE ALLERGY RLF..... 210	<i>citroma</i> 221	<i>clonazepam</i> 16
<i>children's ibuprofen</i> 9, 10, 11, 12	CITRUCEL SUGAR FREE.... 221	<i>clonidine</i> 104
<i>children's mapap</i> 4	<i>cladribine</i> 29	<i>clonidine hcl</i> 104, 118
<i>children's multivitamin</i> 272	<i>clarispray</i> 210	<i>clopidogrel</i> 102
<i>children's pain relief</i> 4, 5	<i>clarithromycin</i> 22	<i>clorazepate dipotassium</i> 16
<i>children's profen ib</i> 12	CLARITIN..... 71	<i>clotrimazole</i> 65
<i>children's tylenol</i> 4	<i>clear eyes natural tears</i> 204	<i>clotrimazole af</i> 68
<i>children's wal-dryl allergy</i> 71	<i>clear eyes once daily allergy</i> 204	<i>clotrimazole-7</i> 65
<i>children's wal-zyr</i> 71	<i>clearlax</i> 221, 223	<i>clotrimazole-betamethasone</i> 65
<i>child's all day allergy(cetir)</i> 72, 73, 75	<i>clemastine</i> 71	<i>clozapine</i> 85
<i>chlordiazepoxide hcl</i> 16	<i>clemasz</i> 71	COARTEM..... 80
<i>chlorhexidine gluconate</i> 138	CLENPIQ..... 221	COBENFY..... 85
<i>chloroquine phosphate</i> 80	CLICKFINE PEN NEEDLE.... 157	COBENFY STARTER PACK... 85
<i>chlorpromazine</i> 85	<i>clindamycin hcl</i> 18	<i>codeine sulfate</i> 4
<i>chlorthalidone</i> 113	<i>clindamycin pediatric</i> 19	<i>codeine-butalbital-asa-caff</i> 4
<i>chlorzoxazone</i> 268	<i>clindamycin phosphate</i> . 19, 76, 144	COLACE..... 221
<i>cholecalciferol (vitamin d3)</i> 273, 277, 280, 284, 285	<i>clindamycin-benzoyl peroxide</i> .. 144	<i>colchicine</i> 69
<i>cholestyramine (with sugar)</i> 114	CLINIMIX 5%/D15W SULFITE FREE..... 102	<i>colesevelam</i> 114
<i>cholestyramine light</i> 114	CLINIMIX 4.25%/D10W SULF FREE..... 102	<i>colestipol</i> 114
<i>ciclopirox</i> 65	CLINIMIX 4.25%/D5W SULFIT FREE..... 102	<i>colistin (colistimethate na)</i> 19
<i>cilostazol</i> 102	CLINIMIX 5%- D20W(SULFITE-FREE)..... 102	COMBIVENT RESPIMAT..... 265
CIMDUO..... 92	CLINIMIX 6%-D5W (SULFITE-FREE)..... 102	COMETRIQ..... 29
<i>cimetidine</i> 213	CLINIMIX 8%- D10W(SULFITE-FREE)..... 102	
<i>cimetidine hcl</i> 213		
CIMZIA..... 237		

COMFEEL PLUS CLEAR DRESSING.....	157	<i>cyclobenzaprine</i>	268	DARZALEX FASPRO.....	30
COMFORT EZ INSULIN SYRINGE.....	157, 158, 159	<i>cyclophosphamide</i>	30	<i>dasatinib</i>	30
COMFORT EZ PEN NEEDLES.....	158, 159	<i>cyclosporine</i>	210, 237	<i>dasetta 1/35 (28)</i>	125
COMFORT EZ PRO SAFETY PEN NDL.....	159	<i>cyclosporine modified</i>	237	<i>dasetta 7/7/7 (28)</i>	125
COMFORT TOUCH PEN NEEDLE.....	160	CYLTEZO(CF).....	238	DATROWAY.....	30
COMPLERA.....	92	CYLTEZO(CF) PEN.....	237	DAURISMO.....	30
<i>complete allergy</i>	74	CYLTEZO(CF) PEN.....	237	<i>day multi-symp flu-severe cold</i>	135
<i>complete allergy medicine</i>	74	CROHN'S-UC-HS.....	237	<i>daylogic acne foaming wash</i>	141
<i>complete mv adult 50 plus</i>	274	CYLTEZO(CF) PEN.....	237	<i>daylogic acne treatment</i>	141
<i>compro</i>	79	PSORIASIS-UV.....	237	<i>daylogic advanced healing</i>	141
<i>constulose</i>	217	<i>cypheptadine</i>	72	<i>daysee</i>	125
COPIKTRA.....	29	<i>cyred eq</i>	125	<i>deblitane</i>	125
CORLANOR.....	111	<i>d3 dots</i>	273	<i>debrox</i>	207
<i>cortaid</i>	146	<i>d5 % (d-glucose)-0.9 % sodchlr</i>	259	<i>decitabine</i>	30
<i>cortisone (hydrocortisone)</i>	146	<i>d5 % and 0.9 % sodium chloride</i>	259	<i>deep sea nasal</i>	204
<i>cortisone with aloe</i>	146	<i>d5 %-0.45 % sodium chloride</i>	259	<i>deferasirox</i>	228
<i>cortizone-10</i>	146	<i>dabigatran etexilate</i>	98	<i>deferiprone</i>	229
<i>cortizone-10 with aloe</i>	146	<i>daily fiber</i>	222	<i>dekas essential</i>	274
CORTROPHIN GEL.....	233	<i>daily fiber (psyllium-sucrose)</i>	221	DEKAS ESSENTIAL.....	274
COSENTYX.....	237, 253	<i>daily multi-vitamin</i>	277	DEKAS PLUS (FOLIC ACID).....	274
COSENTYX (2 SYRINGES).....	237	<i>daily multivitamin-minerals</i>	273	DEKAS PLUS LIQUID.....	274
COSENTYX PEN (2 PENS).....	237	<i>daily value</i>	273	DELSTRIGO.....	92
COSENTYX UNOREADY PEN.....	237	<i>daily vitamin formula</i>	273	DELSYM 12 HOUR.....	135
COTELLIC.....	29	<i>daily vitamin formula-minerals</i>	273	<i>demeclocycline</i>	25
<i>cough dm er</i>	136	<i>daily vitamin with iron</i>	273	DENG VAXIA (PF).....	245
CREON.....	202	<i>daily vites/iron</i>	273	<i>denta 5000 plus</i>	138
<i>cromolyn</i>	204, 217, 267	<i>daily-vite</i>	273	<i>dentagel</i>	138
<i>cryselle (28)</i>	125	<i>daily-vite (with folic acid)</i>	273	DEPO-SUBQ PROVERA 104.....	235
CURAD GAUZE PAD.....	160	DAKIN'S SOLUTION.....	141	<i>dermacinrx lidocan</i>	13
CUTINOVA HYDRO DRESSING.....	160	<i>dakin's solution</i>	141	<i>dermafungal</i>	66
<i>cutter lemon eucalyptus</i>	141	<i>dalfampridine</i>	118	<i>dermaphor</i>	141
<i>cyanocobalamin (vitamin b-12)</i>	273, 284	<i>danazol</i>	229	DESCOVY.....	92
<i>cyclafem 1/35 (28)</i>	125	<i>dantrolene</i>	269	<i>desenex</i>	66
<i>cyclafem 7/7/7 (28)</i>	125	DANYELZA.....	30	<i>desipramine</i>	55
		DANZITEN.....	30	DESITIN.....	141
		<i>dapsone</i>	78	DESITIN DAILY DEFENSE.....	141
		DAPTACEL (DTAP PEDIATRIC) (PF).....	245	<i>desmopressin</i>	233
		<i>daptomycin</i>	19	<i>desog-e.estradiol/e.estradiol</i>	125
		<i>darunavir</i>	92	<i>desogestrel-ethinyl estradiol</i>	125
		DARZALEX.....	30	<i>desonide</i>	146, 147
				<i>desoximetasone</i>	147
				<i>desvenlafaxine succinate</i>	55

<i>dex4 glucose</i>	103	<i>disulfiram</i>	14	<i>drospirenone-ethinyl estradiol</i> ..	125
<i>dexamethasone</i>	231	<i>divalproex</i>	48	DROXIA.....	101
<i>dexamethasone sodium</i>		<i>docosanol</i>	76	<i>droxidopa</i>	104
<i>phosphate</i>	210, 231	<i>docusate calcium</i>	222	DUAVEE.....	230
<i>dexmethylphenidate</i>	119	<i>docusate sodium</i>	222	DULCOLAX (BISACODYL)..	222
<i>dextroamphetamine sulfate</i>	119	<i>dodex</i>	274	<i>duloxetine</i>	55
<i>dextroamphetamine-</i>		<i>dofetilide</i>	107	DUODERM CGF BORDER	
<i>amphetamine</i>	119	<i>dok</i>	222	DRESSING.....	164
<i>dextromethorphan polistirex</i>	136	<i>dolishale</i>	125	DUODERM CGF DRESSING.	164
<i>dextrose 5 % in water (d5w)</i>	103	DOMEBORO.....	142	DUPIXENT PEN.....	238
<i>dhs sal</i>	141	<i>donepezil</i>	53	DUPIXENT SYRINGE.....	238
DHS TAR.....	141	DOPTelet (10 TAB PACK)..	100	<i>dutasteride</i>	228
<i>diabetic tussin dm</i>	136	DOPTelet (15 TAB PACK)..	100	<i>dutasteride-tamsulosin</i>	228
DIACOMIT.....	48	DOPTelet (30 TAB PACK)..	100	<i>d-vi-sol</i>	274
<i>diamode</i>	217	<i>dorzolamide</i>	257	<i>ear drops (carbamide peroxide)</i>	
<i>diaper rash</i>	141, 142	<i>dorzolamide-timolol</i>	257		207, 209
<i>diazepam</i>	17, 48	<i>dotti</i>	230	EASY COMFORT INSULIN	
<i>diazepam intensol</i>	17	DOVATO.....	92	SYRINGE.....	165, 166
<i>diazoxide</i>	253	<i>doxazosin</i>	104	EASY COMFORT PEN	
<i>diclofenac epolamine</i>	9	<i>doxepin</i>	55	NEEDLES.....	165, 166
<i>diclofenac potassium</i>	9	<i>doxercalciferol</i>	252	EASY COMFORT SAFETY	
<i>diclofenac sodium</i>	9, 10, 210	<i>doxorubicin, peg-liposomal</i>	30	PEN NEEDLE.....	164, 165
<i>diclofenac-misoprostol</i>	10	<i>doxy-100</i>	25	EASY GLIDE INSULIN	
<i>dicloxacillin</i>	24	<i>doxycycline hyclate</i>	25, 26	SYRINGE.....	166
<i>dicyclomine</i>	217	<i>doxycycline monohydrate</i>	26	EASY GLIDE PEN NEEDLE..	166
<i>didanosine</i>	92	<i>dramamine less drowsy</i>	79	EASY TOUCH.....	168, 169
DIFICID.....	22	<i>driminate</i>	79	EASY TOUCH FLIPLOCK	
<i>diflorasone</i>	147	<i>dristan long lasting</i>	204	INSULIN.....	168
<i>diflunisal</i>	10	DRIZALMA SPRINKLE.....	55	EASY TOUCH FLIPLOCK	
<i>difluprednate</i>	211	<i>dronabinol</i>	79	SYRINGE.....	167
<i>digoxin</i>	111	DROPLET INSULIN		EASY TOUCH INSULIN	
<i>dihydroergotamine</i>	76	SYR(HALF UNIT).....	161, 162	SAFETY SYR.....	167
DILANTIN.....	48	DROPLET INSULIN		EASY TOUCH INSULIN	
<i>diltiazem hcl</i>	109, 110	SYRINGE.....	161, 162, 163	SYRINGE.....	166, 167, 168, 169
<i>dilt-xr</i>	110	DROPLET MICRON PEN		EASY TOUCH LUER LOCK	
<i>dimethyl fumarate</i>	119	NEEDLE.....	163	INSULIN.....	168
DIPENTUM.....	250	DROPLET PEN NEEDLE.....	163	EASY TOUCH PEN NEEDLE	168
<i>diphenhydramine hcl</i>	72, 73, 75	DROPSAFE ALCOHOL PREP		EASY TOUCH SAFETY PEN	
<i>diphenoxylate-atropine</i>	217	PADS.....	164	NEEDLE.....	169
<i>dipyridamole</i>	102	DROPSAFE INSULIN			
<i>disopyramide phosphate</i>	107	SYRINGE.....	164		
		DROPSAFE PEN NEEDLE.....	164		

EASY TOUCH		
SHEATHLOCK INSULIN		
.....	167, 168	
EASY TOUCH UNI-SLIP		169
<i>ec-naproxen</i>		10
<i>econazole nitrate</i>		66
<i>econtra one-step</i>		125
<i>ecotrin</i>		10
<i>eczema relief</i>		141
EDURANT		92
EDURANT PED		92
<i>efavirenz</i>		92
<i>efavirenz-emtricitabin-tenofov</i>		92
<i>efavirenz-lamivu-tenofov disop</i>		92
EGRIFTA SV		233
ELAHERE		30
ELDERTONIC		274
<i>electrolytes-dextrose</i>		259
ELIGARD		31
ELIGARD (3 MONTH)		31
ELIGARD (4 MONTH)		31
ELIGARD (6 MONTH)		31
<i>elimest</i>		125
ELIQUIS		98
ELIQUIS DVT-PE TREAT		
30D START		98
ELMIRON		253
ELREXFIO		31
<i>eluryng</i>		125
EMBRACE PEN NEEDLE		
.....	169, 170	
EMCYT		31
EMEND		79
EMGALITY PEN		77
EMGALITY SYRINGE		77
<i>emoquette</i>		126
EMRELIS		31
EMSAM		55
<i>emtricitabine</i>		92
<i>emtricitabine-tenofov (tdf)</i>		92
EMTRIVA		92
<i>emzahn</i>		126
<i>enalapril maleate</i>		106
<i>enalapril-hydrochlorothiazide</i>		106
ENBREL		238
ENBREL MINI		238
ENBREL SURECLICK		238
<i>endacof - dm</i>		136
<i>endocet</i>		5
<i>endur-acin</i>		114
<i>enema</i>		225
<i>enema disposable</i>		221
<i>enemeez</i>		222
<i>enemeez plus</i>		222
ENERGIX-B (PF)		245
ENERGIX-B PEDIATRIC (PF)		245
<i>enilloring</i>		126
<i>enoxaparin</i>		98, 99
<i>enpresse</i>		126
<i>enskyce</i>		126
ENSPRYNG		119
<i>entacapone</i>		82
<i>entecavir</i>		98
ENTRESTO		105
ENTRESTO SPRINKLE		105
<i>enulose</i>		217
EPCLUSA		97
EPIDIOLEX		48
<i>epinastine</i>		204
<i>epinephrine</i>		111
<i>epitol</i>		48
EPIVIR HBV		93
EPKINLY		31
<i>eplerenone</i>		117
EPRONTIA		48
<i>epsom salt (laxative)</i>		217
ERBITUX		31
<i>ergocalciferol (vitamin d2)</i>		274, 284
<i>ergoloid</i>		53
ERIVEDGE		31
ERLEADA		31
<i>erlotinib</i>		31
<i>errin</i>		126
<i>ertapenem</i>		22
<i>ery pads</i>		144
<i>erythromycin</i>		22, 207
<i>erythromycin ethylsuccinate</i>		22
<i>erythromycin with ethanol</i>		144
<i>erythromycin-benzoyl peroxide</i>		144
ERZOFRI		85
<i>escitalopram oxalate</i>		55, 56
<i>eslicarbazepine</i>		48
<i>esomeprazole magnesium</i>		214
<i>estarylla</i>		126
<i>estazolam</i>		17
<i>estradiol</i>		230
<i>estradiol valerate</i>		230
<i>estradiol-norethindrone acet</i>		230
<i>eszopiclone</i>		269
<i>ethambutol</i>		78
<i>ethosuximide</i>		49
<i>ethynodiol diac-eth estradiol</i>		126
<i>etodolac</i>		10
<i>etonogestrel-ethinyl estradiol</i>		126
ETOPOPHOS		32
<i>etoposide</i>		32
<i>etravirine</i>		93
<i>eucerin eczema relief</i>		142
EUCRISA		147
EULEXIN		32
<i>evac-u-gen (sennosides)</i>		222
<i>everolimus (antineoplastic)</i>		32
<i>everolimus</i>		
<i>(immunosuppressive)</i>		238
EVOTAZ		93
EVRYSDI		253
EXCILON		253
<i>exemestane</i>		32
<i>expectorant</i>		136
<i>expectorant cough syrup</i>		136
EXTENCILLINE		24
<i>eye allergy itch relief</i>		204, 205
<i>eye allergy itch-redness rlf</i>		204, 205
<i>eye health plus lutein</i>		274

<i>eye itch relief</i>	204	<i>fexofenadine</i>	72, 73	<i>fluocinonide-emollient</i>	147
<i>eyes alive</i>	204	FIASP FLEXTOUCH U-100		<i>fluorometholone</i>	211
EYSUVIS.....	211	INSULIN.....	61	<i>fluorouracil</i>	32, 142
EZALLOR SPRINKLE.....	114	FIASP PENFILL U-100		<i>fluoxetine</i>	56
<i>ezetimibe</i>	115	INSULIN.....	61	<i>fluphenazine decanoate</i>	86
<i>ezetimibe-simvastatin</i>	115	FIASP U-100 INSULIN.....	61	<i>fluphenazine hcl</i>	86
FAKZYNJA.....	32	<i>fiber (calcium polycarbophil)</i> ...	222	<i>flurazepam</i>	17
<i>falmina (28)</i>	126	FIBER (PSYLLIUM HUSK)...	223	<i>flurbiprofen</i>	10
<i>famciclovir</i>	98	<i>fiber (psyllium husk)</i>	226	<i>flurbiprofen sodium</i>	211
<i>famotidine</i>	214, 215	<i>fiber (psyllium husk-sugar)</i>		<i>flutamide</i>	32
FANAPT.....	85, 86		222, 226	<i>fluticasone propionate</i>	
FARXIGA.....	58	<i>fiber laxative (ca polycarbo)</i>	221		147, 211, 264
FASENRA.....	267	<i>fiber therapy (m-cell/sugar)</i>	222	<i>fluticasone propion-salmeterol</i>	264
FASENRA PEN.....	267	<i>fiber therapy (m-cellulose)</i>	221, 222	<i>fluvastatin</i>	115
<i>febuxostat</i>	69	<i>fiber-lax</i>	223	<i>fluvoxamine</i>	56
<i>feirza</i>	126	<i>finasteride</i>	228	<i>foaming acne face wash</i>	141
<i>felbamate</i>	49	<i>finingolmod</i>	119	<i>foaming antacid</i>	217
<i>felodipine</i>	112	FINTEPLA.....	49	<i>folic acid</i>	275
FEMRING.....	230	<i>fioricet</i>	5	<i>fondaparinux</i>	99
<i>femynor</i>	126	FIRMAGON KIT W DILUENT		<i>foot and sneaker</i>	65
<i>fenofibrate</i>	115	SYRINGE.....	32	<i>for sty relief</i>	204
<i>fenofibrate micronized</i>	115	<i>first aid antiseptic(povidone)</i>	142	<i>fosamprenavir</i>	93
<i>fenofibrate nanocrystallized</i>	115	<i>flavor chews antacid</i>	217	<i>fosinopril</i>	106
<i>fenofibric acid (choline)</i>	115	<i>flavoxate</i>	227	<i>fosinopril-hydrochlorothiazide</i>	107
<i>fenopropfen</i>	10	<i>flecainide</i>	107	<i>fosphenytoin</i>	49
<i>fentanyl</i>	5	FLEET BISACODYL.....	223	FOTIVDA.....	32
<i>fentanyl citrate</i>	5	<i>fleet enema</i>	223	FREESTYLE PRECISION.....	170
<i>feosol</i>	274	<i>fleet laxative (bisacodyl)</i>	223	<i>freshkote</i>	204
<i>ferate</i>	274	<i>flintstones multivitamin</i>	275	<i>fruit c-500</i>	276
<i>ferosul</i>	274	FLINTSTONES WITH IRON..	275	FRUZAQLA.....	32
<i>ferretts</i>	274	<i>flintstones/extra c</i>	275	<i>fulvestrant</i>	32
<i>ferrex 150</i>	274	FLONASE ALLERGY RELIEF		<i>furosemide</i>	113
FERRIPROX.....	229		211	FUZEON.....	93
<i>ferrocite</i>	275	<i>floxuridine</i>	32	FYARRO.....	33
<i>ferrous fumarate</i>	275	<i>fluconazole</i>	66	<i>fyavolv</i>	231
<i>ferrous gluconate</i>	273, 275, 277	<i>fluconazole in nacl (iso-osm)</i>	66	FYCOMPA.....	49
<i>ferrous sulfate</i>	273, 275	<i>flucytosine</i>	66	FYLNETRA.....	100
<i>fesoterodine</i>	227	<i>fludrocortisone</i>	231	<i>gabapentin</i>	49
FETZIMA.....	56	<i>flunisolide</i>	211	GALAFOLD.....	202
<i>feverall</i>	5	<i>fluocinolone</i>	147	<i>galantamine</i>	53, 54
FEVERALL.....	5	<i>fluocinolone acetone oil</i>	211	<i>gallifrey</i>	235
<i>fe-vite</i>	279	<i>fluocinonide</i>	147		

GAMMAGARD S-D (IGA < 1	GENVOYA.....	haloperidol decanoate.....
MCG/ML)238	geri-dryl.....	haloperidol lactate.....
GAMMAPLEX.....238	geri-kot.....	HARVONI.....
GAMUNEX-C.....239	GILOTRIF.....	HAVRIX (PF).....
GARDASIL 9 (PF).....245	glatiramer.....	<i>h-chlor 12</i>
<i>gas relief (simethicone)</i>212	<i>glatopa</i>	HEALTHWISE INSULIN
<i>gas relief 80 (simethicone)</i>213	GLEOSTINE.....	SYRINGE.....
<i>gas relief extra strength</i>212	<i>glimepiride</i>	HEALTHWISE PEN NEEDLE
<i>gas-x</i>213	<i>glipizide</i>	171, 172
<i>gas-x extra strength</i>213	<i>glipizide-metformin</i>	HEALTHY ACCENTS
<i>gatifloxacin</i>207	<i>glucose</i>	UNIFINE PENTIP.....
GATTEX 30-VIAL.....217	<i>glutamine (sickle cell)</i>	<i>healthylax</i>
GAUZE PADS & DRESSINGS	<i>glyburide</i>	<i>heartburn prevention</i>
- PADS 2 X 2	<i>glyburide micronized</i>	<i>heartburn relief</i>
...156, 160, 161, 170, 175, 184, 201	<i>glyburide-metformin</i>	<i>heartburn relief (famotidine)</i>
<i>gavilax</i>223	<i>glycerin (child)</i>	<i>heather</i>
<i>gavilyte-c</i>223	<i>glycopyrrolate</i>	HEMADY.....
<i>gavilyte-g</i>223	<i>glydo</i>	<i>hemocyte</i>
<i>gavilyte-n</i>223	GLYXAMBI.....	<i>hemorrhoidal(pe-min oil-petro)</i> 142
GAVRETO.....33	GOMEKLI.....	<i>heparin (porcine)</i>
<i>gefitinib</i>33	<i>goniotaire</i>	HEPLISAV-B (PF).....
<i>gelusil antacid and anti-gas</i>217	<i>granisetron hcl</i>	<i>her style</i>
<i>gemcitabine</i>33	<i>griseofulvin microsize</i>	HERCEPTIN HYLECTA.....
<i>gemfibrozil</i>115	<i>griseofulvin ultramicrosize</i>	HERZUMA.....
<i>gemmily</i>126	<i>guaifenesin</i>	HETLIOZ LQ.....
<i>generic prenatal vitamin</i>	<i>guanfacine</i>	HIBERIX (PF).....
271, 272, 275, 276, 277, 278, 280,	<i>gummi bear multivitamin</i>	<i>high potency multivitamin</i>
281, 282, 283, 284, 285	GVOKE.....	<i>honey bears multivitamin</i>
<i>generlac</i>218	GVOKE HYOPEN 2-PACK..	HUMIRA.....
<i>engraf</i>239	GVOKE PFS 1-PACK	HUMIRA PEN.....
<i>entak</i>207	SYRINGE.....	HUMIRA PEN CROHNS-UC-
<i>gentamicin</i>18, 144, 208	GVOKE PFS 2-PACK	HS START.....
<i>gentamicin sulfate (ped) (pf)</i>18	SYRINGE.....	HUMIRA PEN PSOR-
<i>gentamicin sulfate (pf)</i>18	HAEGARDA.....	UVEITS-ADOL HS.....
GENTEAL TEARS	<i>hailey 24 fe</i>	HUMIRA(CF).....
MODERATE.....205	<i>hailey fe 1.5/30 (28)</i>	HUMIRA(CF) PEDI CROHNS
GENTEAL TEARS	<i>hailey fe 1/20 (28)</i>	STARTER.....
MODERATE (PF).....205	<i>hair vitamins</i>	HUMIRA(CF) PEN.....
GENTEAL TEARS SEVERE	<i>hair,skin and nails</i>	HUMIRA(CF) PEN CROHNS-
GEL.....205	<i>halobetasol propionate</i>	UC-HS.....
<i>gentle laxative (bisacodyl)</i>221	<i>haloette</i>	HUMIRA(CF) PEN
<i>gentlelax</i>223	<i>haloperidol</i>	PEDIATRIC UC.....

HUMIRA(CF) PEN PSOR-UV-ADOL HS.....	239	ICLUSIG.....	34	INPEN (NOVOLOG OR FIASP) BLUE.....	172
HUMULIN R U-500 (CONC)		<i>icosapent ethyl</i>	115	INQOVI.....	34
INSULIN.....	61	<i>icy hot (menthol)</i>	142	INREBIC.....	34
HUMULIN R U-500 (CONC)		IDHIFA.....	34	<i>insulin asp prt-insulin aspart</i>	61
KWIKPEN.....	61	<i>iferex 150</i>	277	<i>insulin aspart u-100</i>	62
<i>hydralazine</i>	111	<i>ifosfamide</i>	34	INSULIN SYR/NDL U100	
<i>hydralyte</i>	259	ILARIS (PF).....	240	HALF MARK.....	172
<i>hydrochlorothiazide</i>	113	ILEVRO.....	211	INSULIN SYRINGE.....	154
<i>hydrocodone-acetaminophen</i>	6	ILUMYA.....	240	INSULIN SYRINGE	
<i>hydrocodone-ibuprofen</i>	6	<i>imatinib</i>	34	MICROFINE.....	154
HYDROCOLLOID		IMBRUVICA.....	34	INSULIN SYRINGE	
DRESSING.....	183	IMDELLTRA.....	34	NEEDLELESS.....	154
<i>hydrocortisone</i>		<i>imipenem-cilastatin</i>	22	INSULIN SYRINGE-NEEDLE	
.....147, 148, 149, 232, 251		<i>imipramine hcl</i>	56	U-100	
HYDROCORTISONE.....	148	<i>imipramine pamoate</i>	56	170, 172, 173, 174, 182, 183, 188,	
<i>hydrocortisone acetate</i>	148	<i>imiquimod</i>	142	192, 193	
<i>hydrocortisone butyrate</i>	148	IMJUDO.....	34	INSUPEN PEN NEEDLE.....	174
HYDROCORTISONE		IMKELDI.....	34	INTELENCE.....	93
LOTION COMPLETE.....	148	<i>imodium a-d</i>	218	INTRON A.....	97
<i>hydrocortisone plus</i>	148, 149	IMOVAX RABIES VACCINE		INVEGA HAFYERA.....	86
<i>hydrocortisone valerate</i>	149	(PF).....	246	INVEGA SUSTENNA.....	86, 87
<i>hydrocortisone-acetic acid</i>	208	IMPAVIDO.....	81	INVEGA TRINZA.....	87
<i>hydrocortisone-aloe vera</i> ..	147, 149	INBRIJA.....	82	INVELTYS.....	211
<i>hydrocream</i>	149	<i>incassia</i>	127	<i>inzo antifungal</i>	66
<i>hydrogen peroxide</i>	253, 256	INCONTROL PEN NEEDLE..	172	IPOL.....	246
<i>hydromorphone</i>	6	INCRELEX.....	233	<i>ipratropium bromide</i>	205, 265
<i>hydromorphone (pf)</i>	6	<i>indapamide</i>	113	<i>ipratropium-albuterol</i>	265
<i>hydroxocobalamin</i>	276	<i>indomethacin</i>	11	<i>i-prin</i>	11
<i>hydroxychloroquine</i>	80, 81	INFANRIX (DTAP) (PF).....	246	IQIRVO.....	218
<i>hydroxyurea</i>	33	<i>infant fever reducer-pain relf</i>	8	<i>irbesartan</i>	105
<i>hydroxyzine hcl</i>	73	<i>infant pain reliever</i>	5	<i>irbesartan-hydrochlorothiazide</i>	105
<i>hydroxyzine pamoate</i>	254	<i>infant's ibuprofen</i>	11	<i>irinotecan</i>	35
<i>hysept</i>	142	<i>infants simethicone</i>	213	<i>iron</i>	277, 281
<i>ibandronate</i>	252	INFLECTRA.....	240	ISENTRESS.....	93
IBRANCE.....	33	<i>infliximab</i>	240	ISENTRESS HD.....	93
<i>ibu</i>	11	INGREZZA.....	120	<i>isibloom</i>	127
<i>ibuprofen</i>	11	INGREZZA INITIATION		ISOLYTE S PH 7.4.....	259
<i>ibuprofen-famotidine</i>	11	PK(TARDIV).....	120	ISOLYTE-P IN 5 %	
ICAPS MV.....	276	INGREZZA SPRINKLE.....	120	DEXTROSE.....	260
<i>icatibant</i>	111	INLYTA.....	34	ISOLYTE-S.....	259
<i>iclevia</i>	127	INPEN (FOR HUMALOG)		<i>isoniazid</i>	78
		BLUE.....	172		

ISOPROPYL ALCOHOL.....	142	JULUCA.....	93	labetalol.....	108
ISOPROPYL ALCOHOL 0.7		junel 1.5/30 (21).....	127	lacosamide.....	49
ML/ML MEDICATED PAD		junel 1/20 (21).....	127	lactulose.....	218
152, 155, 156, 160, 165, 167, 172,		junel fe 1.5/30 (28).....	127	lagevrio (eua).....	98
174, 181, 182, 185, 186, 189, 190,		junel fe 1/20 (28).....	127	lamisil af.....	67
194, 201		junel fe 24.....	127	lamivudine.....	93
isopto tears.....	205	JUXTAPID.....	115	lamivudine-zidovudine.....	93
isosorbide dinitrate.....	117	JYLAMVO.....	35	lamotrigine.....	49, 50
isosorbide mononitrate.....	117	JYNARQUE.....	113	lanreotide.....	233
isosorbide-hydralazine.....	117	JYNNEOS (PF).....	246	lansoprazole.....	213, 214, 215, 216
isradipine.....	112	KALYDECO.....	267	lanthanum.....	227
itch relief (hc).....	147	KANJINTI.....	35	LANTUS SOLOSTAR U-100	
itch relief (hc) with aloe.....	147	kaopectate (bismuth subsalicy).....	218	INSULIN.....	62
ITOVEBI.....	35	kariva (28).....	128	LANTUS U-100 INSULIN.....	62
itraconazole.....	66	KATERZIA.....	112	lapatinib.....	36
IV3000 FRAME DELIVERY		kelnor 1/35 (28).....	128	larin 1.5/30 (21).....	128
DRESSING.....	254	kelnor 1/50 (28).....	128	larin 1/20 (21).....	128
ivabradine.....	111	KERENDIA.....	117	larin 24 fe.....	128
ivermectin.....	81	KESIMPTA PEN.....	120	larin fe 1.5/30 (28).....	128
IWILFIN.....	35	ketoconazole.....	67	larin fe 1/20 (28).....	128
IXCHIQ (PF).....	246	ketoprofen.....	11	larissia.....	128
IXIARO (PF).....	246	ketorolac.....	11, 212	latanoprost.....	257
jaimiess.....	127	KEYTRUDA.....	35	laxacin.....	223
JAKAFI.....	35	KIMMTRAK.....	35	laxaclear.....	224
jantoven.....	99	KINERET.....	240	laxative (bisacodyl).....	225
JANUMET.....	58	KINRIX (PF).....	246	laxative (sennosides).....	225
JANUMET XR.....	58	kionex (with sorbitol).....	218	laxative peg 3350.....	225, 227
JANUVIA.....	58	KISQALI.....	36	LAZCLUZE.....	36
JARDIANCE.....	58	KISQALI FEMARA CO-PACK.....	35	leflunomide.....	240
jasmiel (28).....	127	KLISYRI (250 MG).....	142	lenalidomide.....	36
javygtor.....	202	klor-con m10.....	260	LENTOCILIN S.....	24
JAYPIRCA.....	35	klor-con m15.....	260	LENVIMA.....	36
JEMPERLI.....	35	klor-con m20.....	260	lessina.....	128
jencycla.....	127	KLOXXADO.....	14	letrozole.....	36
JENTADUETO.....	58	konsyl (sugar).....	223	leucovorin calcium.....	254
JENTADUETO XR.....	59	KONSYL SUGAR-FREE.....	223	LEUKERAN.....	36
jinteli.....	231	KOSELUGO.....	36	LEUKINE.....	100
jock itch.....	68	KRAZATI.....	36	leuprolide.....	36
jock itch (clotrimazole).....	66, 68	kurvelo (28).....	128	leuprolide (3 month).....	36
jolessa.....	127	KYLEENA.....	128	levetiracetam.....	50
juleber.....	127	KYNMOBI.....	82	levobunolol.....	257
julie.....	127	l norgest/e.estradiol-e.estrad....	128	levocarnitine.....	254

<i>levocarnitine (with sugar)</i>	254	LIVDELZI.....	218	LYBALVI.....	87
<i>levocetirizine</i>	73	LIVTENCITY.....	96	<i>lyleq</i>	129
<i>levofloxacin</i>	25	LOKELMA.....	218	<i>lyllana</i>	231
<i>levofloxacin in d5w</i>	25	LONSURF.....	37	LYNPARZA.....	37
<i>levonest (28)</i>	129	<i>loperamide</i>	218	LYSODREN.....	37
<i>levonorgest-eth.estradiol-iron</i> ..	129	<i>lopinavir-ritonavir</i>	93, 94	LYTGOBI.....	38
<i>levonorgestrel</i>	129	LOQTORZI.....	37	<i>lyza</i>	129
<i>levonorgestrel-ethinyl estrad</i>	129	<i>loradamed</i>	73	<i>mag 64</i>	260
<i>levonorg-eth estrad triphasic</i>	129	<i>loratadine</i>	71	MAGELLAN INSULIN	
<i>levora-28</i>	129	<i>loratadine-d</i>	73	SAFETY SYRNG.....	176
<i>levothyroxine</i>	235	<i>lorazepam</i>	17	MAGELLAN SYRINGE.....	176
LEXIVA.....	93	<i>lorazepam intensol</i>	17	MAGNEBIND 300.....	227
LIBERVANT.....	50	LORBRENA.....	37	<i>magnesium</i>	262
<i>lice killing</i>	150	<i>loryna (28)</i>	129	<i>magnesium chloride</i>	260
<i>lice treatment</i>	150	<i>losartan</i>	105	<i>magnesium citrate</i>	221, 222, 224
<i>lido king</i>	13	<i>losartan-hydrochlorothiazide</i> ...	105	<i>magnesium oxide</i>	
<i>lidocaine</i>	13	LOTEMAX.....	212		217, 218, 219, 220
<i>lidocaine hcl</i>	13	LOTEMAX SM.....	212	<i>magnesium sulfate</i>	260
<i>lidocaine pain relief</i>	13	<i>loteprednol etabonate</i>	212	<i>malathion</i>	151
<i>lidocaine viscous</i>	13	<i>lovastatin</i>	115	<i>mapap (acetaminophen)</i>	6
<i>lidocaine-prilocaine</i>	13	<i>low-ogestrel (28)</i>	129	<i>maraviroc</i>	94
<i>lidocan iii</i>	14	<i>loxapine succinate</i>	87	MARGENZA.....	38
LILETTA.....	129	<i>lo-zumandimine (28)</i>	129	<i>marlissa (28)</i>	130
<i>lillow (28)</i>	129	<i>lubiprostone</i>	218	MARPLAN.....	56
<i>linezolid</i>	19	<i>lubricant eye</i>	205	MATULANE.....	38
<i>linezolid in dextrose 5%</i>	19	<i>lubricant eye (cmc-glycer)(pf)</i> ..	205	<i>matzim la</i>	110
<i>lintera</i>	142	<i>lubrifresh pm</i>	205	MAVENCLAD (10 TABLET	
LINZESS.....	218	LUMAKRAS.....	37	PACK).....	120
<i>liothyronine</i>	235	LUMIGAN.....	257	MAVENCLAD (4 TABLET	
LIP TREATMENT.....	143	LUNSUMIO.....	37	PACK).....	121
<i>lisinopril</i>	107	LUPRON DEPOT.....	37, 233	MAVENCLAD (5 TABLET	
<i>lisinopril-hydrochlorothiazide</i> ..	107	LUPRON DEPOT (3 MONTH)		PACK).....	121
LITE TOUCH INSULIN PEN			37, 233	MAVENCLAD (6 TABLET	
NEEDLES.....	175	LUPRON DEPOT (4 MONTH). 37		PACK).....	121
LITE TOUCH INSULIN		LUPRON DEPOT (6 MONTH). 37		MAVENCLAD (7 TABLET	
SYRINGE.....	175, 176	LUPRON DEPOT-PED.....	233	PACK).....	121
<i>lithium carbonate</i>	120	LUPRON DEPOT-PED (3		MAVENCLAD (8 TABLET	
<i>lithium citrate</i>	120	MONTH).....	233	PACK).....	121
<i>little animals</i>	277	<i>lurasidone</i>	87	MAVENCLAD (9 TABLET	
<i>little animals-iron</i>	277	<i>lutera (28)</i>	129	PACK).....	121
<i>little remedies saline</i>	205	LUTRATE DEPOT (3		MAVYRET.....	97
<i>little tummys gas relief</i>	213	MONTH).....	234	<i>maxallergy kids</i>	73

MAXICOMFORT II PEN NEEDLE.....	176	<i>methadone</i>	6	<i>miglitol</i>	59
MAXICOMFORT INSULIN SYRINGE.....	176	<i>methazolamide</i>	257	<i>miglustat</i>	202
MAXI-COMFORT INSULIN SYRINGE.....	176	<i>methenamine hippurate</i>	19	<i>migraine relief</i>	9
MAXICOMFORT SAFETY PEN NEEDLE.....	177	<i>methimazole</i>	235	<i>mili</i>	130
MAYZENT.....	121	<i>methocarbamol</i>	269	<i>milk of magnesia</i>	221, 224
MAYZENT STARTER(FOR 1MG MAINT).....	121	<i>methotrexate sodium</i>	38	<i>milk of magnesia concentrated</i>	224
MAYZENT STARTER(FOR 2MG MAINT).....	121	<i>methotrexate sodium (pf)</i>	38	<i>milltrium senior</i>	277
<i>m-dryl</i>	74	<i>methoxsalen</i>	142	<i>mimvey</i>	231
<i>meclizine</i>	79	<i>methscopolamine</i>	219	<i>mineral oil</i>	221, 222, 224
<i>medi-meclizine</i>	79	<i>methsuximide</i>	50	<i>mineral oil extra heavy</i>	225
<i>medroxyprogesterone</i>	235	<i>methylphenidate hcl</i>	121, 122	<i>mineral oil heavy</i>	224
<i>mefenamic acid</i>	11	<i>methylprednisolone</i>	232	<i>mini enema</i>	221
<i>mefloquine</i>	81	<i>methylprednisolone acetate</i>	232	MINI ULTRA-THIN II.....	177
<i>mega multiple/chelated mineral</i>	277	<i>metoclopramide hcl</i>	219	<i>minitran</i>	117
<i>megestrol</i>	38, 235	<i>metolazone</i>	113	<i>minocycline</i>	26
MEKINIST.....	38	<i>metoprolol succinate</i>	108	<i>minoxidil</i>	117
MEKTOVI.....	38	<i>metoprolol ta-hydrochlorothiaz</i>	109	<i>mintox plus</i>	219
<i>meloxicam</i>	11	<i>metoprolol tartrate</i>	109	MIPLYFFA.....	201
<i>memantine</i>	54	<i>metronidazole</i>	19, 76, 145	MIRALAX.....	224
<i>memantine-donepezil</i>	54	<i>metronidazole in nacl (iso-os)</i>	19	MIRENA.....	130
MENACTRA (PF).....	246	<i>metyrosine</i>	111	<i>mirtazapine</i>	56
MENQUADFI (PF).....	247	<i>mexiletine</i>	107	<i>misoprostol</i>	215
MENVEO A-C-Y-W-135-DIP (PF).....	247	<i>mgo</i>	219	<i>mitoxantrone</i>	38
<i>mercaptopurine</i>	38	<i>micafungin</i>	67	M-M-R II (PF).....	247
<i>meropenem</i>	23	<i>micatin</i>	67	<i>modafinil</i>	269
<i>merzee</i>	130	MICONAZOLE NITRATE.....	66	<i>moexipril</i>	107
<i>mesalamine</i>	251	<i>miconazole nitrate</i>	67	<i>molindone</i>	87
<i>mesna</i>	254	<i>miconazole-3</i>	67	<i>mometasone</i>	149, 212
<i>metadate er</i>	121	<i>micotrin ac</i>	67	MONISTAT 7.....	67
METAMUCIL.....	224	MICRODOT INSULIN PEN NEEDLE.....	177	<i>monistat 7</i>	67
METAMUCIL (WITH SUGAR).....	224	MICRODOT READYGARD PEN NEEDLE.....	177	<i>monistat care (hydrocortisone)</i>	149
METAMUCIL FIBER (ASPARTAME).....	224	<i>microgestin 1.5/30 (21)</i>	130	MONOJECT INSULIN SAFETY SYRING.....	178
<i>metformin</i>	59	<i>microgestin 1/20 (21)</i>	130	MONOJECT INSULIN SYRINGE.....	177, 178, 179
		<i>microgestin 24 fe</i>	130	MONOJECT SYRINGE.....	177
		<i>microgestin fe 1.5/30 (28)</i>	130	MONOJECT ULTRA COMFORT INSULIN.....	195
		<i>microgestin fe 1/20 (28)</i>	130	<i>mono-lynyah</i>	130
		<i>micro-guard</i>	67	<i>montelukast</i>	264
		<i>midodrine</i>	104	<i>morphine</i>	6, 7
		MIEBO (PF).....	205	MORPHINE.....	6, 7
		<i>mifepristone</i>	59		

<i>morphine concentrate</i>	6	NANO 2ND GEN PEN		NEUPRO	82
<i>motion sickness (meclizine)</i> ..	79, 80	NEEDLE	179	<i>neutrogena t/sal</i>	142
<i>motion sickness relief(mecliz)</i>	79	<i>naproxen</i>	11, 12	<i>nevirapine</i>	94
MOUNJARO	59	<i>naproxen sodium</i>	12	<i>new day</i>	130
MOVANTIK	219	<i>naratriptan</i>	77	NEXCARE TEGADERM	254
<i>moxifloxacin</i>	25, 208	<i>nasal allergy</i>	210	NEXLETOL	115
<i>moxifloxacin-sod.ace,sul-water</i> ..	25	<i>nasal decongestant (pe)</i>	104, 105	NEXLIZET	116
<i>moxifloxacin-sod.chloride(iso)</i> ...	25	<i>nasal moisturizing</i>	205	NEXPLANON	130
<i>m-pap</i>	7	<i>nasal spray (oxymetazoline)</i>	205	<i>niacin</i>	116
MRESVIA (PF)	247	<i>nasal spray 12hr(oxymetazoline</i>		<i>niacinamide</i>	116, 278
MUCINEX	136		205	<i>niacor</i>	116
MUCINEX DM	136	<i>nasal wash</i>	204	<i>nicardipine</i>	112
<i>mucus dm</i>	136	NASCOBAL	278	<i>nicotine</i>	14, 15, 16
<i>mucus relief er</i>	135, 136	NATACYN	208	<i>nicotine (polacrilex)</i>	14, 15, 16
MULTAQ	108	<i>nateglinide</i>	59	NICOTROL	15
<i>multi-day with iron</i>	277	NATPARA	252	NICOTROL NS	15
<i>multiple vitamin-minerals</i>	277	NATRAPEL	142	<i>nifedipine</i>	112
<i>multiple vitamins</i>	277	<i>natural calcium</i>	260	<i>nikki (28)</i>	130
<i>multivit with min-folic acid</i>	273	<i>natural daily fiber</i>	221	NIKTIMVO	240
<i>multivitamin</i>	277, 278	<i>natural tears (pf)</i>	204	<i>nilutamide</i>	39
<i>multivitamin 50 plus</i>	281	<i>natura-lax</i>	225	NINLARO	39
<i>multivitamin with iron</i>	277	NAYZILAM	50	<i>nitazoxanide</i>	81
<i>multivit-min-iron fum-folic ac</i> ...	278	<i>nebivolol</i>	109	<i>nitisinone</i>	202
<i>mupirocin</i>	145	<i>nefazodone</i>	56	<i>nitrofurantoin macrocrystal</i>	19
<i>murine ear</i>	208	<i>neilmed sinus rinse complete</i>	205	<i>nitrofurantoin monohyd/m-cryst.</i>	19
<i>muro 128</i>	205	<i>neilmed sinus rinse refill</i>	205	<i>nitroglycerin</i>	117, 254
MVASI	38	<i>neomycin</i>	18	NIVESTYM	100
<i>my choice</i>	130	<i>neomycin-bacitracin-poly-hc</i>	208	<i>nizatidine</i>	215
<i>my way</i>	130	<i>neomycin-bacitracin-polymyxin</i>	208	<i>nizoral psoriasis</i>	142
<i>mycophenolate mofetil</i>	240	<i>neomycin-polymyxin b-</i>		<i>non-aspirin</i>	7, 8
<i>mycophenolate mofetil (hcl)</i>	240	<i>dexameth</i>	208	<i>non-aspirin pain relief</i>	8
<i>mycophenolate sodium</i>	240	<i>neomycin-polymyxin-gramicidin</i>		NON-STICK PAD	254
<i>mycozyl ac</i>	67		208	NORDITROPIN FLEXPPO	234
<i>myferon 150</i>	278	<i>neomycin-polymyxin-hc</i>	208	<i>norelgestromin-ethin.estradiol</i> ..	130
MYRBETRIQ	227	<i>neo-polycin</i>	209	<i>norethindrone (contraceptive)</i> ..	130
<i>nabumetone</i>	11	<i>neo-polycin hc</i>	209	<i>norethindrone acetate</i>	235
<i>nadolol</i>	109	<i>neo-tuss</i>	136	<i>norethindrone ac-eth estradiol</i>	
<i>nafcillin</i>	24	<i>nephplex rx</i>	278		131, 231
<i>naloxone</i>	14, 15	NEPHRON FA	278	<i>norethindrone-e.estradiol-iron</i> ..	131
<i>naltrexone</i>	15	NERLYNX	38	<i>norgestimate-ethinyl estradiol</i> ..	131
NAMZARIC	54	<i>neuac</i>	145	<i>norlyda</i>	131
		NEULASTA ONPRO	100	<i>nortrel 1/35 (21)</i>	131

<i>nortrel 1/35 (28)</i>	131	OCUSOFT LID SCRUB	OMNIPOD DASH PODS
<i>nortrel 7/7/7 (28)</i>	131	ALLERGY	(GEN 4).....
<i>nortriptyline</i>	56	OCUSOFT LID SCRUB PLUS	ONAPGO.....
NORVIR.....	94	<i>ocutabs</i>	<i>onccor</i>
<i>nostrilla</i>	205	ODEFSEY	<i>oncovite</i>
NOVOFINE 30.....	179	ODOMZO.....	<i>ondansetron</i>
NOVOFINE 32.....	179	<i>odor control foot-sneaker</i>	<i>ondansetron hcl</i>
NOVOFINE PLUS.....	179	OFEV	<i>one daily complete</i>
NOVOLIN 70/30 U-100		<i>ofloxacin</i>	<i>one daily energy</i>
INSULIN.....	62	OGIVRI.....	<i>one daily essential</i>
NOVOLIN 70-30 FLEXPEN		OGSIVEO.....	<i>one daily for women</i>
U-100.....	62	OJEMDA.....	<i>one daily maximum</i>
NOVOLIN N FLEXPEN.....	62	OJJAARA.....	<i>one daily multivitamin</i>
NOVOLIN N NPH U-100		<i>olanzapine</i>	<i>one daily plus minerals</i>
INSULIN.....	62	<i>olmesartan</i>	<i>one-a-day essential</i>
NOVOLIN R FLEXPEN.....	62	<i>olmesartan-amlodipin-hcthiazid</i>	<i>one-a-day maximum formula</i>
NOVOLIN R REGULAR U100			ONE-A-DAY MEN'S
INSULIN.....	62	<i>olmesartan-hydrochlorothiazide</i>	MULTIVITAMIN.....
NOVOTWIST.....	179		<i>one-a-day teen advantage</i>
NOXAFIL.....	67	<i>olopatadine</i>	<i>onevite daily multivitamin</i>
NUBEQA.....	39	<i>omega-3 acid ethyl esters</i>	ONGENTYS.....
NUCALA.....	267	<i>omeprazole</i>	ONTRUZANT.....
<i>nu-iron</i>	278	<i>omeprazole magnesium</i>	ONUREG.....
NULOJIX.....	240	<i>omeprazole-sodium bicarbonate</i>	<i>opcicon one-step</i>
<i>nu-mag</i>	260		OPDIVO.....
NUPLAZID.....	88	OMNIPOD 5 (G6/LIBRE 2	OPDIVO QVANTIG.....
NURTEC ODT.....	77	PLUS).....	OPDUALAG.....
<i>nyamyc</i>	67	OMNIPOD 5 G6-G7 INTRO	OPIPZA.....
<i>nylia 1/35 (28)</i>	131	KT(GEN5).....	OPSITE FLEXIGRID
<i>nylia 7/7/7 (28)</i>	131	OMNIPOD 5 G6-G7 PODS	DRESSING.....
<i>nymyo</i>	131	(GEN 5).....	OPSUMIT.....
<i>nystatin</i>	67, 68	OMNIPOD 5	<i>option-2</i>
<i>nystatin-triamcinolone</i>	68	INTRO(G6/LIBRE2PLUS).....	<i>oralyte</i>
<i>nystop</i>	68	OMNIPOD CLASSIC PDM	ORENCIA.....
NYVEPRIA.....	100	KIT(GEN 3).....	ORENCIA (WITH MALTOSE)
<i>obstetrix dha prenatal duo</i>	278	OMNIPOD CLASSIC PODS	
OALIVA.....	219	(GEN 3).....	ORENCIA CLICKJECT.....
OCREVUS.....	122	OMNIPOD DASH INTRO KIT	ORFADIN.....
OCREVUS ZUNOVO.....	122	(GEN 4).....	ORGOVYX.....
<i>octreotide acetate</i>	234	OMNIPOD DASH PDM KIT	ORLISSA.....
OCUSOFT LID SCRUB.....	206	(GEN 4).....	ORKAMBI.....
			ORSERDU.....

<i>oseltamivir</i>	96	<i>pediatric tri-vite</i>	279	<i>phenytoin</i>	51
OSMOLEX ER.....	83	PEDVAX HIB (PF).....	247	<i>phenytoin sodium</i>	51
OTEZLA.....	241	<i>peg 3350-electrolytes</i>	224	<i>phenytoin sodium extended</i>	51
OTEZLA STARTER.....	241	PEGASYS.....	97	<i>philith</i>	132
<i>overnight lubricating eye</i>	204	<i>peg-electrolyte soln</i>	224	<i>phillips</i>	219
<i>oxaliplatin</i>	40	PEMAZYRE.....	40	<i>phillips' liqui-gels</i>	224
<i>oxandrolone</i>	229	<i>pemetrexed</i>	40	PHILLIPS MILK OF	
<i>oxazepam</i>	17	<i>pemetrexed disodium</i>	40	MAGNESIA.....	224
<i>oxcarbazepine</i>	50, 51	PEMRYDI RTU.....	40	PHOS-FLUR.....	138
<i>oxybutynin chloride</i>	228	PEN NEEDLE.....	170, 180, 183	<i>phospha 250 neutral</i>	261
<i>oxycodone</i>	7	PEN NEEDLE, DIABETIC		<i>phosphorous</i>	261
<i>oxycodone-acetaminophen</i>	7		159, 160, 177, 180, 182	<i>phospho-trin 250 neutral</i>	261
<i>oxymorphone</i>	7, 8	PEN NEEDLE, DIABETIC,		<i>phytonadione (vitamin k1)</i>	280
<i>oysco 500/d</i>	279	SAFETY.....	184	PIFELTRO.....	94
<i>oyster shell calcium</i>	260	PENBRAYA (PF).....	247	<i>pilocarpine hcl</i>	138, 257
<i>oyster shell calcium 500</i>	260	PENBRAYA MENACWY		<i>pimecrolimus</i>	149
<i>oyster shell calcium-vit d3</i>	279, 282	COMPONENT(PF).....	247	<i>pimozide</i>	88
<i>oystercal-d</i>	279	PENBRAYA MENB		<i>pimtrea (28)</i>	132
OZEMPIC.....	59	COMPONENT (PF).....	247	<i>pindolol</i>	109
<i>pacerone</i>	108	<i>penciclovir</i>	143	<i>pink bismuth</i>	219
<i>paclitaxel</i>	40	<i>penicillamine</i>	229	<i>pioglitazone</i>	59
<i>paclitaxel protein-bound</i>	40	<i>penicillin g potassium</i>	24	<i>pioglitazone-metformin</i>	60
<i>pain relief (acetaminophen)</i>	5	<i>penicillin g procaine</i>	24	PIP PEN NEEDLE.....	181
<i>pain relief (lidocaine)</i>	13	<i>penicillin v potassium</i>	24	<i>piperacillin-tazobactam</i>	24
<i>pain relief adult</i>	5, 8	PENTACEL (PF).....	247	PIQRAY.....	40
<i>pain reliever plus</i>	12	<i>pentamidine</i>	81	<i>pirfenidone</i>	267, 268
<i>paliperidone</i>	88	PENTIPS PEN NEEDLE.....	180, 181	<i>pirmella</i>	132
PALYNZIQ.....	202	<i>pentoxifylline</i>	102	<i>piroxicam</i>	12
<i>panoxyl</i>	142	<i>periguard</i>	143	<i>pitavastatin calcium</i>	116
PANRETIN.....	142	<i>perindopril erbumine</i>	107	PLASMA-LYTE A.....	261
<i>pantoprazole</i>	215	<i>periogard</i>	138	PLEGRIDY.....	122, 123
<i>paricalcitol</i>	252	<i>permethrin</i>	151	<i>pnv cmb#95-ferrous fumarate-fa</i>	
<i>paromomycin</i>	81	<i>perphenazine</i>	88		281
<i>paroxetine hcl</i>	56, 57	<i>perphenazine-amitriptyline</i>	57	<i>podofilox</i>	143
PAXLOVID.....	96	<i>persa-gel</i>	143	<i>polycin</i>	209
<i>pazopanib</i>	40	PERSERIS.....	88	<i>polyethylene glycol 3350..</i>	224, 225
<i>p-col rite</i>	225	<i>petrolatum</i>	143	POLYETHYLENE GLYCOL	
<i>pedia tri-vite</i>	279	<i>pharbetol</i>	8	3350(BULK).....	225
PEDIARIX (PF).....	247	PHAZYME.....	213	<i>polymyxin b sulfate</i>	19
<i>pediatric d-vite</i>	279	<i>phenelzine</i>	57	<i>polymyxin b sulf-trimethoprim</i>	209
<i>pediatric electrolyte</i>	259, 260, 262	<i>phenobarbital</i>	51	<i>polysaccharide iron complex</i>	280
<i>pediatric freezer pops</i>	262	PHENYTEK.....	51	POLYSKIN II.....	254, 255

<i>polyvinyl alcohol</i>	206	PRIORIX (PF).....	248	<i>pyridoxine (vitamin b6)</i>	283, 284
POLY-VI-SOL.....	280	PRO COMFORT INSULIN		<i>pyrimethamine</i>	81
POLY-VI-SOL WITH IRON...	280	SYRINGE.....	181	QINLOCK.....	40
POMALYST.....	40	PRO COMFORT PEN		QUADRACEL (PF).....	248
<i>portia 28</i>	132	NEEDLE.....	181	<i>quetiapine</i>	88
<i>posaconazole</i>	68	PROAIR RESPICLICK.....	265	<i>quinapril</i>	107
<i>potassium chloride</i>	261	<i>probenecid</i>	69	<i>quinapril-hydrochlorothiazide</i> ..	107
<i>potassium chloride-0.45 % nacl</i>	261	<i>probenecid-colchicine</i>	69	<i>quinidine gluconate</i>	108
<i>potassium citrate</i>	262	PROCALAMINE 3%.....	104	<i>quinidine sulfate</i>	108
<i>potassium citrate-citric acid</i>	261	<i>prochlorperazine</i>	80	<i>quinine sulfate</i>	81
<i>povidone-iodine</i>	143	<i>prochlorperazine edisylate</i> ...	79, 88	<i>quit 2</i>	15
<i>powderlax</i>	225	<i>prochlorperazine maleate</i>	80	<i>quit 4</i>	15
<i>pramipexole</i>	83	<i>procto-med hc</i>	149	QULIPTA.....	77
<i>prasugrel hcl</i>	102	<i>proctosol hc</i>	149	RABAVERT (PF).....	248
<i>pravastatin</i>	116	<i>proctozone-hc</i>	149	<i>rabeprazole</i>	216
<i>praziquantel</i>	81	PRODIGY INSULIN		RALDESY.....	57
<i>prazosin</i>	105	SYRINGE.....	182	<i>raloxifene</i>	231
<i>prednisolone</i>	232	<i>progesterone micronized</i>	235	<i>ramipril</i>	107
<i>prednisolone acetate</i>	212	PROGRAF.....	241	<i>ranolazine</i>	111
<i>prednisolone sodium phosphate</i>		PROLIA.....	252	<i>rasagiline</i>	83
.....	212, 232	PROMACTA.....	100, 101	RASUVO (PF).....	241
<i>prednisone</i>	232	<i>promethazine</i>	74, 80	RAVICTI.....	219
<i>pregabalin</i>	51	<i>promethegan</i>	80	RAYALDEE.....	252
PREHEVBRIO (PF).....	248	<i>promolaxin</i>	225	<i>reclipsen (28)</i>	132
PREMARIN.....	231	<i>propafenone</i>	108	RECOMBIVAX HB (PF).....	248
PREMPHASE.....	231	<i>propranolol</i>	109	<i>redutemp</i>	8
PREMPRO.....	231	<i>propylthiouracil</i>	235	<i>refenesen</i>	137
<i>prenatal</i>	281	PROQUAD (PF).....	248	REFRESH CLASSIC (PF).....	206
<i>prenatal 19 (with docusate)</i>	280	<i>prosight</i>	281	REFRESH LACRI-LUBE.....	206
<i>prenatal one daily</i>	281	PROSOL 20 %.....	104	REFRESH LIQUIGEL.....	206
<i>prenatal vit no.179-iron-folic</i> ...	281	<i>protective ointment</i>	143	REFRESH OPTIVE MEGA-3	
<i>preparation h hydrocortisone</i> ...	149	<i>protriptyline</i>	57	(PF).....	209
<i>prevalite</i>	116	<i>pseudoephedrine hcl</i>	136	REFRESH TEARS.....	206
PREVENT DROPSAFE PEN		<i>psyllium husk</i>	225	REGRANEX.....	143
NEEDLE.....	181	PULMOZYME.....	202	<i>reguloid (psyllium husk)</i>	225
<i>previfem</i>	132	PURE COMFORT PEN		REGULOID (PSYLLIUM	
PREVYMIS.....	96, 97	NEEDLE.....	182	HUSK-SUCRO).....	226
PREZCOBIX.....	94	PURE COMFORT SAFETY		RELENZA DISKHALER.....	97
PREZISTA.....	94	PEN NEEDLE.....	182	<i>relevea</i>	14
PRIFTIN.....	78	<i>purelax</i>	222	RELISTOR.....	219, 220
PRIMAQUINE.....	81	<i>pyrazinamide</i>	78	RENFLEXIS.....	241
<i>primidone</i>	51	<i>pyridostigmine bromide</i>	255	<i>repaglinide</i>	60

REPATHA PUSHTRONEX....	116	ROBITUSSIN COUGH-SORE		<i>selsun blue (salicylic acid)</i>	143
REPATHA SURECLICK.....	116	THROAT.....	137	SELZENTRY.....	95
REPATHA SYRINGE.....	116	ROCKLATAN.....	257	SEMGLEE(INSULIN	
<i>repel lemon eucalyptus</i>	143	<i>roflumilast</i>	268	GLARGINE-YFGN).....	63
REPLICARE THIN.....	183	ROLVEDON.....	101	SEMGLEE(INSULIN GLARG-	
RESTORE EXTRA THIN		ROMVIMZA.....	41	YFGN)PEN.....	63
DRESSING.....	183	<i>ropinirole</i>	83	<i>senexon-s</i>	226
RETACRIT.....	101	<i>rosadan</i>	145	<i>senna</i>	226
<i>retaine allergy</i>	206	<i>rosuvastatin</i>	116	<i>senna lax</i>	225
RETEVMO.....	41	ROTARIX.....	248	<i>senna plus</i>	222
RETROVIR.....	94	ROTATEQ VACCINE.....	248	<i>sennosides</i>	226
REVCovi.....	202	ROZLYTREK.....	41	<i>sennosides-docusate sodium</i>	226
REVUFORJ.....	41	RUBRACA.....	41	<i>senokot-s</i>	226
REXULTI.....	89	<i>rufinamide</i>	51	SEREVENT DISKUS.....	265
REYATAZ.....	94	RUKOBIA.....	95	SEROSTIM.....	234
REZLIDHIA.....	41	RUXIENCE.....	41	<i>sertraline</i>	57
REZUROCK.....	241	RYBELSUS.....	60	<i>setlakin</i>	132
RHOPRESSA.....	257	RYBREVANT.....	42	<i>sevelamer carbonate</i>	227
RIABNI.....	41	RYDAPT.....	42	<i>sevelamer hcl</i>	227
<i>ribavirin</i>	98	RYKINDO.....	89	SEZABY.....	51
RIDAURA.....	241	RYTELO.....	42	<i>sf 5000 plus</i>	138
<i>rifabutin</i>	78	<i>safe wash</i>	143	<i>shake that ache</i>	8
<i>rifampin</i>	78	SAFESNAP INSULIN		<i>sharobel</i>	132
<i>rilpivirine</i>	94	SYRINGE.....	183	SHINGRIX (PF).....	249
<i>riluzole</i>	123	SAFETY PEN NEEDLE.....	184	SIGNIFOR.....	234
<i>rimantadine</i>	97	<i>sajazir</i>	111	<i>sildenafil (pulm.hypertension)</i> ..	270
<i>ringworm</i>	65	<i>saline nasal</i>	204	<i>silver sulfadiazine</i>	145
RINVOQ.....	242	<i>saline nasal mist</i>	204	SIMBRINZA.....	258
RINVOQ LQ.....	241	<i>saline wound wash</i>	142	<i>simethicone</i>	213
<i>risedronate</i>	252	SANTYL.....	143	<i>simliya (28)</i>	132
<i>risperidone</i>	89	<i>sapropterin</i>	202	<i>simpeesse</i>	132
<i>risperidone microspheres</i>	89	SAVELLA.....	123	<i>simvastatin</i>	116
<i>ritonavir</i>	95	SCSEMBLIX.....	42	<i>sinus 12 hour</i>	136
RITUXAN HYCELA.....	41	<i>scopolamine base</i>	80	<i>sinus nasal spray</i>	205
<i>rivastigmine</i>	54	<i>scot-tussin expectorant</i>	137	<i>sinus pressure-cong relief pe</i>	105
<i>rivastigmine tartrate</i>	54	SECUADO.....	89	<i>sinus rinse</i>	206
RIVFLOZA.....	255	SECURESAFE INSULIN		<i>sinus rinse starter</i>	206
<i>rizatriptan</i>	77	SYRINGE.....	184	<i>sinus wash</i>	206
<i>robafen cf (phenylephrine)</i>	137	SECURESAFE PEN NEEDLE	184	<i>sirolimus</i>	242
<i>robitussin cough and cold cf</i>	137	SELARSDI.....	242	SIRTURO.....	78
<i>robitussin cough-chest cong dm</i>	137	<i>selegiline hcl</i>	83	<i>skin treatment</i>	141
		<i>selenium sulfide</i>	145	SKY SAFETY PEN NEEDLE.	184

SKYLA.....	132	STIOLTO RESPIMAT.....	266	SURE COMFORT INSULIN	
SKYRIZI.....	242	STIVARGA.....	42	SYRINGE.....	184, 185
SLYND.....	132	<i>stomach relief</i>	219, 220	SURE COMFORT PEN	
<i>smoothlax</i>	226	<i>stool softener</i>	223, 226	NEEDLE.....	185
<i>sodium bicarbonate</i>	220	<i>stop smoking aid</i>	15	SURE COMFORT SAFETY	
<i>sodium chloride</i> 204, 206, 262, 263		STRENSIQ.....	202	PEN NEEDLE.....	184
<i>sodium chloride 0.45 %</i>	262	<i>streptomycin</i>	18	SURE-FINE PEN NEEDLES...186	
<i>sodium chloride 0.9 %</i>	262	<i>stress formula</i>	282	SURE-JECT INSULIN	
<i>sodium citrate-citric acid</i>	262	<i>stress formula with iron</i>	282	SYRINGE.....	186
<i>sodium ferric gluconat-sucrose</i> 282		<i>stress formula with iron(sulf)</i>282		SURESITE MATRIX.....	255
<i>sodium fluoride</i>	138	<i>stress formula with zinc</i>	282	SUTAB.....	226
<i>sodium fluoride-pot nitrate</i>	138	STRIBILD.....	95	<i>syeda</i>	132
<i>sodium oxybate</i>	269	STRIVERDI RESPIMAT.....	266	SYMDEKO.....	268
<i>sodium phenylbutyrate</i>	220	<i>subvenite</i>	52	SYMJEPI.....	111
<i>sodium polystyrene sulfonate</i>220		<i>sucralfate</i>	216	SYMLINPEN 120.....	60
<i>sodium,potassium,mag sulfates</i> 226		<i>sudogest</i>	137	SYMLINPEN 60.....	60
SOF-LAX.....	226	<i>sudogest 12-hour</i>	137	SYMPAZAN.....	52
<i>solifenacin</i>	228	<i>sudogest cold and allergy</i>	75	SYMTUZA.....	95
SOLQUA 100/33.....	63	<i>sulfacetamide sodium</i>	209	SYNAREL.....	235
SOLTAMOX.....	42	<i>sulfacetamide sodium (acne)</i>145		SYNERCID.....	19
SOMATULINE DEPOT.....	234	<i>sulfacetamide-prednisolone</i>209		SYNJARDY.....	60
SOMAVERT.....	234	<i>sulfadiazine</i>	25	SYNJARDY XR.....	60
<i>soothing pureway-c</i>	282	<i>sulfamethoxazole-trimethoprim</i> ..25		SYNRIBO.....	42
<i>sorafenib</i>	42	<i>sulfasalazine</i>	251	SYRINGE WITH NEEDLE,	
<i>sorine</i>	109	<i>sulindac</i>	12	SAFETY.....	184
<i>sotalol</i>	109	<i>sumatriptan</i>	77	SYSTANE (PROPYLENE	
<i>sotalol af</i>	109	<i>sumatriptan succinate</i>77, 78		GLYCOL).....	207
SPIRIVA RESPIMAT.....	266	<i>sumatriptan-naproxen</i>78		SYSTANE BALANCE.....	207
<i>spironolactone</i>	113, 117	<i>sunburn relief cooling</i>	13	SYSTANE GEL.....	206, 207
<i>spironolacton-hydrochlorothiaz</i> 113		<i>sunitinib malate</i>	42	SYSTANE NIGHTTIME.....	207
SPRAVATO.....	57	SUNLENCA.....	95	<i>tab-a-vite</i>	283
<i>sprintec (28)</i>	132	<i>super b-50 complex</i>	282	<i>tab-a-vite multivitamin w-iron</i> ..283	
SPRITAM.....	52	<i>super calcium</i>	263	TABLOID.....	42
<i>sps (with sorbitol)</i>	220	<i>super multivitamin</i>	282	TABRECTA.....	42
<i>sronyx</i>	132	<i>super quints b-50</i>	283	<i>tacrolimus</i>	150, 242
<i>ssd</i>	145	<i>super thera vite m</i>	283	<i>tadalafil</i>	270
<i>st joseph aspirin</i>	12	<i>suphedrin</i>	137	TAFINLAR.....	42
<i>st. joseph aspirin</i>	12	<i>suphedrine</i>	136, 137	<i>tafluprost (pf)</i>	258
<i>stavudine</i>	95	<i>suphedrine 12 hour</i>	136	TAGRISSO.....	42
STELARA.....	242	SURE COMFORT INS. SYR.		<i>take action</i>	133
STIMUFEND.....	101	U-100.....	184	TAKHZYRO.....	255
<i>stimulant laxative plus</i>	226			TALVEY.....	42

TALZENNA.....	43	<i>terbutaline</i>	266	TICE BCG.....	43
<i>tamoxifen</i>	43	<i>terconazole</i>	76	TICOVAC.....	249
<i>tamsulosin</i>	228	<i>teriflunomide</i>	123	<i>tigecycline</i>	26
<i>tarina 24 fe</i>	133	<i>teriparatide</i>	252	<i>tilia fe</i>	133
<i>tarina fe 1-20 eq (28)</i>	133	TERUMO INSULIN SYRINGE		<i>timolol</i>	258
TASIGNA.....	43		187, 188	<i>timolol maleate</i>	109, 258
<i>tasimelteon</i>	269	<i>testosterone</i>	229	TINACTIN.....	68
TAVALISSE.....	101	<i>testosterone cypionate</i>	229	<i>tinidazole</i>	81
TAVNEOS.....	243	<i>testosterone enanthate</i>	229	<i>tiopronin</i>	228
<i>taysofy</i>	133	TETANUS,DIPHThERIA		<i>tiotropium bromide</i>	266
<i>tazarotene</i>	150	TOX PED(PF).....	249	TIVDAK.....	43
<i>tazicef</i>	21	<i>tetrabenazine</i>	123	TIVICAY.....	95
<i>taztia xt</i>	110	<i>tetracycline</i>	26	TIVICAY PD.....	95
TAZVERIK.....	43	TEVIMBRA.....	43	<i>tizanidine</i>	269
TDVAX.....	249	THALOMID.....	255	TOBI PODHALER.....	18
TECENTRIQ.....	43	<i>the magic bullet</i>	224	<i>tobramycin</i>	18, 209
TECENTRIQ HYBREZA.....	43	<i>theophylline</i>	266	<i>tobramycin in 0.225 % nacl</i>	18
TECHLITE INSULIN		<i>thera</i>	283	<i>tobramycin sulfate</i>	18
SYRINGE.....	187	<i>thera-d</i>	283	<i>tobramycin-dexamethasone</i>	209
TECHLITE INSULN		THERAFLU FLU RELIEF		<i>tolnaftate</i>	68, 69
SYR(HALF UNIT).....	186, 187	DAYTIME.....	137	<i>tolterodine</i>	228
TECHLITE PEN NEEDLE.....	187	THERAFLU MULTI-		<i>tolvaptan (polycys kidney dis)</i> ...114	
TECHLITE PLUS PEN		SYMPTOM COLD.....	137	TOPCARE CLICKFINE.....	188
NEEDLE.....	187	THERAFLU SVR COLD RLF		TOPCARE ULTRA	
TECVAYLI.....	43	DAY (DM).....	137	COMFORT.....	189
TEFLARO.....	21	<i>theraflu-d flu relief day</i>	137	<i>topiramate</i>	52
TELFA OUCHLESS NON-		THERAFLU-D FLU RELIEF		<i>toposar</i>	43
ADHERENT.....	255	NIGHT.....	138	<i>toremifene</i>	43
<i>telmisartan</i>	106	<i>thera-gel</i>	143	<i>torpenz</i>	43, 44
<i>telmisartan-amlodipine</i>	106	<i>thera-m</i>	283	<i>torsemide</i>	114
<i>telmisartan-hydrochlorothiazid</i> 106		<i>therapeutic t plus</i>	143	<i>total allergy medicine</i>	75
<i>temazepam</i>	17, 18	<i>thera-tabs</i>	283	TOUJEO MAX U-300	
TEMIXYS.....	95	THERATEARS.....	207	SOLOSTAR.....	63
<i>tencon</i>	8	<i>therems multivitamin</i>	283	TOUJEO SOLOSTAR U-300	
TENIVAC (PF).....	249	<i>thiamine hcl (vitamin b1)</i>	284	INSULIN.....	63
<i>tenofovir disoproxil fumarate</i>	95	THINPRO INSULIN		<i>t-plus</i>	143
<i>tension headache</i>	5, 8	SYRINGE.....	188	TRADJENTA.....	60
<i>tension headache pain reliever</i>	8	<i>thioridazine</i>	89	<i>tramadol</i>	8
<i>tension headache relief</i>	8	<i>thiothixene</i>	89	<i>tramadol-acetaminophen</i>	8
TEPMETKO.....	43	<i>tiadylt er</i>	110	<i>trandolapril</i>	107
<i>terazosin</i>	228	<i>tiagabine</i>	52	<i>trandolapril-verapamil</i>	107
<i>terbinafine hcl</i>	68	TIBSOVO.....	43	<i>tranexamic acid</i>	101

TRANSPARENT DRESSINGS	<i>trimethoprim</i>	19	<i>tussin dm max</i>	137
.....253, 255	<i>tri-mili</i>	133	TWINRIX (PF)	249
<i>tranylcypromine</i>	<i>trimipramine</i>	57	TYBOST	255
TRAVASOL 10 %	TRINTELLIX	57	TYENNE	243
<i>travel-ease (meclizine)</i>	<i>tri-nymyo</i>	133	TYENNE AUTOINJECTOR... 243	
<i>travoprost</i>	<i>triple antibiotic</i>	145	TYMLOS	252
TRAZIMERA	<i>tri-previfem (28)</i>	133	TYPHIM VI	249
<i>trazodone</i>	<i>tri-sprintec (28)</i>	133	TYVASO	270
TRECTOR	TRIUMEQ	95	UBRELVY	78
TRELEGY ELLIPTA	TRIUMEQ PD	95	ULTICARE	192, 193
TRELSTAR	TRI-VI-SOL	283	ULTICARE INSULIN	
TREMFYA	<i>trivora (28)</i>	133	SYRINGE	192
TREMFYA PEN	<i>tri-vylibra</i>	134	ULTICARE INSULN	
<i>treprostinil sodium</i>	<i>tri-vylibra lo</i>	134	SYR(HALF UNIT)	192
TRESIBA FLEXTOUCH U-	TRIZIVIR	95	ULTICARE PEN NEEDLE	
100	TROGARZO	96	192, 193	
TRESIBA FLEXTOUCH U-	TROPHAMINE 10 %	104	ULTICARE SAFETY PEN	
200	<i>trosipium</i>	228	NEEDLE	193
TRESIBA U-100 INSULIN	TRUE COMFORT INSULIN		ULTIGUARD SAFEPAK-	
<i>tretinoin</i>	SYRINGE	189	INSULIN SYR	193, 194
<i>tretinoin (antineoplastic)</i>	TRUE COMFORT PEN		ULTIGUARD SAFEPAK-	
<i>tri femynor</i>	NEEDLE	190	PEN NEEDLE	193, 194
TRIAD WOUND DRESSING. 255	TRUE COMFORT PRO INS		ULTILET INSULIN SYRINGE	
<i>triamcinolone acetonide</i>	SYRINGE	189, 190	173, 194	
.....139, 150, 212, 232	TRUE COMFORT SAFE		ULTILET PEN NEEDLE	194
<i>triamterene-hydrochlorothiazid</i> 114	INSULIN SYRG	189, 190, 191	ULTRA CMFT INS SYR	
<i>triazolam</i>	TRUE COMFORT SAFETY		(HALF UNIT)	171, 184
<i>tricitrates</i>	PEN NEEDLE	189	ULTRA COMFORT INSULIN	
<i>trientine</i>	<i>trueplus glucose</i>	104	SYRINGE	164, 171, 194, 195
<i>tri-estarylla</i>	TRUEPLUS INSULIN	191, 192	ULTRA FLO INSUL	
<i>trifluoperazine</i>	TRUEPLUS PEN NEEDLE	191	SYR(HALF UNIT)	195
<i>trifluridine</i>	TRULICITY	60	ULTRA FLO INSULIN	
<i>trihexyphenidyl</i>	TRUMENBA	249	SYRINGE	195, 196
TRIJARDY XR	TRUQAP	44	ULTRA FLO PEN NEEDLE ... 195	
TRIKAFTA	TRUXIMA	44	<i>ultra strength antacid</i>	216
<i>tri-legest fe</i>	TUKYSA	44	ULTRA THIN PEN NEEDLE. 196	
<i>tri-linyah</i>	TURALIO	44	ULTRACARE INSULIN	
<i>tri-lo-estarylla</i>	<i>turqoz (28)</i>	134	SYRINGE	196
<i>tri-lo-marzia</i>	<i>tussin</i>	135	ULTRACARE PEN NEEDLE	
<i>tri-lo-mili</i>	<i>tussin cough-chest congestion</i> .. 137		196, 197	
<i>tri-lo-sprintec</i>	<i>tussin dm</i>	137	ULTRA-FINE INS SYR	
<i>trimazole</i>	<i>tussin dm clear</i>	136	(HALF UNIT)	197

ULTRA-FINE INSULIN	<i>vanicream hc</i>150	VIMKUNYA.....250
SYRINGE.....197	VANISHPOINT INSULIN	<i>vinblastine</i>45
ULTRA-FINE PEN NEEDLE..197	SYRINGE.....200	<i>vincasar pfs</i>45
ULTRA-THIN II (SHORT) INS	VANISHPOINT SYRINGE.....200	<i>vincristine</i>45
SYR.....197, 198	VAQTA (PF).....249, 250	<i>vinorelbine</i>45
ULTRA-THIN II (SHORT)	<i>varenicline tartrate</i>16	<i>viorele (28)</i>134
PEN NDL.....198	VARIVAX (PF).....250	VIRACEPT.....96
ULTRA-THIN II INS PEN	VASELINE.....143	VIREAD.....96
NEEDLES.....198	VAXCHORA VACCINE.....250	<i>vision</i>283
ULTRA-THIN II INSULIN	VEGZELMA.....44	<i>vision plus lutein</i>283
SYRINGE.....197, 198	<i>velivet triphasic regimen (28)</i> ...134	<i>vit a palmitate-vit c-vit d3</i> .277, 280
UNIFINE OTC PEN NEEDLE 198	VELTASSA.....220	<i>vitafol</i>283
UNIFINE PEN NEEDLE.....198	VEMLIDY.....96	<i>vitalets</i>284
UNIFINE PENTIPS.....180, 198	VENCLEXTA.....44	<i>vitamin a</i>284
UNIFINE PENTIPS	VENCLEXTA STARTING	<i>vitamin b complex</i>
MAXFLOW.....198	PACK.....44	220, 271, 281, 284
UNIFINE PENTIPS PLUS.....199	<i>venlafaxine</i>57, 58	<i>vitamin b complex-folic acid</i>284
UNIFINE PENTIPS PLUS	<i>venlafaxine besylate</i>57	<i>vitamin b-1</i>272
MAXFLOW.....199	<i>venngel one</i>12	<i>vitamin b-12</i>271
UNIFINE PROTECT.....199	VEOZAH.....256	<i>vitamin b-6</i>284
UNIFINE SAFECONTROL	<i>verapamil</i>110	<i>vitamin c</i>276, 282, 284
PEN NEEDLE.....199	VERIFINE INSULIN	<i>vitamin c with rose hips</i>273, 283
UNIFINE ULTRA PEN	SYRINGE.....200, 201	<i>vitamin d3</i>285
NEEDLE.....200	VERIFINE PEN NEEDLE.....200	<i>vitamin k</i>285
UPTRAVI.....270	VERIFINE PLUS PEN	<i>vitamin k1</i>285
<i>ursodiol</i>220	NEEDLE.....200, 201	<i>vitamins b complex</i>271, 284
UZEDY.....89, 90	VERIFINE PLUS PEN	<i>vitamins for hair</i>285
VAGINAL CONTRACEPTIVE	NEEDLE-SHARP.....201	<i>vitatrum</i>285
FILM.....134	VERQUVO.....111	VITRAKVI.....45
<i>valacyclovir</i>98	VERSACLOZ.....90	<i>vitrum senior</i>285
VALCHLOR.....143	<i>verticalm</i>80	<i>vits a and d-white pet-lanolin</i> ...143
<i>valganciclovir</i>98	VERZENIO.....44	VIVIMUSTA.....45
<i>valproate sodium</i>52	<i>vestura (28)</i>134	VIVOTIF.....250
<i>valproic acid</i>52	V-GO 20.....201	VIZIMPRO.....45
<i>valproic acid (as sodium salt)</i>52	V-GO 30.....201	VOCABRIA.....96
<i>valsartan</i>106	V-GO 40.....201	<i>volnea (28)</i>134
<i>valsartan-hydrochlorothiazide</i> .106	<i>vicks sinex ultra fine mist 12</i>207	VONJO.....45
VALTOCO.....52	<i>vienna</i>134	VORANIGO.....45
<i>valtya</i>134	<i>vigabatrin</i>52	<i>voriconazole</i>69
VANATAB DM.....138	<i>vigadrone</i>52	VOSEVI.....97
<i>vancomycin</i>19, 20	<i>vigpoder</i>53	<i>votrizal</i>69
VANFLYTA.....44	<i>vilazodone</i>58	VOWST.....256

VRAYLAR.....	90	XARELTO.....	99	ZEGALOGUE	
VUMERITY.....	123	XARELTO DVT-PE TREAT		AUTOINJECTOR.....	256
VYALEV.....	83	30D START.....	99	ZEGALOGUE SYRINGE.....	256
<i>vyfemla (28)</i>	134	XATMEP.....	46	ZEJULA.....	46
<i>vylibra</i>	134	XCOPRI.....	53	ZELBORAF.....	46
VYLOY.....	45	XCOPRI MAINTENANCE		<i>zenatane</i>	144
VYZULTA.....	258	PACK.....	53	ZENPEP.....	203
<i>wal-act d cold and allergy</i>	75	XCOPRI TITRATION PACK....	53	<i>zephrex-d</i>	138
<i>wal-dram 2</i>	80	XDEMVO.....	209	<i>zidovudine</i>	96
<i>wal-dryl allergy</i>	75	XELJANZ.....	243	ZIIHERA.....	47
<i>wal-fex allergy</i>	75	XELJANZ XR.....	243	<i>zinc oxide</i>	143, 144
<i>wal-finate-d</i>	75	XERMELO.....	220	<i>zinc oxide diaper cream</i>	141
<i>walgreens dry skin treatment</i>	142	XGEVA.....	252	<i>ziprasidone hcl</i>	90
<i>wal-itin</i>	71, 75	XIFAXAN.....	20	<i>ziprasidone mesylate</i>	90
<i>wal-itin d</i>	75	XIGDUO XR.....	61	ZIRABEV.....	47
<i>wal-itin d 12 hour</i>	75	XIIDRA.....	212	ZIRGAN.....	209
WAL-MUCIL FIBER		XOLAIR.....	268	ZOLADEX.....	47
(ASPARTAME).....	227	XOSPATA.....	46	ZOLINZA.....	47
WAL-MUCIL FIBER		XPOVIO.....	46	<i>zolmitriptan</i>	78
(SUGAR).....	227	XTANDI.....	46	<i>zolpidem</i>	269
<i>wal-phed</i>	75, 138	<i>xulane</i>	134	ZONISADE.....	53
<i>wal-phed d</i>	138	XULTOPHY 100/3.6.....	63	<i>zonisamide</i>	53
<i>wal-phed pe</i>	105	XYOSTED.....	230	<i>zostrix-hp</i>	144
<i>wal-profen</i>	12	<i>xyzbac</i>	285	<i>zostrix-hp foot</i>	144
<i>wal-proxen</i>	13	<i>yargesa</i>	202	<i>zovia 1/35e (28)</i>	134
<i>wal-tussin</i>	138	YERVOY.....	46	<i>zovia 1-35 (28)</i>	134
<i>wal-tussin dm clear</i>	138	YESINTEK.....	243, 244	ZTALMY.....	53
<i>wal-zyr (cetirizine)</i>	75	YF-VAX (PF).....	250	ZTLIDO.....	14
<i>wal-zyr (ketotifen)</i>	207	YONSA.....	46	<i>zumandimine (28)</i>	135
<i>wal-zyr d</i>	76	YUFLYMA(CF).....	244	ZURZUVAE.....	58
<i>warfarin</i>	99	YUFLYMA(CF) AI CROHN'S-		ZYDELIG.....	47
WELIREG.....	45	UC-HS.....	244	ZYKADIA.....	47
WHITE PETROLATUM..	141, 144	YUFLYMA(CF)		ZYLET.....	210
WHITE PETROLATUM		AUTOINJECTOR.....	244	ZYMFENTRA.....	256
(BULK).....	143	<i>yuvaferm</i>	231	ZYNLONTA.....	47
WHITE PETROLEUM JELLY	144	<i>zafemy</i>	134	ZYNYZ.....	47
WINREVAIR.....	268	<i>zafirlukast</i>	264	ZYPREXA RELPREVV.....	90, 91
<i>wixela inhub</i>	264	<i>zaleplon</i>	269	ZYRTEC.....	76
<i>women's laxative (bisacodyl)</i>	227	<i>zantac-360 (famotidine)</i>	216	<i>zyvit</i>	285
<i>wound wash saline</i>	141	ZARXIO.....	101		
XALKORI.....	45	<i>zeasorb af</i>	69		
<i>xarah fe</i>	134	<i>zebutal</i>	9		